


SHETH LUJ & MV COLLEGE

PRACTICAL NO 5

Aim: Analyzing Data using Table Calculations

A: Apply quick table calculations (running total, percent of total)


1. Open a new worksheet and rename it: Running Total - Votes.



2. From the Data Pane, drag listed_in(city) to the Rows shelf.


3. Drag votes to the Columns shelf. (Tableau will automatically aggregate it as SUM(votes)).

SHETH LUJ & MV COLLEGE




4. Convert to Quick Table Calculation:

- Right-click the SUM(votes) pill on the Columns shelf.
- Hover over Quick Table Calculation and select Running Total.




SHETH LUJ & MV COLLEGE



5. Add Visual Context (Secondary Measure):

- Drag votes from the Data Pane again and drop it directly onto the Tooltip mark in the Marks Card.
- Result: Now when you hover over a bar, you will see both the individual city's vote count and the cumulative total up to that city


SHETH LUJ & MV COLLEGE



Task 2: Create a Percent of Total across Categories

A Percent of Total transforms raw numbers into relative percentages of the entire view (summing to 100%).


1. Open a new worksheet and rename it: Percent of Total - Service Type.



2. Drag listed_in(type) (e.g., Buffet, Cafes, Delivery, Dining) to the Rows shelf.


3. Drag votes to the Columns shelf.

SHETH LUJ & MV COLLEGE




4. Right-click the SUM(votes) pill on the Columns shelf.

5. Hover over Quick Table Calculation and select Percent of Total.




SHETH LUJ & MV COLLEGE




6. Format as Percentage:

- Right-click the SUM(votes) pill again and select Format...




- Under the Pane tab on the left formatting panel, click Numbers $\rightarrow$ Percentage (set to 1 or 2 decimal places).

SHETH LUJ & MV COLLEGE




7. Drag SUM(votes) (with the table calculation icon Δ) onto the Label mark so the exact percentages display on top of each bar.



SHETH LUJ & MV COLLEGE


b) Create moving averages and cumulative metrics

1. Open a new worksheet and rename it: Moving Average - Avg Cost.




2. Drag listed_in(city) to the Rows shelf.

3. Drag approx_cost(for two people) to the Columns shelf.




SHETH LUJ & MV COLLEGE




4. Convert to a Moving Average Quick Table Calculation:

- Right-click the AVG(approx_cost...) pill on the Columns shelf.
- Hover over Quick Table Calculation and select Moving Average.




SHETH LUJ & MV COLLEGE




5. Customize the Moving Window:

- Right-click the modified AVG(approx_cost...) pill again (it now has a Δ symbol).
- Select Edit Table Calculation...




SHETH LUJ & MV COLLEGE



Task 2: Create a Custom Cumulative Metric via Calculated Field


- Click the small drop-down arrow at the top right of the Data Pane (just next to the Search box) and select Create Calculated Field...
- Name the field: Cumulative Votes (RUNNING_SUM).
- Enter the following Table Calculation formula: `RUNNING_SUM(SUM([votes]))`




4. Click OK.

SHETH LUJ & MV COLLEGE

5. Open a new worksheet.
6. Drag cuisines to Rows (Filter to top 15 or 20 if the list is too long).
7. Drag your newly created Cumulative Votes (RUNNING_SUM) field onto Columns.




- c) Perform year-over-year growth analysis
1. Open a new worksheet and rename it: YoY Growth Analysis.




SHETH LUJ & MV COLLEGE

2. Place your time dimension (or ordinal grouped column like listed_in(city)) on the Columns shelf.
3. Drag votes (or approx_cost(for two people)) onto the Rows shelf as SUM(votes).




4. Apply the Year-over-Year Growth Quick Table Calculation:
 - Right-click the SUM(votes) pill on the Rows shelf.
 - Hover over Quick Table Calculation → select Percent Difference (or Year Over Year Growth if using a true Date field).

SHETH LUJ & MV COLLEGE



5. Configure the Growth Calculation Direction:

- Right-click the modified SUM(votes) pill (with the Δ icon).
- Hover over Compute Using → select Table (across){In some cases it may have by selected by default}.




6. Add Visual Color Indicators:

- Hold down Ctrl (or Cmd on Mac), click and drag the SUM(votes) pill from the Rows shelf, and drop it directly onto the Color mark on the Marks card.


SHETH LUJ & MV COLLEGE

- Positive growth will appear in one color (e.g., Green/Blue) while negative performance dips will turn Red/Orange!



d) Use ranking functions (Top N, Bottom N)


- Click the small drop-down arrow at the top right of the Data Pane and select Create Calculated Field...
- Name the field: Restaurant Rank.
- Input the following ranking calculation: $RANK(SUM([votes]), 'desc')$




Task 2: Build the Top N / Bottom N Ranked View

SHETH LUJ & MV COLLEGE


1. Open a new worksheet and rename it: Top & Bottom Restaurants.
2. Drag name (Restaurant Name) to the Rows shelf.
3. Drag votes to the Columns shelf.
4. Drag your newly created Restaurant Rank calculated field onto the Rows shelf, placing it to the left of name.



5. Convert Restaurant Rank to a Discrete field:





SHETH LUJ & MV COLLEGE



SHETH LUJ & MV COLLEGE

Task 3: Filter Dynamically to Display Top N Only


1. Hold Ctrl (or Cmd on Mac), click and drag the Restaurant Rank pill from the Rows shelf, and drop it onto the Filters card.
2. In the filter dialog box, select a range of ranks (e.g., set the maximum to 10 to show only the Top 10 restaurants).
3. Click OK.



SHETH LUJ & MV COLLEGE

e) Implement window functions (WINDOW_SUM, WINDOW_AVG)


1. Click the small drop-down arrow at the top right of the Data Pane (next to the Search bar) and select Create Calculated Field...
2. Name the field: City Window Avg Cost.
3. Input the following window function formula: $WINDOW_AVG(AVG([approx_cost(for\ two\ people)]))$



Task 2: Build the Window Comparison Visualization


1. Open a new worksheet and rename it: Cost vs City Average.
2. Drag listed_in(city) to the Rows shelf.
3. Drag approx_cost(for two people) to the Columns shelf. Change its aggregation to Average (Right-click pill $\rightarrow$ Measure (Sum) $\rightarrow$ Average).

SHETH LUJ & MV COLLEGE




4. Drag your newly created City Window Avg Cost calculated field onto the Columns shelf (placing it right beside AVG(approx_cost...)).

SHETH LUJ & MV COLLEGE




Task 3: Combine Measures into a Dual-Axis Reference View

1. Right-click the City Window Avg Cost pill on the Columns shelf and select Dual Axis.



2. Right-click the top horizontal axis in the visualization view and select Synchronize Axis.


SHETH LUJ & MV COLLEGE




3. In the Marks card:

- Change the mark type for AVG(approx_cost...) to Bar

SHETH LUJ & MV COLLEGE



o Change the mark type for City Window Avg Cost to Line (or Gantt Bar).




Task 4: Create a Window Difference Metric (WINDOW_SUM)

1. Click the small drop-down arrow at the top right of the Data Pane and select Create Calculated Field...
2. Name the field: Difference from Window Sum.

SHETH LUJ & MV COLLEGE


3. Input the following expression to compare each city's vote count against the total sum of all votes in the visible window: $SUM([votes]) - WINDOW_AVG(SUM([votes]))$



4. Apply it to the View:


- Open new Sheet
- Drag listed_in(city) to the Rows shelf and votes to the Columns shelf.
- Drag your new Difference from Window Sum calculated field onto the Color mark on the Marks card.

SHETH LUJ & MV COLLEGE



f) Customize addressing and partitioning


1. Open a new worksheet and rename it: Addressing vs Partitioning.
2. Drag listed_in(city) to the Rows shelf.
3. Drag listed_in(type) to the Rows shelf, placing it right next to listed_in(city) (creating a two-level nested hierarchy).
4. Drag votes to the Columns shelf as SUM(votes).




Task 2: Apply Partitioning via "Compute Using" Options

SHETH LUJ & MV COLLEGE

1. Right-click the SUM(votes) pill on the Columns shelf, hover over Quick Table Calculation, and select Rank.




2. Right-click the SUM(votes) pill again and hover over Compute Using:
o Select Table (down): Tableau addresses the entire table from top to bottom. It ranks every single row relative to the whole sheet (Partition = Entire Table).



SHETH LUJ & MV COLLEGE

- Select Pane (down): Tableau partitions the calculation by listed_in(city). The ranking now restarts at 1 for the service types inside each individual city!



Task 3: Manually Define Addressing with Specific Dimensions

For precise control over complex visual structures, use the Specific Dimensions settings:


1. Right-click the SUM(votes) pill (with the Δ icon) on the Columns shelf and select Edit Table Calculation
2. Under Compute Using, select the radio button for Specific Dimensions.
3. Observe the checked vs. unchecked boxes:

Checked boxes = Addressing fields: Tableau computes along these dimensions.

Unchecked boxes = Partitioning fields: Tableau restarts the calculation whenever this dimension changes.

4. Uncheck listed_in(city) and leave listed_in(type) checked.

SHETH LUJ & MV COLLEGE




g) Create dynamic titles and labels using table calculations


Task 1: Create a Dynamic Label Parameter

1. Right-click anywhere in the Data Pane and select Create Parameter... or click on small triangle drop down button next to search on data pane and select Create Parameter
2. Name the parameter: Top N Threshold.
3. Set Data type to Integer.
4. Set Current value to 5.
5. Under Allowable values, select Range:
 - o Minimum: 3
 - o Maximum: 20
 - o Step size: 1
6. Click OK.

SHETH LUJ & MV COLLEGE




7. Right-click Top N Threshold in the Data Pane and select Show Parameter Control.



Task 2: Create a Dynamic Header Calculation


1. Create a new Calculated Field named Dynamic Title: "Top " + STR([Top N Threshold]) + " Restaurants by Total Votes"

SHETH LUJ & MV COLLEGE



Task 3: Embed Calculated Fields and Parameters into the Sheet Title

1. Double-click the Sheet Title at the top of your worksheet (e.g., Top & Bottom Restaurants).




2. Clear the existing text.

3. In the Edit Title dialog box, click the Insert button in the top right corner.

4. Select Parameters.Top N Threshold from the list.


5. Format the title text so it reads: Top Restaurants by Total Votes

SHETH LUJ & MV COLLEGE



6. Click OK.


7. Adjust the Top N Threshold parameter slider on your sheet to test how the title updates dynamically!



Task 4: Add Dynamic Mark Labels (Highlighting Extremes)

1. Drag SUM(votes) to the Label card on the Marks card.

SHETH LUJ & MV COLLEGE



2. Click the Label card to open options:

- o Under Marks to Label, select Min/Max.

- o Under Field, select SUM(votes).

- o Under Options, check Allow labels to overlap other marks (if needed).

