

# Course Generator - V4.4

Pierre Delore

© 2008-2019 Pierre Delore (pierre@TechAndRun.com), CC BY-NC

## Contents

<b>Introduction</b>	<b>3</b>
Author's Note . . . . .	3
Personal data protection . . . . .	4
<b>The principle</b>	<b>5</b>
What is a GPX file? . . . . .	5
The CGX format . . . . .	6
The operating principle of Course Generator . . . . .	6
Use cases . . . . .	7
<b>The GUI</b>	<b>8</b>
<b>Menus</b>	<b>9</b>
“File” Menu . . . . .	9
“Edit” Menu . . . . .	10
“Display” Menu . . . . .	11
“Tools” Menu . . . . .	11
“Parameters” Menu . . . . .	11
“Help” Menu . . . . .	11
<b>The Toolbar</b>	<b>12</b>
<b>The Status bar</b>	<b>13</b>
<b>Tabs</b>	<b>13</b>
“GPS data” tab . . . . .	14
“Profile” tab . . . . .	16
“Statistics” tab . . . . .	17
“Analysis” tab . . . . .	17
“Analysis>Time/Distance” tab . . . . .	17
“Analysis>Speed” tab . . . . .	18
“Analysis>Speed/Slope” tab . . . . .	19
“Summary” tab . . . . .	20

<b>Using Course Generator</b>	<b>20</b>
Load a track . . . . .	21
Set up a track . . . . .	21
Set the speed/slope curve . . . . .	23
Set the terrain difficulty . . . . .	25
Set the fatigue coefficient . . . . .	25
Set the refueling times . . . . .	28
Set the recovery times . . . . .	29
Set the cut-off times . . . . .	30
Indicators or tags . . . . .	30
Calculate the track time . . . . .	31
Save the track . . . . .	32
<b>Advanced use of Course Generator</b>	<b>32</b>
Find a GPS point . . . . .	33
Find the high and low points of the track . . . . .	33
Change the altitude of a point on the track . . . . .	33
Merge two tracks . . . . .	34
Save part of the track . . . . .	35
Export tags as waypoints . . . . .	35
Copy the contents of a cell . . . . .	37
Generate a mini roadbook . . . . .	37
Presentation . . . . .	37
The types of mini roadbook . . . . .	38
The toolbar . . . . .	40
Set the size of the mini roadbook . . . . .	41
Configure the mini roadbook . . . . .	41
Configure each label . . . . .	45
Set the display format for labels . . . . .	46
Showing day and night times . . . . .	47
Reverse track direction . . . . .	48
Set a new starting point on a looped track . . . . .	48
Find the best “Speed/Slope” curve from the final time . . . . .	49
The general parameters of Course Generator . . . . .	49
“General” tab . . . . .	50
“Display” tab . . . . .	51
“Maps” tab . . . . .	52
Import and export marked points . . . . .	52
Analyzing data after a race . . . . .	54
Using the map features . . . . .	55
Filter altitudes . . . . .	56
Altitude correction . . . . .	58
Removing unnecessary points . . . . .	58

## Introduction

**Course Generator** allows you to process your GPS files in order to :

- Calculate your travel time by having previously adjusted the parameters corresponding to the nature of the terrain and your abilities,
- Calculate your times at each point of the track,
- To add on the course the nature of the terrain, your fatigue coefficient over time, refueling or rest periods and comments,
- Define cut-off time (an indicator will show you an overrun),
- To define recovery coefficients,
- To define the night periods and the associated efficiency decline,
- To select the decline of performance according to the altitude,
- View your track on a map (OpenStreetMap, OpenTopoMap, etc...),
- To generate a mini-roadbook with the profile of your track and annotations on the waypoints (name, time, altitude, Elevation gain ...),
- To generate a report in text format (CSV),
- Get statistics on the track (HTML format),
- Reverse the direction of the track,
- Set a new starting point for a loop track,
- Insert a track at the beginning or at the end of another track,
- To extract part of the track,
- To determine from a finish time the speed/slope curve,
- vitesse/pente correspondante,
- To save the modified track, containing calculated track times, in GPX format. This will allow you, for example, to use the “Virtual Partner” function of GARMIN GPS,
- Save the track in CGX format which is the backup format of **Course Generator** in order to be able to exchange tracks while keeping the ground data, markers, the comments ...

And many other things...

Writing conventions have been adopted in this manual. They are detailed below.

- “*File > Open GPX*” indicates that it is necessary to select the “File” menu then select, in this menu, “Open GPX”. This allows to simply describe a sequence of manipulation to be done with the mouse.
- “[*CTRL + O*]” indicates one or a series of keys to activate in order to trigger an action. For example [CTRL + O] indicates that it is necessary to press the CTRL key while at the same time press the O key.

## Author’s Note

I created **Course Generator** in 2008 to help me prepare for my first 100km Ultramarathon trail race. I improved the software based on my needs. A small

article in Ultrafondu (French magazine) allowed me to start making it known and I then made it grow with the user feedbacks. It has evolved enormously and many times, I have rewritten it to fit my needs. Each time it was a challenge and like the races that I ran, it was an adventure that made me grow (knowledge, questioning, open-mindedness ...).

**Course Generator** does not pretend to give you totally accurate results. Too much depends on you and external conditions. Consider this software as a help to prepare your futur adventures.

You notice that I didn't use the term "race" because for me the "adventure" approach of a race, as hard as it is, has always allowed me to go through with its positive approach (not to mention the chrono anyway:)).

The development of **Course Generator** has been and continues to be an adventure.

If you like this software you can contribute in different ways:

- By donating, by going to **Course Generator** website. This allows me to pay for hosting the site, tools and books allowing me to continue the adventure. The development of the application is done on my free time.
- By advertising. By choice, I am not very active on forums and social networks to use my free time to improve the software. If you have the opportunity, do not hesitate to talk about **Course Generator**. Twitter, Facebook, forums and also Reddit which if it is little used in France is a tool widely used in English-speaking countries.
- By feedbacks on the software. Bugs, documentation corrections and requests for improvements are welcome.
- By participating in the translation of the software into another language. It's simple, I send you a text file with English texts and you translate them into the target language by following a few simple rules.
- By participating in software development. Nothing very complicated, you have to know the Java language, Git and Github. Since version 4, **Course Generator** is Open Source and hosted on Github ([github.com/patrovite/Course\\_Generator](https://github.com/patrovite/Course_Generator)) so that other people can improve the software with me. The subject is vast, there is still plenty to do.

Go on an adventure with **Course Generator**.

Pierre DELORE

## Personal data protection

The software collects information about your hardware and software configuration in the logs. These data are in the 'logs' directory which can be accessed via the menu "Tools> Open the"Logs" folder". Nothing is sent outside from your

computer. It is only in case of problem that I will ask you to send me the ‘logs’ files.

## The principle

To work, **Course Generator** needs, as input, data containing a sequence of GPS points representing a track.

This data can be:


- A file in GPX format. This file contains the data of a track that has been created or downloaded on websites,
- A file in CGX format which is the recording format of **Course Generator**.

### What is a GPX file?

The GPX format is a standard cartographic data exchange format created by GARMIN. These data are either from a GPS or from a software or website.

It allows to exchange:

- Waypoints. These are GPS points, containing latitude, longitude and altitude, which is associated with information such as a name or symbol. The number of waypoints is usually limited on GPS (often 500 waypoints on GARMIN GPS).
- Routes. They consist of a set of waypoints. They are therefore limited by the number of waypoints that can contain a GPS.
- Tracks. A track consists of a set of GPS points (and not waypoints). Each GPS point contains at least the latitude and longitude of the point. Altitude and recording time are generally included in each point.



Wikipedia source

When opening a GPX file, **Course Generator** only read tracks. Other type of data are ignored.

### The CGX format

The CGX format is the native format of **Course Generator**. It allows in addition to the latitude, longitude and altitude, to store all specific data of **Course Generator**. This includes for example: ground difficulty, aid station, comments, mini-roadbook data ... This format allows you to exchange a track with a complete set of information about it.

### The operating principle of Course Generator

The diagram below shows the operating principle of **Course Generator**.





Figure 1: Principle of operation

## Use cases

The following use cases could be considered (non-exhaustive list):

- Prepare a race. After downloading the race GPS track you will adjust your parameters, adjust the terrain “quality”, indicate the aid station and the planned downtime, add comments and many other things. Finally, **Course Generator** will calculate your time of passage for each point of the track. This will allow you to have your time at each point of the track, statistics (for example time spent at more than 2000m at night) and generate a mini-roadbook.
- For a race direction to share the track in which they would have indicated for the terrain “quality”, the aid station, the cut-off times.
- Generation of a GPX file with pre-calculated time data to use the GARMIN GPS virtual partner. This allows to have a virtual partner running with you. If you have chosen the right parameters, you will be able to run at his side. This function also displays your position and the partner’s position on the track and on the track profile. It gives you the remaining track time as well as the remaining distance. It’s very convenient to manage your effort. The screenshot below shows you the profile view in virtual partner mode on a Forerunner 205/305. The dark point is you and the clear point is the virtual partner.



**Do I need to own a Garmin GPS device to use Course Generator?**

No! But it's a plus if you want to use the virtual partner feature. That's what pushed me to create **Course Generator** (even though now I almost don't use this feature anymore).

## The GUI

Upon starting the software, the following window is displayed :

The software's GUI is made of (from top to bottom):

- A ribbon on top of the window.
- A toolbar containing the most used tools.
- Several tabs giving access, for a given course, to the profile, data, summary, statistics and analysis.
- A map.
- A footer showing quick important information.




Figure 2: Main GUI

## Menus

### “File” Menu

- **Open CGX** : Loads a CGX format file. Keyboard shortcut: [CTRL+O].
- **Recent CGX files...** : Displays a list of the last 5 CGX files that have been loaded. Clicking on one of those files will load them again.
- **Save as CGX** : Saves the course data in CGX format. All the course data (difficulty, fatigue coefficient, aid station time...) will be saved. Keyboard shortcut: [CTRL+S].
- **Save as CGX as...** : Saves the course data in CGX format. A dialog allow to enter the file name. All the course data (difficulty, fatigue coefficient, aid station time...) will be saved.
- **Open GPX** : Loads a GPX format file. Keyboard shortcut: [MAJ+CTRL+O].
- **Recent GPX files...** : Displays a list of the last 5 GPX files that have been loaded. Clicking on one of those files will load them again.
- **Import > Add a GPX file to the track** : Imports a GPX file at the beginning or end of the current course.

- **Import > Add a CGX file to the track** : Imports a CGX file at the beginning or end of the current course.
- **Export > Export track as CSV** : Saves the course data in CSV format. The saved file can be opened by a spreadsheet such as Excel or LibreOffice Calc.
- **Export > Export track as GPX** : Saves the course data in GPX format. Warning! Only latitude, longitude and altitude data will be saved.
- **Export > Save selection as CGX** : Saves the selected line(s) in a CGX file. All the course data (difficulties, fatigue coefficient, aid station time....) will be saved.
- **Export > Save selection as GPX** : Saves the selected lines in a GPX file. Warning! Only latitude, longitude and altitude data will be saved.
- **Export > Save selection as CSV** : Saves the selected lines in a CSV file. The saved file can be opened by a spreadsheet such as Excel or LibreOffice Calc.
- **Tags > Import** : Imports waypoints as CGP format.
- **Tags > Export** : Saves the selected waypoints in a CGP file.
- **Tags > Export as waypoints** : Saves the selected tags as waypoints in a GPX file. This allows to benefitiate, when using a GPS device, additional information on top of the course.
- **Exit** : Exits Course Generator. Keyboard shortcut: [Alt+F4].

## “Edit” Menu

- **Copy** : Copies the selected line in the clipboard. Keyboard shortcut: [CTRL+C].
- **Search a point...** : Searches a GPS point using longitude and latitude coordinates. The closest point found will be returned. Keyboard shortcut: [CTRL+F].
- **Read only mode** : Select or unselect the read only mode. In this mode no parameters modification is allowed.
- **Mark the current position** : Sets a mark on the selected line. If the line already has a mark, the mark will be deleted. Keyboard shortcut: [F6].
- **Go to the next mark** : Locates and selects the next mark. Keyboard shortcut: [F7].
- **Go to the previous mark** : Locates and selects the previous mark. Keyboard shortcut: [Ctrl+F7].

## “Display” Menu

- **Generate mini roadbook** : Opens a window and displays the course’s mini roadbook.

## “Tools” Menu

- **Find Min/Max** : Determines the highest and lowest course points.
- **Reverse track** : Reverse the course direction.
- **Define a new start**: For a given course as a loop, sets the selected point as the start of the course.
- **Smooth elevation data** : Open a dialog box where you can smooth the elevation data of the track.
- **Estimate track time** : Compute the estimated time for each of the course’s points. Keyboard shortcut: [F5].
- **Search ‘Speed/Slope’ curve from the final time** : Open a dialog box where, from the final expected time, the software will select the best ‘Speed/Slope’ curve.
- **Open the “Speed/Slope” folder** : Opens the folder containing the speed curve files in File Explorer.
- **Open the “Logs” folder** : Opens the folder containing the logs files in File Explorer.

## “Parameters” Menu

- **Track settings...** : Opens the dialog to configure the course settings. Keyboard shortcut: [F9].
- **Speed/Slope curves...** : Opens the dialog to choose, create, modify or delete a speed/slope curve.
- **Course Generator settings...** : Opens the dialog to change the main settings of **Course Generator**.

## “Help” Menu

- **Help** : Displays this current document.
- **Release notes** : Display a dialog box which shows notes about the current version of **Course Generator**.

- **F.A.Q.** : Open your browser and display the Frequently Asked Question page about **Course Generator**.
- **Check for update** : Check if a **Course Generator** update exists.
- **Support the author...** : This menu opens your web browser and displays a webpage where a donation can be made to the author in order to support him continue developing **Course Generator**.
- **Course Generator webpage...** : This menu opens your web browser onto the main webpage of **Course Generator**.
- **About...** : Displays the copyright and version information of **Course Generator**.

## The Toolbar



Figure 3: Main Toolbar

- : Loads a GPX file format course
- : Loads a CGX file format course
- : Saves a CGX file format course
- : Undo the last command
- : Searches for a specific GPS location
- : Searches the previous mark
- : Searches the next mark
- : Displays the mini road-book
- : Displays the speed/slope curve
- : Displays the course settings window
- : Displays the global terrain difficulty settings window
- : Displays the global fatigue coefficient settings window
- : Computes the course estimated time

## The Status bar

Located at the bottom of the main GUI, it displays the general information related to the software status and the course.



Figure 4: Status Bar

- **112.418 km** : Total distance.
- **9278 m** : Total elevation gain.
- **9287 m** : Total elevation loss.
- **28:36:29** : Total estimated time.
- **Default** : Chosen ‘speed/slope’. A click in this area opens the curves dialog.
- **Cut-off time** : Indicates that a cut-off time has been exceeded for a specific course location. Clicking on it will bring the specific line into focus.
- **Modified** : The course has been modified. It is recommended to save it.
- **Ok** : The course has been modified. It is recommended to recompute the estimated time. (button or [F5]).
- **Online** : Displays the current internet connection status.
- **Km|m** : Shows the selected measuring units.
- **87.1 MB** : Displays the disk space used for the maps.

## Tabs

The top area contains a series of tabs that allow you to choose the type of data to display.

## “GPS data” tab

This tab displays all the data of the track.

Num	Lat	Lon	Alt	Tag	Dist	Total	Diff	Coeff	Recov...	Time	Cut-off	Hour	Aid station
482	43.04718000	6.72742000	▲ 11...		51	47.029	100	85.2		10:12:19		Sat 15:12:19	
483	45.81778000	6.72782000	▼ 11...		116	47.574	100	85.2		10:13:03		Sat 15:13:03	
484	45.81874000	6.72838000	▼ 11...		115	47.689	100	85.2		10:13:50		Sat 15:13:50	
485	45.82021000	6.72743000	▲ 11...		179	47.869	100	85.1		10:15:11		Sat 15:15:11	
486	45.82077000	6.72748000	▲ 11...		63	47.932	100	85.1		10:16:03		Sat 15:16:03	
487	45.82210000	6.72697000	▼ 11...	🕒	153	48.085	100	85.0		10:27:05	12:00:00	Sat 15:27:05	00:10:00
488	45.82198000	6.72664000	▼ 11...		29	48.114	100	85.0		10:27:17		Sat 15:27:17	
489	45.82204000	6.72613000	▼ 11...		44	48.158	100	85.0		10:28:07		Sat 15:28:07	
490	45.82284000	6.72584000	▲ 11...		92	48.250	100	85.0		10:28:54		Sat 15:28:54	
491	45.82381000	6.72579000	▼ 11...		109	48.359	100	84.9		10:29:42		Sat 15:29:42	
492	45.82441000	6.72452000	▲ 11...		119	48.478	100	84.9		10:30:37		Sat 15:30:37	
493	45.82433000	6.72360000	▲ 11...		118	48.506	100	84.9		10:31:40		Sat 15:31:40	

A double click on one of the lines opens the edit window.

The details of the columns are described below:

- **Num** : This is the row number of the table. It allows you to find quickly a line in the table.
- **Lat** : Contains the latitude of the point in degree.
- **Lon** : Contains the longitude of the point in degree.
- **Alt** : Contains the altitude of the point in meters/feet.
  - On the left of the altitude an arrow indicates the inclination of the field.
    - \* Upwards, this indicates that we have climbed since the last point.
    - \* Downwards, this indicates that we have descended from the last point.
    - \* To the right, this indicates that the field is flat.
  - The background color indicates the degree of slope of the field.
    - \* Brown if climbing (positive slope). The higher the slope, the darker the color.
    - \* White if the field is flat.
    - \* Green if going down (negative slope). The higher the slope, the darker the color.
- **Tag** : Displays the marks associated with the point.
  - : Indicates a high point.
  - : Indicates a low point.
  - : Indicates a refueling point.
  - : Indicates a water point.
  - : Indicates that the point has been marked.
  - : Indicates a view place.
  - : Indicates a note.
  - : Indicates information.
  - : Indicates the beginning or the end of a roadbook section.



– : Indicates a drop bag



– : Indicates the presence of crew



– : Indicates a first aid

- **Dist** : Contains the distance, in meters/miles, since the previous point.
- **Total** : Contains the distance, in kilometers/miles, that has been traveled to this point.
- **Diff** : Contains the field difficulty between the previous point and this point. The initial value is 100, this corresponds to a flat road. The lower the value, the more rugged it is. If you enter 80, this indicates that compared to a flat road you will spend 20% more time to cover the distance. The button allows you to quickly fill a set of position. You will find below the values used by Softrun ([www.softrun.fr](http://www.softrun.fr)). Thanks to Rémi Poisvert for these informations.
  - “Easy field” = 98
  - “Average field” (normal mountain trail) = 95
  - “Hard field” = 88
  - “Very hard field” = 80
  - “Extremely hard field” = < 80
- **Coeff** : Contains the fatigue coefficient to be applied between the previous point and this point. The value is between 1 and 200. The initial value is 100, this corresponds to your initial state (fresh state). If you enter 80, it indicates that you will spend 20% more time to travel the distance.  
The button allows to define a rule of global evolution of the fatigue coefficient.
- **Recovery** : Contains the recovery coefficient that will be added to the fatigue coefficient. It is a relative value that is between 0 and 100. Initial value is 0 (not displayed). The sum “Coeff” + “Recovery” is limited to 100%. This parameter is used to indicate recovery after a break (refueling, nap at a aid station...). Once the value entered, it’s necessary to restart an overall calculation of the coefficient of fatigue with the button .
- **Time** : Contains the total time needed to reach this point from the start.
- **Cut-off** : Contains the cut-off time at this point of the track. This is the time since the start and not the hour (this avoids the problems related to the departure times shift). If at a point in the track the time is greater than the cut-off time then an indicator appears in the status bar. A click on the indicator will select the first line where the cut-off time has been exceeded.
- **Hours** : Contains the day and time of passage at this point. Start date and time are adjustable in the track parameters. If the background is green it indicates that the travel is made during day time. If the background is blue then the trip is done during night time.

- **Aid station** : Contains the total refueling time you expect to spend at this point. If no refueling is planned for this point (time equal to 00:00.00) then the cell is empty.
- **Name** : Contains the name of the point. It is used in profile view, reports and mini roadbook.
- **Comment** : Contains a comment on the point. It is used in reports and the mini roadbook.

## “Profile” tab

This tab displays the track profile.



If a mark has been positioned in the table then a point appears on the curve as well as its serial number. This number corresponds to the table row of the Summary tab.

A left click on the curve makes it possible to position a cursor and to obtain information on the point (information coming from the data table).

A right click on the curve displays a menu to adjust the display of the curve and save the display as an image (PNG format).

The button displays the row position of the “Summary” table.

## “Statistics” tab

This tab provides statistics on the track.

The screenshot shows a software interface with a top navigation bar containing tabs: Data, Profile, Statistics (which is highlighted in orange), Analysis, and Summary. Below the tabs is a toolbar with icons for HTML and CSV export. The main content area is titled "TRACK STATISTICS". It displays the following information:

TRACK STATISTICS	
Track name :	SaintéLyon 2019
Description :	
Total distance	: 76.2 km
Elevation gain	: 1732 m
Average positive slope	: 8.7%
Elevation Loss	: 2051 m
Average negative slope	: -5.8%
Ascent (Slope > 2%)	: 27.7 km
Flat (Slope between -2% and 2%)	: 17.5 km
Descent (Slope < -2%)	: 31.1 km
Minimum altitude	: 165 m
Maximum altitude	: 886 m
Temperature difference (theoretical)*	: ~-4.3°C / ~-7.8°F

Statistics contain among other things:

- Average speed, distance and time for various slope areas
- Average speed, distance and time for various altitude ranges
- Average speed, distance and time for the daylight period
- Average speed, distance and time for the night period
- The average percentage of slope of the ascent and descent
- The distance traveled uphill, on the flat and downhill
- The temperature difference between the low point of the course and the high point. This value is purely indicative and theoretical. It does not take into account the wind chill effect and local phenomena. The basis of calculation is 0.6°C per 100m of elevation gain.

## “Analysis” tab

This tab allows to obtain an analysis of your track. It contains 3 sub-tabs which are detailed below.

### “Analysis>Time/Distance” tab

This tab allows you to analyze your speed over time.

Two curves are displayed:

- A curve of the altitude over the distance
- A curve of the time (in seconds) over the distance

The study of the curve of time/distance allows to see its evolution on the track (acceleration, slowdown, stopped). The change of slope of the red curve indicates



Figure 5: Time/Distance tab


a variation of speed.

The following cases are possible:

- The slope of the curve becomes steeper. This indicates a slowdown (due to the terrain or fatigue).
- The slope of the curve becomes less steep. This indicates an acceleration.
- The slope changes abruptly. This indicates a stop.

#### “Analysis>Speed” tab

This tab allows you to get an analysis of the speed on your track.




Two curves are present:

- A curve of the speed over the distance
- A regression curve of speed

A right click on the curve display a menu allowing to save the curve as an image.

## “Analysis>Speed/Slope” tab

This tab is used to extrapolate a speed curve over the slope.



This curve is useful for creating its own speed/slope curves according to a previous track.


Two curves are present:

- A scatter plot that includes all the points acquired during your race
- A speed/slope curve (extrapolated)



The button saves the result curve (red curve) in the speed/slope curve library. It will be useable in the curves dialog.

The following dialog appears:



The “Name” input field is used to enter the name of the curve.

The “Comment” input field is used to enter a comment.



The button corrects the speed/slope curve with the track parameters (terrain difficulty and fatigue).



The button allows to filter the speed of the speed/slope curve.

## “Summary” tab

This tab displays a table containing all the lines of the track containing a mark.

Summary													
N°	Name	Line	Altitude	Elevatio...	Elevation-	Distance	Time	Hour	Time difference	Time limit	Aid stati...	Distanc...	Elevatio...
1	Saint Etienne	1	493	0	0	0.000	00:00:00	Sat 23:30:00	00:00:00			0.000	0
2	Sainte-Christo-en-Jarez	469	758	530	269	17.509	01:58:58	Sun 01:28:58	01:58:58			17.509	530
3	Sainte Catherine	839	693	911	705	31.139	03:37:25	Sun 03:07:25	01:38:27			13.629	377
4	Saint Genou	1115	617	1143	1026	40.584	04:43:57	Sun 04:13:57	01:06:32			9.445	239
5	Soucieu-en-Jarrest	1446	364	1389	1508	53.475	06:08:17	Sun 05:38:17	01:24:20			12.891	240
6	Chaponost	1745	295	1562	1761	64.995	07:22:06	Sun 06:52:06	01:13:49			11.520	162
7	Lyon	2127	174	1732	2051	76.230	08:37:20	Sun 08:07:20	01:15:14			11.235	170

For each line you have:

- A number.
- The name of the point.
- The line of the data table where is the point.
- The altitude of the point.
- The accumulated elevation gain up to the point.
- The accumulated elevation loss up to the point.
- The distance traveled up to the point.
- The time at the point.
- The hour at the point.
- The travel time since the last point.
- The cut-off expressed in time since the start.
- The refueling time.
- The distance from the last point.
- The elevation gain since the last point.
- The elevation loss since the last point.
- The climb speed since the last point.
- The descent speed since the last point.
- The average slope of the climbs since the last point.
- The average slope of the descents since the last point.
- The average speed since last point.
- The comment on this point.



The button saves the table data in CSV format in order to be used in a spreadsheet (Excel, OpenOffice Calc ...).



The button allows you to refresh the data.

A double clic on a line open's the line editor for the corresponding point.

## Using Course Generator

The normal procedure for using **Course Generator** is:

- Upload a GPS file

- Set the global track parameters (Name, date and start time)
- Choose the “Speed/Slope”curve
- Set the track parameters (terrain difficulty, fatigue coefficient, aid stations...)
- Start the calculation
- Save the track in CGX or GPX format

The below chapters will describe all these manipulations (And much more).

## Load a track

Two types of files can be opened by **Course Generator**.

- The GPX format contains a GPS track from a recording made with a GPS, a mapping software or a website. This format does not contain specific **Course Generator** data. This format is to use if you don't have a CGX file of your track.
- The CGX format, which is the format of **Course Generator**, stores all the specific data of the software. It is preferred if you want to keep your work.

The loading of a track is done by the menu “File> Open GPX” or “File> Open CGX” according to the chosen format.

If the track contain a too high density of GPS points, the software will ask you if you want to apply a filter to reduce the number of GPS points. A too high density of GPS points can disturb the distance calculations.

If you load a GPX file that have no time data the **Course Generator** will the time for each point of the track at 0. It will be necessary to click on the button  to start the calculation of the time for each point.

## Set up a track

The setting of the track is done with “Settings>Track settings...” or [F9].

The configuration window below is then displayed.

You can then:

- Enter the name of the track (maximum 15 characters).
- Add a description of the track. This description will appear in the road-book.
- Set the date and time of start.
- Select if you want to use the altitude effect feature.
- Select if you want to use the night effect feature. You must then enter the times for the beginning and ending of the night and the correction factor




Figure 6: Track parameters dialog

to be applied to each position. The “Auto-adjustment” button opens the dialog box to automatically calculate the sunset and sunrise time. The calculation is made from the information of the first GPS point of the table(GPS coordinates, date and hours).

The following window appears:




Figure 7: Sun dialog

Enter the time zone (1 for France).

Once the setting is completed, press “Ok” to validate. If you have chosen to take into account the night effect, you will see that :

- the “Time” column shows a blue background during the night and green periods during the daytime periods.
- on the map the areas traveled at night have a highlighted plot.

### Set the speed/slope curve

In order to have a track time consistent with your speed, you have to choose or create a speed curve according to the slope. This curve goes from -50% slope (downhill) to + 50% slope (climb). The choice of the curve is made by the choice of the speed that one wants to “hold” when the slope is null (0%) on a road. The curves are divided into 3 groups :

- The “km/h” curves are standard read-only curves within the range 3.6km/h to 18km/h.
- The “min/miles” curves are standard read-only curves within the range 5min30s/miles to 24min/miles.

- The “user” curves that you create. If you duplicate a standard curve, the new curve will be in the “user” tab. You can access to the “user” curve files with the menu “Tools > Open the “Speed/Slope” curves folder”.

The menu “Settings>Speed/Slope curves...” or the button  will display the dialog box for selecting and managing curves.




Figure 8: Curves dialog

On the left appears the list of curves already created. During the creation, an explicit name was assigned to them to find them quickly. Try to preserve this principle if you create new curves.

- The button  loads the data from the selected curve file into the list.
- The button  allows you to modify the data of the selected curve.
- The button  allows you to create a new curve.
- The button  duplicates the selected curve.
- The button  deletes the selected curve.

**How to choose a speed curve?** This will depend on you, your goals... You can base yourself on a percentage of your vVO<sub>2max</sub>. For example for a long trail you can take 60% of your vVO<sub>2max</sub>. About 10km/h in my case, I then select the curve of 10km/h. There is also the practice. At the beginning you will surely underestimate or overestimate your speed. But over time your choice will become

more and more accurate.

#### Notes:

- \* If you create new curves that seem interesting to you, do not hesitate to send them to me so that I can add them on the website as well as in the next versions.
- \* Each curve is a file whose extension is ‘.par’. These files are accessible through the menu “Tools>Open”Speed/Slope” folder”. This will open the file manager and display the contents of the directory.

## Set the terrain difficulty

The “Diff” column is used to ‘quantify’ the difficulty of the terrain.

You can quickly enter terrain difficulty for a set of points. Simply select the first line and then while holding down the SHIFT key you select the following lines (with mouse or keyboard). The button  will display the auto-fill dialog.

The “Start” area is used to define the start line (from the beginning or from a specific line number). The “End” area is used to define the end line (to the end or to a specific line number). The zone “Difficulty” makes it possible to choose the difficulty of the terrain. You can either use the pre-determined values or enter your own difficulty value.

This action can also be done on the track map (see below).

#### Note:

It is sometimes impossible to determine or know the quality of the terrain. It may be wise to set an average terrain quality for the entire track. For example, the “Montagn’hard 100” has been rated as “average” terrain. Even if some sections were very difficult (scree, slippery areas ...) and other very easy (roads or tracks). Don’t try to take into account the slope of the terrain because this is taken into account via the “Speed/Slope” curve and the calculation of the slope is automatically done by **Course Generator**.

## Set the fatigue coefficient

The “Coeff” column is used to ‘quantify’ fatigue over time.

You can quickly enter the fatigue coefficient for a set of points (usually for the entire track). Simply select the first line and then while holding down the SHIFT key select the following lines (with mouse or keyboard). The button  allows to display the auto-fill dialog.

The “Start” area is used to define the start line (from the beginning or from a specific line number). The “Initial value” field is used to enter the corresponding value.



Figure 9: Terrain Difficulty dialog




Figure 10: Health coefficient dialog

The “End” area is used to define the end line (to the end or to a specific line number). The “Ending value” field is used to enter the corresponding value.

If the ending value is not equal to the initial value then the intermediate lines will have a gradual and linear variation of the values. Manual edits made through the line editor will be overwritten.

The settings made in this window will be global and stored in the CGX file.

The area “Help” allows according to your estimated to give you an approximate value of the coefficient of fatigue. This value can be copied to in the “Initial value” and “Ending value” fields with the buttons “> Start” and “> End”.

## Set the refueling times

In order to stick to reality, you can enter the time you plan to spend at a specific location (refueling, rest...).

The following dialog box is displayed:




Figure 11: Line editor

The “Aid station time” fields are used to enter the time at this location (hours, minutes and seconds). The “0” button allows you to reset the time to 00h00mm00s.

**FAQ!** The time or hour displayed on the line containing a refueling time is the time or hour you plan to leave from this position, NOT

the time you plan to arrive at this position. It's the design of **Course Generator** that forces this method of calculation.

To summarize: [Hour] = [Hour of the previous position] + [Travel time between 2 positions] + [Refueling time]

[Time] = [Time of the previous position] + [Travel time between 2 positions] + [Refueling time]

## Set the recovery times

You can enter for a given point the recovery coefficient after refueling or rest. To do this, go to the corresponding cell and open the line editor by double-clicking.

The following dialog box is displayed:




Figure 12: Line editor

The “Recovery” field is used to enter the recovery coefficient (between 0 and 100). This value is relative. If you think that you will recover 5% of fatigue coefficient, you must enter 5 and not the value you think you will have (eg from 85% to 90%).

### Note :

After modifying the “Recovery” column, it is necessary to restart a global calculation with the button  in order to have your input taken into account.

## Set the cut-off times

You can enter for a given point the scheduled cut-off time. This cut-off time is expressed in time since the start and not the time at the point. This makes it possible to take into account the departure delays (for example the UTMB 2011 was delayed by 5 hours). To do this, go to the corresponding cell and open the line editor by double-clicking.

The following dialog box is displayed:




Figure 13: Line editor

The “Cut-off time” fields are used to enter the cut-off time (hours, minutes and seconds). The “0” button allows you to reset the time to 00h00mm00s.

In order to take into account the input it is necessary to run a calculation with the button . After the calculation if one of the position time exceeds a cut-off time then a red indicator “Cut-off time” will appear in the status bar. A click on the indicator will select the first line of the trackthe first line where the cut-off time has been exceeded.

## Indicators or tags

For each point you can have indicators or tags that indicates a particularity of the point.

The different indicators are as follows:

-  : Indicates a high point. This indicator is selected manually or automatically by the function “Find Min/Max”.
-  : Indicates a low point. This indicator is selected manually or automatically by the function “Find Min/Max”.
-  : Indicates a refueling point (eat or drink).
-  : Indicates a water point.
-  : Indicates a view point.
-  : Indicates a special point. This indicator is called “Mark” and allows you to split the track into steps. Each mark adds a line in the summary table.
-  : Indicates a note.
-  : Indicates information.
-  : Indicates the beginning of a new part of the roadbook.
-  : Indicates a drop bag
-  : Indicates the presence of crew
-  : Indicates a first aid

To set the indicators for a position, select the corresponding cell and open the line editor by double-clicking.

The following dialog box is displayed:

The indicators appear in front of “Tags”.

In order to save time, keyboard shortcuts are available:

- [F6] allows to put or remove a “Mark” on the selected line.
- [F7] allows you to move quickly to the next line containing an indicator.
- [Ctrl+F7] allows you to move quickly to the previous line containing an indicator.

## Calculate the track time

Once the track parameters have been entered, it is necessary to click on the button  to start the calculation of the time for each point. The columns ‘Time’ and ‘Hours’ are then updated according to the settings you have made previously. In the status bar at the bottom of the window, the total time is updated.




Figure 14: Line editor

## Save the track

**Course Generator** offers the possibility to save your track in several formats.

- “File>Save as GPX” save the track in GPX format which is the standard track exchange format. The problem with this format is that it does not store specific data of **Course Generator**.
- “File>Save as CGX” saves the track in CGX format which is the standard file format of **Course Generator**. This format should be used as soon as you want to keep the settings made on a track.
- “File>Save as CSV” saves the track in CSV format which is a standard format for saving data as semicolon-separated text. These files can be opened by a spreadsheet program such as EXCEL, OpenOffice Calc or Libre Office Calc.

## Advanced use of Course Generator

This chapter will introduce you to more advanced uses of **Course Generator**.

## Find a GPS point

It is possible to search for a GPS point on the track via the “Edit>Search a point...” menu or with the keyboard shortcut [Ctrl + F].




Figure 15: Search dialog

In the dialog box, it is necessary to enter the latitude and longitude of the point and then press the search button .

**Course Generator** will search for the closest point given a set of coordinates. It will indicate the line corresponding to the point found as well as the distance between the point found and the coordinates entered. The line containing the found point will then be selected.

## Find the high and low points of the track

The “Tools>Find Min/Max” menu is used to automatically find the highest and lowest point of the track.

Each found position is marked with an indicator (high point) or (low point).

## Change the altitude of a point on the track

It can happen that the elevation data of a track is inaccurate. This can happen if you, or an Openrunner type website, have made an automatic correction of altitudes. The SRTM database on which these sites are based has areas without altitude. The given base then returns an altitude of 32768m. In order to overcome this problem you can edit the altitude of the erroneous point(s).

To do this, go to the corresponding cell and open the line editor by double-clicking.

The following dialog box is displayed:




Figure 16: Line editor

The “Altitude” field is used to enter the new altitude.


It will be necessary to restart a calculation with the button to take into account the new altitude.

## Merge two tracks

**Course Generator** offers the opportunity to merge two tracks.

The procedure is as follows:

- Load the first track in **Course Generator** (GPX or CGX format).
- Import the second track using “File>Import a GPX File” or “File>Import a CGX File”.
- The dialog box below appears:



- Select “Insert at the beginning” if you want to insert the track before the one present in memory. If not, select “Append” and the track will be added after the current loaded track.
- The file selection dialog box appears. Make your choice then click on “Open”
- The merge is then realized

If you have other tracks to merge, simply repeat the process.

After merging the tracks you will have to modify the settings of the fatigue coefficients and restart a computation (button or [F5]) because the time data will be wrong.

Once you have completed the merge and restarted a calculation, you will be able to save the track.

### Save part of the track

**Course Generator** allows to save a section of a track.

The procedure is as follows:


- In the table select the first line you want to save,
- While holding down the SHIFT key, select the last line to save.
- Select “File>Save selection as xxx” (xxx corresponds to the file format you want).
- The file save dialog box appears. Enter the file name and confirm.
- It’s done!

### Export tags as waypoints

**Course Generator** offers the ability to save GPS points containing tags (or indicator) as a waypoint. These waypoints can be added to your GPS to have, for example, the display of the track with additional information such as passes, aid stations and cities.

The procedure is as follows:

- Select “File>Export tags as waypoint”.
- The dialog box below appears:



- Select the types of tags you want to export.
- The save dialog box appears.
- Waypoints will be saved to a file that has the name entered and with a GPX extension.

The operation of this file can be done, for example, with Garmin’s Basecamp software.

## **Copy the contents of a cell**

The contents of a cell in the track table can be copied to the clipboard for use in other software. To perform this action simply select “Edit>Copy”. The content of the selected cell is copied to the clipboard as text.

## **Generate a mini roadbook**

**Course Generator** offers the possibility to generate a mini roadbook. This will contain the profile of the track and informations on your way points. The mini roadbook is accessible via “Display>Generate mini roadbook”.

At the end of the process the mini-roadbook is an image. This image can be printed using drawing software such as Paint, Photoshop or The Gimp. It can also be used in other software like Word, Excel, Inkscape, Illustrator ...


The settings made to generate the mini roadbook are saved in the CGX file of the track. If you exchange a track in CGX format, you will exchange the track with all its informations (refueling, terrain quality, cut-off times ...) and the mini roadbook.

To be able to use the mini roadbook it is necessary to have previously set the parameters of your track. This includes:

- Having entered the terrain difficulty (useful for the type “Roads/Trails”).
- Fill in the fatigue coefficient, refueling times, cut-off times, names of important points.
- Having the calculation updated (F5 key).
- Having marked the important positions with the indicator .
- Having marked the important points with one or more of the following indicators:       

## **Presentation**

“Display>Generate mini roadbook” or the button  displays the following window:



It contains the following elements:


- Top: the toolbar to perform actions
- Middle right: Contains a table with all the rows of the track table that contained the indicator and one or more of the following indicators: . Each line generates a label in the mini roadbook
- Middle left: This area allows you to change the content of the currently selected table row
- Bottom: Contains the mini roadbook with tags

When a line is selected then the corresponding label color change (salmon color).

### The types of mini roadbook


In the top bar, the “Profile type” drop-down list allows you to choose among the 3 types of profile:

The “Simple” type:




The track profile does not contain any additional information.

#### The “Roads/Trails” type:



The profile highlights the portions of the roads and trails with a color code. The roads are the points of the track table whose field coefficient is equal to 100%. The others are considered as trails.

#### The “Slope” type :




The profile highlights the degree of slope by a color code.

The colors used in the mini roadbook can be set in the configuration window accessible with the button .

## The toolbar



- : Saves the mini roadbook as an image. The available format is PNG.
- : Opens the mini roadbook configuration window
- : Copies the current label format to reproduce it on one or more other labels. This function is also accessible with the keyboard shortcut CTRL + C
- : Paste the formatting on the selected label. Only the properties selected in the function's configuration window will be pasted. This function is also accessible with the keyboard shortcut CTRL + V
- : Opens a window for configuring the duplicate formatting feature as



shown below:

Select the settings you want to duplicate when copying.

- : Allows you to specify that labels must be connected to the bottom of the profile.
- : Allows you to specify that labels must be connected to the profile.
- : Specify whether to show the day and night areas on the profile.
- “Profile type” : Allows you to select the type of mini roadbook.
  - Simple
  - With roads/trails

– With slope

-  : These 5 buttons are used to store display formats.
  - A right click on a button memorizes in the button the setting displayed in the current format field.
  - A left click on a button restores the format stored in the button in the format field.
- “Width” : Selects the width of the profile (Maximum value 4000 pixels).
- “Height” : Allows you to select the height of the profile (Maximum value 2000 pixels).

### **Set the size of the mini roadbook**


The maximum size of the mini roadbook is 4000x2000 pixels (Width x Height). It is also the size of the final image.

The size setting is made by the “Width” and “Height” fields located in the icon bar.

### **Configure the mini roadbook**


The icon  opens the configuration window.

The “General” tab allows you to:




- Set the filter value to apply to the data when displaying the profile
- Set the top area height of the profile. This size is in pixel.

The “Simple” tab is used to adjust the colors of the “Simple” display of the profile.



The “Default Colors” button is used to replace the current colors with the default colors.

The “Roads/Trails” tab is used to adjust the colors of the “Roads/Trails” display of the profile.



The “Default Colors” button is used to replace the current colors with the default colors.

The “Slope” tab is used to adjust the colors of the “Slope” display of the profile.



The “Default Colors” button is used to replace the current colors with the default colors.

#### Configure each label

Each line of the table represents a label. It can be configured by the setting items on the left of the table.

Selected	<input checked="" type="checkbox"/>
Position	0
Alignment	<   >
Format	%N%L%T
Size	18
Tags	<input type="checkbox"/>
Comment	

- Selected : Indicates if you want to take this label into account in the profile. If the box is unchecked then the table row is grayed out and the label is not displayed in the mini roadbook.
- Position : Adjusts the vertical position of the label. The number indicates the number of pixels relative to the highest position of the label.
- Alignment : Used to define the position of the label relative to the line connecting it to the profile. To the left of the line, centered on the line or on the right of the line.
- Format : Allows you to specify the contents of the label (see below).
- Size : Sets the size of the font used in the labels.
- Tags : Indicate if you want the indicators to be displayed in the labels.
- Comment : Enter a specific comment for the label. This comment is different from the main table comment.

### **Set the display format for labels**

To ensure optimal flexibility, the format of labels uses tags. These tags, represented by the sign “%” plus one or more characters, allow to specify the type of data to display. For example, “% N” represents the name of the point. When the tag is displayed, the tags are replaced by their meanings.

The following tags are available:

- %N : Represents the name of the point.
- %A : Represents the altitude of the point. The unit is meter/feet.
- %D : Represents the distance since the start. The unit is kilometer/miles.
- %T : Represents the travel time since the start. The format is “hh:mm”.
- %Tl : Represents the travel time since the start in long format “hh:mm:ss”.
- %Ts : Represents the travel time since the start in short format “hh:mm”.
- %H : Represents the time at this point. The format is “ddd hh:mm” (ddd = abbreviated day).
- %h : Represents the time at this point. The format is “hh:mm”.
- %hl : Represents the time at this point in long format “hh:mm:ss”.
- %hs : Represents the time at this point in short format “hh:mm”.
- %B : Represents the cut-off time at this point (time). The format is “hh:mm”.
- %b : Represents the cut-off time at this point (hour). The format is “hh:mm”.
- %C : Represents the specific comment on the label (Entered in the “Comment” field of the label).
- %c : Represents the comment from the main table.
- %L : Inserts a line break.
- %R : Represents refueling time this point. The format is “hh:mm”.
- %Rl : Represents refueling time this point in long format “hh:mm:ss”.
- %Rs : Represents refueling time this point in short format “hh:mm”.

- %+ : Represents the cumulative positive climb since the start. The unit is the meter/feet.
- %- : Represents the cumulative negative climb since the start. The unit is the meter/feet.

The “...” button, next to the “Format” field, opens a window allowing you to simplify the content of the selected label.





Figure 17: Label editor dialog

### Showing day and night times

If in the track settings the night effect has been activated, then the button will display the day and night times.



The night times are displayed with a gray background.

## Reverse track direction


**Course Generator** can reverse the direction of any given track. To perform this action select “Tools>Reverse track”. After the operation, it is necessary to redefine the fatigue coefficients and cut-off time and then restart a calculation (button or [F5]).

## Set a new starting point on a looped track

**Course Generator** offers the possibility, if the track loaded in memory is a loop, to define a new starting point.

The procedure is as follows:

- Select the position that will become your new starting point.
- Select “Tools>Define a new start”
- A following dialog box will appear:




- Confirm the order by clicking on “Yes”.

After the operation it is necessary to redefine the fatigue coefficients and cut-off times and then restart a calculation (button  or [F5]).

### Find the best “Speed/Slope” curve from the final time

The menu “Tools>Search” “Speed/Slope” curve from the final time” allow to find the best curve from the final time.



You enter the final time (hour:minute:second) then you press the search button.

**Course Generator** will search the best curve. Most of the time the software will not find the exact curve and it will show the curve below and over your final time. For every curve, you will have the estimated time. Then you can :


- Select the curve below the final time with the “Select” button
- Select the curve over the final time with the “Select” button
- Exit from the dialog box with the “Cancel” button

The press one “Select” button will select the corresponding curve. It will be used for your next calculation.

### The general parameters of Course Generator

The menu “Paramètres>Paramètres de Course Generator” affiche la fenêtre de configuration du logiciel. The “Settings>Course Generator Settings” menu displays the software configuration window.


### “General” tab



The possible settings are:

- “language” : Selects the language used in the interface. “System” uses operating system settings to determine which language to use. If the system language is not managed by **Course Generator** then English is selected.
- “Units” : Chooses between “km/m” and “Miles/Feet”.
- “Speed format” : Chooses the type of speed to display (speed or pace).
- “Threshold for position filter (in %)” : Threshold, in%, from which the software asks if we want to apply a filter on GPS points when loading a track.
- “Check for update at startup” : Allows you to choose if you want to check for a newer version of **Course Generator** available at application startup.


### “Display” tab



The possible settings are:

- “Default font” : Allows you to choose the font that will be used for the display.
- Icons size : Specify the size of the interface icons.

## “Maps” tab



Provides a field to enter a Thunderforest API key in order to show the Outdoors map layer. A free API key can be requested here.

## Import and export marked points


In some cases it is necessary to save only the marked points of the current track in a file. This allows, if you have a new version of the course, to import these points on the new track.

For example:

You have the track of the UTMB. You've spent time scouting each pass, aid station, and you've entered comments on parts of the track. Unfortunately, the track of the following year is slightly different but the main points are the same. The import/export function of marked points will save you a lot of time.

The procedure is as follows:

- Take the course of the previous year
- Export marked points with “File>Export points”
- Select the types of points to export in the following dialog box:



- Validate your selection and enter the file name (extension ‘.CGP’)
- Open the course of the following year
- Import points with “File>Import points”

- Select the file (extension .CGP) to import.
- The following dialog box appears:

Import points

Sel.	Line	Dist.	Lat.	Lon.	Alt.	Tag	Name	Comment
	1	0.000	45.8529...	6.72386...	1183	🚩	St Nicolas	
	49	0.000	45.8645...	6.72573...	940	🚩		
	84	0.000	45.8903...	6.73012...	1427	🚩		
	96	0.000	45.8975...	6.72356...	1134	🚩	Les toilles	
	159	0.000	45.8937...	6.75061...	1942	🚩	Le Prarion	
	197	0.000	45.8657...	6.75349...	1314	🚩		
	202	0.000	45.8656...	6.76064...	1393	🚩	Bionnas...	
	257	0.000	45.8502...	6.76990...	2102	🚩	Col de T...	
	288	0.000	45.8410...	6.76030...	1573	🚩	Miage	
	294	0.000	45.8389...	6.75800...	1553	🚩		
	307	0.000	45.8365...	6.75252...	1744	🚩		
	334	0.000	45.8229...	6.73719...	1298	🚩		
	391	0.000	45.8078...	6.75289...	1959	🚩		
	425	0.000	45.7926...	6.73610...	1955	🚩		
	426	0.000	45.7916...	6.73422...	1947	🚩	Tré-la-T...	
	487	0.000	45.8221...	6.72697...	1160	🚩	Les Con...	
	496	0.000	45.8273...	6.72263...	1131	🚩		
	562	0.000	45.8260...	6.69285...	2492	🚩	Mont Joly	
	625	0.000	45.8031...	6.71370...	1472	🚩	Les Tap...	
	649	0.000	45.7954...	6.71708...	1205	🚩		
	721	0.000	45.7636...	6.68948...	2234	🚩	Col de l...	

- The column “Dist” indicates the distance between the point found in the track and the point to be imported. The green background color indicates that the point found is less than 100m, a yellow color indicates that the point is between 100m and 1000m and a red color indicates that the point is more than 1000m. If the distance is high, this indicates that the new course does not pass through this point.
- The column “Line” indicates the line of the track where the found point is
- The column “Sel.” select the points to import. “X” indicates that the line is selected.
- Select the points to import and click on “Import”


## Analyzing data after a race

**Course Generator** allows you to analyze the data after completing the track. Just open the file containing the GPS data (often a GPX file). You will find in the table all your data. Reports allow you to have information that data.

The data will remain unchanged until you ask for a calculation of the travel time. A window will ask you if you want to overwrite the temporal data.

## Using the map features

**Course Generator** displaying a course on an OpenStreetMap map.



On the left, a vertical bar of buttons allows actions on this map.

- : Centers the track on the map
- : Adds a start mark to the selected location
- : Deletes the mark
- : Cancels the last operation
- : Indicates that the field between and the current point is “Very easy”
- : Indicates that the field between and the current point is “Easy”
- : Indicates that the field between and the current point is “Average”
- : Indicates that the field between and the current point is “Hard”
- : Indicates that the field between and the current point is “Very hard”.
- : Adds a mark to the current point.
- : Adds an aid station to the current point.
- : Adds a water point to the current point.
- : Display or hide the marks.
- : Save the current map as a PNG image.
- : Allows you to select the map layer to be displayed.

The mouse commands are as follows:

- Left-click on the map sets the marker on track (nearest position).
- Holding the left mouse button moves the map.

- A double click on the map allows you to zoom in.


To change the quality of the terrain for a part of the track, you must:

- Position the cursor at the beginning of the area to be modified.
- Click on the button  to set the marker.
- Position the cursor at the end of the area to change.
- Click on the button corresponding to the required field quality (for example ).

In the status bar, the indicator  **87.1 MB** indicates the disk size used by the maps. The menu “Tools>Open ‘Speed/slope’ folder” will open the file manager and display the contents of the directory containing the curves, the logs and the directory containing the maps. The directory “OpenStreetMapTileCache” contains the map files. If needed, you can delete its contents to save space.

## Filter altitudes

If the altitude profile of your track is noisy (presence of peaks), **Course Generator** offers you the possibility to filter it. To perform this action, select “Tools>Smooth elevation data”.



The original profile is displayed as a background image and the corrected profile appears in red. The “filter” field allows you to adjust the intensity of the profile smoothing. The uncorrected and corrected positive and negative climbs are displayed.

Once you have obtained the desired profile you have 3 possibilities:

- Press “Select normal elevations” to select unfiltered elevations. This closes the dialog box and transfers the unfiltered elevations to the track elevations.
- Press “Select smoothed elevations” to select filtered elevations. This closes the dialog box and transfers the filtered elevations to the elevations of the track.
- Press “Cancel” to close the dialog box without changing the elevation of the track.

The CGX format saves, per point of the track, the 3 elevations (active, unfiltered, filtered). For the calculations only the “active” elevation is used. You can switch from filtered to unfiltered elevation via the dialog box. # Useful tools

## Altitude correction

The altitude measurements made by a GPS are based, as for the position, on triangulation. Unfortunately, this triangulation is less accurate than for the position. Over long distances, these errors are not negligible and can cause calculation errors on total distance or the total elevation gain.

It is then necessary to carry out a calibration operation of the altitudes. This operation consists of replacing, for each GPS point, the altitude measured by the true altitude.

There are several tools available to do this operation. Among these, GPSVisualizer will fix, for any given GPX file, the altitude of each GPS point and generate an output with the corrected values.

The tool is available at the following address <http://www.gpsvisualizer.com/elevation>

Note:

**Course Generator** does not contain an elaborate algorithm for filtering altitudes. The only filter used will work only if the elevation sum is greater than a specific threshold (10m). This is designed to hide the small asperities of the terrain like a rock or a tree trunk. The GPS devices being more and more accurate, these asperities are taken into account in the calculations and can create inaccuracies in the different computations.

## Removing unnecessary points

Some tracks, especially when they have been recorded out in the field with a GPS device, contain several thousand points. This can cause problems with some software, websites or GPS.

The GPSVisualizer website smartly reduces the number of points without loss of “information” on the track.

The tool is available at the following address [http://www.gpsvisualizer.com/convert\\_input](http://www.gpsvisualizer.com/convert_input)