

m_utl_set_curdir.sas File Reference

Utilities

Utility macro to change the current SAS directory physical name

Description

This program changes for the current working directory using a filename reference in combination with the pathname and dlgcdir functions to identify and change the value during a SAS session. The result is returned inline, and a global SAS macro variable named _SASWORKINGFOLDER is set with the current changed value. This macro is based on the curdir macro by Tom Hoffman and Fan Zhou to which I stumbled upon reading at communities.sas.com.

Note

This program is able to work in system environments where x-command or unix pipes are not allowed or cannot be used.

Autors

Paul Alexander Canals y Trocha (paul.canals@gmail.com)

Date

2021-11-05 00:00:00

Version

21.1.11

Link

<https://github.com/paul-canals/toolbox>

Parameters

Input	help	Parameter, if set (Help or ?) to print the Help information in the log. In all other cases this parameter should be left out from the macro call.
Input	path	Full of the directory to be set as current working directory. If this value is omitted, the initial working directory will be set as current. The default value for PATH is: _NONE_.
Output	mvar_name	Name of the global macro variable containing the SAS current working directory path name. The default value is: _SASWORKINGFOLDER.
Input	debug	Boolean [Y N] parameter to provide verbose mode information. The default value is: N.

Returns

- The current SAS directory physical name.

Calls

- [m_utl_get_curdir.sas](#)
- [m_utl_print_message.sas](#)
- [m_utl_print_mtrace.sas](#)

Usage

Example 1: Show help information:

```
%m_utl_set_curdir(?)
```

Example 2: Get the current SAS directory physical path name:

```
%let curdir = %m_utl_set_curdir(debug=Y);  
%put &=curdir.;  
  
%put &=_sasinitialfolder.;  
%put &=_sasworkingfolder.;
```

Example 3: Set the current SAS directory physical path name:

```
%let curdir =  
  %m_utl_set_curdir(  
    path = %sysfunc(pathname(sasuser))/Data  
    , debug = Y  
  );  
%put &=curdir.;  
  
%put &=_sasinitialfolder.;  
%put &=_sasworkingfolder.;
```

Copyright

Copyright 2008-2021 Paul Alexander Canals y Trocha.

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.