m_utl_set_sasautos.sas File Reference

Utilities

Utility macro to add a SAS macro path to the SASAUTOS list

Description

The macro will add a new SAS macro path in front of the existing SASAUTOS paths list.

Note

Be aware of the fact that SAS registers the SAS macro paths within the SASAUTO list in a sequential manner. This means that a macro is registered more than once, and it is the most actual registration of that macro which is in effect.

Autors

Paul Alexander Canals y Trocha (paul.canals@gmail.com)

Date

2020-09-07 00:00:00

Version

20.1.09

Link

https://github.com/paul-canals/toolbox

Parameters

Input	help	Parameter, if set (or ?) to print the Help information in the log. In all other cases this parameter should be left out from the macro call.
Input	path	Full qualified to the SAS macro path. The default value is: _NONE
Input	debug	Boolean [Y N] parameter to provide verbose mode information. The default value is: N.

Returns

• New SAS Autocall path added to the SASAUTOS list

Calls

- m_utl_create_dir.sas
- m_utl_print_message.sas
- m_utl_print_mtrace.sas

Usage

Example 1: Show help information:

```
%m_utl_set_sasautos(?)
```

Example 2: Extend the SASAUTO path list with WORK directory:

```
%m_utl_set_sasautos(
  path = %sysfunc(getoption(WORK))
, debug = Y
  );
```

Copyright

Copyright 2008-2020 Paul Alexander Canals y Trocha.

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see https://www.gnu.org/licenses/>.