

# m\_utl\_delete\_files.sas File Reference

## Utilities

Utility macro to delete all files from a given directory

---

### Description

This program is to delete all files from a given directory, excluding files listed in the KEEP parameter.

### Note

*This program is able to work in system environments where x-command or unix pipes are not allowed or cannot be used.*

### Authors

Paul Alexander Canals y Trocha (paul.canals@gmail.com)

### Date

2020-02-02 00:00:00

### Version

20.1.02

### Link

<https://github.com/paul-canals/toolbox>

## Parameters

Input	help	Parameter, if set ( or ?) to print the Help information in the log. In all other cases this parameter should be left out from the macro call.
Input	path	Full qualified to the directory from which the files are to be deleted. The default value is: <code>_NONE_</code> .
Input	keep	Optional. Parameter to indentify one or more files which are not to be deleted, separated by a blank. The default value is: <code>_NONE_</code> .
Input	debug	Boolean [Y N] parameter to provide verbose mode information. The default value is: N.

## Returns

- Deleted files from directory

## Calls

- [m\\_utl\\_print\\_message.sas](#)
- [m\\_utl\\_quote\\_elems.sas](#)

## Usage

Example 1: Show help information:

```
%m_utl_delete_files(?)
```

Example 2: Delete files from a given directory:

```
options dlcreatedir;
libname TEMP "%sysfunc(getoption(WORK))/temp";
libname TEMP clear;

filename text1 "%sysfunc(getoption(WORK))/temp/delete_me.txt";

data _null_;
    file text1;
    put "file to be deleted";
run;

filename text1 clear;

filename text2 "%sysfunc(getoption(WORK))/temp/keep_me.txt";

data _null_;
    file text2;
    put "file to be deleted";
run;

filename text2 clear;

%m_utl_delete_files(
    path = %sysfunc(getoption(WORK))/temp
    , keep = keep_me.txt
    , debug = Y
    );
```

## **Copyright**

Copyright 2008-2020 Paul Alexander Canals y Trocha.

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.