# Applied Deep Learning HW3 Natural Language Generation

Deadline: 2022/05/16 23:59:59

### Links

\_\_\_\_

NTU COOL

Data & Evaluation

說明影片

adl-ta@csie.ntu.edu.tw

TA Hours:

Wed. 14:00~15:30 @ Google Meet

Thu. 13:30~15:00 @ Google Meet

### **Change Logs**

\_\_\_\_

### **Task Description**

### **Chinese News Summarization (Title Generation)**

input: news content


從小就很會念書的李悅寧, 在眾人殷殷期盼下, 以榜首之姿進入臺大醫學院, 但始終忘不了對天文的熱情。大學四年級一場遠行後, 她決心遠赴法國攻讀天文博士。 從小沒想過當老師的她, 再度跌破眾人眼鏡返台任教, ......

output: news title

榜首進台大醫科卻休學 、27歲拿到法國 天文博士 李悅寧跌破眾人眼鏡返台任教

### Data

- ❖ Source: news articles scraped from udn.com
  - > Train: 21710 articles from 2015-03-02 to 2021-01-13
  - > Public: 5494 articles from 2021-01-14 to 2021-04-10
  - > Private: Not released and will include articles after deadline



### Data (cont.)

\_\_\_\_

Example

```
    ●●●
    1 {
    2 'date_publish': '2015-03-02 00:00:00',
    3 'title': '榜首進台大醫科卻休學 、27歲拿到法國天文博士 李悅寧跌破眾人眼鏡返台任教',
    4 'source_domain': 'udn.com',
    5 'maintext': '從小就很會念書的李悅寧, 在眾人殷殷期盼下,以榜首之姿進入臺大醫學院, 但始終忘不了對天文的熱情。...'
    6 }
```

#### Metrics


- ❖ ROUGE score with chinese word segmentation
  - ➤ What is ROUGE score?
  - Chinese word segmentation: <u>ckiptagger(github)</u>
- Example
  - ➤ candiate: 我 是 人
  - ➤ reference: 我 是 一 個 人
  - > rouge-1: precision=1.0, recall=0.6, f1=0.75
  - ➤ rouge-2: precision=0.5, recall=0.25, f1=0.33
  - rouge-L: precision=1.0, recall=0.6, f1=0.75

### **Objective**

- Fine-tune a pre-trained <u>small multilingual T5</u> model to pass the baselines
- Public baseline
  - > rouge-1: 22.0, rouge-2: 8.5, rouge-L: 20.5 (f1-score \* 100)
- Private baseline
  - > Will be announced after deadline

### **Bonus: Applied RL on Summarization**

\_\_\_\_



Encoder

Decoder

### **Bonus: Applied RL on Summarization (cont.)**

❖ You can use any RL algorithms (policy gradient, DQN and etc.)

- ❖ You can design your own reward function
  - ➤ e.g. ROUGE-L, avg(ROUGE-N) and etc.

You can either directly add RL loss while training or fine-tune from a supervised-learning checkpoint

### Report

### Q1: Model (2%)

- ♦ Model (1%)
  - Describe the model architecture and how it works on text summarization.

- Preprocessing (1%)
  - Describe your preprocessing (e.g. tokenization, data cleaning and etc.)

### **Q2: Training (2%)**

- Hyperparameter (1%)
  - > Describe your hyperparameter you use and how you decide it.

- Learning Curves (1%)
  - ➤ Plot the learning curves (ROUGE versus training steps)

### Q3: Generation Strategies (6%)

- Stratgies (2%)
  - > Describe the detail of the following generation strategies:
    - Greedy
    - Beam Search
    - Top-k Sampling
    - Top-p Sampling
    - Temperature

- Hyperparameters (4%)
  - > Try at least 2 settings of each strategies and compare the result.
  - What is your final generation strategy? (you can combine any of them)

### **Bonus: Applied RL on Summarization (2%)**

- ❖ Algorithm (1%)
  - > Describe your RL algorithms, reward function, and hyperparameters.

- Compare to Supervised Learning (1%)
  - Observe the loss, ROUGE score and output texts, what differences can you find?

### Rules

### What You Can Do

- Allowed packages/tools:
  - > Python 3.8 / 3.9 and Python Standard Library
  - PyTorch 1.7.1, TensorFlow 2.4.1, pytorch-lightning 1.2.3
  - transformers, datasets, accelerate, sentencepiece
  - > rouge, spacy, nltk, ckiptagger, tqdm, pandas, jsonlines
  - > Dependencies of above packages/tools.

- ❖ If you want to use other package, mail TA.
- ❖ You can use any package you want when writing report.

#### What You Can NOT Do

- Use external training data
  - ➤ E.g. scrape news from the internet
- ❖ Any means of cheating or plagiarism, including but not limited to:
  - Use other classmates' published / unpublished code.., including students who took previous ML / ADL / MLDS.
  - > Just copy and past any public available code without modification
  - Use package or tools not allowed.
  - ➤ Give/get trained model to/from others.
  - > Give/get report answers or plots to/from others.
  - Publish your code before deadline.
- Violation may cause zero/negative score and punishment from school.

### Logistics

### Grading

- Model performance (10%)
  - ➤ Public baseline (5%)
  - ➤ Private baseline (5%)
- ❖ Report (10% + 2%)
  - ➤ In PDF format!
  - > Score of each problem is shown in the Report section.
- Format
  - You may lose (some or all) of your model performance score if your script is at wrong location, causes any error, etc.

### **Submission - Format**

```
■■■ sample_submission.jsonl

1 {'title': 'Anker新款真無線藍牙耳機Liberty Air 2 Pro 引進台灣市場', 'id': '21710'}

2 {'title': '藍染、客家美食、舊山線自行車 「苗栗一日遊」超人氣美食美景', 'id': '21711'}

3 {'title': '華碩打造對應軍規防護與2 in 1設計的15.6吋Chromebook', 'id': '21712'}

4 {'title': '產業發展變革 台灣的優勢與機會', 'id': '21713'}

5 {'title': '全球Windows 7裝置組估至少還有1億台以上 市佔率穩穩卡在20%', 'id': '21714'}

6 {'title': '強勢台幣理財攻略', 'id': '21715'}

7 {'title': '「不需治療,只需到台灣!」 美國「哈台馬克杯」賣到缺貨', 'id': '21716'}
```

### **Submission - File Layout**

- You are required to submit .zip file to NTU Cool
- File structure for the .zip file (case-sensitive):
  - /[student id (lower-cased)]/ (Brackets not included.)
    - download.sh
    - run.sh
    - README.md
    - report.pdf
    - code/all other files you need

### **Submission - Scripts**

#### download.sh

- Do not modify your file after deadline, or it will be seen as cheating.
- > Keep the URLs in download.sh valid for at least 2 weeks after deadline.
- Do not do things more than downloading. Otherwise, your download.sh may be killed.
- You can download at most 4G, and download.sh should finish within 1 hour. (At csie dept with maximum 10MB/s bandwidth)
- ❖ You can upload your model to <a href="Dropbox">Dropbox</a>. (see <a href="tutorial">tutorial</a>)
- ❖ We will execute download.sh before predicting scripts.

### **Submission - Scripts**

Make sure your code works!

```
run.sh
 Arguments:
 > ${1}: path to the input file
 > ${2}: path to the output file
TA will predict testing data as follow:
    bash ./download.sh
     bash ./run.sh /path/to/input.jsonl /path/to/output.jsonl
Specify the Python version (3.8 or 3.9) in the .sh file.
 > Default python version would be 3.8
     Ex. python3.8 predict.py ... / python3.9 predict.py ...
        "python" would be python3.8
```

### **Submissiom - Reproducibility**

- All the code you used to train, predict, plot figures for the report should should be upload.
- We will remove the answers in public.jsonl when we reproduce your submission.
- ❖ README.md
  - Write down how to train your model with your code/script specifically.
  - If necessary, you will be required to reproduce your results based on the README.md.
  - > If you cannot reproduce your result, you may lose points.
- You will get at least 2 penalty if you have no or empty README.md.

#### **Execution Environment**

- Will be run on computer with
  - Ubuntu 20.04
  - > 32 GB RAM, GTX 3070 8G VRAM, 20G disk space available.
  - the packages we allow only.
  - > python 3.8 / 3.9
- ◆ Do NOT train with very large model (e.g. mt5-xl) or you will get an out of memory error on 8G VRAM.
- ❖ Time limit: 1 hours for run.sh in total
- You will lose (some or all) your model performance score if your script is at wrong location, or cause any error.

### **Late Submission Penalty**

- ❖ Late submission of "code and report":
  - > 0 day < late submission ≤ 1 day: original score \* 0.95
  - → 1 day < late submission ≤ 3 day: original score \* 0.90
    </p>
  - > 3 day < late submission ≤ 4 day: original score \* 0.75
  - → 4 day < late submission ≤ 5 day: original score \* 0.50
    </p>
  - > 5 day < late submission ≤ 6 day: original score \* 0.25
  - ➤ 6 day < late submission: original score \* 0.00
- Late submission is determined by the last submission.
  - > Update your submission after deadline implies that you will get penalty.

## Guide

### Text-to-Text Transformer (T5)

\_\_\_\_


HW2: BERT

<input>
↓ Q,K,V

Bi-Encoder

Hidden state

HW3: T5



### **Training**

- Pre-trained mt5-small is very large. (300M parameters, 3x than BERT-base)
- ❖ Some tips to reduce GPU memory usage:
  - Reduce batch size + gradient accumulation
  - Truncate text length (256/64 for input/output can pass the baseline)
  - fp16 (transformers==4.5.0 has a bug on T5 fp16 training)
  - ➤ adafactor (instead of Adam)
- For reference, you can pass the baseline within 4 hours training on single RTX 3070 8G if your code is correct.

### How to Fix T5 FP16 Training

- https://github.com/huggingface/transformers/pull/10956
- Install fixed version transformers library
  - o git clone https://github.com/huggingface/transformers.git
  - o git checkout t5-fp16-no-nans
  - o pip install -e .

#### **Documents**

- **♦** T5
  - https://huggingface.co/transformers/model\_doc/t5.html
  - https://huggingface.co/transformers/model\_doc/mt5.html

- Generation:
  - https://huggingface.co/transformers/main classes/model.html#generation
    n

# Q&A