ICPSR 37095

Midlife in the United States (MIDUS 3): Cognitive Project, 2013-2017

Carol D. Ryff
University of Wisconsin--Madison

Margie E. Lachman Brandeis University

MIDUS 3 DDI Codebook

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/37095/terms

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.



MIDUS 3 Project 3 (BTACT)

(Includes M3, MKE2, and M3 ReFielding samples)

MIDUS 3 Project 3

Abstract

In 2013-2014, a second wave of cognitive assessments (Project 3) were carried out on individuals who had recently completed the MIDUS 3 phone survey (Project 1). This assessment, known as the Brief Test of Adult Cognition via Telephone (BTACT), was carried out approximately 9 years after the first wave of cognitive data collection was completed in 2004-2005. MIDUS 3 BTACT data were collected from 2,693 MIDUS 3 participants. Further, a second wave of cognitive assessments were also carried out on respondents to the MIDUS Milwaukee Wave 2 survey that was conducted in 2016-2017. BTACT data were collected from 330 Milwaukee respondents. Finally, BTACT data was collected in 2017 from another 268 respondents (called the ReFielding sample) who did not complete this project during the M3 field period. This M3 BTACT dataset contains a total of 3,291 MIDUS respondents.

The BTACT is the first comprehensive cognitive battery, including measures of speed and reaction time, to be administered by telephone to a national sample across the adult years and into later life. It includes seven subtests: word list recall immediate, word list recall delayed, backward digit span, number series, counting backward speed task, category fluency, and an attention switching reaction time task. Given the nature of the MIDUS sample, the cognitive project provides a rich data set to examine individual differences in cognitive functioning and changes therein over 9 years with a diverse sample in terms of age, sex, socioeconomic status (income, education) and geographical region.

6 M3P3

File Name

M3_P3_BTACT_N3291_20181219.sav

Case Quantity

3291

M2ID

Label

MIDUS 2 ID number

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3291 | 0 | 10001 | 19193 |

[™] M2FAMNUM

Label

MIDUS 2 Family number

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 2961 | 330 | 100001 | 120968 |

% SAMPLMAJ

Label

Major sample identification

| Value | Label | Frequency | % |
|-------|-----------------|-----------|-------|
| 1 | MAIN RDD | 1,282 | 39.0% |
| 2 | SIBLING | 501 | 15.2% |
| 3 | TWIN | 906 | 27.5% |
| 4 | CITY OVERSAMPLE | 272 | 8.3% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3291 | 0 | 1 | 13 |

% C3STATUS

Label

Completion status of M3 respondents

Comparability Class

New Item - Difference exists among waves because some new items were introduced only in particular waves.

Comparability Notes

Only in M3. Flag variable to identify M3RE cases.

| Value Label | | Frequency | % |
|-------------|----------------------|-----------|-------|
| 1 | COMPLETED M3 BTACT | 3,023 | 91.9% |
| 2 | COMPLETED M3RE BTACT | 268 | 8.1% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3291 | 0 | 1 | 2 |

% C1PRAGE

Label

Respondent's age

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|-------|--------|
| 3291 | 0 | 42 | 94 | 63.87 | 11.12 |

[★] C1PRSEX

Label

Respondent's sex

| Value Label | Frequency | % |
|-------------|-----------|---|
|-------------|-----------|---|

| 1 | MALE | 1,436 | 43.6% |
|---|--------|-------|-------|
| 2 | FEMALE | 1,855 | 56.4% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3291 | 0 | 1 | 2 |



Label

Interview date - Month

Pre-Question Text

In this phone interview I will ask you to try and do some exercises that involve remembering and making judgments about words and numbers. Before we begin, I need to tell you a few things. Your participation is completely voluntary. If you prefer not answer any question, just let me know and we will go on to the next question. The information that you give me will be confidential and used for statistical analysis only. It will be identified only by computer code and at no time will your name or other identifying information be attached to the survey results. Therefore, I won't be able to give any specific feedback. After the whole study is completed we will send you a summary of our overall findings.

These tasks are not harmful in any way. The exercises will take about 15 minutes. Do you have any questions about your participation in this study?

We will be tape recording the interview today so that we can score the exercises later. Do I have your permission to go ahead with this?

First I would like to make sure that you are able to hear me clearly. Please repeat these numbers after me: 2,8,3,6,9. Could you hear me clearly?

Now you will hear some words and numbers. Please do not use a paper and pencil for any of the questions. We suggest that you close your eyes while you are doing these to help you concentrate. Some of the questions will be easy for you, and some will be harder. We do not expect anyone to get all of these correct – just do the best you can.

Interviewer Instructions

If participant seems distracted, or there is noise or commotion in background such as young children, TV or radio, or other people talking, say "It is important that you are able to concentrate without being distracted while we do these exercises. Would it be better for me to call you back another time?" If so, make an appointment for another time.

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 1 | | 138 | 4.2% |
| 2 | | 342 | 10.4% |
| 3 | | 330 | 10.0% |

| 4 | 312 | 9.5% |
|----|-----|-------|
| | 150 | 4.70/ |
| 5 | 156 | 4.7% |
| 6 | 74 | 2.2% |
| 7 | 350 | 10.6% |
| 8 | 576 | 17.5% |
| 9 | 400 | 12.2% |
| 10 | 244 | 7.4% |
| 11 | 202 | 6.1% |
| 12 | 167 | 5.1% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3291 | 0 | 1 | 12 |



Label

Interview date - Year

Pre-Question Text

In this phone interview I will ask you to try and do some exercises that involve remembering and making judgments about words and numbers. Before we begin, I need to tell you a few things. Your participation is completely voluntary. If you prefer not answer any question, just let me know and we will go on to the next question. The information that you give me will be confidential and used for statistical analysis only. It will be identified only by computer code and at no time will your name or other identifying information be attached to the survey results. Therefore, I won't be able to give any specific feedback. After the whole study is completed we will send you a summary of our overall findings.

These tasks are not harmful in any way. The exercises will take about 15 minutes. Do you have any questions about your participation in this study?

We will be tape recording the interview today so that we can score the exercises later. Do I have your permission to go ahead with this?

First I would like to make sure that you are able to hear me clearly. Please repeat these numbers after me: 2,8,3,6,9. Could you hear me clearly?

Now you will hear some words and numbers. Please do not use a paper and pencil for any of the questions. We suggest that you close your eyes while you are doing these to help you concentrate. Some of the questions will be easy for you, and some will be harder. We do not expect anyone to get all of these correct – just do the best you can.

Interviewer Instructions

If participant seems distracted, or there is noise or commotion in background such as young children, TV or radio, or other people talking, say "It is important that you are able to concentrate without being distracted while we do these exercises. Would it be better for me to call you back another time?" If so, make an appointment for another time.

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 2013 | | 1,345 | 40.9% |
| 2014 | | 1,348 | 41.0% |
| 2016 | | 272 | 8.3% |
| 2017 | | 325 | 9.9% |
| 2018 | | 1 | 0.0% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3291 | 0 | 2013 | 2018 |

% C3CMPTIME_H

Label

Interview completion time - Hour

Pre-Question Text

In this phone interview I will ask you to try and do some exercises that involve remembering and making judgments about words and numbers. Before we begin, I need to tell you a few things. Your participation is completely voluntary. If you prefer not answer any question, just let me know and we will go on to the next question. The information that you give me will be confidential and used for statistical analysis only. It will be identified only by computer code and at no time will your name or other identifying information be attached to the survey results. Therefore, I won't be able to give any specific feedback. After the whole study is completed we will send you a summary of our overall findings.

These tasks are not harmful in any way. The exercises will take about 15 minutes. Do you have any questions about your participation in this study?

We will be tape recording the interview today so that we can score the exercises later. Do I have your permission to go ahead with this?

First I would like to make sure that you are able to hear me clearly. Please repeat these numbers after me: 2,8,3,6,9. Could you hear me clearly?

Now you will hear some words and numbers. Please do not use a paper and pencil for any of the questions. We suggest that you close your eyes while you are doing these to help you concentrate. Some of the questions will be easy for you, and some will be harder. We do not expect anyone to get all of these correct – just do the best you can.

Interviewer Instructions

If participant seems distracted, or there is noise or commotion in background such as young children, TV or radio, or other people talking, say "It is important that you are able to concentrate without being distracted while we do these exercises. Would it be better for me to call you back another time?" If so, make an appointment for another time.

| Value | Label | Frequency | % |
|-------|-----------------|-----------|------|
| 98 | REFUSED/MISSING | 4 | 0.1% |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|-------|--------|
| 3287 | 4 | 8 | 22 | 15.38 | 3.63 |

SCOUNTIME_M

Label

Interview completion time - Minute

Pre-Question Text

In this phone interview I will ask you to try and do some exercises that involve remembering and making judgments about words and numbers. Before we begin, I need to tell you a few things. Your participation is completely voluntary. If you prefer not answer any question, just let me know and we will go on to the next question. The information that you give me will be confidential and used for statistical analysis only. It will be identified only by computer code and at no time will your name or other identifying information be attached to the survey results. Therefore, I won't be able to give any specific feedback. After the whole study is completed we will send you a summary of our overall findings.

These tasks are not harmful in any way. The exercises will take about 15 minutes. Do you have any questions about your participation in this study?

We will be tape recording the interview today so that we can score the exercises later. Do I have your permission to go ahead with this?

First I would like to make sure that you are able to hear me clearly. Please repeat these numbers after me: 2,8,3,6,9. Could you hear me clearly?

Now you will hear some words and numbers. Please do not use a paper and pencil for any of the questions. We suggest that you close your eyes while you are doing these to help you concentrate. Some of the questions will be easy for you, and some will be harder. We do not expect anyone to get all of these correct – just do the best you can.

Interviewer Instructions

If participant seems distracted, or there is noise or commotion in background such as young children, TV or radio, or other people talking, say "It is important that you are able to concentrate without being distracted while we do these exercises. Would it be better for me to call you back another time?" If so, make an appointment for another time.

| Value Label | Frequency | % |
|-------------|-----------|---|
|-------------|-----------|---|

| 98 | REFUSED/MISSIN | IG | | 4 | 0.1% |
|-------|----------------|---------|---------|------|--------|
| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
| 3287 | 4 | 0 | 59 | 30.3 | 17.48 |

SECULTATION CONTAINS A CONTAINS

Label

Type of phone on which R completed BTACT

| Value | Label | Frequency | % |
|-------|----------|-----------|-------|
| 1 | LANDLINE | 2,293 | 69.7% |
| 2 | CELL | 998 | 30.3% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3291 | 0 | 1 | 2 |

S C3TWLIFP

Label

Word List Imm flagged problematic?

Pre-Question Text

I am going to read a list of 15 words. Listen carefully. When I am finished, you are to repeat as many of the words as you can remember. It doesn't matter in what order you repeat them. Just try to remember as many as you can. I will say each word only once time, and I cannot repeat any words. You will have up to one and a half minutes, and I will not say anything until I tell you that your time is up. Do you have any question? Are you ready? (...) Now tell me as many words as you can remember.

Interviewer Instructions

(Read with one second interval between each word) Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?"

Notes

Filter Variable

| Value | Label | Frequency | % |
|-------|-------|-----------|------|
| 1 | YES | 14 | 0.4% |

| 2 | NO | 3,277 | 99.6% |
|---|----|-------|-------|
| | | | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3291 | 0 | 1 | 2 |

% C3TWLI<u>1</u>

Label

Word List Immediate: Recalled #1

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 1,303 | 39.6% |
| 2 | Word #2 | 83 | 2.5% |
| 3 | Word #3 | 59 | 1.8% |
| 4 | Word #4 | 56 | 1.7% |
| 5 | Word #5 | 85 | 2.6% |
| 6 | Word #6 | 32 | 1.0% |
| 7 | Word #7 | 49 | 1.5% |
| 8 | Word #8 | 32 | 1.0% |
| 9 | Word #9 | 48 | 1.5% |
| 10 | Word #10 | 74 | 2.2% |
| 11 | Word #11 | 70 | 2.1% |
| 12 | Word #12 | 111 | 3.4% |
| 13 | Word #13 | 61 | 1.9% |
| 14 | Word #14 | 363 | 11.0% |
| 15 | Word #15 | 764 | 23.2% |
| 90 | NON-LIST INTRUSION | 84 | 2.6% |
| 98 | REFUSED/MISSING | 17 | 0.5% |

| Valid Invalid Minin | num Maximum |
|---------------------|-------------|
|---------------------|-------------|

| 3274 | 17 | 1 | 90 |
|------|----|---|----|
| | | | |



Label

Word List Immediate: Recalled #2

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 133 | 4.0% |
| 2 | Word #2 | 703 | 21.4% |
| 3 | Word #3 | 220 | 6.7% |
| 4 | Word #4 | 148 | 4.5% |
| 5 | Word #5 | 139 | 4.2% |
| 6 | Word #6 | 83 | 2.5% |
| 7 | Word #7 | 46 | 1.4% |
| 8 | Word #8 | 89 | 2.7% |
| 9 | Word #9 | 72 | 2.2% |
| 10 | Word #10 | 125 | 3.8% |
| 11 | Word #11 | 87 | 2.6% |
| 12 | Word #12 | 197 | 6.0% |
| 13 | Word #13 | 89 | 2.7% |
| 14 | Word #14 | 705 | 21.4% |
| 15 | Word #15 | 318 | 9.7% |
| 90 | NON-LIST INTRUSION | 122 | 3.7% |
| 98 | REFUSED/MISSING | 15 | 0.5% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3276 | 15 | 1 | 90 |

Label

Word List Immediate: Recalled #3

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 153 | 4.6% |
| 2 | Word #2 | 198 | 6.0% |
| 3 | Word #3 | 285 | 8.7% |
| 4 | Word #4 | 177 | 5.4% |
| 5 | Word #5 | 207 | 6.3% |
| 6 | Word #6 | 153 | 4.6% |
| 7 | Word #7 | 92 | 2.8% |
| 8 | Word #8 | 137 | 4.2% |
| 9 | Word #9 | 150 | 4.6% |
| 10 | Word #10 | 195 | 5.9% |
| 11 | Word #11 | 216 | 6.6% |
| 12 | Word #12 | 338 | 10.3% |
| 13 | Word #13 | 118 | 3.6% |
| 14 | Word #14 | 416 | 12.6% |
| 15 | Word #15 | 227 | 6.9% |
| 90 | NON-LIST INTRUSION | 181 | 5.5% |
| 98 | REFUSED/MISSING | 48 | 1.5% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3243 | 48 | 1 | 90 |

Label

Word List Immediate: Recalled #4

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|------|
| 1 | Word #1 | 180 | 5.5% |
| 2 | Word #2 | 168 | 5.1% |
| 3 | Word #3 | 138 | 4.2% |
| 4 | Word #4 | 174 | 5.3% |
| 5 | Word #5 | 240 | 7.3% |
| 6 | Word #6 | 181 | 5.5% |
| 7 | Word #7 | 119 | 3.6% |
| 8 | Word #8 | 156 | 4.7% |
| 9 | Word #9 | 139 | 4.2% |
| 10 | Word #10 | 287 | 8.7% |
| 11 | Word #11 | 215 | 6.5% |
| 12 | Word #12 | 215 | 6.5% |
| 13 | Word #13 | 126 | 3.8% |
| 14 | Word #14 | 301 | 9.1% |
| 15 | Word #15 | 269 | 8.2% |
| 90 | NON-LIST INTRUSION | 217 | 6.6% |
| 98 | REFUSED/MISSING | 166 | 5.0% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3125 | 166 | 1 | 90 |

Label

Word List Immediate: Recalled #5

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 200 | 6.1% |
| 2 | Word #2 | 152 | 4.6% |
| 3 | Word #3 | 146 | 4.4% |
| 4 | Word #4 | 113 | 3.4% |
| 5 | Word #5 | 265 | 8.1% |
| 6 | Word #6 | 223 | 6.8% |
| 7 | Word #7 | 112 | 3.4% |
| 8 | Word #8 | 179 | 5.4% |
| 9 | Word #9 | 143 | 4.3% |
| 10 | Word #10 | 206 | 6.3% |
| 11 | Word #11 | 192 | 5.8% |
| 12 | Word #12 | 192 | 5.8% |
| 13 | Word #13 | 135 | 4.1% |
| 14 | Word #14 | 217 | 6.6% |
| 15 | Word #15 | 208 | 6.3% |
| 90 | NON-LIST INTRUSION | 211 | 6.4% |
| 98 | REFUSED/MISSING | 397 | 12.1% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 2894 | 397 | 1 | 90 |

Label

Word List Immediate: Recalled #6

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 177 | 5.4% |
| 2 | Word #2 | 145 | 4.4% |
| 3 | Word #3 | 157 | 4.8% |
| 4 | Word #4 | 110 | 3.3% |
| 5 | Word #5 | 219 | 6.7% |
| 6 | Word #6 | 151 | 4.6% |
| 7 | Word #7 | 118 | 3.6% |
| 8 | Word #8 | 170 | 5.2% |
| 9 | Word #9 | 123 | 3.7% |
| 10 | Word #10 | 181 | 5.5% |
| 11 | Word #11 | 150 | 4.6% |
| 12 | Word #12 | 150 | 4.6% |
| 13 | Word #13 | 144 | 4.4% |
| 14 | Word #14 | 141 | 4.3% |
| 15 | Word #15 | 173 | 5.3% |
| 90 | NON-LIST INTRUSION | 245 | 7.4% |
| 98 | REFUSED/MISSING | 737 | 22.4% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 2554 | 737 | 1 | 90 |

Label

Word List Immediate: Recalled #7

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 126 | 3.8% |
| 2 | Word #2 | 138 | 4.2% |
| 3 | Word #3 | 146 | 4.4% |
| 4 | Word #4 | 90 | 2.7% |
| 5 | Word #5 | 161 | 4.9% |
| 6 | Word #6 | 139 | 4.2% |
| 7 | Word #7 | 93 | 2.8% |
| 8 | Word #8 | 129 | 3.9% |
| 9 | Word #9 | 103 | 3.1% |
| 10 | Word #10 | 130 | 4.0% |
| 11 | Word #11 | 124 | 3.8% |
| 12 | Word #12 | 104 | 3.2% |
| 13 | Word #13 | 112 | 3.4% |
| 14 | Word #14 | 112 | 3.4% |
| 15 | Word #15 | 130 | 4.0% |
| 90 | NON-LIST INTRUSION | 236 | 7.2% |
| 98 | REFUSED/MISSING | 1,218 | 37.0% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 2073 | 1218 | 1 | 90 |

Label

Word List Immediate: Recalled #8

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 92 | 2.8% |
| 2 | Word #2 | 117 | 3.6% |
| 3 | Word #3 | 116 | 3.5% |
| 4 | Word #4 | 80 | 2.4% |
| 5 | Word #5 | 126 | 3.8% |
| 6 | Word #6 | 89 | 2.7% |
| 7 | Word #7 | 75 | 2.3% |
| 8 | Word #8 | 96 | 2.9% |
| 9 | Word #9 | 76 | 2.3% |
| 10 | Word #10 | 78 | 2.4% |
| 11 | Word #11 | 87 | 2.6% |
| 12 | Word #12 | 79 | 2.4% |
| 13 | Word #13 | 77 | 2.3% |
| 14 | Word #14 | 81 | 2.5% |
| 15 | Word #15 | 92 | 2.8% |
| 90 | NON-LIST INTRUSION | 210 | 6.4% |
| 98 | REFUSED/MISSING | 1,720 | 52.3% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 1571 | 1720 | 1 | 90 |

Label

Word List Immediate: Recalled #9

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 51 | 1.5% |
| 2 | Word #2 | 65 | 2.0% |
| 3 | Word #3 | 65 | 2.0% |
| 4 | Word #4 | 60 | 1.8% |
| 5 | Word #5 | 92 | 2.8% |
| 6 | Word #6 | 84 | 2.6% |
| 7 | Word #7 | 58 | 1.8% |
| 8 | Word #8 | 71 | 2.2% |
| 9 | Word #9 | 59 | 1.8% |
| 10 | Word #10 | 48 | 1.5% |
| 11 | Word #11 | 62 | 1.9% |
| 12 | Word #12 | 65 | 2.0% |
| 13 | Word #13 | 62 | 1.9% |
| 14 | Word #14 | 58 | 1.8% |
| 15 | Word #15 | 74 | 2.2% |
| 90 | NON-LIST INTRUSION | 142 | 4.3% |
| 98 | REFUSED/MISSING | 2,175 | 66.1% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 1116 | 2175 | 1 | 90 |

Label

Word List Immediate: Recalled #10

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 41 | 1.2% |
| 2 | Word #2 | 41 | 1.2% |
| 3 | Word #3 | 28 | 0.9% |
| 4 | Word #4 | 22 | 0.7% |
| 5 | Word #5 | 59 | 1.8% |
| 6 | Word #6 | 51 | 1.5% |
| 7 | Word #7 | 37 | 1.1% |
| 8 | Word #8 | 34 | 1.0% |
| 9 | Word #9 | 36 | 1.1% |
| 10 | Word #10 | 37 | 1.1% |
| 11 | Word #11 | 42 | 1.3% |
| 12 | Word #12 | 41 | 1.2% |
| 13 | Word #13 | 60 | 1.8% |
| 14 | Word #14 | 38 | 1.2% |
| 15 | Word #15 | 51 | 1.5% |
| 90 | NON-LIST INTRUSION | 127 | 3.9% |
| 98 | REFUSED/MISSING | 2,546 | 77.4% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 745 | 2546 | 1 | 90 |

SC3TWLI11

Label

Word List Immediate: Recalled #11

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 28 | 0.9% |
| 2 | Word #2 | 35 | 1.1% |
| 3 | Word #3 | 31 | 0.9% |
| 4 | Word #4 | 20 | 0.6% |
| 5 | Word #5 | 23 | 0.7% |
| 6 | Word #6 | 24 | 0.7% |
| 7 | Word #7 | 21 | 0.6% |
| 8 | Word #8 | 33 | 1.0% |
| 9 | Word #9 | 21 | 0.6% |
| 10 | Word #10 | 24 | 0.7% |
| 11 | Word #11 | 28 | 0.9% |
| 12 | Word #12 | 27 | 0.8% |
| 13 | Word #13 | 33 | 1.0% |
| 14 | Word #14 | 30 | 0.9% |
| 15 | Word #15 | 28 | 0.9% |
| 90 | NON-LIST INTRUSION | 91 | 2.8% |
| 98 | REFUSED/MISSING | 2,794 | 84.9% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 497 | 2794 | 1 | 90 |

Label

Word List Immediate: Recalled #12

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 11 | 0.3% |
| 2 | Word #2 | 17 | 0.5% |
| 3 | Word #3 | 18 | 0.5% |
| 4 | Word #4 | 18 | 0.5% |
| 5 | Word #5 | 10 | 0.3% |
| 6 | Word #6 | 15 | 0.5% |
| 7 | Word #7 | 17 | 0.5% |
| 8 | Word #8 | 26 | 0.8% |
| 9 | Word #9 | 14 | 0.4% |
| 10 | Word #10 | 9 | 0.3% |
| 11 | Word #11 | 19 | 0.6% |
| 12 | Word #12 | 18 | 0.5% |
| 13 | Word #13 | 18 | 0.5% |
| 14 | Word #14 | 28 | 0.9% |
| 15 | Word #15 | 26 | 0.8% |
| 90 | NON-LIST INTRUSION | 48 | 1.5% |
| 98 | REFUSED/MISSING | 2,979 | 90.5% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 312 | 2979 | 1 | 90 |

Label

Word List Immediate: Recalled #13

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 5 | 0.2% |
| 2 | Word #2 | 9 | 0.3% |
| 3 | Word #3 | 4 | 0.1% |
| 4 | Word #4 | 8 | 0.2% |
| 5 | Word #5 | 8 | 0.2% |
| 6 | Word #6 | 10 | 0.3% |
| 7 | Word #7 | 7 | 0.2% |
| 8 | Word #8 | 9 | 0.3% |
| 9 | Word #9 | 10 | 0.3% |
| 10 | Word #10 | 14 | 0.4% |
| 11 | Word #11 | 8 | 0.2% |
| 12 | Word #12 | 6 | 0.2% |
| 13 | Word #13 | 17 | 0.5% |
| 14 | Word #14 | 6 | 0.2% |
| 15 | Word #15 | 12 | 0.4% |
| 90 | NON-LIST INTRUSION | 30 | 0.9% |
| 98 | REFUSED/MISSING | 3,128 | 95.0% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 163 | 3128 | 1 | 90 |

SC3TWLI14

Label

Word List Immediate: Recalled #14

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 2 | 0.1% |
| 2 | Word #2 | 3 | 0.1% |
| 3 | Word #3 | 3 | 0.1% |
| 4 | Word #4 | 1 | 0.0% |
| 5 | Word #5 | 7 | 0.2% |
| 6 | Word #6 | 4 | 0.1% |
| 7 | Word #7 | 3 | 0.1% |
| 8 | Word #8 | 6 | 0.2% |
| 9 | Word #9 | 9 | 0.3% |
| 10 | Word #10 | 4 | 0.1% |
| 11 | Word #11 | 7 | 0.2% |
| 12 | Word #12 | 6 | 0.2% |
| 13 | Word #13 | 4 | 0.1% |
| 14 | Word #14 | 6 | 0.2% |
| 15 | Word #15 | 2 | 0.1% |
| 90 | NON-LIST INTRUSION | 22 | 0.7% |
| 98 | REFUSED/MISSING | 3,202 | 97.3% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 89 | 3202 | 1 | 90 |

Label

Word List Immediate: Recalled #15

Interviewer Instructions

Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?"

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 2 | 0.1% |
| 2 | Word #2 | 2 | 0.1% |
| 3 | Word #3 | 6 | 0.2% |
| 4 | Word #4 | 1 | 0.0% |
| 5 | Word #5 | 2 | 0.1% |
| 6 | Word #6 | 5 | 0.2% |
| 7 | Word #7 | 4 | 0.1% |
| 8 | Word #8 | 2 | 0.1% |
| 9 | Word #9 | 4 | 0.1% |
| 10 | Word #10 | 3 | 0.1% |
| 11 | Word #11 | 1 | 0.0% |
| 12 | Word #12 | 2 | 0.1% |
| 14 | Word #14 | 2 | 0.1% |
| 15 | Word #15 | 2 | 0.1% |
| 90 | NON-LIST INTRUSION | 7 | 0.2% |
| 98 | REFUSED/MISSING | 3,246 | 98.6% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 45 | 3246 | 1 | 90 |

% C3TWLI16

Label

Word List Immediate: Recalled #16

Interviewer Instructions

Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?"

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 1 | 0.0% |
| 2 | Word #2 | 1 | 0.0% |
| 4 | Word #4 | 1 | 0.0% |
| 5 | Word #5 | 2 | 0.1% |
| 6 | Word #6 | 2 | 0.1% |
| 8 | Word #8 | 4 | 0.1% |
| 9 | Word #9 | 1 | 0.0% |
| 10 | Word #10 | 1 | 0.0% |
| 11 | Word #11 | 1 | 0.0% |
| 12 | Word #12 | 2 | 0.1% |
| 13 | Word #13 | 1 | 0.0% |
| 14 | Word #14 | 2 | 0.1% |
| 15 | Word #15 | 2 | 0.1% |
| 90 | NON-LIST INTRUSION | 6 | 0.2% |
| 98 | REFUSED/MISSING | 3,264 | 99.2% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 27 | 3264 | 1 | 90 |

% C3TWLI17

Label

Word List Immediate: Recalled #17

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|---------|-----------|------|
| 1 | Word #1 | 3 | 0.1% |

| 5 | Word #5 | 1 | 0.0% |
|----|--------------------|-------|-------|
| 7 | Word #7 | 1 | 0.0% |
| 9 | Word #9 | 2 | 0.1% |
| 10 | Word #10 | 1 | 0.0% |
| 11 | Word #11 | 1 | 0.0% |
| 12 | Word #12 | 1 | 0.0% |
| 14 | Word #14 | 1 | 0.0% |
| 15 | Word #15 | 2 | 0.1% |
| 90 | NON-LIST INTRUSION | 4 | 0.1% |
| 98 | REFUSED/MISSING | 3,274 | 99.5% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 17 | 3274 | 1 | 90 |

Label

Word List Immediate: Recalled #18

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 2 | Word #2 | 1 | 0.0% |
| 3 | Word #3 | 1 | 0.0% |
| 8 | Word #8 | 1 | 0.0% |
| 11 | Word #11 | 3 | 0.1% |
| 90 | NON-LIST INTRUSION | 4 | 0.1% |
| 98 | REFUSED/MISSING | 3,281 | 99.7% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 10 | 3281 | 2 | 90 |

Label

Word List Immediate: Recalled #19

Interviewer Instructions

Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?"

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 1 | 0.0% |
| 5 | Word #5 | 1 | 0.0% |
| 6 | Word #6 | 1 | 0.0% |
| 7 | Word #7 | 1 | 0.0% |
| 12 | Word #12 | 1 | 0.0% |
| 13 | Word #13 | 1 | 0.0% |
| 90 | NON-LIST INTRUSION | 2 | 0.1% |
| 98 | REFUSED/MISSING | 3,283 | 99.8% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 8 | 3283 | 1 | 90 |

⋘ C3TWLI20

Label

Word List Immediate: Recalled #20

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|------|
| 8 | Word #8 | 1 | 0.0% |
| 14 | Word #14 | 2 | 0.1% |
| 15 | Word #15 | 1 | 0.0% |
| 90 | NON-LIST INTRUSION | 1 | 0.0% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 5 | 3286 | 8 | 90 |

S C3TWLI21

Label

Word List Immediate: Recalled #21

Interviewer Instructions

Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?"

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 2 | Word #2 | 1 | 0.0% |
| 11 | Word #11 | 1 | 0.0% |
| 12 | Word #12 | 1 | 0.0% |
| 90 | NON-LIST INTRUSION | 1 | 0.0% |
| 98 | REFUSED/MISSING | 3,287 | 99.9% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 4 | 3287 | 2 | 90 |

% C3TWLI22

Label

Word List Immediate: Recalled #22

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|----------|-----------|------|
| 13 | Word #13 | 1 | 0.0% |
| 14 | Word #14 | 1 | 0.0% |

| | 98 | REFUSED/MISSING | 3,289 | 99.9% |
|--|----|-----------------|-------|-------|
|--|----|-----------------|-------|-------|

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 2 | 3289 | 13 | 14 |

S C3TWLI23

Label

Word List Immediate: Recalled #23

Interviewer Instructions

Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?"

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 15 | Word #15 | 1 | 0.0% |
| 90 | NON-LIST INTRUSION | 1 | 0.0% |
| 98 | REFUSED/MISSING | 3,289 | 99.9% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 2 | 3289 | 15 | 90 |

% C3TWLI24

Label

Word List Immediate: Recalled #24

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|-----------------|-----------|--------|
| 3 | Word #3 | 1 | 0.0% |
| 98 | REFUSED/MISSING | 3,290 | 100.0% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 1 | 3290 | 3 | 3 |

Label

Word List Immediate: Recalled #25

Interviewer Instructions

Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?"

| Value | Label | Frequency | % |
|-------|-----------------|-----------|--------|
| 98 | REFUSED/MISSING | 3,291 | 100.0% |

| Valid | Invalid |
|-------|---------|
| 0 | 3291 |

% C3TWLI26

Label

Word List Immediate: Recalled #26

Interviewer Instructions

Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?"

| Value | Label | Frequency | % |
|-------|-----------------|-----------|--------|
| 98 | REFUSED/MISSING | 3,291 | 100.0% |

| d Invalid | Valid |
|-----------|-------|
| 3291 | 0 |

% C3TWLITU

Label

Word List Immediate: Tot Unique Items

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3281 | 10 | 0 | 15 | 6.65 | 2.42 |

S C3TWLITR

Label

Word List Immediate: Tot # Repetitions

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3281 | 10 | 0 | 10 | 0.38 | 0.8 |

S C3TWLITI

Label

Word List Immediate: Tot # Intrusions

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3281 | 10 | 0 | 11 | 0.61 | 0.97 |

% C3TDBFP

Label

Digits Backward flagged problematic?

Pre-Question Text

I am going to say some string of numbers, and when I am done I would like you to repeat them backwards, in the reverse order from which I said them. So if I said "3,8", you would say "8,3". Do you understand? The sets will get larger as we go.

Interviewer Instructions

Read in monotone, 1 sec per number. Drop your voice on the last digit to indicate it is time to respond. If they get the first trial on one level, more on to the next level. Discontinue after 2 trials missed on a level).

Notes

Filter Variable

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 1 | YES | 23 | 0.7% |
| 2 | NO | 3,268 | 99.3% |

| Minimum | Maximum |
|---------|---------|
| | Minimum |

| 3291 | 0 | 1 | 2 |
|------|---|---|---|
| | | | |

% C3TDBS

Label

Digits Backward: highest # digits recall

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3287 | 4 | 0 | 8 | 4.93 | 1.53 |

SECOND SECOND S

Label

Category Fluency flagged problematic?

Pre-Question Text

Now I am going to give you a category and you will name things that belongin that category. Let's practice with the category "fruit". You could say peach, or pear. Can you think of any other fruits? In a moment I will give you another category. When I say begin, you will name all the things from this new category you can think, as fast as you can. You will have one minute to do this. I will let you know when your time is up. The new category is (...) do you have any questions? Ready? Begin.

Interviewer Instructions

If person stops before 1 minute is up, say "There's still more time, can you think of any more?"

Notes

Filter Variable

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 1 | YES | 24 | 0.7% |
| 2 | NO | 3,267 | 99.3% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3291 | 0 | 1 | 2 |

% C3TCTFLU

Label

Category Fluency: Tot Unique items

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3284 | 7 | 0 | 42 | 18.4 | 6.12 |

% C3TCTFLR

Label

Category Fluency: Tot # Repetitions

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3284 | 7 | 0 | 15 | 0.41 | 0.94 |

S C3TCTF<u>LI</u>

Label

Category Fluency: Tot # Intrusions

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3284 | 7 | 0 | 13 | 0.04 | 0.45 |

SECULT OF PROOF OF PARTIES

Label

Number Series flagged problematic?

Pre-Question Text

In the next exercise I will read you a series of numbers that may get larger or smaller in value. At the end you will try to figure out what the next number would be. So if the numbers were 2,4,6,8,10, the next number would be 12. After I say each number I will pause for as long as you need, and then you should say "okay" when you ready for me to go on to the next number in the group. So if I said 2, you should say "okay" when you are ready for me to go on to the next number, then I say 4, you say okay, 6, okay, 8, okay, 10, and at the end I will ask you what you think the next number would be. In this case the next number would be 12, as each number has increased by 2.

Interviewer Instructions

Pause after each of the first 4 items for okay response; after the last item, say AND the next number is ...?

Notes

Filter Variable

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 1 | YES | 32 | 1.0% |
| 2 | NO | 3,259 | 99.0% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3291 | 0 | 1 | 2 |

% C3TNS1

Label

Number Series #1

Pre-Question Text

Let's try one for practice: 35 (okay), 30 (okay), 25, (okay), 20(okay), 15 (okay), AND the next number would be???? (The answer should be 10 as each number has decreased by 5). There will be different patterns, and some of these will be harder than others, so just do the best you can. If you are not sure of the answer, it is okay to guess. Do you have any questions?

Interviewer Instructions

Pause after each of the first 4 items for okay response; after the last item, say AND the next number is ...?

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|-------|--------|
| 3142 | 149 | 3 | 58 | 44.73 | 4.64 |

% C3TNS2

Label

Number Series #2

Pre-Question Text

Okay. Are you ready for another? The next set is:

Interviewer Instructions

Pause after each of the first 4 items for okay response; after the last item, say AND the next number is ...?

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3134 | 157 | 1 | 90 | 65.9 | 4.42 |



Label

Number Series #3

Pre-Question Text

Okay. Are you ready for another? The next set is:

Interviewer Instructions

Pause after each of the first 4 items for okay response; after the last item, say AND the next number is ...?

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|-------|--------|
| 3122 | 169 | 0 | 72 | 22.84 | 2.43 |

% C3TNS4

Label

Number Series #4

Pre-Question Text

Okay. Are you ready for another? The next set is:

Interviewer Instructions

Pause after each of the first 4 items for okay response; after the last item, say AND the next number is ...?

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3055 | 236 | 0 | 80 | 5.14 | 3.79 |

SC3TNS5

Label

Number Series #5

Pre-Question Text

Okay. Are you ready for another? The next set is:

Interviewer Instructions

Pause after each of the first 4 items for okay response; after the last item, say AND the next number is ...?

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|-------|--------|
| 2756 | 535 | 0 | 78 | 31.12 | 12.3 |

™ C3TNS1C

Label

Number Series #1: correct?

| Value | Label | Frequency | % |
|-------|-----------------|-----------|-------|
| 1 | YES, CORRECT | 1,150 | 34.9% |
| 2 | NO, INCORRECT | 2,056 | 62.5% |
| 8 | REFUSED/MISSING | 85 | 2.6% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3206 | 85 | 1 | 2 |

™ C3TNS2C

Label

Number Series #2: correct?

| Value | Label | Frequency | % |
|-------|-----------------|-----------|-------|
| 1 | YES, CORRECT | 2,433 | 73.9% |
| 2 | NO, INCORRECT | 754 | 22.9% |
| 8 | REFUSED/MISSING | 104 | 3.2% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3187 | 104 | 1 | 2 |

% C3TNS3C

Label

Number Series #3: correct?

| Value | Label | Frequency | % |
|-------|-----------------|-----------|-------|
| 1 | YES, CORRECT | 1,171 | 35.6% |
| 2 | NO, INCORRECT | 1,989 | 60.4% |
| 8 | REFUSED/MISSING | 131 | 4.0% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3160 | 131 | 1 | 2 |

% C3TNS4C

Label

Number Series #4: correct?

| Value | Label | Frequency | % |
|-------|-----------------|-----------|-------|
| 1 | YES, CORRECT | 1,130 | 34.3% |
| 2 | NO, INCORRECT | 1,998 | 60.7% |
| 8 | REFUSED/MISSING | 163 | 5.0% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3128 | 163 | 1 | 2 |

% C3TNS5C

Label

Number Series #5: correct?

| Value | Label | Frequency | % |
|-------|-----------------|-----------|-------|
| 1 | YES, CORRECT | 988 | 30.0% |
| 2 | NO, INCORRECT | 2,098 | 63.7% |
| 8 | REFUSED/MISSING | 205 | 6.2% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3086 | 205 | 1 | 2 |

S C3TNSTOT

Label

Number Series: Total Correct

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3206 | 85 | 0 | 5 | 2.14 | 1.57 |

% C3TBKFP

Label

Backward Counting flagged problematic?

Interviewer Instructions

Record final number reached, and number of errors

Notes

Filter Variable

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 1 | YES | 36 | 1.1% |
| 2 | NO | 3,255 | 98.9% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3291 | 0 | 1 | 2 |

SECOND SECOND S

Label

Backward Counting: last # reached

Pre-Question Text

Next, I would like to see how fast you can count backwards. When I give the signal to begin, start counting backwards from 100 out loud, as fast as you can. So you will say 100, 99, 98 and so on. You will have half a minute. Do you have any questions? I will let you know when the time is up. Begin (time for 30 seconds).

Interviewer Instructions

Record final number reached, and number of errors

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|-------|--------|
| 3254 | 37 | 7 | 99 | 63.61 | 11.45 |

% C3TBKERR

Label

Backward Counting: # of errors

Interviewer Instructions

Record final number reached, and number of errors

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3248 | 43 | 0 | 79 | 1.12 | 2.61 |

% СЗТВКТОТ

Label

Backward Counting: Total # Counted Correctly (100-(C3TBKCT+C3TBKERR))

Interviewer Instructions

Record final number reached, and number of errors

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|-------|--------|
| 3248 | 43 | -12 | 90 | 35.25 | 11.93 |

% C3TWLDFP

Label

Word List Delayed flagged problematic?

Pre-Question Text

Do you remember the very first list of 15 words that I read to you in the beginning? It was the very first thing we did. I want you to tell me as many of the words from that list as you can. You will have up to one minute. I will tell you when your time is up.

Interviewer Instructions

(WAIT FOR SUBJECT TO RESPOND YES. MAKE SURE THEY UNDERSTAND THAT IT IS THE WORD LIST, NOT THE CATEGORY FLUENCY TEST). Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?"

Notes

Filter Variable

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 1 | YES | 11 | 0.3% |
| 2 | NO | 3,280 | 99.7% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3291 | 0 | 1 | 2 |

S C3TWLD1

Label

Word List Delayed: Recalled #1

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|----------|-----------|-------|
| 1 | Word #1 | 694 | 21.1% |
| 2 | Word #2 | 282 | 8.6% |
| 3 | Word #3 | 171 | 5.2% |
| 4 | Word #4 | 150 | 4.6% |
| 5 | Word #5 | 168 | 5.1% |
| 6 | Word #6 | 98 | 3.0% |
| 7 | Word #7 | 93 | 2.8% |
| 8 | Word #8 | 134 | 4.1% |
| 9 | Word #9 | 102 | 3.1% |
| 10 | Word #10 | 199 | 6.0% |
| 11 | Word #11 | 92 | 2.8% |
| 12 | Word #12 | 93 | 2.8% |
| 13 | Word #13 | 47 | 1.4% |
| 14 | Word #14 | 241 | 7.3% |
| 15 | Word #15 | 108 | 3.3% |

| 90 | NON-LIST INTRUSION | 286 | 8.7% |
|----|--------------------|-----|-------|
| 98 | REFUSED/MISSING | 333 | 10.1% |

| Valid | d Invalid | Minimum | Maximum |
|-------|-----------|---------|---------|
| 2958 | 333 | 1 | 90 |

⋘ C3TWLD2

Label

Word List Delayed: Recalled #2

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 118 | 3.6% |
| 2 | Word #2 | 372 | 11.3% |
| 3 | Word #3 | 251 | 7.6% |
| 4 | Word #4 | 133 | 4.0% |
| 5 | Word #5 | 198 | 6.0% |
| 6 | Word #6 | 145 | 4.4% |
| 7 | Word #7 | 99 | 3.0% |
| 8 | Word #8 | 144 | 4.4% |
| 9 | Word #9 | 117 | 3.6% |
| 10 | Word #10 | 213 | 6.5% |
| 11 | Word #11 | 175 | 5.3% |
| 12 | Word #12 | 106 | 3.2% |
| 13 | Word #13 | 59 | 1.8% |
| 14 | Word #14 | 209 | 6.4% |
| 15 | Word #15 | 101 | 3.1% |
| 90 | NON-LIST INTRUSION | 397 | 12.1% |
| 98 | REFUSED/MISSING | 454 | 13.8% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 2837 | 454 | 1 | 90 |

S C3TWLD3

Label

Word List Delayed: Recalled #3

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 113 | 3.4% |
| 2 | Word #2 | 155 | 4.7% |
| 3 | Word #3 | 180 | 5.5% |
| 4 | Word #4 | 105 | 3.2% |
| 5 | Word #5 | 214 | 6.5% |
| 6 | Word #6 | 201 | 6.1% |
| 7 | Word #7 | 83 | 2.5% |
| 8 | Word #8 | 162 | 4.9% |
| 9 | Word #9 | 89 | 2.7% |
| 10 | Word #10 | 209 | 6.4% |
| 11 | Word #11 | 145 | 4.4% |
| 12 | Word #12 | 95 | 2.9% |
| 13 | Word #13 | 92 | 2.8% |
| 14 | Word #14 | 201 | 6.1% |
| 15 | Word #15 | 128 | 3.9% |
| 90 | NON-LIST INTRUSION | 456 | 13.9% |
| 98 | REFUSED/MISSING | 663 | 20.1% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 2628 | 663 | 1 | 90 |

Label

Word List Delayed: Recalled #4

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 93 | 2.8% |
| 2 | Word #2 | 109 | 3.3% |
| 3 | Word #3 | 86 | 2.6% |
| 4 | Word #4 | 103 | 3.1% |
| 5 | Word #5 | 213 | 6.5% |
| 6 | Word #6 | 151 | 4.6% |
| 7 | Word #7 | 66 | 2.0% |
| 8 | Word #8 | 154 | 4.7% |
| 9 | Word #9 | 96 | 2.9% |
| 10 | Word #10 | 143 | 4.3% |
| 11 | Word #11 | 122 | 3.7% |
| 12 | Word #12 | 118 | 3.6% |
| 13 | Word #13 | 92 | 2.8% |
| 14 | Word #14 | 165 | 5.0% |
| 15 | Word #15 | 103 | 3.1% |
| 90 | NON-LIST INTRUSION | 452 | 13.7% |
| 98 | REFUSED/MISSING | 1,025 | 31.1% |

| Vali | d Invalid | Minimum | Maximum |
|------|-----------|---------|---------|
| 226 | 6 1025 | 1 | 90 |

Label

Word List Delayed: Recalled #5

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 85 | 2.6% |
| 2 | Word #2 | 84 | 2.6% |
| 3 | Word #3 | 76 | 2.3% |
| 4 | Word #4 | 72 | 2.2% |
| 5 | Word #5 | 131 | 4.0% |
| 6 | Word #6 | 133 | 4.0% |
| 7 | Word #7 | 66 | 2.0% |
| 8 | Word #8 | 112 | 3.4% |
| 9 | Word #9 | 100 | 3.0% |
| 10 | Word #10 | 104 | 3.2% |
| 11 | Word #11 | 82 | 2.5% |
| 12 | Word #12 | 79 | 2.4% |
| 13 | Word #13 | 93 | 2.8% |
| 14 | Word #14 | 116 | 3.5% |
| 15 | Word #15 | 90 | 2.7% |
| 90 | NON-LIST INTRUSION | 417 | 12.7% |
| 98 | REFUSED/MISSING | 1,451 | 44.1% |

| Valid | l Invalid | Minimum | Maximum |
|-------|-----------|---------|---------|
| 1840 | 1451 | 1 | 90 |

Label

Word List Delayed: Recalled #6

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 80 | 2.4% |
| 2 | Word #2 | 69 | 2.1% |
| 3 | Word #3 | 63 | 1.9% |
| 4 | Word #4 | 47 | 1.4% |
| 5 | Word #5 | 87 | 2.6% |
| 6 | Word #6 | 79 | 2.4% |
| 7 | Word #7 | 60 | 1.8% |
| 8 | Word #8 | 73 | 2.2% |
| 9 | Word #9 | 73 | 2.2% |
| 10 | Word #10 | 63 | 1.9% |
| 11 | Word #11 | 70 | 2.1% |
| 12 | Word #12 | 64 | 1.9% |
| 13 | Word #13 | 65 | 2.0% |
| 14 | Word #14 | 115 | 3.5% |
| 15 | Word #15 | 73 | 2.2% |
| 90 | NON-LIST INTRUSION | 348 | 10.6% |
| 98 | REFUSED/MISSING | 1,862 | 56.6% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 1429 | 1862 | 1 | 90 |

Label

Word List Delayed: Recalled #7

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 57 | 1.7% |
| 2 | Word #2 | 37 | 1.1% |
| 3 | Word #3 | 52 | 1.6% |
| 4 | Word #4 | 25 | 0.8% |
| 5 | Word #5 | 64 | 1.9% |
| 6 | Word #6 | 49 | 1.5% |
| 7 | Word #7 | 37 | 1.1% |
| 8 | Word #8 | 59 | 1.8% |
| 9 | Word #9 | 42 | 1.3% |
| 10 | Word #10 | 56 | 1.7% |
| 11 | Word #11 | 60 | 1.8% |
| 12 | Word #12 | 50 | 1.5% |
| 13 | Word #13 | 53 | 1.6% |
| 14 | Word #14 | 79 | 2.4% |
| 15 | Word #15 | 66 | 2.0% |
| 90 | NON-LIST INTRUSION | 271 | 8.2% |
| 98 | REFUSED/MISSING | 2,234 | 67.9% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 1057 | 2234 | 1 | 90 |

Label

Word List Delayed: Recalled #8

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 22 | 0.7% |
| 2 | Word #2 | 44 | 1.3% |
| 3 | Word #3 | 36 | 1.1% |
| 4 | Word #4 | 18 | 0.5% |
| 5 | Word #5 | 45 | 1.4% |
| 6 | Word #6 | 39 | 1.2% |
| 7 | Word #7 | 28 | 0.9% |
| 8 | Word #8 | 33 | 1.0% |
| 9 | Word #9 | 34 | 1.0% |
| 10 | Word #10 | 32 | 1.0% |
| 11 | Word #11 | 48 | 1.5% |
| 12 | Word #12 | 38 | 1.2% |
| 13 | Word #13 | 57 | 1.7% |
| 14 | Word #14 | 45 | 1.4% |
| 15 | Word #15 | 36 | 1.1% |
| 90 | NON-LIST INTRUSION | 203 | 6.2% |
| 98 | REFUSED/MISSING | 2,533 | 77.0% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 758 | 2533 | 1 | 90 |

Label

Word List Delayed: Recalled #9

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 22 | 0.7% |
| 2 | Word #2 | 18 | 0.5% |
| 3 | Word #3 | 29 | 0.9% |
| 4 | Word #4 | 23 | 0.7% |
| 5 | Word #5 | 24 | 0.7% |
| 6 | Word #6 | 20 | 0.6% |
| 7 | Word #7 | 22 | 0.7% |
| 8 | Word #8 | 22 | 0.7% |
| 9 | Word #9 | 27 | 0.8% |
| 10 | Word #10 | 21 | 0.6% |
| 11 | Word #11 | 22 | 0.7% |
| 12 | Word #12 | 26 | 0.8% |
| 13 | Word #13 | 26 | 0.8% |
| 14 | Word #14 | 38 | 1.2% |
| 15 | Word #15 | 28 | 0.9% |
| 90 | NON-LIST INTRUSION | 145 | 4.4% |
| 98 | REFUSED/MISSING | 2,778 | 84.4% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 513 | 2778 | 1 | 90 |

SC3TWLD10

Label

Word List Delayed: Recalled #10

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 16 | 0.5% |
| 2 | Word #2 | 17 | 0.5% |
| 3 | Word #3 | 20 | 0.6% |
| 4 | Word #4 | 16 | 0.5% |
| 5 | Word #5 | 14 | 0.4% |
| 6 | Word #6 | 8 | 0.2% |
| 7 | Word #7 | 19 | 0.6% |
| 8 | Word #8 | 17 | 0.5% |
| 9 | Word #9 | 18 | 0.5% |
| 10 | Word #10 | 12 | 0.4% |
| 11 | Word #11 | 14 | 0.4% |
| 12 | Word #12 | 14 | 0.4% |
| 13 | Word #13 | 12 | 0.4% |
| 14 | Word #14 | 16 | 0.5% |
| 15 | Word #15 | 22 | 0.7% |
| 90 | NON-LIST INTRUSION | 102 | 3.1% |
| 98 | REFUSED/MISSING | 2,954 | 89.8% |

| Vali | d Invalid | Minimum | Maximum |
|------|-----------|---------|---------|
| 33 | 7 2954 | 1 | 90 |

SC3TWLD11

Label

Word List Delayed: Recalled #11

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 9 | 0.3% |
| 2 | Word #2 | 13 | 0.4% |
| 3 | Word #3 | 10 | 0.3% |
| 4 | Word #4 | 12 | 0.4% |
| 5 | Word #5 | 11 | 0.3% |
| 6 | Word #6 | 7 | 0.2% |
| 7 | Word #7 | 8 | 0.2% |
| 8 | Word #8 | 12 | 0.4% |
| 9 | Word #9 | 5 | 0.2% |
| 10 | Word #10 | 6 | 0.2% |
| 11 | Word #11 | 9 | 0.3% |
| 12 | Word #12 | 12 | 0.4% |
| 13 | Word #13 | 14 | 0.4% |
| 14 | Word #14 | 9 | 0.3% |
| 15 | Word #15 | 11 | 0.3% |
| 90 | NON-LIST INTRUSION | 63 | 1.9% |
| 98 | REFUSED/MISSING | 3,080 | 93.6% |

| \ | /alid | Invalid | Minimum | Maximum |
|---|-------|---------|---------|---------|
| | 211 | 3080 | 1 | 90 |

SC3TWLD12

Label

Word List Delayed: Recalled #12

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 11 | 0.3% |
| 2 | Word #2 | 6 | 0.2% |
| 3 | Word #3 | 2 | 0.1% |
| 4 | Word #4 | 1 | 0.0% |
| 5 | Word #5 | 6 | 0.2% |
| 6 | Word #6 | 8 | 0.2% |
| 7 | Word #7 | 10 | 0.3% |
| 8 | Word #8 | 7 | 0.2% |
| 9 | Word #9 | 2 | 0.1% |
| 10 | Word #10 | 5 | 0.2% |
| 11 | Word #11 | 4 | 0.1% |
| 12 | Word #12 | 7 | 0.2% |
| 13 | Word #13 | 8 | 0.2% |
| 14 | Word #14 | 10 | 0.3% |
| 15 | Word #15 | 9 | 0.3% |
| 90 | NON-LIST INTRUSION | 41 | 1.2% |
| 98 | REFUSED/MISSING | 3,154 | 95.8% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 137 | 3154 | 1 | 90 |

Label

Word List Delayed: Recalled #13

Interviewer Instructions

Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?"

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 4 | 0.1% |
| 2 | Word #2 | 3 | 0.1% |
| 3 | Word #3 | 1 | 0.0% |
| 4 | Word #4 | 4 | 0.1% |
| 6 | Word #6 | 4 | 0.1% |
| 7 | Word #7 | 4 | 0.1% |
| 8 | Word #8 | 3 | 0.1% |
| 9 | Word #9 | 4 | 0.1% |
| 10 | Word #10 | 3 | 0.1% |
| 11 | Word #11 | 4 | 0.1% |
| 12 | Word #12 | 6 | 0.2% |
| 13 | Word #13 | 6 | 0.2% |
| 14 | Word #14 | 9 | 0.3% |
| 15 | Word #15 | 3 | 0.1% |
| 90 | NON-LIST INTRUSION | 34 | 1.0% |
| 98 | REFUSED/MISSING | 3,199 | 97.2% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 92 | 3199 | 1 | 90 |

% C3TWLD14

Label

Word List Delayed: Recalled #14

Interviewer Instructions

Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?"

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 1 | Word #1 | 1 | 0.0% |
| 2 | Word #2 | 3 | 0.1% |
| 3 | Word #3 | 2 | 0.1% |
| 4 | Word #4 | 2 | 0.1% |
| 5 | Word #5 | 4 | 0.1% |
| 6 | Word #6 | 1 | 0.0% |
| 7 | Word #7 | 2 | 0.1% |
| 8 | Word #8 | 6 | 0.2% |
| 9 | Word #9 | 3 | 0.1% |
| 10 | Word #10 | 2 | 0.1% |
| 11 | Word #11 | 3 | 0.1% |
| 12 | Word #12 | 2 | 0.1% |
| 13 | Word #13 | 1 | 0.0% |
| 14 | Word #14 | 3 | 0.1% |
| 15 | Word #15 | 2 | 0.1% |
| 90 | NON-LIST INTRUSION | 20 | 0.6% |
| 98 | REFUSED/MISSING | 3,234 | 98.3% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 57 | 3234 | 1 | 90 |

% C3TWLD15

Label

Word List Delayed: Recalled #15

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 2 | Word #2 | 1 | 0.0% |
| 3 | Word #3 | 1 | 0.0% |
| 5 | Word #5 | 1 | 0.0% |
| 6 | Word #6 | 3 | 0.1% |
| 7 | Word #7 | 3 | 0.1% |
| 8 | Word #8 | 2 | 0.1% |
| 9 | Word #9 | 1 | 0.0% |
| 14 | Word #14 | 1 | 0.0% |
| 15 | Word #15 | 1 | 0.0% |
| 90 | NON-LIST INTRUSION | 21 | 0.6% |
| 98 | REFUSED/MISSING | 3,256 | 98.9% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 35 | 3256 | 2 | 90 |

Label

Word List Delayed: Recalled #16

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|----------|-----------|------|
| 1 | Word #1 | 1 | 0.0% |
| 4 | Word #4 | 1 | 0.0% |
| 5 | Word #5 | 2 | 0.1% |
| 7 | Word #7 | 1 | 0.0% |
| 8 | Word #8 | 2 | 0.1% |
| 9 | Word #9 | 1 | 0.0% |
| 10 | Word #10 | 2 | 0.1% |

| 12 | Word #12 | 1 | 0.0% |
|----|--------------------|-------|-------|
| 14 | Word #14 | 1 | 0.0% |
| 90 | NON-LIST INTRUSION | 16 | 0.5% |
| 98 | REFUSED/MISSING | 3,263 | 99.1% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 28 | 3263 | 1 | 90 |

Label

Word List Delayed: Recalled #17

Interviewer Instructions

Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?"

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 5 | Word #5 | 1 | 0.0% |
| 9 | Word #9 | 2 | 0.1% |
| 10 | Word #10 | 1 | 0.0% |
| 13 | Word #13 | 1 | 0.0% |
| 14 | Word #14 | 1 | 0.0% |
| 15 | Word #15 | 1 | 0.0% |
| 90 | NON-LIST INTRUSION | 13 | 0.4% |
| 98 | REFUSED/MISSING | 3,271 | 99.4% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 20 | 3271 | 5 | 90 |

% C3TWLD18

Label

Word List Delayed: Recalled #18

Interviewer Instructions

Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?"

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 2 | Word #2 | 1 | 0.0% |
| 11 | Word #11 | 1 | 0.0% |
| 12 | Word #12 | 3 | 0.1% |
| 13 | Word #13 | 1 | 0.0% |
| 15 | Word #15 | 1 | 0.0% |
| 90 | NON-LIST INTRUSION | 10 | 0.3% |
| 98 | REFUSED/MISSING | 3,274 | 99.5% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 17 | 3274 | 2 | 90 |

SECOND 19

Label

Word List Delayed: Recalled #19

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 8 | Word #8 | 1 | 0.0% |
| 12 | Word #12 | 1 | 0.0% |
| 13 | Word #13 | 1 | 0.0% |
| 14 | Word #14 | 1 | 0.0% |
| 15 | Word #15 | 1 | 0.0% |
| 90 | NON-LIST INTRUSION | 8 | 0.2% |
| 98 | REFUSED/MISSING | 3,278 | 99.6% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| | | | |

| 13 | 3278 | 8 | 90 |
|----|------|---|----|
| | | | |

S C3TWLD20

Label

Word List Delayed: Recalled #20

Interviewer Instructions

Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?"

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 4 | Word #4 | 1 | 0.0% |
| 8 | Word #8 | 1 | 0.0% |
| 9 | Word #9 | 1 | 0.0% |
| 13 | Word #13 | 1 | 0.0% |
| 90 | NON-LIST INTRUSION | 8 | 0.2% |
| 98 | REFUSED/MISSING | 3,279 | 99.6% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 12 | 3279 | 4 | 90 |

% C3TWLD21

Label

Word List Delayed: Recalled #21

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|----------|-----------|------|
| 2 | Word #2 | 1 | 0.0% |
| 3 | Word #3 | 1 | 0.0% |
| 9 | Word #9 | 1 | 0.0% |
| 14 | Word #14 | 1 | 0.0% |

| 90 | NON-LIST INTRUSION | 6 | 0.2% |
|----|--------------------|-------|-------|
| 98 | REFUSED/MISSING | 3,281 | 99.7% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 10 | 3281 | 2 | 90 |

Label

Word List Delayed: Recalled #22

Interviewer Instructions

Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?"

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 3 | Word #3 | 1 | 0.0% |
| 4 | Word #4 | 1 | 0.0% |
| 5 | Word #5 | 1 | 0.0% |
| 9 | Word #9 | 1 | 0.0% |
| 90 | NON-LIST INTRUSION | 6 | 0.2% |
| 98 | REFUSED/MISSING | 3,281 | 99.7% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 10 | 3281 | 3 | 90 |

SC3TWLD23

Label

Word List Delayed: Recalled #23

Interviewer Instructions

| Value Label | Frequency | % |
|-------------|-----------|---|
|-------------|-----------|---|

| 90 | NON-LIST INTRUSION | 5 | 0.2% |
|----|--------------------|-------|-------|
| 98 | REFUSED/MISSING | 3,286 | 99.8% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 5 | 3286 | 90 | 90 |

Label

Word List Delayed: Recalled #24

Interviewer Instructions

Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?"

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 90 | NON-LIST INTRUSION | 5 | 0.2% |
| 98 | REFUSED/MISSING | 3,286 | 99.8% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 5 | 3286 | 90 | 90 |

S C3TWLD25

Label

Word List Delayed: Recalled #25

Interviewer Instructions

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 6 | Word #6 | 1 | 0.0% |
| 90 | NON-LIST INTRUSION | 2 | 0.1% |
| 98 | REFUSED/MISSING | 3,288 | 99.9% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
|-------|---------|---------|---------|

|--|

Label

Word List Delayed: Recalled #26

Interviewer Instructions

Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?"

| Value | Label | Frequency | % |
|-------|--------------------|-----------|-------|
| 14 | Word #14 | 1 | 0.0% |
| 90 | NON-LIST INTRUSION | 2 | 0.1% |
| 98 | REFUSED/MISSING | 3,288 | 99.9% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3 | 3288 | 14 | 90 |

S C3TWLDTU

Label

Word List Delayed: Tot Unique Items

Interviewer Instructions

Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?"

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3115 | 176 | 0 | 15 | 4.33 | 2.73 |

% C3TWLDTR

Label

Word List Delayed: Tot # Repetitions

Interviewer Instructions

Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?"

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3115 | 176 | 0 | 10 | 0.15 | 0.58 |



Label

Word List Delayed: Total # Intrusions

Interviewer Instructions

Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?"

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3115 | 176 | 0 | 26 | 1.07 | 1.86 |

© C3TWLF

Label

Word List: Proportion Forgot Between Immediate and Delayed

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3110 | 181 | -1 | 1 | 0.39 | 0.28 |

% C3TCOMP

Label

MIDUS 3 BTACT Composite Score standardized based on main national MIDUS 2 M and SD (to use for longitudinal analyses)

Notes

Computed Variable

| Valid Invalid Minimum Maximum Me | an StdDev |
|----------------------------------|-----------|
|----------------------------------|-----------|

| | | 3043 | 248 | -2.59 | 2.03 | -0.04 | 0.71 |
|--|--|------|-----|-------|------|-------|------|
|--|--|------|-----|-------|------|-------|------|



Label

MIDUS 3 Episodic Memory standardized based on main national MIDUS 2 M and SD (to use for longitudinal analyses)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|-------|--------|
| 3285 | 6 | -2.94 | 3.83 | -0.06 | 1.01 |

% C3TEF

Label

MIDUS 3 Executive Functioning standardized based on main national MIDUS 2 M and SD (to use for longitudinal analyses)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|-------|--------|
| 3291 | 0 | -5.63 | 12.85 | -0.22 | 0.8 |

⋘ C3TSWN1

Label

SGST: normal single-task trial #1

Pre-Question Text

Next I am going to see how quickly you can respond to the words RED and GREEN. Every time I say READ you will say STOP, and every time I say GREEN you will say GO. Try to be accurate, but respond as quickly as you can. So when I say RED you will say ...And when I say GREEN you will say... Do you have any questions? Let's begin. This will last about 1 minute.

Question Text

RED/GREEN TASK: BASELINE NORMAL - GREEN/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2994 | 297 | 0.16 | 7.18 | 1.4 | 0.47 |

% C3TSWN2

Label

SGST: normal single-task trial #2

Question Text

RED/GREEN TASK: BASELINE NORMAL - RED/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3091 | 200 | 0.41 | 4.51 | 1.14 | 0.32 |

SECONT SECOND 1 CONTRACT SECOND 1 CONTRACT SECOND 1 CONTRACT SECOND 1 CONTRACT SECOND 1 CONTRACT SECOND 1 CONTRACT SECOND 1 CONTRACT SECOND 1 CONTRACT SECOND 1 CONTRACT SECOND 1 CONTRACT SECOND 1 CONTRACT SECOND 1 CONTRACT SECOND 1 CONTRACT SECOND 1 CONTRACT SECOND 1 CONTRACT SECOND 1 CONTRACT SECOND 1

Label

SGST: normal single-task trial #3

Question Text

RED/GREEN TASK: BASELINE NORMAL - GREEN/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3110 | 181 | 0.41 | 5.49 | 1.18 | 0.34 |

% C3TSWN4

Label

SGST: normal single-task trial #4

Question Text

RED/GREEN TASK: BASELINE NORMAL - RED/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3147 | 144 | 0.45 | 3.93 | 1.11 | 0.3 |

⋘ C3TSWN5

Label

SGST: normal single-task trial #5

Question Text

RED/GREEN TASK: BASELINE NORMAL - RED/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3106 | 185 | 0.5 | 3.84 | 1.2 | 0.32 |

% C3TSWN6

Label

SGST: normal single-task trial #6

Question Text

RED/GREEN TASK: BASELINE NORMAL - GREEN/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3130 | 161 | 0.42 | 3.78 | 1.08 | 0.28 |

% C3TSWN7

Label

SGST: normal single-task trial #7

Question Text

RED/GREEN TASK: BASELINE NORMAL - RED/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3113 | 178 | 0.45 | 3.8 | 1.21 | 0.32 |

% C3TSWN8

Label

SGST: normal single-task trial #8

Question Text

RED/GREEN TASK: BASELINE NORMAL - GREEN/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3131 | 160 | 0.39 | 3.61 | 1.1 | 0.29 |

[♠] C3TSWN9

Label

SGST: normal single-task trial #9

Question Text

RED/GREEN TASK: BASELINE NORMAL - RED/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3134 | 157 | 0.45 | 3.86 | 1.18 | 0.3 |

% C3TSWN10

Label

SGST: normal single-task trial #10

Question Text

RED/GREEN TASK: BASELINE NORMAL - GREEN/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3143 | 148 | 0.4 | 3.72 | 1.11 | 0.3 |

% C3TSWN11

Label

SGST: normal single-task trial #11

Question Text

RED/GREEN TASK: BASELINE NORMAL - RED/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3140 | 151 | 0.48 | 4.39 | 1.17 | 0.32 |

S C3TSWN12

Label

SGST: normal single-task trial #12

Question Text

RED/GREEN TASK: BASELINE NORMAL - GREEN/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3141 | 150 | 0.32 | 3.96 | 1.1 | 0.31 |

★ C3TSWN13

Label

SGST: normal single-task trial #13

Question Text

RED/GREEN TASK: BASELINE NORMAL - GREEN/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3105 | 186 | 0.39 | 7.21 | 1.17 | 0.34 |

% C3TSWN14

Label

SGST: normal single-task trial #14

Question Text

RED/GREEN TASK: BASELINE NORMAL - RED/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3157 | 134 | 0.35 | 4.22 | 1.11 | 0.28 |

% C3TSWN15

Label

SGST: normal single-task trial #15

Question Text

RED/GREEN TASK: BASELINE NORMAL - RED/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3102 | 189 | 0.47 | 4.23 | 1.17 | 0.33 |

SECONT SECOND 16 C3TSWN16

Label

SGST: normal single-task trial #16

Question Text

RED/GREEN TASK: BASELINE NORMAL - GREEN/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3156 | 135 | 0.28 | 4.72 | 1.08 | 0.29 |

% C3TSWN17

Label

SGST: normal single-task trial #17

Question Text

RED/GREEN TASK: BASELINE NORMAL - RED/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3121 | 170 | 0.49 | 4.03 | 1.18 | 0.33 |

Label

SGST: normal single-task trial #18

Question Text

RED/GREEN TASK: BASELINE NORMAL - GREEN/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3151 | 140 | 0.43 | 4.5 | 1.1 | 0.31 |

% C3TSWN19

Label

SGST: normal single-task trial #19

Question Text

RED/GREEN TASK: BASELINE NORMAL - GREEN/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3131 | 160 | 0.44 | 3.99 | 1.13 | 0.31 |

% C3TSWN20

Label

SGST: normal single-task trial #20

Question Text

RED/GREEN TASK: BASELINE NORMAL - RED/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3158 | 133 | 0.46 | 5.2 | 1.1 | 0.3 |

% C3TSWR1

Label

SGST: reverse single-task trial #1

Pre-Question Text

Now you will do just the reverse of what you have been doing. So when you hear RED you will say GO, and when you hear GREEN you will say STOP. Do you have any questions? When I say RED you will say... and when I say GREEN you will say... Try to be accurate, but answer as quickly as you can.

Question Text

RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2961 | 330 | 0.66 | 6.3 | 1.58 | 0.49 |

Label

SGST: reverse single-task trial #2

Question Text

RED/GREEN TASK: REVERSE BASELINE - RED/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3094 | 197 | 0.4 | 4.33 | 1.15 | 0.37 |

SECOND SECOND S

Label

SGST: reverse single-task trial #3

Question Text

RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3051 | 240 | 0.47 | 6.83 | 1.36 | 0.43 |

% C3TSWR4

Label

SGST: reverse single-task trial #4

Question Text

RED/GREEN TASK: REVERSE BASELINE - RED/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3051 | 240 | 0.31 | 5.07 | 1.17 | 0.43 |

% C3TSWR5

Label

SGST: reverse single-task trial #5

Question Text

RED/GREEN TASK: REVERSE BASELINE - RED/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2991 | 300 | 0.45 | 9.43 | 1.31 | 0.46 |

SECONT SECOND 1 CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CONTROLL CO

Label

SGST: reverse single-task trial #6

Question Text

RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3073 | 218 | 0.47 | 14.43 | 1.28 | 0.47 |

% C3TSWR<u>7</u>

Label

SGST: reverse single-task trial #7

Question Text

RED/GREEN TASK: REVERSE BASELINE - RED/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2955 | 336 | 0.36 | 5.75 | 1.35 | 0.5 |

% C3TSWR8

Label

SGST: reverse single-task trial #8

Question Text

RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2992 | 299 | 0.44 | 6.95 | 1.39 | 0.45 |

% C3TSWR9

Label

SGST: reverse single-task trial #9

Question Text

RED/GREEN TASK: REVERSE BASELINE - RED/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2978 | 313 | 0.33 | 10.29 | 1.32 | 0.53 |

% C3TSWR10

Label

SGST: reverse single-task trial #10

Question Text

RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2987 | 304 | 0.45 | 7.29 | 1.42 | 0.48 |

S C3TSWR11

Label

SGST: reverse single-task trial #11

Question Text

RED/GREEN TASK: REVERSE BASELINE - RED/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2967 | 324 | 0.38 | 7.37 | 1.3 | 0.49 |

% C3TSWR12

Label

SGST: reverse single-task trial #12

Question Text

RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2988 | 303 | 0.44 | 10.1 | 1.41 | 0.51 |

% C3TSWR13

Label

SGST: reverse single-task trial #13

Question Text

RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3007 | 284 | 0.47 | 8.2 | 1.38 | 0.46 |

S C3TSWR14

Label

SGST: reverse single-task trial #14

Question Text

RED/GREEN TASK: REVERSE BASELINE - RED/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3086 | 205 | 0.35 | 5.62 | 1.16 | 0.39 |

% C3TSWR15

Label

SGST: reverse single-task trial #15

Question Text

RED/GREEN TASK: REVERSE BASELINE - RED/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2960 | 331 | 0.4 | 5.83 | 1.26 | 0.47 |

★ C3TSWR16

Label

SGST: reverse single-task trial #16

Question Text

RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3056 | 235 | 0.47 | 4.78 | 1.31 | 0.43 |

% C3TSWR17

Label

SGST: reverse single-task trial #17

Question Text

RED/GREEN TASK: REVERSE BASELINE - RED/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2983 | 308 | 0.39 | 7.44 | 1.33 | 0.52 |

% C3TSWR18

Label

SGST: reverse single-task trial #18

Question Text

RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2997 | 294 | 0.15 | 5.99 | 1.42 | 0.5 |

SECOND SECOND S

Label

SGST: reverse single-task trial #19

Question Text

RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3000 | 291 | 0.42 | 5.84 | 1.39 | 0.47 |

Label

SGST: reverse single-task trial #20

Question Text

RED/GREEN TASK: REVERSE BASELINE - RED/GO

Interviewer Instructions

Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3075 | 216 | 0.19 | 8.96 | 1.17 | 0.44 |

% C3TSWX1

Label

SGST: mixed-task trial #1 "normal...green"

Pre-Question Text

Now we are going to mix up these two types of response. When I give the cue NORMAL, you will respond the way you did at first: RED means STOP, GREEN means GO. But when I say REVERSE, you will give the reverse response: RED means GO, GREEN means STOP. We will alternate between the NORMAL and the REVERSE every few trials. Let's try a few for practice. Do you have any questions? Try to be accurate, but answer as quickly as you can. This will take about one minute.

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2932 | 359 | 0.53 | 7.6 | 1.43 | 0.59 |

% C3TSWX2

Label

SGST: mixed-task trial #2 "red"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/RED/STOP

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| , | /alid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|-------|---------|---------|---------|------|--------|
| | 3044 | 247 | 0.49 | 5.31 | 1.24 | 0.42 |



Label

SGST: mixed-task trial #3 "green"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3083 | 208 | 0.46 | 9.25 | 1.31 | 0.44 |

% C3TSWX4

Label

SGST: mixed-task trial #4 "reverse...red"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/RED/GO

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2889 | 402 | 0.63 | 13.08 | 1.57 | 0.56 |

⋘ C3TSWX5

Label

SGST: mixed-task trial #5 "red"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/RED/GO

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2935 | 356 | 0.52 | 10.9 | 1.34 | 0.5 |

SECOND SECOND S

Label

SGST: mixed-task trial #6 "green"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/GREEN/STOP

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2995 | 296 | 0.45 | 7.29 | 1.39 | 0.51 |

% C3TSWX7

Label

SGST: mixed-task trial #7 "red"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/RED/GO

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2926 | 365 | 0.52 | 10.67 | 1.51 | 0.63 |

% C3TSWX8

Label

SGST: mixed-task trial #8 "red"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/RED/GO

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2951 | 340 | 0.55 | 5.16 | 1.31 | 0.43 |

% C3TSWX9

Label

SGST: mixed-task trial #9 "normal...red"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/RED/STOP

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2987 | 304 | 0.39 | 8.96 | 1.47 | 0.5 |

% C3TSWX10

Label

SGST: mixed-task trial #10 "green"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3064 | 227 | 0.48 | 6.22 | 1.26 | 0.43 |

S C3TSWX11

Label

SGST: mixed-task trial #11 "red"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/RED/STOP

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2955 | 336 | 0.39 | 6.12 | 1.44 | 0.48 |

% C3TSWX12

Label

SGST: mixed-task trial #12 "green"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3023 | 268 | 0.42 | 11.67 | 1.23 | 0.45 |

S C3TSWX13

Label

SGST: mixed-task trial #13 "green"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3016 | 275 | 0.5 | 6.51 | 1.3 | 0.4 |

% C3TSWX14

Label

SGST: mixed-task trial #14 "red"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/RED/STOP

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3015 | 276 | 0.6 | 4.75 | 1.3 | 0.37 |

% C3TSWX15

Label

SGST: mixed-task trial #15 "reverse...green"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/GREEN/STOP

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2835 | 456 | 0.61 | 12.66 | 1.71 | 0.62 |



Label

SGST: mixed-task trial #16 "green"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/GREEN/STOP

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2949 | 342 | 0.61 | 6.78 | 1.41 | 0.43 |

% C3TSWX17

Label

SGST: mixed-task trial #17 "red"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/RED/GO

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3000 | 291 | 0.46 | 7.59 | 1.26 | 0.49 |

% C3TSWX18

Label

SGST: mixed-task trial #18 "green"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/GREEN/STOP

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2868 | 423 | 0.57 | 6.77 | 1.58 | 0.57 |

% C3TSWX19

Label

SGST: mixed-task trial #19 "normal...green"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3014 | 277 | 0.45 | 7.16 | 1.45 | 0.5 |

C3TSWX20

Label

SGST: mixed-task trial #20 "red"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/RED/STOP

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3053 | 238 | 0.45 | 5.65 | 1.29 | 0.43 |

% C3TSWX21

Label

SGST: mixed-task trial #21 "green"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2988 | 303 | 0.15 | 7.87 | 1.41 | 0.51 |

S C3TSWX22

Label

SGST: mixed-task trial #22 "green"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2994 | 297 | 0.17 | 5.42 | 1.25 | 0.37 |

% C3TSWX23

Label

SGST: mixed-task trial #23 "red"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/RED/STOP

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3026 | 265 | 0.17 | 5.04 | 1.23 | 0.35 |

S C3TSWX24

Label

SGST: mixed-task trial #24 "reverse...green"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/GREEN/STOP

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2841 | 450 | 0.25 | 7.84 | 1.72 | 0.62 |

% C3TSWX25

Label

SGST: mixed-task trial #25 "green"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/GREEN/STOP

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2934 | 357 | 0.18 | 6.17 | 1.37 | 0.44 |

% C3TSWX26

Label

SGST: mixed-task trial #26 "red"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/RED/GO

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2980 | 311 | 0.17 | 6.18 | 1.26 | 0.48 |

S C3TSWX27

Label

SGST: mixed-task trial #27 "green"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/GREEN/STOP

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2853 | 438 | 0.18 | 10.11 | 1.57 | 0.59 |

% C3TSWX28

Label

SGST: mixed-task trial #28 "red"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/RED/GO

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2872 | 419 | 0.21 | 7.59 | 1.41 | 0.55 |



Label

SGST: mixed-task trial #29 "normal...red"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/RED/STOP

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 2962 | 329 | 0.39 | 6.33 | 1.53 | 0.55 |

% C3TSWX30

Label

SGST: mixed-task trial #30 "green"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3044 | 247 | 0.52 | 5.2 | 1.23 | 0.41 |

SECOND SECOND S

Label

SGST: mixed-task trial #31 "red"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/RED/STOP

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3026 | 265 | 0.53 | 4.47 | 1.41 | 0.46 |

SECOND SECOND S

Label

SGST: mixed-task trial #32 "green"

Question Text

RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO

Interviewer Instructions

Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials.

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3027 | 264 | 0.43 | 4.52 | 1.23 | 0.39 |

% C3TSMMB

Label

Metronome (median of 8 lags measured at the beginning of the SGST)

Backward Skip

(C3PHONETYPE = LANDLINE)

Notes

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 956 | 2335 | 0 | 0.89 |

SECONT SECOND S

Label

Metronome (median of 8 lags measured at the end of the SGST)

Backward Skip

(C3PHONETYPE = LANDLINE)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 959 | 2332 | 0 | 0.91 |

% C3TSMMM

Label

Metronome (mean of medians) mean(C3TSMMB, C3TSMME)

Backward Skip

(C3PHONETYPE = LANDLINE)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 963 | 2328 | 0 | 0.85 |

🦠 C3TSTN

Label

SGST: normal single-task #correct

Notes

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|-------|--------|
| 3291 | 0 | 0 | 20 | 19.33 | 2.38 |

% C3TSVN

Label

SGST: normal single-task #invalid

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3291 | 0 | 0 | 20 | 0.37 | 1.82 |

% C3TSPN

Label

SGST: normal single-task % correct

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3274 | 17 | 0 | 1 | 0.98 | 0.09 |

% C3TSMN

Label

SGST: normal single-task median RT

Notes

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3199 | 92 | 0.54 | 3.95 | 1.12 | 0.26 |

% C3TSTR

Label

SGST: reverse single-task #correct

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|-------|--------|
| 3291 | 0 | 0 | 20 | 18.63 | 2.98 |

% C3TSVR

Label

SGST: reverse single-task #invalid

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3291 | 0 | 0 | 20 | 0.49 | 2.14 |

% C3TSPR

Label

SGST: reverse single-task % correct

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3260 | 31 | 0 | 1 | 0.95 | 0.11 |

C3TSMR

Label

SGST: reverse single-task median RT

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3187 | 104 | 0.47 | 4.66 | 1.27 | 0.32 |

% C3TSMB

Label

SGST: mean(C3TSMN, C3TSMR)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3207 | 84 | 0.52 | 3.93 | 1.2 | 0.28 |

% C3TSTXNO

Label

SGST: mixed-task normal nonswitch trials #correct

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|-------|--------|
| 3291 | 0 | 0 | 12 | 11.16 | 2.4 |

% C3TSVXNO

Label

SGST: mixed-task normal nonswitch trials #invalid

Notes

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3291 | 0 | 0 | 12 | 0.47 | 2 |

S C3TSPXNO

Label

SGST: mixed-task normal nonswitch trials %correct

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3209 | 82 | 0 | 1 | 0.96 | 0.13 |

SECULTATION C3TSTXRO

Label

SGST: mixed-task reverse nonswitch trials #correct

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3291 | 0 | 0 | 11 | 9.94 | 2.4 |

% C3TSVXRO

Label

SGST: mixed-task reverse nonswitch trials #invalid

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3291 | 0 | 0 | 11 | 0.47 | 1.84 |

% C3TSPXRO

Label

SGST: mixed-task reverse nonswitch trials %correct

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3210 | 81 | 0 | 1 | 0.94 | 0.15 |

% C3TSTXBO

Label

SGST: mixed-task nonswitch trials #correct

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|-------|--------|
| 3291 | 0 | 0 | 23 | 21.09 | 4.48 |

% C3TSVXBO

Label

SGST: mixed-task nonswitch trials #invalid

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3291 | 0 | 0 | 23 | 0.94 | 3.79 |

% C3TSPXBO

Label

SGST: mixed-task nonswitch trials %correct

Notes

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3212 | 79 | 0 | 1 | 0.95 | 0.12 |

S C3TSTXNS

Label

SGST: mixed-task normal switch trials #correct

Notes

Computed Variable

| Vali | d Invalid | Minimum | Maximum | Mean | StdDev |
|------|-----------|---------|---------|------|--------|
| 329 | 1 0 | 0 | 3 | 2.76 | 0.66 |

★ C3TSVXNS

Label

SGST: mixed-task normal switch trials #invalid

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3291 | 0 | 0 | 3 | 0.15 | 0.55 |

S C3TSPXNS

Label

SGST: mixed-task normal switch trials %correct

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3200 | 91 | 0 | 1 | 0.97 | 0.14 |

S C3TSTXRS

Label

SGST: mixed-task reverse switch trials #correct

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3291 | 0 | 0 | 3 | 2.64 | 0.74 |

% C3TSVXRS

Label

SGST: mixed-task reverse switch trials #invalid

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3291 | 0 | 0 | 3 | 0.15 | 0.55 |

% C3TSPXRS

Label

SGST: mixed-task reverse switch trials %correct

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3199 | 92 | 0 | 1 | 0.92 | 0.19 |

⋘ C3TSTXBS

Label

SGST: mixed-task switch trials #correct

Notes

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3291 | 0 | 0 | 6 | 5.4 | 1.27 |

S C3TSVXBS

Label

SGST: mixed-task switch trials #invalid

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3291 | 0 | 0 | 6 | 0.29 | 1.06 |

SECULT OF CONTRACT OF CONTRAC

Label

SGST: mixed-task switch trials %correct

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3208 | 83 | 0 | 1 | 0.94 | 0.13 |

⋘ C3TSTXBB

Label

SGST: all mixed-task #correct

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|-------|--------|
| 3291 | 0 | 0 | 29 | 26.49 | 5.61 |

% C3TSVXBB

Label

SGST: all mixed-task #invalid

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3291 | 0 | 0 | 29 | 1.23 | 4.78 |

SECULT OF SECULT OF SECULT OF SECULT OF SECULT OF SECULT OF SECURT OF SECURIT OF SECU

Label

SGST: all mixed-task %correct

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3213 | 78 | 0 | 1 | 0.95 | 0.12 |

% C3TSMXNO

Label

SGST: mixed-task normal nonswitch median RT

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3143 | 148 | 0.55 | 4.49 | 1.25 | 0.31 |

% C3TSMXRO

Label

SGST: mixed-task reverse nonswitch median RT

Notes

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3130 | 161 | 0.55 | 7.67 | 1.35 | 0.38 |

% C3TSMXBO

Label

SGST: mixed-task nonswitch trials median RT

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3155 | 136 | 0.58 | 7.67 | 1.29 | 0.33 |

% C3TSMXNS

Label

SGST: mixed-task normal switch median RT

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3129 | 162 | 0.45 | 8.96 | 1.47 | 0.47 |

% C3TSMXRS

Label

SGST: mixed-task reverse switch median RT

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3113 | 178 | 0.7 | 12.66 | 1.66 | 0.58 |

S C3TSMXBS

Label

SGST: mixed-task switch trials median RT

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3148 | 143 | 0.72 | 5.72 | 1.53 | 0.44 |

% C3TSMXBB

Label

SGST: mean(C3TSMXBO, C3TSMXBS)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3158 | 133 | 0.7 | 7.67 | 1.41 | 0.37 |

% C3TSCGBA

Label

SGST: General Switch Cost, absolute (C3TSMXBB-C3TSMB)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3156 | 135 | -0.66 | 5.86 | 0.22 | 0.22 |

% C3TSCGBR

Label

SGST: General Switch Cost, relative (C3TSCGBA/C3TSMB)

Notes

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3156 | 135 | -0.38 | 3.24 | 0.19 | 0.17 |

S C3TSCGNA

Label

SGST: General Switch Cost (normal), absolute [mean(C3TSMXNO, C3TSMXNS)-C3TSMN]

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3137 | 154 | -0.67 | 4.05 | 0.24 | 0.23 |

% C3TSCGNR

Label

SGST: General Switch Cost (normal), relative (C3TSCGNA/C3TSMN)

Notes

Computed Variable

| | Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|-------|---------|---------|---------|------|--------|
| Ī | 3137 | 154 | -0.35 | 3.47 | 0.23 | 0.21 |

% C3TSCGRA

Label

SGST: General Switch Cost (reverse), absolute [mean(C3TSMXRO, C3TSMXRS)-C3TSMR]

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3138 | 153 | -1.71 | 8.01 | 0.24 | 0.33 |

% C3TSCGRR

Label

SGST: General Switch Cost (reverse), relative (C3TSCGRA/C3TSMR)

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3138 | 153 | -0.57 | 2.96 | 0.2 | 0.23 |

% C3TSCLBA

Label

SGST: Local Switch Cost, absolute (C3TSMXBS-C3TSMXBO)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3145 | 146 | -1.95 | 4.23 | 0.24 | 0.29 |

% C3TSCLBR

Label

SGST: Local Switch Cost, relative (C3TSCLBA/C3TSMXBO)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3145 | 146 | -0.59 | 2.85 | 0.2 | 0.21 |

% C3TSCLNA

Label

SGST: Local Switch Cost (normal), absolute (C3TSMXNS-C3TSMXNO)

Notes

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3127 | 164 | -2.02 | 7.47 | 0.22 | 0.36 |

⋘ C3TSCLNR

Label

SGST: Local Switch Cost (normal), relative (C3TSCLNA/C3TSMXNO)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3127 | 164 | -0.6 | 5.04 | 0.18 | 0.27 |

% C3TSCLRA

Label

SGST: Local Switch Cost (reverse), absolute (C3TSMXRS-C3TSMXRO)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3097 | 194 | -3.55 | 5.98 | 0.31 | 0.41 |

% C3TSCLRR

Label

SGST: Local Switch Cost (reverse), relative (C3TSCLRA/C3TSMXRO)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3097 | 194 | -0.59 | 2.75 | 0.24 | 0.29 |

% C3TSFV

Label

SGST: Filter invalid cases

Filter Variable

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | NOT SELECTED | 5 | 0.2% |
| 1 | SELECTED | 3,286 | 99.8% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3291 | 0 | 0 | 1 |

% C3TSFC

Label

SGST: Filter cases with low accuracy or extreme latencies

Notes

Filter Variable

| Value | Label | Frequency | % |
|-------|-----------------|-----------|-------|
| 0 | NOT SELECTED | 357 | 10.8% |
| 1 | SELECTED | 2,873 | 87.3% |
| 98 | REFUSED/MISSING | 61 | 1.9% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3230 | 61 | 0 | 1 |

S C3TSMNC

Label

SGST: normal single-task median RT CORRECTED

Notes

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3195 | 96 | 0.22 | 3.95 | 1 | 0.3 |

⋘ C3TSMRC

Label

SGST: reverse single-task median RT CORRECTED

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3183 | 108 | 0.31 | 4.66 | 1.15 | 0.36 |

% C3TSMBC

Label

SGST: mean(C3TSMNC, C3TSMRC)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3203 | 88 | 0.29 | 3.93 | 1.07 | 0.32 |

S C3TSMXNOC

Label

SGST: mixed-task normal nonswitch median RT CORRECTED

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3139 | 152 | 0.24 | 4.49 | 1.13 | 0.34 |

% C3TSMXROC

Label

SGST: mixed-task reverse nonswitch median RT CORRECTED

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3126 | 165 | 0.32 | 7.67 | 1.23 | 0.41 |

% C3TSMXBOC

Label

SGST: mixed-task nonswitch trials median RT CORRECTED

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3151 | 140 | 0.31 | 7.67 | 1.17 | 0.36 |

% C3TSMXNSC

Label

SGST: mixed-task normal switch median RT CORRECTED

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3125 | 166 | 0.11 | 8.96 | 1.35 | 0.5 |

% C3TSMXRSC

Label

SGST: mixed-task reverse switch median RT CORRECTED

Notes

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3109 | 182 | 0.54 | 12.66 | 1.54 | 0.6 |

SECONT SECOND S

Label

SGST: mixed-task switch trials median RT CORRECTED

Notes

Computed Variable

| StdDev | Mean | Maximum | Minimum | Invalid | Valid |
|--------|------|---------|---------|---------|-------|
| 0.46 | 1.41 | 5.72 | 0.51 | 147 | 3144 |

% C3TSMXBBC

Label

SGST: mean(C3TSMXBOC, C3TSMXBSC)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3158 | 133 | 0.42 | 7.67 | 1.29 | 0.41 |

% C3TSCGBAC

Label

SGST: General Switch Cost, absolute (C3TSMXBBC-C3TSMBC)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3152 | 139 | -0.66 | 5.86 | 0.22 | 0.22 |

SECOND SECOND S

Label

SGST: General Switch Cost, relative (C3TSCGBAC/C3TSMBC)

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3152 | 139 | -0.38 | 3.24 | 0.22 | 0.19 |

% C3TSCGNAC

Label

SGST: General Switch Cost (normal), absolute [mean(C3TSMXNOC, C3TSMXNSC)-C3TSMNC]

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3133 | 158 | -0.67 | 4.05 | 0.24 | 0.23 |

SECONDATE SECTION SE

Label

SGST: General Switch Cost (normal), relative (C3TSCGNAC/C3TSMNC)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3133 | 158 | -0.45 | 3.47 | 0.26 | 0.24 |

% C3TSCGRAC

Label

SGST: General Switch Cost (reverse), absolute [mean(C3TSMXROC, C3TSMXRSC)-C3TSMRC]

Notes

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3134 | 157 | -1.71 | 8.01 | 0.24 | 0.33 |

SECOND CONTROL

Label

SGST: General Switch Cost (reverse), relative (C3TSCGRAC/C3TSMRC)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3134 | 157 | -0.57 | 2.96 | 0.23 | 0.26 |

% C3TSCLBAC

Label

SGST: Local Switch Cost, absolute (C3TSMXBSC-C3TSMXBOC)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3141 | 150 | -1.95 | 4.23 | 0.24 | 0.29 |

% C3TSCLBRC

Label

SGST: Local Switch Cost, relative (C3TSCLBAC/C3TSMXBOC)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3141 | 150 | -0.59 | 2.85 | 0.22 | 0.23 |

SECONDAC

Label

SGST: Local Switch Cost (normal), absolute (C3TSMXNSC-C3TSMXNOC)

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3123 | 168 | -2.02 | 7.47 | 0.22 | 0.36 |

% C3TSCLNRC

Label

SGST: Local Switch Cost (normal), relative (C3TSCLNAC/C3TSMXNOC)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3123 | 168 | -0.6 | 5.04 | 0.21 | 0.3 |

% C3TSCLRAC

Label

SGST: Local Switch Cost (reverse), absolute (C3TSMXRSC-C3TSMXROC)

Notes

Computed Variable

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3093 | 198 | -3.55 | 5.98 | 0.31 | 0.41 |

% C3TSCLRRC

Label

SGST: Local Switch Cost (reverse), relative (C3TSCLRAC/C3TSMXROC)

Notes

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 3093 | 198 | -0.59 | 2.87 | 0.27 | 0.32 |