

ICPSR 37095

**Midlife in the United States (MIDUS
3): Cognitive Project, 2013-2017**

Carol D. Ryff
University of Wisconsin--Madison

Margie E. Lachman
Brandeis University

ICPSR Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/37095/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #37095

Midlife in the United States (MIDUS 3): Cognitive Project, 2013-2017

1. **Extent of Processing:** These data are being released in BETA version to facilitate early access to the study for research purposes. The collection has not been fully processed by NACDA or ICPSR at this time; the original material provided by the principal investigator were only converted to other file types for ease of use. As the study is processed and given enhanced features by ICPSR, users will be able to access the updated versions of the study. Please report any data errors or problems to user support and we will work with you to resolve any data-related issues.
2. **Variable Link:** The variable **M2ID** may be used to link the data in this collection to the data in the MIDUS 3 datasets ([ICPSR 36346](#)). The data in this collection can also be linked to all MIDUS data sets using the variable **M2ID**, including wave 1 ([ICPSR 2760](#)) and wave 2 ([ICPSR 4652](#))
3. **Additional Information:**
 - a. This collection is part of the Midlife in the United States (MIDUS) Series, [ICPSR series 203](#). For similar study information and characteristics, please refer to other datasets within the series.
 - b. For additional information about the Midlife in the United States survey series, please visit the [MIDUS](#) website.

ICPSR 37095

Midlife in the United States (MIDUS 3): Cognitive Project, 2013-2017

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

M2ID: MIDUS 2 ID number

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 14645.97
- Minimum: 10001.00
- Maximum: 19193.00
- Standard Deviation: 2648.20

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

M2FAMNUM: MIDUS 2 Family number

Value	Label	Unweighted Frequency	%
100001	-	1	0.0 %
100009	-	1	0.0 %
100010	-	1	0.0 %
100013	-	1	0.0 %
100018	-	1	0.0 %
100022	-	1	0.0 %
100028	-	1	0.0 %
100029	-	1	0.0 %
100039	-	1	0.0 %
100040	-	1	0.0 %
100042	-	1	0.0 %
100048	-	1	0.0 %
100055	-	1	0.0 %
100056	-	1	0.0 %
100060	-	1	0.0 %
100061	-	1	0.0 %
100062	-	1	0.0 %
100066	-	1	0.0 %
100078	-	1	0.0 %
100083	-	1	0.0 %
100086	-	1	0.0 %
100088	-	1	0.0 %
100091	-	1	0.0 %
100095	-	1	0.0 %
100096	-	1	0.0 %
100098	-	1	0.0 %
100101	-	1	0.0 %
100105	-	1	0.0 %

Value	Label	Unweighted Frequency	%
100107	-	1	0.0 %
100109	-	1	0.0 %
100110	-	1	0.0 %
100111	-	1	0.0 %
100117	-	1	0.0 %
100122	-	1	0.0 %
100124	-	1	0.0 %
100125	-	1	0.0 %
100130	-	1	0.0 %
100131	-	1	0.0 %
100133	-	1	0.0 %
100134	-	1	0.0 %
100135	-	1	0.0 %
100151	-	1	0.0 %
100153	-	1	0.0 %
100155	-	1	0.0 %
100156	-	1	0.0 %
100157	-	1	0.0 %
100161	-	1	0.0 %
100162	-	1	0.0 %
100176	-	1	0.0 %
100179	-	1	0.0 %
	Missing Data		
.	-	330	10.0 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,961 valid cases out of 3,291 total cases.

- Mean: 109912.73
- Minimum: 100001.00
- Maximum: 120968.00
- Standard Deviation: 7850.48

Location: 6-11 (width: 6; decimal: 0)

Variable Type: numeric

SAMPLMAJ: Major sample identification

Value	Label	Unweighted Frequency	%
1	MAIN RDD	1282	39.0 %

Value	Label	Unweighted Frequency	%
2	SIBLING	501	15.2 %
3	TWIN	906	27.5 %
4	CITY OVERSAMPLE	272	8.3 %
13	MILWAUKEE	330	10.0 %
14	BOSTON NEW	0	0.0 %
20	MIDUS REFRESHER	0	0.0 %
21	MILWAUKEE REFRESHER	0	0.0 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 13.00

Location: 12-13 (width: 2; decimal: 0)

Variable Type: numeric

C3STATUS: Completion status of M3 respondents

Value	Label	Unweighted Frequency	%
1	COMPLETED M3 BTACT	3023	91.9 %
2	COMPLETED M3RE BTACT	268	8.1 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 14-14 (width: 1; decimal: 0)

Variable Type: numeric

C1PRAGE: Respondent's age

Value	Label	Unweighted Frequency	%
42	-	3	0.1 %
43	-	23	0.7 %
44	-	35	1.1 %
45	-	46	1.4 %
46	-	42	1.3 %
47	-	60	1.8 %
48	-	57	1.7 %
49	-	70	2.1 %
50	-	87	2.6 %

Value	Label	Unweighted Frequency	%
51	-	78	2.4 %
52	-	88	2.7 %
53	-	86	2.6 %
54	-	96	2.9 %
55	-	98	3.0 %
56	-	79	2.4 %
57	-	100	3.0 %
58	-	106	3.2 %
59	-	98	3.0 %
60	-	108	3.3 %
61	-	95	2.9 %
62	-	94	2.9 %
63	-	97	2.9 %
64	-	113	3.4 %
65	-	100	3.0 %
66	-	118	3.6 %
67	-	98	3.0 %
68	-	92	2.8 %
69	-	83	2.5 %
70	-	93	2.8 %
71	-	90	2.7 %
72	-	84	2.6 %
73	-	80	2.4 %
74	-	74	2.2 %
75	-	76	2.3 %
76	-	70	2.1 %
77	-	53	1.6 %
78	-	59	1.8 %
79	-	49	1.5 %
80	-	50	1.5 %
81	-	39	1.2 %
82	-	47	1.4 %
83	-	27	0.8 %
84	-	28	0.9 %
85	-	21	0.6 %
86	-	21	0.6 %
87	-	17	0.5 %
88	-	15	0.5 %
89	-	15	0.5 %

Value	Label	Unweighted Frequency	%
90	-	17	0.5 %
91	-	8	0.2 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 63.87
- Median: 63.00
- Mode: 66.00
- Minimum: 42.00
- Maximum: 94.00
- Standard Deviation: 11.12

Location: 15-16 (width: 2; decimal: 0)

Variable Type: numeric

C1PRSEX: Respondent's sex

Value	Label	Unweighted Frequency	%
1	MALE	1436	43.6 %
2	FEMALE	1855	56.4 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 17-17 (width: 1; decimal: 0)

Variable Type: numeric

C3IDATE_MO: Interview date - Month

Value	Label	Unweighted Frequency	%
1	-	138	4.2 %
2	-	342	10.4 %
3	-	330	10.0 %
4	-	312	9.5 %
5	-	156	4.7 %
6	-	74	2.2 %
7	-	350	10.6 %
8	-	576	17.5 %
9	-	400	12.2 %
10	-	244	7.4 %

Value	Label	Unweighted Frequency	%
11	-	202	6.1 %
12	-	167	5.1 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 6.57
- Median: 7.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.19

Location: 18-19 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3IDATE_YR: Interview date - Year

Value	Label	Unweighted Frequency	%
2013	-	1345	40.9 %
2014	-	1348	41.0 %
2016	-	272	8.3 %
2017	-	325	9.9 %
2018	-	1	0.0 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 2014.05
- Median: 2014.00
- Mode: 2014.00
- Minimum: 2013.00
- Maximum: 2018.00
- Standard Deviation: 1.28

Location: 20-23 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3CMPTIME_H: Interview completion time - Hour

Value	Label	Unweighted Frequency	%
8	-	15	0.5 %
9	-	123	3.7 %
10	-	254	7.7 %
11	-	255	7.7 %

Value	Label	Unweighted Frequency	%
12	-	227	6.9 %
13	-	262	8.0 %
14	-	262	8.0 %
15	-	224	6.8 %
16	-	229	7.0 %
17	-	246	7.5 %
18	-	337	10.2 %
19	-	353	10.7 %
20	-	306	9.3 %
21	-	167	5.1 %
22	-	27	0.8 %
	Missing Data		
98	REFUSED/MISSING	4	0.1 %
	Total	3,291	100%

Based upon 3,287 valid cases out of 3,291 total cases.

- Mean: 15.38
- Median: 16.00
- Mode: 19.00
- Minimum: 8.00
- Maximum: 22.00
- Standard Deviation: 3.63

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3CMPTIME_M: Interview completion time - Minute

Value	Label	Unweighted Frequency	%
0	-	51	1.5 %
1	-	60	1.8 %
2	-	59	1.8 %
3	-	50	1.5 %
4	-	61	1.9 %
5	-	57	1.7 %
6	-	47	1.4 %
7	-	68	2.1 %
8	-	43	1.3 %
9	-	57	1.7 %
10	-	44	1.3 %
11	-	50	1.5 %

Value	Label	Unweighted Frequency	%
12	-	45	1.4 %
13	-	48	1.5 %
14	-	48	1.5 %
15	-	48	1.5 %
16	-	49	1.5 %
17	-	49	1.5 %
18	-	43	1.3 %
19	-	43	1.3 %
20	-	45	1.4 %
21	-	61	1.9 %
22	-	60	1.8 %
23	-	51	1.5 %
24	-	60	1.8 %
25	-	60	1.8 %
26	-	53	1.6 %
27	-	50	1.5 %
28	-	62	1.9 %
29	-	51	1.5 %
30	-	51	1.5 %
31	-	54	1.6 %
32	-	53	1.6 %
33	-	46	1.4 %
34	-	69	2.1 %
35	-	52	1.6 %
36	-	48	1.5 %
37	-	63	1.9 %
38	-	53	1.6 %
39	-	56	1.7 %
40	-	53	1.6 %
41	-	57	1.7 %
42	-	45	1.4 %
43	-	55	1.7 %
44	-	56	1.7 %
45	-	72	2.2 %
46	-	67	2.0 %
47	-	51	1.5 %
48	-	48	1.5 %
49	-	64	1.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	4	0.1 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,287 valid cases out of 3,291 total cases.

- Mean: 30.30
- Median: 31.00
- Mode: 51.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 17.48

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3PHONTYPE: Type of phone on which R completed BTACT

Value	Label	Unweighted Frequency	%
1	LANDLINE	2293	69.7 %
2	CELL	998	30.3 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

C3TWLIFP: Word List Imm flagged problematic?

Value	Label	Unweighted Frequency	%
1	YES	14	0.4 %
2	NO	3277	99.6 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 29-29 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

C3TWLI1: Word List Immediate: Recalled #1

Value	Label	Unweighted Frequency	%
1	Word #1	1303	39.6 %
2	Word #2	83	2.5 %
3	Word #3	59	1.8 %
4	Word #4	56	1.7 %
5	Word #5	85	2.6 %
6	Word #6	32	1.0 %
7	Word #7	49	1.5 %
8	Word #8	32	1.0 %
9	Word #9	48	1.5 %
10	Word #10	74	2.2 %
11	Word #11	70	2.1 %
12	Word #12	111	3.4 %
13	Word #13	61	1.9 %
14	Word #14	363	11.0 %
15	Word #15	764	23.2 %
90	NON-LIST INTRUSION	84	2.6 %
	Missing Data		
98	REFUSED/MISSING	17	0.5 %
	Total	3,291	100%

Based upon 3,274 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI2: Word List Immediate: Recalled #2

Value	Label	Unweighted Frequency	%
1	Word #1	133	4.0 %
2	Word #2	703	21.4 %
3	Word #3	220	6.7 %
4	Word #4	148	4.5 %
5	Word #5	139	4.2 %
6	Word #6	83	2.5 %
7	Word #7	46	1.4 %
8	Word #8	89	2.7 %

Value	Label	Unweighted Frequency	%
9	Word #9	72	2.2 %
10	Word #10	125	3.8 %
11	Word #11	87	2.6 %
12	Word #12	197	6.0 %
13	Word #13	89	2.7 %
14	Word #14	705	21.4 %
15	Word #15	318	9.7 %
90	NON-LIST INTRUSION	122	3.7 %
	Missing Data		
98	REFUSED/MISSING	15	0.5 %
	Total	3,291	100%

Based upon 3,276 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI3: Word List Immediate: Recalled #3

Value	Label	Unweighted Frequency	%
1	Word #1	153	4.6 %
2	Word #2	198	6.0 %
3	Word #3	285	8.7 %
4	Word #4	177	5.4 %
5	Word #5	207	6.3 %
6	Word #6	153	4.6 %
7	Word #7	92	2.8 %
8	Word #8	137	4.2 %
9	Word #9	150	4.6 %
10	Word #10	195	5.9 %
11	Word #11	216	6.6 %
12	Word #12	338	10.3 %
13	Word #13	118	3.6 %
14	Word #14	416	12.6 %
15	Word #15	227	6.9 %
90	NON-LIST INTRUSION	181	5.5 %
	Missing Data		
98	REFUSED/MISSING	48	1.5 %

Value	Label	Unweighted Frequency	%
	Total	3,291	100%

Based upon 3,243 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI4: Word List Immediate: Recalled #4

Value	Label	Unweighted Frequency	%
1	Word #1	180	5.5 %
2	Word #2	168	5.1 %
3	Word #3	138	4.2 %
4	Word #4	174	5.3 %
5	Word #5	240	7.3 %
6	Word #6	181	5.5 %
7	Word #7	119	3.6 %
8	Word #8	156	4.7 %
9	Word #9	139	4.2 %
10	Word #10	287	8.7 %
11	Word #11	215	6.5 %
12	Word #12	215	6.5 %
13	Word #13	126	3.8 %
14	Word #14	301	9.1 %
15	Word #15	269	8.2 %
90	NON-LIST INTRUSION	217	6.6 %
	Missing Data		
98	REFUSED/MISSING	166	5.0 %
	Total	3,291	100%

Based upon 3,125 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI5: Word List Immediate: Recalled #5

Value	Label	Unweighted Frequency	%
1	Word #1	200	6.1 %
2	Word #2	152	4.6 %
3	Word #3	146	4.4 %
4	Word #4	113	3.4 %
5	Word #5	265	8.1 %
6	Word #6	223	6.8 %
7	Word #7	112	3.4 %
8	Word #8	179	5.4 %
9	Word #9	143	4.3 %
10	Word #10	206	6.3 %
11	Word #11	192	5.8 %
12	Word #12	192	5.8 %
13	Word #13	135	4.1 %
14	Word #14	217	6.6 %
15	Word #15	208	6.3 %
90	NON-LIST INTRUSION	211	6.4 %
	Missing Data		
98	REFUSED/MISSING	397	12.1 %
	Total	3,291	100%

Based upon 2,894 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWL16: Word List Immediate: Recalled #6

Value	Label	Unweighted Frequency	%
1	Word #1	177	5.4 %
2	Word #2	145	4.4 %
3	Word #3	157	4.8 %
4	Word #4	110	3.3 %
5	Word #5	219	6.7 %
6	Word #6	151	4.6 %
7	Word #7	118	3.6 %
8	Word #8	170	5.2 %
9	Word #9	123	3.7 %
10	Word #10	181	5.5 %

Value	Label	Unweighted Frequency	%
11	Word #11	150	4.6 %
12	Word #12	150	4.6 %
13	Word #13	144	4.4 %
14	Word #14	141	4.3 %
15	Word #15	173	5.3 %
90	NON-LIST INTRUSION	245	7.4 %
	Missing Data		
98	REFUSED/MISSING	737	22.4 %
	Total	3,291	100%

Based upon 2,554 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWL17: Word List Immediate: Recalled #7

Value	Label	Unweighted Frequency	%
1	Word #1	126	3.8 %
2	Word #2	138	4.2 %
3	Word #3	146	4.4 %
4	Word #4	90	2.7 %
5	Word #5	161	4.9 %
6	Word #6	139	4.2 %
7	Word #7	93	2.8 %
8	Word #8	129	3.9 %
9	Word #9	103	3.1 %
10	Word #10	130	4.0 %
11	Word #11	124	3.8 %
12	Word #12	104	3.2 %
13	Word #13	112	3.4 %
14	Word #14	112	3.4 %
15	Word #15	130	4.0 %
90	NON-LIST INTRUSION	236	7.2 %
	Missing Data		
98	REFUSED/MISSING	1218	37.0 %
	Total	3,291	100%

Based upon 2,073 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI8: Word List Immediate: Recalled #8

Value	Label	Unweighted Frequency	%
1	Word #1	92	2.8 %
2	Word #2	117	3.6 %
3	Word #3	116	3.5 %
4	Word #4	80	2.4 %
5	Word #5	126	3.8 %
6	Word #6	89	2.7 %
7	Word #7	75	2.3 %
8	Word #8	96	2.9 %
9	Word #9	76	2.3 %
10	Word #10	78	2.4 %
11	Word #11	87	2.6 %
12	Word #12	79	2.4 %
13	Word #13	77	2.3 %
14	Word #14	81	2.5 %
15	Word #15	92	2.8 %
90	NON-LIST INTRUSION	210	6.4 %
	Missing Data		
98	REFUSED/MISSING	1720	52.3 %
	Total	3,291	100%

Based upon 1,571 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI9: Word List Immediate: Recalled #9

Value	Label	Unweighted Frequency	%
1	Word #1	51	1.5 %
2	Word #2	65	2.0 %

Value	Label	Unweighted Frequency	%
3	Word #3	65	2.0 %
4	Word #4	60	1.8 %
5	Word #5	92	2.8 %
6	Word #6	84	2.6 %
7	Word #7	58	1.8 %
8	Word #8	71	2.2 %
9	Word #9	59	1.8 %
10	Word #10	48	1.5 %
11	Word #11	62	1.9 %
12	Word #12	65	2.0 %
13	Word #13	62	1.9 %
14	Word #14	58	1.8 %
15	Word #15	74	2.2 %
90	NON-LIST INTRUSION	142	4.3 %
	Missing Data		
98	REFUSED/MISSING	2175	66.1 %
	Total	3,291	100%

Based upon 1,116 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI10: Word List Immediate: Recalled #10

Value	Label	Unweighted Frequency	%
1	Word #1	41	1.2 %
2	Word #2	41	1.2 %
3	Word #3	28	0.9 %
4	Word #4	22	0.7 %
5	Word #5	59	1.8 %
6	Word #6	51	1.5 %
7	Word #7	37	1.1 %
8	Word #8	34	1.0 %
9	Word #9	36	1.1 %
10	Word #10	37	1.1 %
11	Word #11	42	1.3 %
12	Word #12	41	1.2 %

Value	Label	Unweighted Frequency	%
13	Word #13	60	1.8 %
14	Word #14	38	1.2 %
15	Word #15	51	1.5 %
90	NON-LIST INTRUSION	127	3.9 %
	Missing Data		
98	REFUSED/MISSING	2546	77.4 %
	Total	3,291	100%

Based upon 745 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWL11: Word List Immediate: Recalled #11

Value	Label	Unweighted Frequency	%
1	Word #1	28	0.9 %
2	Word #2	35	1.1 %
3	Word #3	31	0.9 %
4	Word #4	20	0.6 %
5	Word #5	23	0.7 %
6	Word #6	24	0.7 %
7	Word #7	21	0.6 %
8	Word #8	33	1.0 %
9	Word #9	21	0.6 %
10	Word #10	24	0.7 %
11	Word #11	28	0.9 %
12	Word #12	27	0.8 %
13	Word #13	33	1.0 %
14	Word #14	30	0.9 %
15	Word #15	28	0.9 %
90	NON-LIST INTRUSION	91	2.8 %
	Missing Data		
98	REFUSED/MISSING	2794	84.9 %
	Total	3,291	100%

Based upon 497 valid cases out of 3,291 total cases.

- Minimum: 1.00

- Maximum: 90.00

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI12: Word List Immediate: Recalled #12

Value	Label	Unweighted Frequency	%
1	Word #1	11	0.3 %
2	Word #2	17	0.5 %
3	Word #3	18	0.5 %
4	Word #4	18	0.5 %
5	Word #5	10	0.3 %
6	Word #6	15	0.5 %
7	Word #7	17	0.5 %
8	Word #8	26	0.8 %
9	Word #9	14	0.4 %
10	Word #10	9	0.3 %
11	Word #11	19	0.6 %
12	Word #12	18	0.5 %
13	Word #13	18	0.5 %
14	Word #14	28	0.9 %
15	Word #15	26	0.8 %
90	NON-LIST INTRUSION	48	1.5 %
	Missing Data		
98	REFUSED/MISSING	2979	90.5 %
	Total	3,291	100%

Based upon 312 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI13: Word List Immediate: Recalled #13

Value	Label	Unweighted Frequency	%
1	Word #1	5	0.2 %
2	Word #2	9	0.3 %
3	Word #3	4	0.1 %
4	Word #4	8	0.2 %

Value	Label	Unweighted Frequency	%
5	Word #5	8	0.2 %
6	Word #6	10	0.3 %
7	Word #7	7	0.2 %
8	Word #8	9	0.3 %
9	Word #9	10	0.3 %
10	Word #10	14	0.4 %
11	Word #11	8	0.2 %
12	Word #12	6	0.2 %
13	Word #13	17	0.5 %
14	Word #14	6	0.2 %
15	Word #15	12	0.4 %
90	NON-LIST INTRUSION	30	0.9 %
	Missing Data		
98	REFUSED/MISSING	3128	95.0 %
	Total	3,291	100%

Based upon 163 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWL14: Word List Immediate: Recalled #14

Value	Label	Unweighted Frequency	%
1	Word #1	2	0.1 %
2	Word #2	3	0.1 %
3	Word #3	3	0.1 %
4	Word #4	1	0.0 %
5	Word #5	7	0.2 %
6	Word #6	4	0.1 %
7	Word #7	3	0.1 %
8	Word #8	6	0.2 %
9	Word #9	9	0.3 %
10	Word #10	4	0.1 %
11	Word #11	7	0.2 %
12	Word #12	6	0.2 %
13	Word #13	4	0.1 %
14	Word #14	6	0.2 %

Value	Label	Unweighted Frequency	%
15	Word #15	2	0.1 %
90	NON-LIST INTRUSION	22	0.7 %
	Missing Data		
98	REFUSED/MISSING	3202	97.3 %
	Total	3,291	100%

Based upon 89 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWL15: Word List Immediate: Recalled #15

Value	Label	Unweighted Frequency	%
1	Word #1	2	0.1 %
2	Word #2	2	0.1 %
3	Word #3	6	0.2 %
4	Word #4	1	0.0 %
5	Word #5	2	0.1 %
6	Word #6	5	0.2 %
7	Word #7	4	0.1 %
8	Word #8	2	0.1 %
9	Word #9	4	0.1 %
10	Word #10	3	0.1 %
11	Word #11	1	0.0 %
12	Word #12	2	0.1 %
13	Word #13	0	0.0 %
14	Word #14	2	0.1 %
15	Word #15	2	0.1 %
90	NON-LIST INTRUSION	7	0.2 %
	Missing Data		
98	REFUSED/MISSING	3246	98.6 %
	Total	3,291	100%

Based upon 45 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI16: Word List Immediate: Recalled #16

Value	Label	Unweighted Frequency	%
1	Word #1	1	0.0 %
2	Word #2	1	0.0 %
3	Word #3	0	0.0 %
4	Word #4	1	0.0 %
5	Word #5	2	0.1 %
6	Word #6	2	0.1 %
7	Word #7	0	0.0 %
8	Word #8	4	0.1 %
9	Word #9	1	0.0 %
10	Word #10	1	0.0 %
11	Word #11	1	0.0 %
12	Word #12	2	0.1 %
13	Word #13	1	0.0 %
14	Word #14	2	0.1 %
15	Word #15	2	0.1 %
90	NON-LIST INTRUSION	6	0.2 %
	Missing Data		
98	REFUSED/MISSING	3264	99.2 %
	Total	3,291	100%

Based upon 27 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI17: Word List Immediate: Recalled #17

Value	Label	Unweighted Frequency	%
1	Word #1	3	0.1 %
2	Word #2	0	0.0 %
3	Word #3	0	0.0 %
4	Word #4	0	0.0 %
5	Word #5	1	0.0 %
6	Word #6	0	0.0 %
7	Word #7	1	0.0 %

Value	Label	Unweighted Frequency	%
8	Word #8	0	0.0 %
9	Word #9	2	0.1 %
10	Word #10	1	0.0 %
11	Word #11	1	0.0 %
12	Word #12	1	0.0 %
13	Word #13	0	0.0 %
14	Word #14	1	0.0 %
15	Word #15	2	0.1 %
90	NON-LIST INTRUSION	4	0.1 %
	Missing Data		
98	REFUSED/MISSING	3274	99.5 %
	Total	3,291	100%

Based upon 17 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI18: Word List Immediate: Recalled #18

Value	Label	Unweighted Frequency	%
1	Word #1	0	0.0 %
2	Word #2	1	0.0 %
3	Word #3	1	0.0 %
4	Word #4	0	0.0 %
5	Word #5	0	0.0 %
6	Word #6	0	0.0 %
7	Word #7	0	0.0 %
8	Word #8	1	0.0 %
9	Word #9	0	0.0 %
10	Word #10	0	0.0 %
11	Word #11	3	0.1 %
12	Word #12	0	0.0 %
13	Word #13	0	0.0 %
14	Word #14	0	0.0 %
15	Word #15	0	0.0 %
90	NON-LIST INTRUSION	4	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	3281	99.7 %
	Total	3,291	100%

Based upon 10 valid cases out of 3,291 total cases.

- Minimum: 2.00
- Maximum: 90.00

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI19: Word List Immediate: Recalled #19

Value	Label	Unweighted Frequency	%
1	Word #1	1	0.0 %
2	Word #2	0	0.0 %
3	Word #3	0	0.0 %
4	Word #4	0	0.0 %
5	Word #5	1	0.0 %
6	Word #6	1	0.0 %
7	Word #7	1	0.0 %
8	Word #8	0	0.0 %
9	Word #9	0	0.0 %
10	Word #10	0	0.0 %
11	Word #11	0	0.0 %
12	Word #12	1	0.0 %
13	Word #13	1	0.0 %
14	Word #14	0	0.0 %
15	Word #15	0	0.0 %
90	NON-LIST INTRUSION	2	0.1 %
	Missing Data		
98	REFUSED/MISSING	3283	99.8 %
	Total	3,291	100%

Based upon 8 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI20: Word List Immediate: Recalled #20

Value	Label	Unweighted Frequency	%
1	Word #1	0	0.0 %
2	Word #2	0	0.0 %
3	Word #3	0	0.0 %
4	Word #4	0	0.0 %
5	Word #5	0	0.0 %
6	Word #6	0	0.0 %
7	Word #7	0	0.0 %
8	Word #8	1	0.0 %
9	Word #9	0	0.0 %
10	Word #10	0	0.0 %
11	Word #11	0	0.0 %
12	Word #12	0	0.0 %
13	Word #13	0	0.0 %
14	Word #14	2	0.1 %
15	Word #15	1	0.0 %
90	NON-LIST INTRUSION	1	0.0 %
	Missing Data		
98	REFUSED/MISSING	3286	99.8 %
	Total	3,291	100%

Based upon 5 valid cases out of 3,291 total cases.

- Minimum: 8.00
- Maximum: 90.00

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI21: Word List Immediate: Recalled #21

Value	Label	Unweighted Frequency	%
1	Word #1	0	0.0 %
2	Word #2	1	0.0 %
3	Word #3	0	0.0 %
4	Word #4	0	0.0 %
5	Word #5	0	0.0 %
6	Word #6	0	0.0 %
7	Word #7	0	0.0 %
8	Word #8	0	0.0 %
9	Word #9	0	0.0 %
10	Word #10	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Word #11	1	0.0 %
12	Word #12	1	0.0 %
13	Word #13	0	0.0 %
14	Word #14	0	0.0 %
15	Word #15	0	0.0 %
90	NON-LIST INTRUSION	1	0.0 %
	Missing Data		
98	REFUSED/MISSING	3287	99.9 %
	Total	3,291	100%

Based upon 4 valid cases out of 3,291 total cases.

- Minimum: 2.00
- Maximum: 90.00

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI22: Word List Immediate: Recalled #22

Value	Label	Unweighted Frequency	%
1	Word #1	0	0.0 %
2	Word #2	0	0.0 %
3	Word #3	0	0.0 %
4	Word #4	0	0.0 %
5	Word #5	0	0.0 %
6	Word #6	0	0.0 %
7	Word #7	0	0.0 %
8	Word #8	0	0.0 %
9	Word #9	0	0.0 %
10	Word #10	0	0.0 %
11	Word #11	0	0.0 %
12	Word #12	0	0.0 %
13	Word #13	1	0.0 %
14	Word #14	1	0.0 %
15	Word #15	0	0.0 %
90	NON-LIST INTRUSION	0	0.0 %
	Missing Data		
98	REFUSED/MISSING	3289	99.9 %
	Total	3,291	100%

Based upon 2 valid cases out of 3,291 total cases.

- Minimum: 13.00
- Maximum: 14.00

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI23: Word List Immediate: Recalled #23

Value	Label	Unweighted Frequency	%
1	Word #1	0	0.0 %
2	Word #2	0	0.0 %
3	Word #3	0	0.0 %
4	Word #4	0	0.0 %
5	Word #5	0	0.0 %
6	Word #6	0	0.0 %
7	Word #7	0	0.0 %
8	Word #8	0	0.0 %
9	Word #9	0	0.0 %
10	Word #10	0	0.0 %
11	Word #11	0	0.0 %
12	Word #12	0	0.0 %
13	Word #13	0	0.0 %
14	Word #14	0	0.0 %
15	Word #15	1	0.0 %
90	NON-LIST INTRUSION	1	0.0 %
	Missing Data		
98	REFUSED/MISSING	3289	99.9 %
	Total	3,291	100%

Based upon 2 valid cases out of 3,291 total cases.

- Minimum: 15.00
- Maximum: 90.00

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI24: Word List Immediate: Recalled #24

Value	Label	Unweighted Frequency	%
1	Word #1	0	0.0 %
2	Word #2	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Word #3	1	0.0 %
4	Word #4	0	0.0 %
5	Word #5	0	0.0 %
6	Word #6	0	0.0 %
7	Word #7	0	0.0 %
8	Word #8	0	0.0 %
9	Word #9	0	0.0 %
10	Word #10	0	0.0 %
11	Word #11	0	0.0 %
12	Word #12	0	0.0 %
13	Word #13	0	0.0 %
14	Word #14	0	0.0 %
15	Word #15	0	0.0 %
90	NON-LIST INTRUSION	0	0.0 %
	Missing Data		
98	REFUSED/MISSING	3290	100.0 %
	Total	3,291	100%

Based upon 1 valid cases out of 3,291 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI25: Word List Immediate: Recalled #25

Value	Label	Unweighted Frequency	%
1	Word #1	0	0.0 %
2	Word #2	0	0.0 %
3	Word #3	0	0.0 %
4	Word #4	0	0.0 %
5	Word #5	0	0.0 %
6	Word #6	0	0.0 %
7	Word #7	0	0.0 %
8	Word #8	0	0.0 %
9	Word #9	0	0.0 %
10	Word #10	0	0.0 %
11	Word #11	0	0.0 %
12	Word #12	0	0.0 %

Value	Label	Unweighted Frequency	%
13	Word #13	0	0.0 %
14	Word #14	0	0.0 %
15	Word #15	0	0.0 %
90	NON-LIST INTRUSION	0	0.0 %
	Missing Data		
98	REFUSED/MISSING	3291	100.0 %
	Total	3,291	100%

Based upon 0 valid cases out of 3,291 total cases.

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLI26: Word List Immediate: Recalled #26

Value	Label	Unweighted Frequency	%
1	Word #1	0	0.0 %
2	Word #2	0	0.0 %
3	Word #3	0	0.0 %
4	Word #4	0	0.0 %
5	Word #5	0	0.0 %
6	Word #6	0	0.0 %
7	Word #7	0	0.0 %
8	Word #8	0	0.0 %
9	Word #9	0	0.0 %
10	Word #10	0	0.0 %
11	Word #11	0	0.0 %
12	Word #12	0	0.0 %
13	Word #13	0	0.0 %
14	Word #14	0	0.0 %
15	Word #15	0	0.0 %
90	NON-LIST INTRUSION	0	0.0 %
	Missing Data		
98	REFUSED/MISSING	3291	100.0 %
	Total	3,291	100%

Based upon 0 valid cases out of 3,291 total cases.

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLITU: Word List Immediate: Tot Unique Items

Value	Label	Unweighted Frequency	%
0	-	7	0.2 %
1	-	17	0.5 %
2	-	72	2.2 %
3	-	195	5.9 %
4	-	320	9.7 %
5	-	452	13.7 %
6	-	597	18.1 %
7	-	520	15.8 %
8	-	406	12.3 %
9	-	285	8.7 %
10	-	193	5.9 %
11	-	101	3.1 %
12	-	75	2.3 %
13	-	28	0.9 %
14	-	8	0.2 %
15	-	5	0.2 %
	Missing Data		
98	REFUSED/MISSING	10	0.3 %
	Total	3,291	100%

Based upon 3,281 valid cases out of 3,291 total cases.

- Mean: 6.65
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 2.42

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLITR: Word List Immediate: Tot # Repetitions

Value	Label	Unweighted Frequency	%
0	-	2407	73.1 %
1	-	642	19.5 %
2	-	157	4.8 %
3	-	43	1.3 %
4	-	17	0.5 %
5	-	4	0.1 %

Value	Label	Unweighted Frequency	%
6	-	6	0.2 %
7	-	3	0.1 %
8	-	1	0.0 %
10	-	1	0.0 %
	Missing Data		
98	REFUSED/MISSING	10	0.3 %
	Total	3,291	100%

Based upon 3,281 valid cases out of 3,291 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.80

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLTI: Word List Immediate: Tot # Intrusions

Value	Label	Unweighted Frequency	%
0	-	1973	60.0 %
1	-	865	26.3 %
2	-	305	9.3 %
3	-	87	2.6 %
4	-	30	0.9 %
5	-	9	0.3 %
6	-	5	0.2 %
7	-	2	0.1 %
8	-	2	0.1 %
10	-	2	0.1 %
11	-	1	0.0 %
	Missing Data		
98	REFUSED/MISSING	10	0.3 %
	Total	3,291	100%

Based upon 3,281 valid cases out of 3,291 total cases.

- Mean: 0.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 11.00
- Standard Deviation: 0.97

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TDBFP: Digits Backward flagged problematic?

Value	Label	Unweighted Frequency	%
1	YES	23	0.7 %
2	NO	3268	99.3 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 88-88 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

C3TDBS: Digits Backward: highest # digits recall

Value	Label	Unweighted Frequency	%
0	-	23	0.7 %
2	-	90	2.7 %
3	-	394	12.0 %
4	-	895	27.2 %
5	-	841	25.6 %
6	-	504	15.3 %
7	-	294	8.9 %
8	-	246	7.5 %
	Missing Data		
98	REFUSED/MISSING	4	0.1 %
	Total	3,291	100%

Based upon 3,287 valid cases out of 3,291 total cases.

- Mean: 4.93
- Median: 5.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.53

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TCTFFP: Category Fluency flagged problematic?

Value	Label	Unweighted Frequency	%
1	YES	24	0.7 %
2	NO	3267	99.3 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 91-91 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

C3TCTFLU: Category Fluency: Tot Unique items

Value	Label	Unweighted Frequency	%
0	-	4	0.1 %
3	-	6	0.2 %
4	-	11	0.3 %
5	-	17	0.5 %
6	-	22	0.7 %
7	-	39	1.2 %
8	-	39	1.2 %
9	-	76	2.3 %
10	-	92	2.8 %
11	-	105	3.2 %
12	-	115	3.5 %
13	-	150	4.6 %
14	-	181	5.5 %
15	-	225	6.8 %
16	-	228	6.9 %
17	-	207	6.3 %
18	-	219	6.7 %
19	-	212	6.4 %
20	-	195	5.9 %
21	-	184	5.6 %
22	-	159	4.8 %
23	-	151	4.6 %
24	-	133	4.0 %
25	-	107	3.3 %

Value	Label	Unweighted Frequency	%
26	-	98	3.0 %
27	-	67	2.0 %
28	-	48	1.5 %
29	-	50	1.5 %
30	-	41	1.2 %
31	-	25	0.8 %
32	-	18	0.5 %
33	-	15	0.5 %
34	-	16	0.5 %
35	-	11	0.3 %
36	-	6	0.2 %
37	-	4	0.1 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	5	0.2 %
42	-	1	0.0 %
	Missing Data		
98	REFUSED/MISSING	7	0.2 %
	Total	3,291	100%

Based upon 3,284 valid cases out of 3,291 total cases.

- Mean: 18.40
- Median: 18.00
- Mode: 16.00
- Minimum: 0.00
- Maximum: 42.00
- Standard Deviation: 6.12

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TCTFLR: Category Fluency: Tot # Repetitions

Value	Label	Unweighted Frequency	%
0	-	2418	73.5 %
1	-	617	18.7 %
2	-	128	3.9 %
3	-	70	2.1 %
4	-	27	0.8 %
5	-	11	0.3 %
6	-	3	0.1 %

Value	Label	Unweighted Frequency	%
7	-	3	0.1 %
8	-	3	0.1 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
15	-	1	0.0 %
	Missing Data		
98	REFUSED/MISSING	7	0.2 %
	Total	3,291	100%

Based upon 3,284 valid cases out of 3,291 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 0.94

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TCTFLI: Category Fluency: Tot # Intrusions

Value	Label	Unweighted Frequency	%
0	-	3213	97.6 %
1	-	54	1.6 %
2	-	5	0.2 %
3	-	4	0.1 %
4	-	3	0.1 %
6	-	1	0.0 %
10	-	3	0.1 %
13	-	1	0.0 %
	Missing Data		
98	REFUSED/MISSING	7	0.2 %
	Total	3,291	100%

Based upon 3,284 valid cases out of 3,291 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00

- Standard Deviation: 0.45

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TNSFP: Number Series flagged problematic?

Value	Label	Unweighted Frequency	%
1	YES	32	1.0 %
2	NO	3259	99.0 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 98-98 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

C3TNS1: Number Series #1

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
6	-	1	0.0 %
8	-	1	0.0 %
10	-	4	0.1 %
12	-	1	0.0 %
15	-	3	0.1 %
16	-	2	0.1 %
18	-	2	0.1 %
20	-	3	0.1 %
21	-	1	0.0 %
22	-	3	0.1 %
25	-	1	0.0 %
26	-	1	0.0 %
28	-	7	0.2 %
30	-	9	0.3 %
31	-	2	0.1 %
32	-	18	0.5 %
33	-	13	0.4 %
34	-	19	0.6 %
35	-	4	0.1 %

Value	Label	Unweighted Frequency	%
36	-	27	0.8 %
37	-	2	0.1 %
38	-	19	0.6 %
39	-	58	1.8 %
40	-	347	10.5 %
41	-	16	0.5 %
42	-	410	12.5 %
43	-	40	1.2 %
44	-	236	7.2 %
45	-	43	1.3 %
46	-	521	15.8 %
47	-	41	1.2 %
48	-	1150	34.9 %
49	-	3	0.1 %
50	-	101	3.1 %
51	-	1	0.0 %
52	-	11	0.3 %
54	-	11	0.3 %
56	-	6	0.2 %
58	-	3	0.1 %
	Missing Data		
997	DONT KNOW	59	1.8 %
998	REFUSED/MISSING	90	2.7 %
	Total	3,291	100%

Based upon 3,142 valid cases out of 3,291 total cases.

- Mean: 44.73
- Median: 46.00
- Mode: 48.00
- Minimum: 3.00
- Maximum: 58.00
- Standard Deviation: 4.64

Location: 99-101 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998

C3TNS2: Number Series #2

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
3	-	2	0.1 %

Value	Label	Unweighted Frequency	%
6	-	1	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
13	-	1	0.0 %
16	-	2	0.1 %
21	-	1	0.0 %
25	-	1	0.0 %
35	-	1	0.0 %
40	-	2	0.1 %
45	-	1	0.0 %
46	-	2	0.1 %
50	-	1	0.0 %
51	-	3	0.1 %
52	-	4	0.1 %
53	-	3	0.1 %
54	-	2	0.1 %
55	-	5	0.2 %
56	-	8	0.2 %
57	-	13	0.4 %
58	-	15	0.5 %
59	-	6	0.2 %
60	-	11	0.3 %
61	-	11	0.3 %
62	-	17	0.5 %
63	-	29	0.9 %
64	-	55	1.7 %
65	-	120	3.6 %
66	-	2433	73.9 %
67	-	138	4.2 %
68	-	38	1.2 %
69	-	3	0.1 %
70	-	62	1.9 %
71	-	38	1.2 %
72	-	32	1.0 %
73	-	6	0.2 %
74	-	21	0.6 %
75	-	5	0.2 %
76	-	17	0.5 %

Value	Label	Unweighted Frequency	%
77	-	4	0.1 %
78	-	2	0.1 %
80	-	2	0.1 %
81	-	1	0.0 %
82	-	2	0.1 %
83	-	1	0.0 %
84	-	3	0.1 %
86	-	3	0.1 %
88	-	1	0.0 %
	Missing Data		
997	DONT KNOW	46	1.4 %
998	REFUSED/MISSING	111	3.4 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,134 valid cases out of 3,291 total cases.

- Mean: 65.90
- Median: 66.00
- Mode: 66.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 4.42

Location: 102-104 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998

C3TNS3: Number Series #3

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	3	0.1 %
2	-	1	0.0 %
4	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
15	-	5	0.2 %
16	-	21	0.6 %
17	-	8	0.2 %
18	-	26	0.8 %
19	-	28	0.9 %

Value	Label	Unweighted Frequency	%
20	-	287	8.7 %
21	-	10	0.3 %
22	-	1171	35.6 %
23	-	443	13.5 %
24	-	577	17.5 %
25	-	247	7.5 %
26	-	215	6.5 %
27	-	37	1.1 %
28	-	21	0.6 %
29	-	2	0.1 %
30	-	5	0.2 %
31	-	1	0.0 %
32	-	3	0.1 %
33	-	3	0.1 %
37	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
72	-	1	0.0 %
	Missing Data		
997	DONT KNOW	37	1.1 %
998	REFUSED/MISSING	132	4.0 %
	Total	3,291	100%

Based upon 3,122 valid cases out of 3,291 total cases.

- Mean: 22.84
- Median: 22.00
- Mode: 22.00
- Minimum: 0.00
- Maximum: 72.00
- Standard Deviation: 2.43

Location: 105-107 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998

C3TNS4: Number Series #4

Value	Label	Unweighted Frequency	%
0	-	10	0.3 %
1	-	12	0.4 %
2	-	75	2.3 %
3	-	1130	34.3 %

Value	Label	Unweighted Frequency	%
4	-	552	16.8 %
5	-	444	13.5 %
6	-	260	7.9 %
7	-	196	6.0 %
8	-	61	1.9 %
9	-	37	1.1 %
10	-	25	0.8 %
11	-	61	1.9 %
12	-	49	1.5 %
13	-	34	1.0 %
14	-	18	0.5 %
15	-	34	1.0 %
16	-	12	0.4 %
17	-	13	0.4 %
18	-	6	0.2 %
19	-	2	0.1 %
20	-	10	0.3 %
21	-	2	0.1 %
22	-	1	0.0 %
23	-	2	0.1 %
24	-	1	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
40	-	1	0.0 %
53	-	1	0.0 %
60	-	1	0.0 %
80	-	1	0.0 %
	Missing Data		
997	DONT KNOW	73	2.2 %
998	REFUSED/MISSING	163	5.0 %
	Total	3,291	100%

Based upon 3,055 valid cases out of 3,291 total cases.

- Mean: 5.14
- Median: 4.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 80.00

• Standard Deviation: 3.79

Location: 108-110 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998

C3TNS5: Number Series #5

Value	Label	Unweighted Frequency	%
0	-	39	1.2 %
1	-	16	0.5 %
2	-	15	0.5 %
3	-	5	0.2 %
4	-	17	0.5 %
5	-	16	0.5 %
6	-	23	0.7 %
7	-	13	0.4 %
8	-	84	2.6 %
9	-	31	0.9 %
10	-	41	1.2 %
11	-	23	0.7 %
12	-	45	1.4 %
13	-	10	0.3 %
14	-	46	1.4 %
15	-	26	0.8 %
16	-	10	0.3 %
17	-	59	1.8 %
18	-	53	1.6 %
19	-	9	0.3 %
20	-	26	0.8 %
21	-	30	0.9 %
22	-	35	1.1 %
23	-	22	0.7 %
24	-	36	1.1 %
25	-	19	0.6 %
26	-	63	1.9 %
27	-	18	0.5 %
28	-	37	1.1 %
29	-	13	0.4 %
30	-	25	0.8 %
31	-	8	0.2 %
32	-	124	3.8 %

Value	Label	Unweighted Frequency	%
33	-	23	0.7 %
34	-	26	0.8 %
35	-	46	1.4 %
36	-	173	5.3 %
37	-	48	1.5 %
38	-	37	1.1 %
39	-	988	30.0 %
40	-	190	5.8 %
41	-	25	0.8 %
42	-	54	1.6 %
43	-	6	0.2 %
44	-	7	0.2 %
45	-	11	0.3 %
46	-	16	0.5 %
47	-	5	0.2 %
48	-	28	0.9 %
49	-	11	0.3 %
	Missing Data		
997	DONT KNOW	320	9.7 %
998	REFUSED/MISSING	215	6.5 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,756 valid cases out of 3,291 total cases.

- Mean: 31.12
- Median: 38.00
- Mode: 39.00
- Minimum: 0.00
- Maximum: 78.00
- Standard Deviation: 12.30

Location: 111-113 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998

C3TNS1C: Number Series #1: correct?

Value	Label	Unweighted Frequency	%
1	YES, CORRECT	1150	34.9 %
2	NO, INCORRECT	2056	62.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	REFUSED/MISSING	85	2.6 %
	Total	3,291	100%

Based upon 3,206 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 114-114 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

C3TNS2C: Number Series #2: correct?

Value	Label	Unweighted Frequency	%
1	YES, CORRECT	2433	73.9 %
2	NO, INCORRECT	754	22.9 %
	Missing Data		
8	REFUSED/MISSING	104	3.2 %
	Total	3,291	100%

Based upon 3,187 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 115-115 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

C3TNS3C: Number Series #3: correct?

Value	Label	Unweighted Frequency	%
1	YES, CORRECT	1171	35.6 %
2	NO, INCORRECT	1989	60.4 %
	Missing Data		
8	REFUSED/MISSING	131	4.0 %
	Total	3,291	100%

Based upon 3,160 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 116-116 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

C3TNS4C: Number Series #4: correct?

Value	Label	Unweighted Frequency	%
1	YES, CORRECT	1130	34.3 %
2	NO, INCORRECT	1998	60.7 %
	Missing Data		
8	REFUSED/MISSING	163	5.0 %
	Total	3,291	100%

Based upon 3,128 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 117-117 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

C3TNS5C: Number Series #5: correct?

Value	Label	Unweighted Frequency	%
1	YES, CORRECT	988	30.0 %
2	NO, INCORRECT	2098	63.7 %
	Missing Data		
8	REFUSED/MISSING	205	6.2 %
	Total	3,291	100%

Based upon 3,086 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 118-118 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

C3TNSTOT: Number Series: Total Correct

Value	Label	Unweighted Frequency	%
0	-	497	15.1 %
1	-	893	27.1 %
2	-	531	16.1 %
3	-	513	15.6 %
4	-	482	14.6 %
5	-	290	8.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	REFUSED/MISSING	85	2.6 %
	Total	3,291	100%

Based upon 3,206 valid cases out of 3,291 total cases.

- Mean: 2.14
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.57

Location: 119-119 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

C3TBKFP: Backward Counting flagged problematic?

Value	Label	Unweighted Frequency	%
1	YES	36	1.1 %
2	NO	3255	98.9 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 120-120 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

C3TBKCT: Backward Counting: last # reached

Value	Label	Unweighted Frequency	%
7	-	1	0.0 %
13	-	1	0.0 %
15	-	1	0.0 %
17	-	2	0.1 %
20	-	1	0.0 %
23	-	2	0.1 %
25	-	2	0.1 %
26	-	1	0.0 %
27	-	2	0.1 %
28	-	2	0.1 %
29	-	3	0.1 %

Value	Label	Unweighted Frequency	%
30	-	7	0.2 %
31	-	1	0.0 %
32	-	7	0.2 %
33	-	6	0.2 %
34	-	4	0.1 %
35	-	8	0.2 %
36	-	9	0.3 %
37	-	5	0.2 %
38	-	9	0.3 %
39	-	5	0.2 %
40	-	15	0.5 %
41	-	11	0.3 %
42	-	19	0.6 %
43	-	17	0.5 %
44	-	21	0.6 %
45	-	28	0.9 %
46	-	33	1.0 %
47	-	36	1.1 %
48	-	29	0.9 %
49	-	42	1.3 %
50	-	65	2.0 %
51	-	64	1.9 %
52	-	60	1.8 %
53	-	44	1.3 %
54	-	60	1.8 %
55	-	82	2.5 %
56	-	89	2.7 %
57	-	90	2.7 %
58	-	95	2.9 %
59	-	123	3.7 %
60	-	137	4.2 %
61	-	124	3.8 %
62	-	91	2.8 %
63	-	115	3.5 %
64	-	114	3.5 %
65	-	87	2.6 %
66	-	110	3.3 %
67	-	128	3.9 %
68	-	123	3.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
998	REFUSED/MISSING	37	1.1 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,254 valid cases out of 3,291 total cases.

- Mean: 63.61
- Median: 64.00
- Mode: 60.00
- Minimum: 7.00
- Maximum: 99.00
- Standard Deviation: 11.45

Location: 121-123 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 998

C3TBKERR: Backward Counting: # of errors

Value	Label	Unweighted Frequency	%
0	-	1740	52.9 %
1	-	816	24.8 %
2	-	296	9.0 %
3	-	178	5.4 %
4	-	72	2.2 %
5	-	39	1.2 %
6	-	21	0.6 %
7	-	16	0.5 %
8	-	3	0.1 %
9	-	4	0.1 %
10	-	9	0.3 %
11	-	9	0.3 %
12	-	15	0.5 %
13	-	9	0.3 %
14	-	4	0.1 %
15	-	2	0.1 %
16	-	5	0.2 %
17	-	2	0.1 %
19	-	1	0.0 %
20	-	4	0.1 %
22	-	1	0.0 %

Value	Label	Unweighted Frequency	%
31	-	1	0.0 %
79	-	1	0.0 %
	Missing Data		
998	REFUSED/MISSING	43	1.3 %
	Total	3,291	100%

Based upon 3,248 valid cases out of 3,291 total cases.

- Mean: 1.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 79.00
- Standard Deviation: 2.61

Location: 124-126 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 998

C3TBKTOT: Backward Counting: Total # Counted Correctly (100-(C3TBKCT+C3TBKERR))

Value	Label	Unweighted Frequency	%
-12	-	1	0.0 %
-10	-	1	0.0 %
-8	-	1	0.0 %
-7	-	3	0.1 %
-2	-	1	0.0 %
0	-	1	0.0 %
1	-	2	0.1 %
2	-	2	0.1 %
3	-	4	0.1 %
4	-	4	0.1 %
5	-	3	0.1 %
6	-	12	0.4 %
7	-	7	0.2 %
8	-	12	0.4 %
9	-	11	0.3 %
10	-	10	0.3 %
11	-	9	0.3 %
12	-	6	0.2 %
13	-	7	0.2 %
14	-	15	0.5 %
15	-	17	0.5 %

Value	Label	Unweighted Frequency	%
16	-	21	0.6 %
17	-	26	0.8 %
18	-	36	1.1 %
19	-	44	1.3 %
20	-	58	1.8 %
21	-	58	1.8 %
22	-	59	1.8 %
23	-	72	2.2 %
24	-	61	1.9 %
25	-	81	2.5 %
26	-	78	2.4 %
27	-	73	2.2 %
28	-	87	2.6 %
29	-	108	3.3 %
30	-	127	3.9 %
31	-	121	3.7 %
32	-	119	3.6 %
33	-	112	3.4 %
34	-	107	3.3 %
35	-	100	3.0 %
36	-	105	3.2 %
37	-	105	3.2 %
38	-	99	3.0 %
39	-	127	3.9 %
40	-	106	3.2 %
41	-	114	3.5 %
42	-	91	2.8 %
43	-	89	2.7 %
44	-	87	2.6 %
	Missing Data		
998	REFUSED/MISSING	11	0.3 %
.	-	32	1.0 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,248 valid cases out of 3,291 total cases.

- Mean: 35.25
- Median: 35.00

- Minimum: -12.00
- Maximum: 90.00
- Standard Deviation: 11.93

Location: 127-129 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 998 , .

C3TWLDFP: Word List Delayed flagged problematic?

Value	Label	Unweighted Frequency	%
1	YES	11	0.3 %
2	NO	3280	99.7 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 130-130 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

C3TWLD1: Word List Delayed: Recalled #1

Value	Label	Unweighted Frequency	%
1	Word #1	694	21.1 %
2	Word #2	282	8.6 %
3	Word #3	171	5.2 %
4	Word #4	150	4.6 %
5	Word #5	168	5.1 %
6	Word #6	98	3.0 %
7	Word #7	93	2.8 %
8	Word #8	134	4.1 %
9	Word #9	102	3.1 %
10	Word #10	199	6.0 %
11	Word #11	92	2.8 %
12	Word #12	93	2.8 %
13	Word #13	47	1.4 %
14	Word #14	241	7.3 %
15	Word #15	108	3.3 %
90	NON-LIST INTRUSION	286	8.7 %
	Missing Data		
98	REFUSED/MISSING	333	10.1 %
	Total	3,291	100%

Based upon 2,958 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 131-132 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD2: Word List Delayed: Recalled #2

Value	Label	Unweighted Frequency	%
1	Word #1	118	3.6 %
2	Word #2	372	11.3 %
3	Word #3	251	7.6 %
4	Word #4	133	4.0 %
5	Word #5	198	6.0 %
6	Word #6	145	4.4 %
7	Word #7	99	3.0 %
8	Word #8	144	4.4 %
9	Word #9	117	3.6 %
10	Word #10	213	6.5 %
11	Word #11	175	5.3 %
12	Word #12	106	3.2 %
13	Word #13	59	1.8 %
14	Word #14	209	6.4 %
15	Word #15	101	3.1 %
90	NON-LIST INTRUSION	397	12.1 %
	Missing Data		
98	REFUSED/MISSING	454	13.8 %
	Total	3,291	100%

Based upon 2,837 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 133-134 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD3: Word List Delayed: Recalled #3

Value	Label	Unweighted Frequency	%
1	Word #1	113	3.4 %
2	Word #2	155	4.7 %

Value	Label	Unweighted Frequency	%
3	Word #3	180	5.5 %
4	Word #4	105	3.2 %
5	Word #5	214	6.5 %
6	Word #6	201	6.1 %
7	Word #7	83	2.5 %
8	Word #8	162	4.9 %
9	Word #9	89	2.7 %
10	Word #10	209	6.4 %
11	Word #11	145	4.4 %
12	Word #12	95	2.9 %
13	Word #13	92	2.8 %
14	Word #14	201	6.1 %
15	Word #15	128	3.9 %
90	NON-LIST INTRUSION	456	13.9 %
	Missing Data		
98	REFUSED/MISSING	663	20.1 %
	Total	3,291	100%

Based upon 2,628 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 135-136 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD4: Word List Delayed: Recalled #4

Value	Label	Unweighted Frequency	%
1	Word #1	93	2.8 %
2	Word #2	109	3.3 %
3	Word #3	86	2.6 %
4	Word #4	103	3.1 %
5	Word #5	213	6.5 %
6	Word #6	151	4.6 %
7	Word #7	66	2.0 %
8	Word #8	154	4.7 %
9	Word #9	96	2.9 %
10	Word #10	143	4.3 %
11	Word #11	122	3.7 %
12	Word #12	118	3.6 %

Value	Label	Unweighted Frequency	%
13	Word #13	92	2.8 %
14	Word #14	165	5.0 %
15	Word #15	103	3.1 %
90	NON-LIST INTRUSION	452	13.7 %
	Missing Data		
98	REFUSED/MISSING	1025	31.1 %
	Total	3,291	100%

Based upon 2,266 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 137-138 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD5: Word List Delayed: Recalled #5

Value	Label	Unweighted Frequency	%
1	Word #1	85	2.6 %
2	Word #2	84	2.6 %
3	Word #3	76	2.3 %
4	Word #4	72	2.2 %
5	Word #5	131	4.0 %
6	Word #6	133	4.0 %
7	Word #7	66	2.0 %
8	Word #8	112	3.4 %
9	Word #9	100	3.0 %
10	Word #10	104	3.2 %
11	Word #11	82	2.5 %
12	Word #12	79	2.4 %
13	Word #13	93	2.8 %
14	Word #14	116	3.5 %
15	Word #15	90	2.7 %
90	NON-LIST INTRUSION	417	12.7 %
	Missing Data		
98	REFUSED/MISSING	1451	44.1 %
	Total	3,291	100%

Based upon 1,840 valid cases out of 3,291 total cases.

- Minimum: 1.00

- Maximum: 90.00

Location: 139-140 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD6: Word List Delayed: Recalled #6

Value	Label	Unweighted Frequency	%
1	Word #1	80	2.4 %
2	Word #2	69	2.1 %
3	Word #3	63	1.9 %
4	Word #4	47	1.4 %
5	Word #5	87	2.6 %
6	Word #6	79	2.4 %
7	Word #7	60	1.8 %
8	Word #8	73	2.2 %
9	Word #9	73	2.2 %
10	Word #10	63	1.9 %
11	Word #11	70	2.1 %
12	Word #12	64	1.9 %
13	Word #13	65	2.0 %
14	Word #14	115	3.5 %
15	Word #15	73	2.2 %
90	NON-LIST INTRUSION	348	10.6 %
	Missing Data		
98	REFUSED/MISSING	1862	56.6 %
	Total	3,291	100%

Based upon 1,429 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 141-142 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD7: Word List Delayed: Recalled #7

Value	Label	Unweighted Frequency	%
1	Word #1	57	1.7 %
2	Word #2	37	1.1 %
3	Word #3	52	1.6 %
4	Word #4	25	0.8 %

Value	Label	Unweighted Frequency	%
5	Word #5	64	1.9 %
6	Word #6	49	1.5 %
7	Word #7	37	1.1 %
8	Word #8	59	1.8 %
9	Word #9	42	1.3 %
10	Word #10	56	1.7 %
11	Word #11	60	1.8 %
12	Word #12	50	1.5 %
13	Word #13	53	1.6 %
14	Word #14	79	2.4 %
15	Word #15	66	2.0 %
90	NON-LIST INTRUSION	271	8.2 %
	Missing Data		
98	REFUSED/MISSING	2234	67.9 %
	Total	3,291	100%

Based upon 1,057 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 143-144 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD8: Word List Delayed: Recalled #8

Value	Label	Unweighted Frequency	%
1	Word #1	22	0.7 %
2	Word #2	44	1.3 %
3	Word #3	36	1.1 %
4	Word #4	18	0.5 %
5	Word #5	45	1.4 %
6	Word #6	39	1.2 %
7	Word #7	28	0.9 %
8	Word #8	33	1.0 %
9	Word #9	34	1.0 %
10	Word #10	32	1.0 %
11	Word #11	48	1.5 %
12	Word #12	38	1.2 %
13	Word #13	57	1.7 %
14	Word #14	45	1.4 %

Value	Label	Unweighted Frequency	%
15	Word #15	36	1.1 %
90	NON-LIST INTRUSION	203	6.2 %
	Missing Data		
98	REFUSED/MISSING	2533	77.0 %
	Total	3,291	100%

Based upon 758 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 145-146 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD9: Word List Delayed: Recalled #9

Value	Label	Unweighted Frequency	%
1	Word #1	22	0.7 %
2	Word #2	18	0.5 %
3	Word #3	29	0.9 %
4	Word #4	23	0.7 %
5	Word #5	24	0.7 %
6	Word #6	20	0.6 %
7	Word #7	22	0.7 %
8	Word #8	22	0.7 %
9	Word #9	27	0.8 %
10	Word #10	21	0.6 %
11	Word #11	22	0.7 %
12	Word #12	26	0.8 %
13	Word #13	26	0.8 %
14	Word #14	38	1.2 %
15	Word #15	28	0.9 %
90	NON-LIST INTRUSION	145	4.4 %
	Missing Data		
98	REFUSED/MISSING	2778	84.4 %
	Total	3,291	100%

Based upon 513 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 147-148 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD10: Word List Delayed: Recalled #10

Value	Label	Unweighted Frequency	%
1	Word #1	16	0.5 %
2	Word #2	17	0.5 %
3	Word #3	20	0.6 %
4	Word #4	16	0.5 %
5	Word #5	14	0.4 %
6	Word #6	8	0.2 %
7	Word #7	19	0.6 %
8	Word #8	17	0.5 %
9	Word #9	18	0.5 %
10	Word #10	12	0.4 %
11	Word #11	14	0.4 %
12	Word #12	14	0.4 %
13	Word #13	12	0.4 %
14	Word #14	16	0.5 %
15	Word #15	22	0.7 %
90	NON-LIST INTRUSION	102	3.1 %
	Missing Data		
98	REFUSED/MISSING	2954	89.8 %
	Total	3,291	100%

Based upon 337 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 149-150 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD11: Word List Delayed: Recalled #11

Value	Label	Unweighted Frequency	%
1	Word #1	9	0.3 %
2	Word #2	13	0.4 %
3	Word #3	10	0.3 %
4	Word #4	12	0.4 %
5	Word #5	11	0.3 %
6	Word #6	7	0.2 %
7	Word #7	8	0.2 %

Value	Label	Unweighted Frequency	%
8	Word #8	12	0.4 %
9	Word #9	5	0.2 %
10	Word #10	6	0.2 %
11	Word #11	9	0.3 %
12	Word #12	12	0.4 %
13	Word #13	14	0.4 %
14	Word #14	9	0.3 %
15	Word #15	11	0.3 %
90	NON-LIST INTRUSION	63	1.9 %
	Missing Data		
98	REFUSED/MISSING	3080	93.6 %
	Total	3,291	100%

Based upon 211 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 151-152 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD12: Word List Delayed: Recalled #12

Value	Label	Unweighted Frequency	%
1	Word #1	11	0.3 %
2	Word #2	6	0.2 %
3	Word #3	2	0.1 %
4	Word #4	1	0.0 %
5	Word #5	6	0.2 %
6	Word #6	8	0.2 %
7	Word #7	10	0.3 %
8	Word #8	7	0.2 %
9	Word #9	2	0.1 %
10	Word #10	5	0.2 %
11	Word #11	4	0.1 %
12	Word #12	7	0.2 %
13	Word #13	8	0.2 %
14	Word #14	10	0.3 %
15	Word #15	9	0.3 %
90	NON-LIST INTRUSION	41	1.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	3154	95.8 %
	Total	3,291	100%

Based upon 137 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 153-154 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD13: Word List Delayed: Recalled #13

Value	Label	Unweighted Frequency	%
1	Word #1	4	0.1 %
2	Word #2	3	0.1 %
3	Word #3	1	0.0 %
4	Word #4	4	0.1 %
5	Word #5	0	0.0 %
6	Word #6	4	0.1 %
7	Word #7	4	0.1 %
8	Word #8	3	0.1 %
9	Word #9	4	0.1 %
10	Word #10	3	0.1 %
11	Word #11	4	0.1 %
12	Word #12	6	0.2 %
13	Word #13	6	0.2 %
14	Word #14	9	0.3 %
15	Word #15	3	0.1 %
90	NON-LIST INTRUSION	34	1.0 %
	Missing Data		
98	REFUSED/MISSING	3199	97.2 %
	Total	3,291	100%

Based upon 92 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 155-156 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD14: Word List Delayed: Recalled #14

Value	Label	Unweighted Frequency	%
1	Word #1	1	0.0 %
2	Word #2	3	0.1 %
3	Word #3	2	0.1 %
4	Word #4	2	0.1 %
5	Word #5	4	0.1 %
6	Word #6	1	0.0 %
7	Word #7	2	0.1 %
8	Word #8	6	0.2 %
9	Word #9	3	0.1 %
10	Word #10	2	0.1 %
11	Word #11	3	0.1 %
12	Word #12	2	0.1 %
13	Word #13	1	0.0 %
14	Word #14	3	0.1 %
15	Word #15	2	0.1 %
90	NON-LIST INTRUSION	20	0.6 %
	Missing Data		
98	REFUSED/MISSING	3234	98.3 %
	Total	3,291	100%

Based upon 57 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 157-158 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD15: Word List Delayed: Recalled #15

Value	Label	Unweighted Frequency	%
1	Word #1	0	0.0 %
2	Word #2	1	0.0 %
3	Word #3	1	0.0 %
4	Word #4	0	0.0 %
5	Word #5	1	0.0 %
6	Word #6	3	0.1 %
7	Word #7	3	0.1 %
8	Word #8	2	0.1 %
9	Word #9	1	0.0 %
10	Word #10	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Word #11	0	0.0 %
12	Word #12	0	0.0 %
13	Word #13	0	0.0 %
14	Word #14	1	0.0 %
15	Word #15	1	0.0 %
90	NON-LIST INTRUSION	21	0.6 %
	Missing Data		
98	REFUSED/MISSING	3256	98.9 %
	Total	3,291	100%

Based upon 35 valid cases out of 3,291 total cases.

- Minimum: 2.00
- Maximum: 90.00

Location: 159-160 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD16: Word List Delayed: Recalled #16

Value	Label	Unweighted Frequency	%
1	Word #1	1	0.0 %
2	Word #2	0	0.0 %
3	Word #3	0	0.0 %
4	Word #4	1	0.0 %
5	Word #5	2	0.1 %
6	Word #6	0	0.0 %
7	Word #7	1	0.0 %
8	Word #8	2	0.1 %
9	Word #9	1	0.0 %
10	Word #10	2	0.1 %
11	Word #11	0	0.0 %
12	Word #12	1	0.0 %
13	Word #13	0	0.0 %
14	Word #14	1	0.0 %
15	Word #15	0	0.0 %
90	NON-LIST INTRUSION	16	0.5 %
	Missing Data		
98	REFUSED/MISSING	3263	99.1 %
	Total	3,291	100%

Based upon 28 valid cases out of 3,291 total cases.

- Minimum: 1.00
- Maximum: 90.00

Location: 161-162 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD17: Word List Delayed: Recalled #17

Value	Label	Unweighted Frequency	%
1	Word #1	0	0.0 %
2	Word #2	0	0.0 %
3	Word #3	0	0.0 %
4	Word #4	0	0.0 %
5	Word #5	1	0.0 %
6	Word #6	0	0.0 %
7	Word #7	0	0.0 %
8	Word #8	0	0.0 %
9	Word #9	2	0.1 %
10	Word #10	1	0.0 %
11	Word #11	0	0.0 %
12	Word #12	0	0.0 %
13	Word #13	1	0.0 %
14	Word #14	1	0.0 %
15	Word #15	1	0.0 %
90	NON-LIST INTRUSION	13	0.4 %
	Missing Data		
98	REFUSED/MISSING	3271	99.4 %
	Total	3,291	100%

Based upon 20 valid cases out of 3,291 total cases.

- Minimum: 5.00
- Maximum: 90.00

Location: 163-164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD18: Word List Delayed: Recalled #18

Value	Label	Unweighted Frequency	%
1	Word #1	0	0.0 %
2	Word #2	1	0.0 %

Value	Label	Unweighted Frequency	%
3	Word #3	0	0.0 %
4	Word #4	0	0.0 %
5	Word #5	0	0.0 %
6	Word #6	0	0.0 %
7	Word #7	0	0.0 %
8	Word #8	0	0.0 %
9	Word #9	0	0.0 %
10	Word #10	0	0.0 %
11	Word #11	1	0.0 %
12	Word #12	3	0.1 %
13	Word #13	1	0.0 %
14	Word #14	0	0.0 %
15	Word #15	1	0.0 %
90	NON-LIST INTRUSION	10	0.3 %
	Missing Data		
98	REFUSED/MISSING	3274	99.5 %
	Total	3,291	100%

Based upon 17 valid cases out of 3,291 total cases.

- Minimum: 2.00
- Maximum: 90.00

Location: 165-166 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD19: Word List Delayed: Recalled #19

Value	Label	Unweighted Frequency	%
1	Word #1	0	0.0 %
2	Word #2	0	0.0 %
3	Word #3	0	0.0 %
4	Word #4	0	0.0 %
5	Word #5	0	0.0 %
6	Word #6	0	0.0 %
7	Word #7	0	0.0 %
8	Word #8	1	0.0 %
9	Word #9	0	0.0 %
10	Word #10	0	0.0 %
11	Word #11	0	0.0 %
12	Word #12	1	0.0 %

Value	Label	Unweighted Frequency	%
13	Word #13	1	0.0 %
14	Word #14	1	0.0 %
15	Word #15	1	0.0 %
90	NON-LIST INTRUSION	8	0.2 %
	Missing Data		
98	REFUSED/MISSING	3278	99.6 %
	Total	3,291	100%

Based upon 13 valid cases out of 3,291 total cases.

- Minimum: 8.00
- Maximum: 90.00

Location: 167-168 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD20: Word List Delayed: Recalled #20

Value	Label	Unweighted Frequency	%
1	Word #1	0	0.0 %
2	Word #2	0	0.0 %
3	Word #3	0	0.0 %
4	Word #4	1	0.0 %
5	Word #5	0	0.0 %
6	Word #6	0	0.0 %
7	Word #7	0	0.0 %
8	Word #8	1	0.0 %
9	Word #9	1	0.0 %
10	Word #10	0	0.0 %
11	Word #11	0	0.0 %
12	Word #12	0	0.0 %
13	Word #13	1	0.0 %
14	Word #14	0	0.0 %
15	Word #15	0	0.0 %
90	NON-LIST INTRUSION	8	0.2 %
	Missing Data		
98	REFUSED/MISSING	3279	99.6 %
	Total	3,291	100%

Based upon 12 valid cases out of 3,291 total cases.

- Minimum: 4.00

- Maximum: 90.00

Location: 169-170 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD21: Word List Delayed: Recalled #21

Value	Label	Unweighted Frequency	%
1	Word #1	0	0.0 %
2	Word #2	1	0.0 %
3	Word #3	1	0.0 %
4	Word #4	0	0.0 %
5	Word #5	0	0.0 %
6	Word #6	0	0.0 %
7	Word #7	0	0.0 %
8	Word #8	0	0.0 %
9	Word #9	1	0.0 %
10	Word #10	0	0.0 %
11	Word #11	0	0.0 %
12	Word #12	0	0.0 %
13	Word #13	0	0.0 %
14	Word #14	1	0.0 %
15	Word #15	0	0.0 %
90	NON-LIST INTRUSION	6	0.2 %
	Missing Data		
98	REFUSED/MISSING	3281	99.7 %
	Total	3,291	100%

Based upon 10 valid cases out of 3,291 total cases.

- Minimum: 2.00
- Maximum: 90.00

Location: 171-172 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD22: Word List Delayed: Recalled #22

Value	Label	Unweighted Frequency	%
1	Word #1	0	0.0 %
2	Word #2	0	0.0 %
3	Word #3	1	0.0 %
4	Word #4	1	0.0 %

Value	Label	Unweighted Frequency	%
5	Word #5	1	0.0 %
6	Word #6	0	0.0 %
7	Word #7	0	0.0 %
8	Word #8	0	0.0 %
9	Word #9	1	0.0 %
10	Word #10	0	0.0 %
11	Word #11	0	0.0 %
12	Word #12	0	0.0 %
13	Word #13	0	0.0 %
14	Word #14	0	0.0 %
15	Word #15	0	0.0 %
90	NON-LIST INTRUSION	6	0.2 %
	Missing Data		
98	REFUSED/MISSING	3281	99.7 %
	Total	3,291	100%

Based upon 10 valid cases out of 3,291 total cases.

- Minimum: 3.00
- Maximum: 90.00

Location: 173-174 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD23: Word List Delayed: Recalled #23

Value	Label	Unweighted Frequency	%
1	Word #1	0	0.0 %
2	Word #2	0	0.0 %
3	Word #3	0	0.0 %
4	Word #4	0	0.0 %
5	Word #5	0	0.0 %
6	Word #6	0	0.0 %
7	Word #7	0	0.0 %
8	Word #8	0	0.0 %
9	Word #9	0	0.0 %
10	Word #10	0	0.0 %
11	Word #11	0	0.0 %
12	Word #12	0	0.0 %
13	Word #13	0	0.0 %
14	Word #14	0	0.0 %

Value	Label	Unweighted Frequency	%
15	Word #15	0	0.0 %
90	NON-LIST INTRUSION	5	0.2 %
	Missing Data		
98	REFUSED/MISSING	3286	99.8 %
	Total	3,291	100%

Based upon 5 valid cases out of 3,291 total cases.

- Minimum: 90.00
- Maximum: 90.00

Location: 175-176 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD24: Word List Delayed: Recalled #24

Value	Label	Unweighted Frequency	%
1	Word #1	0	0.0 %
2	Word #2	0	0.0 %
3	Word #3	0	0.0 %
4	Word #4	0	0.0 %
5	Word #5	0	0.0 %
6	Word #6	0	0.0 %
7	Word #7	0	0.0 %
8	Word #8	0	0.0 %
9	Word #9	0	0.0 %
10	Word #10	0	0.0 %
11	Word #11	0	0.0 %
12	Word #12	0	0.0 %
13	Word #13	0	0.0 %
14	Word #14	0	0.0 %
15	Word #15	0	0.0 %
90	NON-LIST INTRUSION	5	0.2 %
	Missing Data		
98	REFUSED/MISSING	3286	99.8 %
	Total	3,291	100%

Based upon 5 valid cases out of 3,291 total cases.

- Minimum: 90.00
- Maximum: 90.00

Location: 177-178 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD25: Word List Delayed: Recalled #25

Value	Label	Unweighted Frequency	%
1	Word #1	0	0.0 %
2	Word #2	0	0.0 %
3	Word #3	0	0.0 %
4	Word #4	0	0.0 %
5	Word #5	0	0.0 %
6	Word #6	1	0.0 %
7	Word #7	0	0.0 %
8	Word #8	0	0.0 %
9	Word #9	0	0.0 %
10	Word #10	0	0.0 %
11	Word #11	0	0.0 %
12	Word #12	0	0.0 %
13	Word #13	0	0.0 %
14	Word #14	0	0.0 %
15	Word #15	0	0.0 %
90	NON-LIST INTRUSION	2	0.1 %
	Missing Data		
98	REFUSED/MISSING	3288	99.9 %
	Total	3,291	100%

Based upon 3 valid cases out of 3,291 total cases.

- Minimum: 6.00
- Maximum: 90.00

Location: 179-180 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLD26: Word List Delayed: Recalled #26

Value	Label	Unweighted Frequency	%
1	Word #1	0	0.0 %
2	Word #2	0	0.0 %
3	Word #3	0	0.0 %
4	Word #4	0	0.0 %
5	Word #5	0	0.0 %
6	Word #6	0	0.0 %
7	Word #7	0	0.0 %

Value	Label	Unweighted Frequency	%
8	Word #8	0	0.0 %
9	Word #9	0	0.0 %
10	Word #10	0	0.0 %
11	Word #11	0	0.0 %
12	Word #12	0	0.0 %
13	Word #13	0	0.0 %
14	Word #14	1	0.0 %
15	Word #15	0	0.0 %
90	NON-LIST INTRUSION	2	0.1 %
	Missing Data		
98	REFUSED/MISSING	3288	99.9 %
	Total	3,291	100%

Based upon 3 valid cases out of 3,291 total cases.

- Minimum: 14.00
- Maximum: 90.00

Location: 181-182 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLDTU: Word List Delayed: Tot Unique Items

Value	Label	Unweighted Frequency	%
0	-	225	6.8 %
1	-	237	7.2 %
2	-	379	11.5 %
3	-	462	14.0 %
4	-	443	13.5 %
5	-	417	12.7 %
6	-	324	9.8 %
7	-	234	7.1 %
8	-	148	4.5 %
9	-	118	3.6 %
10	-	52	1.6 %
11	-	29	0.9 %
12	-	32	1.0 %
13	-	11	0.3 %
14	-	3	0.1 %
15	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	176	5.3 %
	Total	3,291	100%

Based upon 3,115 valid cases out of 3,291 total cases.

- Mean: 4.33
- Median: 4.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 2.73

Location: 183-184 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLDTR: Word List Delayed: Tot # Repetitions

Value	Label	Unweighted Frequency	%
0	-	2807	85.3 %
1	-	231	7.0 %
2	-	49	1.5 %
3	-	12	0.4 %
4	-	7	0.2 %
5	-	4	0.1 %
6	-	1	0.0 %
8	-	1	0.0 %
9	-	2	0.1 %
10	-	1	0.0 %
	Missing Data		
98	REFUSED/MISSING	176	5.3 %
	Total	3,291	100%

Based upon 3,115 valid cases out of 3,291 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.58

Location: 185-186 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLDTI: Word List Delayed: Total # Intrusions

Value	Label	Unweighted Frequency	%
0	-	1537	46.7 %
1	-	819	24.9 %
2	-	406	12.3 %
3	-	153	4.6 %
4	-	68	2.1 %
5	-	50	1.5 %
6	-	34	1.0 %
7	-	17	0.5 %
8	-	8	0.2 %
9	-	5	0.2 %
10	-	1	0.0 %
11	-	3	0.1 %
12	-	1	0.0 %
13	-	1	0.0 %
14	-	4	0.1 %
16	-	1	0.0 %
17	-	1	0.0 %
20	-	2	0.1 %
21	-	1	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
	Missing Data		
98	REFUSED/MISSING	176	5.3 %
	Total	3,291	100%

Based upon 3,115 valid cases out of 3,291 total cases.

- Mean: 1.07
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 26.00
- Standard Deviation: 1.86

Location: 187-188 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TWLF: Word List: Proportion Forgot Between Immediate and Delayed

Value	Label	Unweighted Frequency	%
-1.000000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
-0.333333333333	-	9	0.3 %
-0.285714285714	-	4	0.1 %
-0.250000000000	-	7	0.2 %
-0.222222222222	-	2	0.1 %
-0.200000000000	-	10	0.3 %
-0.181818181818	-	2	0.1 %
-0.166666666667	-	8	0.2 %
-0.142857142857	-	8	0.2 %
-0.125000000000	-	13	0.4 %
-0.111111111111	-	9	0.3 %
-0.100000000000	-	3	0.1 %
-0.090909090909	-	1	0.0 %
-0.083333333333	-	5	0.2 %
0.000000000000	-	267	8.1 %
0.066666666667	-	1	0.0 %
0.076923076923	-	9	0.3 %
0.083333333333	-	7	0.2 %
0.090909090909	-	13	0.4 %
0.100000000000	-	32	1.0 %
0.111111111111	-	38	1.2 %
0.125000000000	-	64	1.9 %
0.142857142857	-	82	2.5 %
0.153846153846	-	7	0.2 %
0.166666666667	-	115	3.5 %
0.181818181818	-	22	0.7 %
0.200000000000	-	116	3.5 %
0.214285714286	-	1	0.0 %
0.222222222222	-	54	1.6 %
0.230769230769	-	2	0.1 %
0.250000000000	-	169	5.1 %
0.272727272727	-	18	0.5 %
0.285714285714	-	120	3.6 %
0.300000000000	-	43	1.3 %
0.307692307692	-	5	0.2 %
0.333333333333	-	255	7.7 %
0.357142857143	-	1	0.0 %
0.363636363636	-	17	0.5 %
0.375000000000	-	98	3.0 %
0.384615384615	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.400000000000	-	151	4.6 %
0.416666666667	-	4	0.1 %
0.428571428571	-	114	3.5 %
0.444444444444	-	44	1.3 %
0.454545454545	-	9	0.3 %
0.500000000000	-	309	9.4 %
0.545454545455	-	5	0.2 %
0.555555555556	-	22	0.7 %
0.571428571429	-	86	2.6 %
0.583333333333	-	1	0.0 %
	Missing Data		
8.000000000000	REFUSED/MISSING	181	5.5 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,110 valid cases out of 3,291 total cases.

- Mean: 0.394732048944
- Median: 0.375000000000
- Mode: 0.500000000000
- Minimum: -1.000000000000
- Maximum: 1.000000000000
- Standard Deviation: 0.284511533183

Location: 189-203 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 8.000000000000

C3TCOMP: MIDUS 3 BTACT Composite Score standardized based on main national MIDUS 2 M and SD (to use for longitudinal analyses)

Value	Label	Unweighted Frequency	%
8	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,043 valid cases out of 3,291 total cases.

- Mean: -0.043387552427
- Minimum: -2.594603198529
- Maximum: 2.026393502867
- Standard Deviation: 0.707276900094

Location: 204-218 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 8

**C3TEM: MIDUS 3 Episodic Memory standardized based on main national MIDUS 2 M and SD
(to use for longitudinal analyses)**

Value	Label	Unweighted Frequency	%
-2.936272370144	-	6	0.2 %
-2.499781754692	-	2	0.1 %
-2.122188172840	-	1	0.0 %
-2.095074363585	-	9	0.3 %
-2.063291139241	-	16	0.5 %
-1.903942865114	-	4	0.1 %
-1.876829055859	-	33	1.0 %
-1.712811366643	-	2	0.1 %
-1.690366972477	-	2	0.1 %
-1.685697557388	-	15	0.5 %
-1.658583748133	-	46	1.4 %
-1.626800523789	-	27	0.8 %
-1.494566058917	-	8	0.2 %
-1.467452249662	-	50	1.5 %
-1.440338440407	-	55	1.7 %
-1.308103975535	-	2	0.1 %
-1.276320751191	-	50	1.5 %
-1.249206941936	-	46	1.4 %
-1.222093132681	-	50	1.5 %
-1.190309908337	-	37	1.1 %
-1.085189252720	-	16	0.5 %
-1.058075443465	-	88	2.7 %
-1.030961634210	-	58	1.8 %
-1.003847824955	-	20	0.6 %
-0.894057754249	-	6	0.2 %
-0.866943944994	-	63	1.9 %
-0.839830135739	-	93	2.8 %
-0.812716326484	-	46	1.4 %
-0.785602517229	-	8	0.2 %
-0.753819292885	-	20	0.6 %
-0.675812446523	-	26	0.8 %
-0.648698637268	-	119	3.6 %
-0.621584828013	-	79	2.4 %
-0.594471018758	-	9	0.3 %
-0.567357209503	-	1	0.0 %
-0.484680948052	-	5	0.2 %
-0.457567138797	-	78	2.4 %

Value	Label	Unweighted Frequency	%
-0.430453329542	-	131	4.0 %
-0.403339520287	-	38	1.2 %
-0.376225711033	-	3	0.1 %
-0.317328677433	-	33	1.0 %
-0.266435640326	-	28	0.9 %
-0.239321831071	-	131	4.0 %
-0.212208021817	-	86	2.6 %
-0.185094212562	-	15	0.5 %
-0.157980403307	-	3	0.1 %
-0.075304141855	-	6	0.2 %
-0.048190332601	-	105	3.2 %
-0.021076523346	-	114	3.5 %
0.006037285909	-	26	0.8 %
	Missing Data		
8.000000000000	REFUSED/MISSING	6	0.2 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,285 valid cases out of 3,291 total cases.

- Mean: -0.057313346381
- Median: -0.212208021817
- Minimum: -2.936272370144
- Maximum: 3.827332421642
- Standard Deviation: 1.007413001991

Location: 219-233 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 8.000000000000

C3TEF: MIDUS 3 Executive Functioning standardized based on main national MIDUS 2 M and SD (to use for longitudinal analyses)

Value	Label	Unweighted Frequency	%
8	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: -0.221735901932
- Minimum: -5.626011507237
- Maximum: 12.854129482395
- Standard Deviation: 0.802359095405

Location: 234-248 (width: 15; decimal: 12)

Variable Type: numeric
(Range of) Missing Values: 8

C3TSWN1: SGST: normal single-task trial #1

Value	Label	Unweighted Frequency	%
0.156734693878	-	1	0.0 %
0.425770833333	-	1	0.0 %
0.493333333333	-	1	0.0 %
0.532041666667	-	1	0.0 %
0.600708333333	-	1	0.0 %
0.602604166667	-	1	0.0 %
0.605583333333	-	1	0.0 %
0.626000000000	-	1	0.0 %
0.626729166667	-	1	0.0 %
0.631520833333	-	1	0.0 %
0.631750000000	-	1	0.0 %
0.638291666667	-	1	0.0 %
0.640020833333	-	1	0.0 %
0.641937500000	-	1	0.0 %
0.643375000000	-	1	0.0 %
0.644291666667	-	1	0.0 %
0.645479166667	-	1	0.0 %
0.660750000000	-	1	0.0 %
0.661916666667	-	1	0.0 %
0.662541666667	-	1	0.0 %
0.667770833333	-	1	0.0 %
0.674687500000	-	1	0.0 %
0.676500000000	-	1	0.0 %
0.683395833333	-	1	0.0 %
0.684770833333	-	1	0.0 %
0.688854166667	-	1	0.0 %
0.693458333333	-	1	0.0 %
0.698020833333	-	1	0.0 %
0.700145833333	-	1	0.0 %
0.703312500000	-	1	0.0 %
0.704854166667	-	1	0.0 %
0.706062500000	-	1	0.0 %
0.708333333333	-	1	0.0 %
0.715687500000	-	1	0.0 %
0.716020833333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.717437500000	-	1	0.0 %
0.718687500000	-	1	0.0 %
0.722041666667	-	1	0.0 %
0.722416666667	-	1	0.0 %
0.725916666667	-	1	0.0 %
0.726687500000	-	1	0.0 %
0.727729166667	-	1	0.0 %
0.728548752834	-	1	0.0 %
0.731428571429	-	1	0.0 %
0.732375000000	-	1	0.0 %
0.736270833333	-	1	0.0 %
0.741375000000	-	1	0.0 %
0.741458333333	-	1	0.0 %
0.743187500000	-	1	0.0 %
0.745687500000	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	123	3.7 %
98.000000000000	REFUSED/MISSING	60	1.8 %
99.000000000000	INVALID	114	3.5 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,994 valid cases out of 3,291 total cases.

- Mean: 1.403252326743
- Minimum: 0.156734693878
- Maximum: 7.175833333333
- Standard Deviation: 0.471593584878

Location: 249-263 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWN2: SGST: normal single-task trial #2

Value	Label	Unweighted Frequency	%
0.412083333333	-	1	0.0 %
0.471375000000	-	1	0.0 %
0.490645833333	-	1	0.0 %
0.493583333333	-	1	0.0 %
0.505791666667	-	1	0.0 %
0.520020833333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.520520833333	-	1	0.0 %
0.528770833333	-	1	0.0 %
0.535625000000	-	1	0.0 %
0.538416666667	-	1	0.0 %
0.542375000000	-	1	0.0 %
0.546729166667	-	1	0.0 %
0.551895833333	-	1	0.0 %
0.552333333333	-	1	0.0 %
0.555041666667	-	1	0.0 %
0.560250000000	-	1	0.0 %
0.560437500000	-	1	0.0 %
0.561458333333	-	1	0.0 %
0.563104166667	-	1	0.0 %
0.566791666667	-	1	0.0 %
0.567833333333	-	1	0.0 %
0.569062500000	-	1	0.0 %
0.571187500000	-	1	0.0 %
0.576354166667	-	1	0.0 %
0.576729166667	-	1	0.0 %
0.577312500000	-	1	0.0 %
0.582979166667	-	1	0.0 %
0.584770833333	-	1	0.0 %
0.588437500000	-	1	0.0 %
0.589354166667	-	1	0.0 %
0.592416666667	-	1	0.0 %
0.592479166667	-	1	0.0 %
0.592770833333	-	1	0.0 %
0.594958333333	-	1	0.0 %
0.595833333333	-	1	0.0 %
0.596395833333	-	1	0.0 %
0.596895833333	-	1	0.0 %
0.598520833333	-	1	0.0 %
0.600416666667	-	1	0.0 %
0.601020833333	-	1	0.0 %
0.602062500000	-	1	0.0 %
0.603750000000	-	1	0.0 %
0.606916666667	-	1	0.0 %
0.610333333333	-	1	0.0 %
0.610854166667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.611500000000	-	1	0.0 %
0.612062500000	-	1	0.0 %
0.612104166667	-	1	0.0 %
0.612166666667	-	1	0.0 %
0.612229166667	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	60	1.8 %
98.000000000000	REFUSED/MISSING	60	1.8 %
99.000000000000	INVALID	80	2.4 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,091 valid cases out of 3,291 total cases.

- Mean: 1.136647860514
- Minimum: 0.412083333333
- Maximum: 4.512708333333
- Standard Deviation: 0.319581709508

Location: 264-278 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWN3: SGST: normal single-task trial #3

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,110 valid cases out of 3,291 total cases.

- Mean: 1.177680016221
- Minimum: 0.409833333333
- Maximum: 5.490520833333
- Standard Deviation: 0.338186444948

Location: 279-293 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95 , 98 , 99

C3TSWN4: SGST: normal single-task trial #4

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,147 valid cases out of 3,291 total cases.

- Mean: 1.114183599286
- Minimum: 0.449333333333
- Maximum: 3.934083333333
- Standard Deviation: 0.302399354409

Location: 294-308 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95 , 98 , 99

C3TSWN5: SGST: normal single-task trial #5

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,106 valid cases out of 3,291 total cases.

- Mean: 1.199031760496
- Minimum: 0.500083333333
- Maximum: 3.838833333333
- Standard Deviation: 0.320982729404

Location: 309-323 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95 , 98 , 99

C3TSWN6: SGST: normal single-task trial #6

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,130 valid cases out of 3,291 total cases.

- Mean: 1.076666002446
- Minimum: 0.419354166667

- Maximum: 3.780770833333
- Standard Deviation: 0.284392513885

Location: 324-338 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95 , 98 , 99

C3TSWN7: SGST: normal single-task trial #7

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,113 valid cases out of 3,291 total cases.

- Mean: 1.211705075677
- Minimum: 0.447395833333
- Maximum: 3.804416666667
- Standard Deviation: 0.324242855740

Location: 339-353 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95 , 98 , 99

C3TSWN8: SGST: normal single-task trial #8

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,131 valid cases out of 3,291 total cases.

- Mean: 1.098620994584
- Minimum: 0.385375000000
- Maximum: 3.611354166667
- Standard Deviation: 0.294134698624

Location: 354-368 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95 , 98 , 99

C3TSWN9: SGST: normal single-task trial #9

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-

Value	Label	Unweighted Frequency	%
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,134 valid cases out of 3,291 total cases.

- Mean: 1.175533728633
- Minimum: 0.454240362812
- Maximum: 3.855166666667
- Standard Deviation: 0.304988511708

Location: 369-383 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95 , 98 , 99

C3TSWN10: SGST: normal single-task trial #10

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,143 valid cases out of 3,291 total cases.

- Mean: 1.108418150794
- Minimum: 0.395729166667
- Maximum: 3.720937500000
- Standard Deviation: 0.303824425189

Location: 384-398 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95 , 98 , 99

C3TSWN11: SGST: normal single-task trial #11

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,140 valid cases out of 3,291 total cases.

- Mean: 1.173875795592
- Minimum: 0.480375000000
- Maximum: 4.390666666667
- Standard Deviation: 0.321156469933

Location: 399-413 (width: 15; decimal: 12)

Variable Type: numeric
 (Range of) Missing Values: 95 , 98 , 99

C3TSWN12: SGST: normal single-task trial #12

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,141 valid cases out of 3,291 total cases.

- Mean: 1.104796794900
- Minimum: 0.315895833333
- Maximum: 3.958083333333
- Standard Deviation: 0.309040963183

Location: 414-428 (width: 15; decimal: 12)
 Variable Type: numeric
 (Range of) Missing Values: 95 , 98 , 99

C3TSWN13: SGST: normal single-task trial #13

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,105 valid cases out of 3,291 total cases.

- Mean: 1.166052490508
- Minimum: 0.391479166667
- Maximum: 7.211562500000
- Standard Deviation: 0.342692811042

Location: 429-443 (width: 15; decimal: 12)
 Variable Type: numeric
 (Range of) Missing Values: 95 , 98 , 99

C3TSWN14: SGST: normal single-task trial #14

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,157 valid cases out of 3,291 total cases.

- Mean: 1.107549413406
- Minimum: 0.352104166667
- Maximum: 4.219479166667
- Standard Deviation: 0.283799668468

Location: 444-458 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95 , 98 , 99

C3TSWN15: SGST: normal single-task trial #15

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,102 valid cases out of 3,291 total cases.

- Mean: 1.169304230166
- Minimum: 0.470291666667
- Maximum: 4.225520833333
- Standard Deviation: 0.328243962132

Location: 459-473 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95 , 98 , 99

C3TSWN16: SGST: normal single-task trial #16

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,156 valid cases out of 3,291 total cases.

- Mean: 1.076720213498
- Minimum: 0.282145833333
- Maximum: 4.718479166667
- Standard Deviation: 0.291701698518

Location: 474-488 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95 , 98 , 99

C3TSWN17: SGST: normal single-task trial #17

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,121 valid cases out of 3,291 total cases.

- Mean: 1.178048485099
- Minimum: 0.487619047619
- Maximum: 4.025062500000
- Standard Deviation: 0.325622989724

Location: 489-503 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95 , 98 , 99

C3TSWN18: SGST: normal single-task trial #18

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,151 valid cases out of 3,291 total cases.

- Mean: 1.101879301625
- Minimum: 0.426395833333
- Maximum: 4.497895833333
- Standard Deviation: 0.312961175838

Location: 504-518 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95 , 98 , 99

C3TSWN19: SGST: normal single-task trial #19

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,131 valid cases out of 3,291 total cases.

- Mean: 1.132805554130
- Minimum: 0.444791666667

- Maximum: 3.985791666667
- Standard Deviation: 0.314388955592

Location: 519-533 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95 , 98 , 99

C3TSWN20: SGST: normal single-task trial #20

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,158 valid cases out of 3,291 total cases.

- Mean: 1.095296615282
- Minimum: 0.459145833333
- Maximum: 5.203937500000
- Standard Deviation: 0.301129752805

Location: 534-548 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95 , 98 , 99

C3TSWR1: SGST: reverse single-task trial #1

Value	Label	Unweighted Frequency	%
0.660062500000	-	1	0.0 %
0.682333333333	-	1	0.0 %
0.696666666667	-	1	0.0 %
0.706125000000	-	1	0.0 %
0.721145833333	-	1	0.0 %
0.728208333333	-	1	0.0 %
0.739395833333	-	1	0.0 %
0.742416666667	-	1	0.0 %
0.748854166667	-	1	0.0 %
0.763356009070	-	1	0.0 %
0.763812500000	-	1	0.0 %
0.765375000000	-	1	0.0 %
0.767520833333	-	1	0.0 %
0.768270833333	-	1	0.0 %
0.777437500000	-	1	0.0 %
0.783708333333	-	1	0.0 %
0.790479166667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.790520833333	-	1	0.0 %
0.794687500000	-	1	0.0 %
0.797104166667	-	1	0.0 %
0.800229166667	-	1	0.0 %
0.803458333333	-	1	0.0 %
0.803541666667	-	1	0.0 %
0.806708333333	-	1	0.0 %
0.818500000000	-	1	0.0 %
0.821354166667	-	1	0.0 %
0.822812500000	-	1	0.0 %
0.838583333333	-	1	0.0 %
0.839833333333	-	1	0.0 %
0.840041666667	-	1	0.0 %
0.851666666667	-	1	0.0 %
0.854354166667	-	1	0.0 %
0.861312500000	-	1	0.0 %
0.863645833333	-	1	0.0 %
0.868354166667	-	1	0.0 %
0.870333333333	-	1	0.0 %
0.874895833333	-	1	0.0 %
0.875583333333	-	1	0.0 %
0.876437500000	-	1	0.0 %
0.876553287982	-	1	0.0 %
0.876791666667	-	1	0.0 %
0.879437500000	-	1	0.0 %
0.886020833333	-	1	0.0 %
0.887166666667	-	1	0.0 %
0.889166666667	-	1	0.0 %
0.891729166667	-	1	0.0 %
0.891812500000	-	1	0.0 %
0.891854166667	-	1	0.0 %
0.891958333333	-	1	0.0 %
0.892333333333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	185	5.6 %
98.000000000000	REFUSED/MISSING	58	1.8 %
99.000000000000	INVALID	87	2.6 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,961 valid cases out of 3,291 total cases.

- Mean: 1.582053587056
- Minimum: 0.660062500000
- Maximum: 6.301750000000
- Standard Deviation: 0.486532445812

Location: 549-563 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWR2: SGST: reverse single-task trial #2

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,094 valid cases out of 3,291 total cases.

- Mean: 1.148009839902
- Minimum: 0.401083333333
- Maximum: 4.330416666667
- Standard Deviation: 0.374423200067

Location: 564-578 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95 , 98 , 99

C3TSWR3: SGST: reverse single-task trial #3

Value	Label	Unweighted Frequency	%
0.473187500000	-	1	0.0 %
0.543166666667	-	1	0.0 %
0.563083900227	-	1	0.0 %
0.568395833333	-	1	0.0 %
0.568866213152	-	1	0.0 %
0.573333333333	-	1	0.0 %
0.583916666667	-	1	0.0 %
0.590541666667	-	1	0.0 %
0.603854166667	-	1	0.0 %
0.605625000000	-	1	0.0 %
0.608916666667	-	1	0.0 %
0.613812500000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.615520833333	-	1	0.0 %
0.621229166667	-	1	0.0 %
0.623583333333	-	1	0.0 %
0.625104166667	-	1	0.0 %
0.630333333333	-	1	0.0 %
0.633520833333	-	1	0.0 %
0.637375000000	-	1	0.0 %
0.640375000000	-	1	0.0 %
0.644833333333	-	1	0.0 %
0.645187500000	-	1	0.0 %
0.648958333333	-	1	0.0 %
0.649437500000	-	1	0.0 %
0.652541666667	-	1	0.0 %
0.654395833333	-	1	0.0 %
0.658708333333	-	1	0.0 %
0.664729166667	-	1	0.0 %
0.667875000000	-	1	0.0 %
0.668458333333	-	1	0.0 %
0.669895833333	-	1	0.0 %
0.670729166667	-	1	0.0 %
0.675708333333	-	1	0.0 %
0.677500000000	-	1	0.0 %
0.679395833333	-	1	0.0 %
0.679750000000	-	1	0.0 %
0.680187500000	-	1	0.0 %
0.684583333333	-	1	0.0 %
0.686229166667	-	1	0.0 %
0.687166666667	-	1	0.0 %
0.688958333333	-	1	0.0 %
0.689395833333	-	1	0.0 %
0.690333333333	-	1	0.0 %
0.691208333333	-	1	0.0 %
0.692875000000	-	1	0.0 %
0.699666666667	-	1	0.0 %
0.704083333333	-	1	0.0 %
0.704916666667	-	1	0.0 %
0.706270833333	-	1	0.0 %
0.711083333333	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
95.000000000000	INCORRECT	120	3.6 %
98.000000000000	REFUSED/MISSING	58	1.8 %
99.000000000000	INVALID	62	1.9 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,051 valid cases out of 3,291 total cases.

- Mean: 1.360205338144
- Minimum: 0.473187500000
- Maximum: 6.831270833333
- Standard Deviation: 0.434394549817

Location: 579-593 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWR4: SGST: reverse single-task trial #4

Value	Label	Unweighted Frequency	%
0.310583333333	-	1	0.0 %
0.379520833333	-	1	0.0 %
0.393312500000	-	1	0.0 %
0.393812500000	-	1	0.0 %
0.406791666667	-	1	0.0 %
0.424145833333	-	1	0.0 %
0.439437500000	-	1	0.0 %
0.441375000000	-	1	0.0 %
0.442354166667	-	1	0.0 %
0.443458333333	-	1	0.0 %
0.461375000000	-	1	0.0 %
0.463604166667	-	1	0.0 %
0.464479166667	-	1	0.0 %
0.469312500000	-	1	0.0 %
0.471916666667	-	1	0.0 %
0.474041666667	-	1	0.0 %
0.475354166667	-	1	0.0 %
0.476958333333	-	1	0.0 %
0.478250000000	-	1	0.0 %
0.482187500000	-	1	0.0 %
0.484604166667	-	1	0.0 %
0.488250000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.488395833333	-	1	0.0 %
0.488895833333	-	1	0.0 %
0.490375000000	-	1	0.0 %
0.490895833333	-	1	0.0 %
0.495479166667	-	1	0.0 %
0.495666666667	-	1	0.0 %
0.499206349206	-	1	0.0 %
0.503937500000	-	1	0.0 %
0.506083333333	-	1	0.0 %
0.506187500000	-	1	0.0 %
0.506458333333	-	1	0.0 %
0.512229166667	-	1	0.0 %
0.513395833333	-	1	0.0 %
0.513520833333	-	1	0.0 %
0.520916666667	-	1	0.0 %
0.525291666667	-	1	0.0 %
0.530375000000	-	1	0.0 %
0.530583333333	-	1	0.0 %
0.532125000000	-	1	0.0 %
0.534020833333	-	1	0.0 %
0.536875000000	-	1	0.0 %
0.537479166667	-	1	0.0 %
0.540791666667	-	1	0.0 %
0.541958333333	-	1	0.0 %
0.544312500000	-	1	0.0 %
0.546145833333	-	1	0.0 %
0.546395833333	-	1	0.0 %
0.548145833333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	113	3.4 %
98.000000000000	REFUSED/MISSING	58	1.8 %
99.000000000000	INVALID	69	2.1 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,051 valid cases out of 3,291 total cases.

- Mean: 1.170108028338
- Minimum: 0.310583333333

- Maximum: 5.070479166667
- Standard Deviation: 0.426094610919

Location: 594-608 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWR5: SGST: reverse single-task trial #5

Value	Label	Unweighted Frequency	%
0.448541666667	-	1	0.0 %
0.468416666667	-	1	0.0 %
0.472812500000	-	1	0.0 %
0.488895833333	-	1	0.0 %
0.503020833333	-	1	0.0 %
0.510187500000	-	1	0.0 %
0.534062500000	-	1	0.0 %
0.534854166667	-	1	0.0 %
0.534916666667	-	1	0.0 %
0.538833333333	-	1	0.0 %
0.539000000000	-	1	0.0 %
0.555375000000	-	1	0.0 %
0.564125000000	-	1	0.0 %
0.566104166667	-	1	0.0 %
0.567041666667	-	1	0.0 %
0.581125000000	-	1	0.0 %
0.587437500000	-	1	0.0 %
0.587562500000	-	1	0.0 %
0.591875000000	-	1	0.0 %
0.594750000000	-	1	0.0 %
0.595479166667	-	1	0.0 %
0.595895833333	-	1	0.0 %
0.599395833333	-	1	0.0 %
0.604104166667	-	1	0.0 %
0.608270833333	-	1	0.0 %
0.617479166667	-	1	0.0 %
0.624812500000	-	1	0.0 %
0.625687500000	-	1	0.0 %
0.626041666667	-	1	0.0 %
0.630812500000	-	1	0.0 %
0.631520833333	-	1	0.0 %
0.635770833333	-	1	0.0 %
0.636270833333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.637958333333	-	1	0.0 %
0.647166666667	-	1	0.0 %
0.650770833333	-	1	0.0 %
0.651687500000	-	1	0.0 %
0.652354166667	-	1	0.0 %
0.652854166667	-	1	0.0 %
0.655479166667	-	1	0.0 %
0.659729166667	-	1	0.0 %
0.660875000000	-	1	0.0 %
0.662333333333	-	1	0.0 %
0.663937500000	-	1	0.0 %
0.664479166667	-	1	0.0 %
0.665958333333	-	1	0.0 %
0.669062500000	-	1	0.0 %
0.675187500000	-	1	0.0 %
0.675395833333	-	1	0.0 %
0.676541666667	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	169	5.1 %
98.000000000000	REFUSED/MISSING	58	1.8 %
99.000000000000	INVALID	73	2.2 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,991 valid cases out of 3,291 total cases.

- Mean: 1.308501293895
- Minimum: 0.448541666667
- Maximum: 9.429291666667
- Standard Deviation: 0.459112339061

Location: 609-623 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWR6: SGST: reverse single-task trial #6

Value	Label	Unweighted Frequency	%
0.467500000000	-	1	0.0 %
0.472666666667	-	1	0.0 %
0.476041666667	-	1	0.0 %
0.522958333333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.532729166667	-	1	0.0 %
0.541187500000	-	1	0.0 %
0.543125000000	-	1	0.0 %
0.555083333333	-	1	0.0 %
0.556958333333	-	1	0.0 %
0.558645833333	-	1	0.0 %
0.583187500000	-	1	0.0 %
0.583645833333	-	1	0.0 %
0.583791666667	-	1	0.0 %
0.592125000000	-	1	0.0 %
0.597250000000	-	1	0.0 %
0.598291666667	-	1	0.0 %
0.599833333333	-	1	0.0 %
0.609523809524	-	1	0.0 %
0.620520833333	-	1	0.0 %
0.621166666667	-	1	0.0 %
0.621729166667	-	1	0.0 %
0.625979166667	-	1	0.0 %
0.628062500000	-	1	0.0 %
0.634000000000	-	1	0.0 %
0.640083333333	-	1	0.0 %
0.640500000000	-	1	0.0 %
0.642625000000	-	1	0.0 %
0.642937500000	-	1	0.0 %
0.654708333333	-	1	0.0 %
0.656291666667	-	1	0.0 %
0.657666666667	-	1	0.0 %
0.662333333333	-	1	0.0 %
0.663395833333	-	1	0.0 %
0.665500000000	-	1	0.0 %
0.666145833333	-	1	0.0 %
0.668291666667	-	1	0.0 %
0.669916666667	-	1	0.0 %
0.671979166667	-	1	0.0 %
0.672937500000	-	1	0.0 %
0.674458333333	-	1	0.0 %
0.675354166667	-	1	0.0 %
0.676083333333	-	1	0.0 %
0.676291666667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.677645833333	-	1	0.0 %
0.678729166667	-	1	0.0 %
0.681375000000	-	1	0.0 %
0.681770833333	-	1	0.0 %
0.687000000000	-	1	0.0 %
0.687479166667	-	1	0.0 %
0.688145833333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	85	2.6 %
98.000000000000	REFUSED/MISSING	58	1.8 %
99.000000000000	INVALID	75	2.3 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,073 valid cases out of 3,291 total cases.

- Mean: 1.284471399565
- Minimum: 0.467500000000
- Maximum: 14.431687500000
- Standard Deviation: 0.473735592488

Location: 624-638 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWR7: SGST: reverse single-task trial #7

Value	Label	Unweighted Frequency	%
0.358708333333	-	1	0.0 %
0.398812500000	-	1	0.0 %
0.420041666667	-	1	0.0 %
0.433833333333	-	1	0.0 %
0.435541666667	-	1	0.0 %
0.473541666667	-	1	0.0 %
0.486229166667	-	1	0.0 %
0.506166666667	-	1	0.0 %
0.512354166667	-	1	0.0 %
0.516250000000	-	1	0.0 %
0.523708333333	-	1	0.0 %
0.529270833333	-	1	0.0 %
0.532979166667	-	1	0.0 %
0.533375000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.534437500000	-	1	0.0 %
0.537020833333	-	1	0.0 %
0.544958333333	-	1	0.0 %
0.546708333333	-	1	0.0 %
0.557145833333	-	1	0.0 %
0.561312500000	-	1	0.0 %
0.565750000000	-	1	0.0 %
0.566500000000	-	1	0.0 %
0.569604166667	-	1	0.0 %
0.581500000000	-	1	0.0 %
0.584333333333	-	1	0.0 %
0.586833333333	-	1	0.0 %
0.588020833333	-	1	0.0 %
0.589000000000	-	1	0.0 %
0.591187500000	-	1	0.0 %
0.591687500000	-	1	0.0 %
0.595791666667	-	1	0.0 %
0.597250000000	-	1	0.0 %
0.605645833333	-	1	0.0 %
0.608645833333	-	1	0.0 %
0.609666666667	-	1	0.0 %
0.610687500000	-	1	0.0 %
0.612187500000	-	1	0.0 %
0.618937500000	-	1	0.0 %
0.620937500000	-	1	0.0 %
0.621041666667	-	1	0.0 %
0.621208333333	-	1	0.0 %
0.622104166667	-	1	0.0 %
0.627229166667	-	1	0.0 %
0.629500000000	-	1	0.0 %
0.631479166667	-	1	0.0 %
0.632104166667	-	1	0.0 %
0.632270833333	-	1	0.0 %
0.633333333333	-	1	0.0 %
0.635520833333	-	1	0.0 %
0.636458333333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	192	5.8 %
98.000000000000	REFUSED/MISSING	58	1.8 %

Value	Label	Unweighted Frequency	%
99.000000000000	INVALID	86	2.6 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,955 valid cases out of 3,291 total cases.

- Mean: 1.347649621340
- Minimum: 0.358708333333
- Maximum: 5.754520833333
- Standard Deviation: 0.498276467058

Location: 639-653 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWR8: SGST: reverse single-task trial #8

Value	Label	Unweighted Frequency	%
0.441291666667	-	1	0.0 %
0.506958333333	-	1	0.0 %
0.559750000000	-	1	0.0 %
0.564479166667	-	1	0.0 %
0.587187500000	-	1	0.0 %
0.594083333333	-	1	0.0 %
0.597937500000	-	1	0.0 %
0.600708333333	-	1	0.0 %
0.612604166667	-	1	0.0 %
0.614958333333	-	1	0.0 %
0.617479166667	-	1	0.0 %
0.619583333333	-	1	0.0 %
0.629229166667	-	1	0.0 %
0.631062500000	-	1	0.0 %
0.632125000000	-	1	0.0 %
0.637604166667	-	1	0.0 %
0.643083333333	-	1	0.0 %
0.644895833333	-	1	0.0 %
0.649270833333	-	1	0.0 %
0.649333333333	-	1	0.0 %
0.649645833333	-	1	0.0 %
0.655250000000	-	1	0.0 %
0.657395833333	-	1	0.0 %
0.658708333333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.658958333333	-	1	0.0 %
0.660666666667	-	1	0.0 %
0.662708333333	-	1	0.0 %
0.674604166667	-	1	0.0 %
0.678208333333	-	1	0.0 %
0.679458333333	-	1	0.0 %
0.680000000000	-	1	0.0 %
0.682083333333	-	1	0.0 %
0.683770833333	-	1	0.0 %
0.685250000000	-	1	0.0 %
0.686145833333	-	1	0.0 %
0.688041666667	-	1	0.0 %
0.691895833333	-	1	0.0 %
0.693437500000	-	1	0.0 %
0.696250000000	-	1	0.0 %
0.699854166667	-	1	0.0 %
0.700791666667	-	1	0.0 %
0.700895833333	-	1	0.0 %
0.703312500000	-	1	0.0 %
0.703833333333	-	1	0.0 %
0.706062500000	-	1	0.0 %
0.707479166667	-	1	0.0 %
0.708645833333	-	1	0.0 %
0.709041666667	-	1	0.0 %
0.710166666667	-	1	0.0 %
0.711020833333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	162	4.9 %
98.000000000000	REFUSED/MISSING	58	1.8 %
99.000000000000	INVALID	79	2.4 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,992 valid cases out of 3,291 total cases.

- Mean: 1.394415451668
- Minimum: 0.441291666667
- Maximum: 6.953895833333
- Standard Deviation: 0.445377967634

Location: 654-668 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWR9: SGST: reverse single-task trial #9

Value	Label	Unweighted Frequency	%
0.326208333333	-	1	0.0 %
0.416020833333	-	1	0.0 %
0.418000000000	-	1	0.0 %
0.460145833333	-	1	0.0 %
0.482395833333	-	1	0.0 %
0.485666666667	-	1	0.0 %
0.490645833333	-	1	0.0 %
0.515229166667	-	1	0.0 %
0.517375000000	-	1	0.0 %
0.517729166667	-	1	0.0 %
0.518750000000	-	1	0.0 %
0.519750000000	-	1	0.0 %
0.521458333333	-	1	0.0 %
0.535125000000	-	1	0.0 %
0.546437500000	-	1	0.0 %
0.546916666667	-	1	0.0 %
0.546979166667	-	1	0.0 %
0.548291666667	-	1	0.0 %
0.553916666667	-	1	0.0 %
0.558312500000	-	1	0.0 %
0.559416666667	-	1	0.0 %
0.561916666667	-	1	0.0 %
0.564020833333	-	1	0.0 %
0.564145833333	-	1	0.0 %
0.566354166667	-	1	0.0 %
0.570000000000	-	1	0.0 %
0.576020833333	-	1	0.0 %
0.576958333333	-	1	0.0 %
0.584708333333	-	1	0.0 %
0.585270833333	-	1	0.0 %
0.585354166667	-	1	0.0 %
0.589145833333	-	1	0.0 %
0.590604166667	-	1	0.0 %
0.591687500000	-	1	0.0 %
0.591791666667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.594854166667	-	1	0.0 %
0.595708333333	-	1	0.0 %
0.598666666667	-	1	0.0 %
0.599125000000	-	1	0.0 %
0.600187500000	-	1	0.0 %
0.602729166667	-	1	0.0 %
0.604541666667	-	1	0.0 %
0.605354166667	-	1	0.0 %
0.605437500000	-	1	0.0 %
0.606958333333	-	1	0.0 %
0.608437500000	-	1	0.0 %
0.608895833333	-	1	0.0 %
0.610645833333	-	1	0.0 %
0.611812500000	-	1	0.0 %
0.612354166667	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	176	5.3 %
98.000000000000	REFUSED/MISSING	58	1.8 %
99.000000000000	INVALID	79	2.4 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,978 valid cases out of 3,291 total cases.

- Mean: 1.322858195658
- Minimum: 0.326208333333
- Maximum: 10.293583333333
- Standard Deviation: 0.528402733184

Location: 669-683 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWR10: SGST: reverse single-task trial #10

Value	Label	Unweighted Frequency	%
0.453729166667	-	1	0.0 %
0.505729166667	-	1	0.0 %
0.520062500000	-	1	0.0 %
0.545958333333	-	1	0.0 %
0.559250000000	-	1	0.0 %
0.564645833333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.568687500000	-	1	0.0 %
0.601479166667	-	1	0.0 %
0.608875000000	-	1	0.0 %
0.619854166667	-	1	0.0 %
0.626708333333	-	1	0.0 %
0.626875000000	-	1	0.0 %
0.631125000000	-	1	0.0 %
0.639895833333	-	1	0.0 %
0.641166666667	-	1	0.0 %
0.648707482993	-	1	0.0 %
0.651708333333	-	1	0.0 %
0.653541666667	-	1	0.0 %
0.656208333333	-	1	0.0 %
0.661020833333	-	1	0.0 %
0.661041666667	-	1	0.0 %
0.670208333333	-	1	0.0 %
0.674375000000	-	1	0.0 %
0.674729166667	-	1	0.0 %
0.678270833333	-	1	0.0 %
0.678395833333	-	1	0.0 %
0.679979166667	-	1	0.0 %
0.683750000000	-	1	0.0 %
0.688666666667	-	1	0.0 %
0.688958333333	-	1	0.0 %
0.695541666667	-	1	0.0 %
0.699875000000	-	1	0.0 %
0.699916666667	-	1	0.0 %
0.700479166667	-	1	0.0 %
0.700729166667	-	1	0.0 %
0.703187500000	-	1	0.0 %
0.704395833333	-	1	0.0 %
0.705145833333	-	1	0.0 %
0.705291666667	-	1	0.0 %
0.707729166667	-	1	0.0 %
0.708875000000	-	1	0.0 %
0.709104166667	-	1	0.0 %
0.709291666667	-	1	0.0 %
0.712187500000	-	1	0.0 %
0.713312500000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.713937500000	-	1	0.0 %
0.715479166667	-	1	0.0 %
0.716229166667	-	1	0.0 %
0.721291666667	-	1	0.0 %
0.722458333333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	173	5.3 %
98.000000000000	REFUSED/MISSING	58	1.8 %
99.000000000000	INVALID	73	2.2 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,987 valid cases out of 3,291 total cases.

- Mean: 1.417445643613
- Minimum: 0.453729166667
- Maximum: 7.288958333333
- Standard Deviation: 0.479490790965

Location: 684-698 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWR11: SGST: reverse single-task trial #11

Value	Label	Unweighted Frequency	%
0.375000000000	-	1	0.0 %
0.404416666667	-	1	0.0 %
0.453833333333	-	1	0.0 %
0.457142857143	-	1	0.0 %
0.459208333333	-	1	0.0 %
0.467354166667	-	1	0.0 %
0.475895833333	-	1	0.0 %
0.482770833333	-	1	0.0 %
0.486854166667	-	1	0.0 %
0.494208333333	-	1	0.0 %
0.526833333333	-	1	0.0 %
0.531375000000	-	1	0.0 %
0.537041666667	-	1	0.0 %
0.537520833333	-	1	0.0 %
0.538729166667	-	1	0.0 %
0.551208333333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.552583333333	-	1	0.0 %
0.552750000000	-	1	0.0 %
0.555666666667	-	1	0.0 %
0.556395833333	-	1	0.0 %
0.559916666667	-	1	0.0 %
0.561000000000	-	1	0.0 %
0.562250000000	-	1	0.0 %
0.563479166667	-	1	0.0 %
0.568791666667	-	1	0.0 %
0.574791666667	-	1	0.0 %
0.575187500000	-	1	0.0 %
0.577375000000	-	1	0.0 %
0.577666666667	-	1	0.0 %
0.586303854875	-	1	0.0 %
0.587750000000	-	1	0.0 %
0.590520833333	-	1	0.0 %
0.594500000000	-	1	0.0 %
0.595645833333	-	1	0.0 %
0.596416666667	-	1	0.0 %
0.596895833333	-	1	0.0 %
0.598416666667	-	1	0.0 %
0.599604166667	-	1	0.0 %
0.600479166667	-	1	0.0 %
0.608854166667	-	1	0.0 %
0.608895833333	-	1	0.0 %
0.609812500000	-	1	0.0 %
0.611625000000	-	1	0.0 %
0.613500000000	-	1	0.0 %
0.614187500000	-	1	0.0 %
0.614562500000	-	1	0.0 %
0.616875000000	-	1	0.0 %
0.617833333333	-	1	0.0 %
0.619937500000	-	1	0.0 %
0.623458333333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	174	5.3 %
98.000000000000	REFUSED/MISSING	58	1.8 %
99.000000000000	INVALID	92	2.8 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,967 valid cases out of 3,291 total cases.

- Mean: 1.304214792864
- Minimum: 0.375000000000
- Maximum: 7.366979166667
- Standard Deviation: 0.494201005090

Location: 699-713 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWR12: SGST: reverse single-task trial #12

Value	Label	Unweighted Frequency	%
0.444750000000	-	1	0.0 %
0.500479166667	-	1	0.0 %
0.532812500000	-	1	0.0 %
0.560666666667	-	1	0.0 %
0.572958333333	-	1	0.0 %
0.576083333333	-	1	0.0 %
0.576708333333	-	1	0.0 %
0.589145833333	-	1	0.0 %
0.601166666667	-	1	0.0 %
0.603416666667	-	1	0.0 %
0.632471655329	-	1	0.0 %
0.641979166667	-	1	0.0 %
0.643770833333	-	1	0.0 %
0.649333333333	-	1	0.0 %
0.651562500000	-	1	0.0 %
0.651750000000	-	1	0.0 %
0.658791666667	-	1	0.0 %
0.659104166667	-	1	0.0 %
0.661875000000	-	1	0.0 %
0.662854166667	-	1	0.0 %
0.667333333333	-	1	0.0 %
0.670645833333	-	1	0.0 %
0.678270833333	-	1	0.0 %
0.678354166667	-	1	0.0 %
0.681604166667	-	1	0.0 %
0.682625000000	-	1	0.0 %
0.684520833333	-	1	0.0 %
0.685854166667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.687291666667	-	1	0.0 %
0.689062500000	-	1	0.0 %
0.694833333333	-	2	0.1 %
0.697729166667	-	1	0.0 %
0.698229166667	-	1	0.0 %
0.700208333333	-	1	0.0 %
0.702729166667	-	1	0.0 %
0.706145833333	-	1	0.0 %
0.706604166667	-	1	0.0 %
0.708354166667	-	1	0.0 %
0.716375000000	-	1	0.0 %
0.717916666667	-	1	0.0 %
0.718937500000	-	1	0.0 %
0.719083333333	-	1	0.0 %
0.722604166667	-	1	0.0 %
0.723229166667	-	1	0.0 %
0.724270833333	-	1	0.0 %
0.728354166667	-	1	0.0 %
0.730125000000	-	2	0.1 %
0.730750000000	-	1	0.0 %
0.731645833333	-	1	0.0 %
0.731729166667	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	163	5.0 %
98.000000000000	REFUSED/MISSING	58	1.8 %
99.000000000000	INVALID	82	2.5 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,988 valid cases out of 3,291 total cases.

- Mean: 1.407715357426
- Minimum: 0.444750000000
- Maximum: 10.103458333333
- Standard Deviation: 0.510148604393

Location: 714-728 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWR13: SGST: reverse single-task trial #13

Value	Label	Unweighted Frequency	%
0.472562500000	-	1	0.0 %
0.484739229025	-	1	0.0 %
0.551833333333	-	1	0.0 %
0.556479166667	-	1	0.0 %
0.591937500000	-	1	0.0 %
0.594166666667	-	1	0.0 %
0.606333333333	-	1	0.0 %
0.609523809524	-	1	0.0 %
0.615958333333	-	1	0.0 %
0.619312500000	-	1	0.0 %
0.626270833333	-	1	0.0 %
0.626666666667	-	1	0.0 %
0.630833333333	-	1	0.0 %
0.639166666667	-	1	0.0 %
0.639875000000	-	1	0.0 %
0.642604166667	-	1	0.0 %
0.644687500000	-	1	0.0 %
0.650375000000	-	1	0.0 %
0.655250000000	-	1	0.0 %
0.656395833333	-	1	0.0 %
0.658916666667	-	1	0.0 %
0.667875000000	-	1	0.0 %
0.673020833333	-	1	0.0 %
0.675520833333	-	1	0.0 %
0.679875000000	-	1	0.0 %
0.681770833333	-	1	0.0 %
0.683770833333	-	1	0.0 %
0.685291666667	-	1	0.0 %
0.686937500000	-	1	0.0 %
0.689187500000	-	1	0.0 %
0.692625000000	-	1	0.0 %
0.693354166667	-	1	0.0 %
0.694687500000	-	1	0.0 %
0.698145833333	-	1	0.0 %
0.699291666667	-	1	0.0 %
0.700729166667	-	1	0.0 %
0.701770833333	-	1	0.0 %
0.705187500000	-	1	0.0 %
0.709416666667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.725500000000	-	1	0.0 %
0.725833333333	-	1	0.0 %
0.726437500000	-	1	0.0 %
0.726916666667	-	1	0.0 %
0.732020833333	-	1	0.0 %
0.732375000000	-	1	0.0 %
0.734500000000	-	1	0.0 %
0.735020833333	-	1	0.0 %
0.736812500000	-	1	0.0 %
0.737729166667	-	1	0.0 %
0.738583333333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	138	4.2 %
98.000000000000	REFUSED/MISSING	58	1.8 %
99.000000000000	INVALID	88	2.7 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,007 valid cases out of 3,291 total cases.

- Mean: 1.380234731217
- Minimum: 0.472562500000
- Maximum: 8.202729166667
- Standard Deviation: 0.458127952546

Location: 729-743 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWR14: SGST: reverse single-task trial #14

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,086 valid cases out of 3,291 total cases.

- Mean: 1.160191074898
- Minimum: 0.347125000000
- Maximum: 5.622270833333
- Standard Deviation: 0.391605529096

Location: 744-758 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95 , 98 , 99

C3TSWR15: SGST: reverse single-task trial #15

Value	Label	Unweighted Frequency	%
0.402875000000	-	1	0.0 %
0.420145833333	-	1	0.0 %
0.437500000000	-	1	0.0 %
0.446062500000	-	1	0.0 %
0.450187500000	-	1	0.0 %
0.454583333333	-	1	0.0 %
0.465979166667	-	1	0.0 %
0.466041666667	-	1	0.0 %
0.467958333333	-	1	0.0 %
0.485000000000	-	1	0.0 %
0.491833333333	-	1	0.0 %
0.496000000000	-	1	0.0 %
0.499937500000	-	1	0.0 %
0.509770833333	-	1	0.0 %
0.513562500000	-	1	0.0 %
0.513791666667	-	1	0.0 %
0.514354166667	-	1	0.0 %
0.517229166667	-	1	0.0 %
0.519104166667	-	1	0.0 %
0.522604166667	-	1	0.0 %
0.529583333333	-	1	0.0 %
0.532395833333	-	1	0.0 %
0.544916666667	-	1	0.0 %
0.546250000000	-	1	0.0 %
0.549166666667	-	1	0.0 %
0.550000000000	-	1	0.0 %
0.552812500000	-	1	0.0 %
0.553145833333	-	1	0.0 %
0.553604166667	-	1	0.0 %
0.556583333333	-	1	0.0 %
0.557375000000	-	1	0.0 %
0.561750000000	-	1	0.0 %
0.564416666667	-	1	0.0 %
0.565104166667	-	1	0.0 %
0.566354166667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.571916666667	-	1	0.0 %
0.576333333333	-	1	0.0 %
0.580520833333	-	1	0.0 %
0.580583333333	-	1	0.0 %
0.582000000000	-	1	0.0 %
0.584375000000	-	1	0.0 %
0.586583333333	-	1	0.0 %
0.588229166667	-	1	0.0 %
0.588979166667	-	1	0.0 %
0.593375000000	-	1	0.0 %
0.593479166667	-	1	0.0 %
0.594604166667	-	1	0.0 %
0.595187500000	-	1	0.0 %
0.595895833333	-	1	0.0 %
0.597125000000	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	201	6.1 %
98.000000000000	REFUSED/MISSING	58	1.8 %
99.000000000000	INVALID	72	2.2 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,960 valid cases out of 3,291 total cases.

- Mean: 1.263048000994
- Minimum: 0.402875000000
- Maximum: 5.826187500000
- Standard Deviation: 0.472230452890

Location: 759-773 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWR16: SGST: reverse single-task trial #16

Value	Label	Unweighted Frequency	%
0.472729166667	-	1	0.0 %
0.556708333333	-	1	0.0 %
0.571458333333	-	1	0.0 %
0.574562500000	-	1	0.0 %
0.590187500000	-	1	0.0 %
0.596125000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.596416666667	-	1	0.0 %
0.599125000000	-	1	0.0 %
0.599187500000	-	1	0.0 %
0.600937500000	-	1	0.0 %
0.607041666667	-	1	0.0 %
0.607312500000	-	1	0.0 %
0.610666666667	-	1	0.0 %
0.613166666667	-	1	0.0 %
0.615208333333	-	1	0.0 %
0.618750000000	-	1	0.0 %
0.622520833333	-	1	0.0 %
0.624104166667	-	1	0.0 %
0.628791666667	-	1	0.0 %
0.631687500000	-	1	0.0 %
0.646791666667	-	1	0.0 %
0.650875000000	-	1	0.0 %
0.657041666667	-	1	0.0 %
0.659104166667	-	1	0.0 %
0.662875000000	-	1	0.0 %
0.664604166667	-	1	0.0 %
0.668229166667	-	1	0.0 %
0.668770833333	-	1	0.0 %
0.675250000000	-	1	0.0 %
0.677875000000	-	1	0.0 %
0.679333333333	-	1	0.0 %
0.687604166667	-	1	0.0 %
0.692937500000	-	1	0.0 %
0.693458333333	-	1	0.0 %
0.693958333333	-	1	0.0 %
0.694270833333	-	1	0.0 %
0.695416666667	-	1	0.0 %
0.696598639456	-	1	0.0 %
0.696770833333	-	1	0.0 %
0.697250000000	-	1	0.0 %
0.702979166667	-	1	0.0 %
0.703104166667	-	1	0.0 %
0.703416666667	-	1	0.0 %
0.706395833333	-	1	0.0 %
0.706583333333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.707041666667	-	2	0.1 %
0.709479166667	-	1	0.0 %
0.709791666667	-	1	0.0 %
0.709916666667	-	1	0.0 %
0.713833333333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	104	3.2 %
98.000000000000	REFUSED/MISSING	58	1.8 %
99.000000000000	INVALID	73	2.2 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,056 valid cases out of 3,291 total cases.

- Mean: 1.312936900319
- Minimum: 0.472729166667
- Maximum: 4.781854166667
- Standard Deviation: 0.425867998201

Location: 774-788 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWR17: SGST: reverse single-task trial #17

Value	Label	Unweighted Frequency	%
0.391958333333	-	1	0.0 %
0.405833333333	-	1	0.0 %
0.447041666667	-	1	0.0 %
0.482604166667	-	1	0.0 %
0.489145833333	-	1	0.0 %
0.498020833333	-	1	0.0 %
0.506020833333	-	1	0.0 %
0.508562500000	-	1	0.0 %
0.526562500000	-	1	0.0 %
0.527645833333	-	1	0.0 %
0.533458333333	-	1	0.0 %
0.549625000000	-	1	0.0 %
0.552083333333	-	1	0.0 %
0.557229166667	-	1	0.0 %
0.562500000000	-	1	0.0 %
0.573145833333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.573458333333	-	1	0.0 %
0.581479166667	-	1	0.0 %
0.586333333333	-	1	0.0 %
0.588562500000	-	1	0.0 %
0.592395833333	-	1	0.0 %
0.592687500000	-	1	0.0 %
0.595291666667	-	1	0.0 %
0.598291666667	-	1	0.0 %
0.598916666667	-	1	0.0 %
0.599166666667	-	1	0.0 %
0.603666666667	-	1	0.0 %
0.604229166667	-	1	0.0 %
0.606125000000	-	1	0.0 %
0.606604166667	-	1	0.0 %
0.609375000000	-	1	0.0 %
0.610645833333	-	1	0.0 %
0.612250000000	-	1	0.0 %
0.618854166667	-	1	0.0 %
0.620187500000	-	1	0.0 %
0.621791666667	-	1	0.0 %
0.622166666667	-	1	0.0 %
0.622937500000	-	1	0.0 %
0.624104166667	-	1	0.0 %
0.625395833333	-	1	0.0 %
0.626937500000	-	1	0.0 %
0.627875000000	-	1	0.0 %
0.629895833333	-	1	0.0 %
0.630208333333	-	1	0.0 %
0.632687500000	-	1	0.0 %
0.633229166667	-	1	0.0 %
0.633270833333	-	1	0.0 %
0.633666666667	-	1	0.0 %
0.633750000000	-	1	0.0 %
0.634500000000	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	176	5.3 %
98.000000000000	REFUSED/MISSING	58	1.8 %
99.000000000000	INVALID	74	2.2 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,983 valid cases out of 3,291 total cases.

- Mean: 1.329130572571
- Minimum: 0.391958333333
- Maximum: 7.444125000000
- Standard Deviation: 0.516543131356

Location: 789-803 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWR18: SGST: reverse single-task trial #18

Value	Label	Unweighted Frequency	%
0.151500000000	-	1	0.0 %
0.354479166667	-	1	0.0 %
0.503729166667	-	1	0.0 %
0.524437500000	-	1	0.0 %
0.528458333333	-	1	0.0 %
0.539687500000	-	1	0.0 %
0.552520833333	-	1	0.0 %
0.559937500000	-	1	0.0 %
0.566937500000	-	1	0.0 %
0.589479166667	-	1	0.0 %
0.602916666667	-	1	0.0 %
0.607125000000	-	1	0.0 %
0.623583333333	-	1	0.0 %
0.625270833333	-	1	0.0 %
0.625666666667	-	1	0.0 %
0.634083333333	-	1	0.0 %
0.635062500000	-	1	0.0 %
0.636916666667	-	1	0.0 %
0.638270833333	-	1	0.0 %
0.646416666667	-	1	0.0 %
0.649604166667	-	1	0.0 %
0.654750000000	-	1	0.0 %
0.656500000000	-	1	0.0 %
0.657333333333	-	1	0.0 %
0.675125000000	-	1	0.0 %
0.677333333333	-	1	0.0 %
0.682333333333	-	1	0.0 %
0.684083333333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.684666666667	-	1	0.0 %
0.686875000000	-	1	0.0 %
0.692937500000	-	1	0.0 %
0.695333333333	-	1	0.0 %
0.696250000000	-	1	0.0 %
0.696598639456	-	1	0.0 %
0.697562500000	-	1	0.0 %
0.700854166667	-	1	0.0 %
0.701500000000	-	2	0.1 %
0.702291666667	-	1	0.0 %
0.702403628118	-	1	0.0 %
0.702645833333	-	1	0.0 %
0.705250000000	-	1	0.0 %
0.706958333333	-	1	0.0 %
0.709104166667	-	1	0.0 %
0.709229166667	-	1	0.0 %
0.709659863946	-	1	0.0 %
0.710041666667	-	1	0.0 %
0.710229166667	-	1	0.0 %
0.711166666667	-	1	0.0 %
0.711687500000	-	1	0.0 %
0.719937500000	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	162	4.9 %
98.000000000000	REFUSED/MISSING	58	1.8 %
99.000000000000	INVALID	74	2.2 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,997 valid cases out of 3,291 total cases.

- Mean: 1.419717021999
- Minimum: 0.151500000000
- Maximum: 5.986000000000
- Standard Deviation: 0.504793686903

Location: 804-818 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWR19: SGST: reverse single-task trial #19

Value	Label	Unweighted Frequency	%
0.418562500000	-	1	0.0 %
0.524541666667	-	1	0.0 %
0.527500000000	-	1	0.0 %
0.548979166667	-	1	0.0 %
0.572375000000	-	1	0.0 %
0.613875000000	-	1	0.0 %
0.619250000000	-	1	0.0 %
0.621208333333	-	1	0.0 %
0.624020833333	-	1	0.0 %
0.632562500000	-	1	0.0 %
0.640520833333	-	1	0.0 %
0.642520833333	-	1	0.0 %
0.652708333333	-	1	0.0 %
0.656187500000	-	1	0.0 %
0.663583333333	-	1	0.0 %
0.663750000000	-	1	0.0 %
0.664270833333	-	1	0.0 %
0.665666666667	-	1	0.0 %
0.667187500000	-	1	0.0 %
0.674312500000	-	1	0.0 %
0.679666666667	-	1	0.0 %
0.686270833333	-	1	0.0 %
0.689541666667	-	1	0.0 %
0.692958333333	-	1	0.0 %
0.697791666667	-	1	0.0 %
0.701875000000	-	1	0.0 %
0.703520833333	-	1	0.0 %
0.705041666667	-	1	0.0 %
0.706291666667	-	1	0.0 %
0.706833333333	-	1	0.0 %
0.708354166667	-	1	0.0 %
0.710541666667	-	1	0.0 %
0.716854166667	-	1	0.0 %
0.718166666667	-	1	0.0 %
0.718833333333	-	1	0.0 %
0.722937500000	-	1	0.0 %
0.723083333333	-	1	0.0 %
0.726375000000	-	1	0.0 %
0.728083333333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.728541666667	-	1	0.0 %
0.729312500000	-	1	0.0 %
0.730875000000	-	1	0.0 %
0.732500000000	-	1	0.0 %
0.735104166667	-	1	0.0 %
0.737895833333	-	1	0.0 %
0.743038548753	-	1	0.0 %
0.747770833333	-	1	0.0 %
0.749541666667	-	1	0.0 %
0.750895833333	-	1	0.0 %
0.752708333333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	148	4.5 %
98.000000000000	REFUSED/MISSING	58	1.8 %
99.000000000000	INVALID	85	2.6 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,000 valid cases out of 3,291 total cases.

- Mean: 1.393229908116
- Minimum: 0.418562500000
- Maximum: 5.844437500000
- Standard Deviation: 0.466197412730

Location: 819-833 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWR20: SGST: reverse single-task trial #20

Value	Label	Unweighted Frequency	%
0.189750000000	-	1	0.0 %
0.395937500000	-	1	0.0 %
0.443812500000	-	1	0.0 %
0.449875000000	-	1	0.0 %
0.452500000000	-	1	0.0 %
0.476354166667	-	1	0.0 %
0.476895833333	-	1	0.0 %
0.478562500000	-	1	0.0 %
0.484562500000	-	1	0.0 %
0.486562500000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.496645833333	-	1	0.0 %
0.496916666667	-	1	0.0 %
0.500229166667	-	1	0.0 %
0.504520833333	-	1	0.0 %
0.506145833333	-	1	0.0 %
0.516479166667	-	1	0.0 %
0.518270833333	-	1	0.0 %
0.520187500000	-	1	0.0 %
0.525958333333	-	1	0.0 %
0.533604166667	-	1	0.0 %
0.549791666667	-	1	0.0 %
0.550979166667	-	1	0.0 %
0.553750000000	-	1	0.0 %
0.555229166667	-	1	0.0 %
0.556000000000	-	1	0.0 %
0.556541666667	-	1	0.0 %
0.556937500000	-	1	0.0 %
0.561104166667	-	1	0.0 %
0.562187500000	-	1	0.0 %
0.564041666667	-	1	0.0 %
0.564625000000	-	1	0.0 %
0.565416666667	-	1	0.0 %
0.566041666667	-	1	0.0 %
0.566708333333	-	1	0.0 %
0.569625000000	-	1	0.0 %
0.570354166667	-	1	0.0 %
0.572041666667	-	1	0.0 %
0.573145833333	-	1	0.0 %
0.574250000000	-	1	0.0 %
0.574625000000	-	1	0.0 %
0.576354166667	-	1	0.0 %
0.577770833333	-	1	0.0 %
0.580812500000	-	1	0.0 %
0.581791666667	-	1	0.0 %
0.581937500000	-	1	0.0 %
0.582812500000	-	1	0.0 %
0.583562500000	-	1	0.0 %
0.585458333333	-	1	0.0 %
0.585895833333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.587732426304	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	83	2.5 %
98.000000000000	REFUSED/MISSING	58	1.8 %
99.000000000000	INVALID	75	2.3 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,075 valid cases out of 3,291 total cases.

- Mean: 1.166120839809
- Minimum: 0.189750000000
- Maximum: 8.963083333333
- Standard Deviation: 0.443188709208

Location: 834-848 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX1: SGST: mixed-task trial #1 "normal...green"

Value	Label	Unweighted Frequency	%
0.529125000000	-	1	0.0 %
0.534791666667	-	1	0.0 %
0.565250000000	-	1	0.0 %
0.591916666667	-	1	0.0 %
0.595541666667	-	1	0.0 %
0.603187500000	-	1	0.0 %
0.614833333333	-	1	0.0 %
0.621708333333	-	1	0.0 %
0.622687500000	-	1	0.0 %
0.631541666667	-	1	0.0 %
0.643104166667	-	1	0.0 %
0.646520833333	-	1	0.0 %
0.648270833333	-	1	0.0 %
0.670937500000	-	1	0.0 %
0.671104166667	-	1	0.0 %
0.674958333333	-	1	0.0 %
0.675479166667	-	1	0.0 %
0.677916666667	-	1	0.0 %
0.683041666667	-	1	0.0 %
0.683395833333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.683562500000	-	1	0.0 %
0.695750000000	-	1	0.0 %
0.698166666667	-	1	0.0 %
0.699375000000	-	1	0.0 %
0.699583333333	-	1	0.0 %
0.701604166667	-	1	0.0 %
0.702020833333	-	1	0.0 %
0.705333333333	-	1	0.0 %
0.705937500000	-	1	0.0 %
0.705979166667	-	1	0.0 %
0.706687500000	-	1	0.0 %
0.707312500000	-	1	0.0 %
0.707979166667	-	1	0.0 %
0.708208616780	-	1	0.0 %
0.708416666667	-	1	0.0 %
0.709666666667	-	1	0.0 %
0.711812500000	-	1	0.0 %
0.712312500000	-	1	0.0 %
0.714916666667	-	1	0.0 %
0.721562500000	-	1	0.0 %
0.722729166667	-	1	0.0 %
0.724562500000	-	1	0.0 %
0.726083333333	-	1	0.0 %
0.726520833333	-	1	0.0 %
0.728895833333	-	1	0.0 %
0.731916666667	-	1	0.0 %
0.733270833333	-	1	0.0 %
0.734187500000	-	1	0.0 %
0.741750000000	-	1	0.0 %
0.742145833333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	108	3.3 %
98.000000000000	REFUSED/MISSING	96	2.9 %
99.000000000000	INVALID	155	4.7 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,932 valid cases out of 3,291 total cases.

- Mean: 1.428151509748
- Minimum: 0.529125000000
- Maximum: 7.603020833333
- Standard Deviation: 0.588181858354

Location: 849-863 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX2: SGST: mixed-task trial #2 "red"

Value	Label	Unweighted Frequency	%
0.488145833333	-	1	0.0 %
0.514145833333	-	1	0.0 %
0.532062500000	-	1	0.0 %
0.536062500000	-	1	0.0 %
0.543958333333	-	1	0.0 %
0.552104166667	-	1	0.0 %
0.558791666667	-	1	0.0 %
0.562208333333	-	1	0.0 %
0.564687500000	-	1	0.0 %
0.568895833333	-	1	0.0 %
0.575833333333	-	1	0.0 %
0.579916666667	-	1	0.0 %
0.580498866213	-	1	0.0 %
0.580812500000	-	1	0.0 %
0.581541666667	-	1	0.0 %
0.586833333333	-	1	0.0 %
0.588187500000	-	1	0.0 %
0.591166666667	-	1	0.0 %
0.592333333333	-	1	0.0 %
0.596479166667	-	1	0.0 %
0.599208333333	-	1	0.0 %
0.600479166667	-	1	0.0 %
0.601895833333	-	1	0.0 %
0.606541666667	-	1	0.0 %
0.607125000000	-	1	0.0 %
0.614500000000	-	1	0.0 %
0.616708333333	-	1	0.0 %
0.620770833333	-	1	0.0 %
0.622208333333	-	1	0.0 %
0.623354166667	-	1	0.0 %
0.627145833333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.629979166667	-	1	0.0 %
0.632187500000	-	1	0.0 %
0.635270833333	-	1	0.0 %
0.635833333333	-	1	0.0 %
0.636666666667	-	1	0.0 %
0.638291666667	-	1	0.0 %
0.638312500000	-	1	0.0 %
0.638500000000	-	1	0.0 %
0.639458333333	-	1	0.0 %
0.639562500000	-	1	0.0 %
0.640916666667	-	1	0.0 %
0.641625000000	-	1	0.0 %
0.642958333333	-	1	0.0 %
0.643541666667	-	1	0.0 %
0.643708333333	-	1	0.0 %
0.644770833333	-	1	0.0 %
0.645625000000	-	1	0.0 %
0.648187500000	-	1	0.0 %
0.648291666667	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	66	2.0 %
98.000000000000	REFUSED/MISSING	96	2.9 %
99.000000000000	INVALID	85	2.6 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,044 valid cases out of 3,291 total cases.

- Mean: 1.242728966129
- Minimum: 0.488145833333
- Maximum: 5.308312500000
- Standard Deviation: 0.423387553647

Location: 864-878 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX3: SGST: mixed-task trial #3 "green"

Value	Label	Unweighted Frequency	%
95	INCORRECT	-	-
98	REFUSED/MISSING	-	-

Value	Label	Unweighted Frequency	%
99	INVALID	-	-
	Total	3,291	100%

Based upon 3,083 valid cases out of 3,291 total cases.

- Mean: 1.309799397830
- Minimum: 0.457041666667
- Maximum: 9.251541666667
- Standard Deviation: 0.441041204849

Location: 879-893 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95 , 98 , 99

C3TSWX4: SGST: mixed-task trial #4 "reverse...red"

Value	Label	Unweighted Frequency	%
0.627791666667	-	1	0.0 %
0.631916666667	-	1	0.0 %
0.657812500000	-	1	0.0 %
0.667375000000	-	1	0.0 %
0.668354166667	-	1	0.0 %
0.700520833333	-	1	0.0 %
0.701666666667	-	1	0.0 %
0.710666666667	-	1	0.0 %
0.723875000000	-	1	0.0 %
0.724395833333	-	1	0.0 %
0.749458333333	-	1	0.0 %
0.767354166667	-	1	0.0 %
0.774041666667	-	1	0.0 %
0.776104166667	-	1	0.0 %
0.777000000000	-	1	0.0 %
0.780875000000	-	1	0.0 %
0.790458333333	-	1	0.0 %
0.795770833333	-	1	0.0 %
0.801041666667	-	1	0.0 %
0.802937500000	-	1	0.0 %
0.804895833333	-	1	0.0 %
0.806166666667	-	1	0.0 %
0.807500000000	-	1	0.0 %
0.818503401361	-	1	0.0 %
0.820458333333	-	1	0.0 %
0.821416666667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.822104166667	-	1	0.0 %
0.824308390023	-	1	0.0 %
0.825166666667	-	1	0.0 %
0.826125000000	-	1	0.0 %
0.830562500000	-	1	0.0 %
0.831041666667	-	1	0.0 %
0.833666666667	-	1	0.0 %
0.834437500000	-	1	0.0 %
0.835479166667	-	1	0.0 %
0.835604166667	-	1	0.0 %
0.840375000000	-	1	0.0 %
0.843166666667	-	1	0.0 %
0.846270833333	-	1	0.0 %
0.849395833333	-	1	0.0 %
0.856166666667	-	1	0.0 %
0.856375000000	-	1	0.0 %
0.858041666667	-	1	0.0 %
0.858479166667	-	1	0.0 %
0.858625000000	-	1	0.0 %
0.858687500000	-	1	0.0 %
0.860625000000	-	1	0.0 %
0.862291666667	-	1	0.0 %
0.862812500000	-	1	0.0 %
0.866687500000	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	200	6.1 %
98.000000000000	REFUSED/MISSING	96	2.9 %
99.000000000000	INVALID	106	3.2 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,889 valid cases out of 3,291 total cases.

- Mean: 1.568926175389
- Minimum: 0.627791666667
- Maximum: 13.076416666667
- Standard Deviation: 0.562271504898

Location: 894-908 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX5: SGST: mixed-task trial #5 "red"

Value	Label	Unweighted Frequency	%
0.522250000000	-	1	0.0 %
0.574833333333	-	1	0.0 %
0.611229166667	-	1	0.0 %
0.615604166667	-	1	0.0 %
0.616229166667	-	1	0.0 %
0.618312500000	-	1	0.0 %
0.643041666667	-	1	0.0 %
0.643416666667	-	1	0.0 %
0.645083333333	-	1	0.0 %
0.645312500000	-	1	0.0 %
0.648125000000	-	1	0.0 %
0.662791666667	-	1	0.0 %
0.669024943311	-	1	0.0 %
0.678291666667	-	1	0.0 %
0.679183673469	-	1	0.0 %
0.679791666667	-	1	0.0 %
0.681166666667	-	1	0.0 %
0.687041666667	-	1	0.0 %
0.693604166667	-	1	0.0 %
0.704791666667	-	1	0.0 %
0.708083333333	-	1	0.0 %
0.713354166667	-	1	0.0 %
0.713750000000	-	1	0.0 %
0.715687500000	-	1	0.0 %
0.717312500000	-	1	0.0 %
0.718083333333	-	1	0.0 %
0.721708333333	-	1	0.0 %
0.722666666667	-	1	0.0 %
0.723354166667	-	1	0.0 %
0.725958333333	-	1	0.0 %
0.726333333333	-	1	0.0 %
0.728333333333	-	1	0.0 %
0.728937500000	-	1	0.0 %
0.730333333333	-	1	0.0 %
0.730895833333	-	1	0.0 %
0.731250000000	-	1	0.0 %
0.732020833333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.733437500000	-	1	0.0 %
0.735354166667	-	1	0.0 %
0.738187500000	-	1	0.0 %
0.738354166667	-	1	0.0 %
0.740604166667	-	1	0.0 %
0.742458333333	-	1	0.0 %
0.743000000000	-	1	0.0 %
0.744729166667	-	1	0.0 %
0.746708333333	-	1	0.0 %
0.747833333333	-	1	0.0 %
0.748187500000	-	1	0.0 %
0.748354166667	-	1	0.0 %
0.748541666667	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	171	5.2 %
98.000000000000	REFUSED/MISSING	96	2.9 %
99.000000000000	INVALID	89	2.7 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,935 valid cases out of 3,291 total cases.

- Mean: 1.336174767521
- Minimum: 0.522250000000
- Maximum: 10.903729166667
- Standard Deviation: 0.495135256754

Location: 909-923 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX6: SGST: mixed-task trial #6 "green"

Value	Label	Unweighted Frequency	%
0.450145833333	-	1	0.0 %
0.542895833333	-	1	0.0 %
0.544083333333	-	1	0.0 %
0.611229166667	-	1	0.0 %
0.643437500000	-	1	0.0 %
0.645895833333	-	1	0.0 %
0.646166666667	-	1	0.0 %
0.652854166667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.655562500000	-	1	0.0 %
0.656229166667	-	1	0.0 %
0.667541666667	-	1	0.0 %
0.667666666667	-	1	0.0 %
0.671395833333	-	1	0.0 %
0.674187500000	-	1	0.0 %
0.676812500000	-	1	0.0 %
0.679183673469	-	1	0.0 %
0.682333333333	-	1	0.0 %
0.685333333333	-	1	0.0 %
0.685500000000	-	1	0.0 %
0.693354166667	-	1	0.0 %
0.695187500000	-	1	0.0 %
0.697187500000	-	1	0.0 %
0.698000000000	-	1	0.0 %
0.698166666667	-	1	0.0 %
0.700958333333	-	1	0.0 %
0.702250000000	-	1	0.0 %
0.702403628118	-	1	0.0 %
0.702791666667	-	1	0.0 %
0.703000000000	-	1	0.0 %
0.704937500000	-	1	0.0 %
0.709541666667	-	1	0.0 %
0.711250000000	-	1	0.0 %
0.715416666667	-	1	0.0 %
0.715437500000	-	1	0.0 %
0.717562500000	-	1	0.0 %
0.719083333333	-	1	0.0 %
0.721125000000	-	1	0.0 %
0.726333333333	-	1	0.0 %
0.728187500000	-	1	0.0 %
0.729291666667	-	1	0.0 %
0.731312500000	-	1	0.0 %
0.732875000000	-	1	0.0 %
0.734541666667	-	1	0.0 %
0.734875000000	-	1	0.0 %
0.735770833333	-	1	0.0 %
0.735791666667	-	1	0.0 %
0.736145833333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.736375000000	-	1	0.0 %
0.739875000000	-	1	0.0 %
0.741687500000	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	128	3.9 %
98.000000000000	REFUSED/MISSING	96	2.9 %
99.000000000000	INVALID	72	2.2 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,995 valid cases out of 3,291 total cases.

- Mean: 1.388411191887
- Minimum: 0.450145833333
- Maximum: 7.287729166667
- Standard Deviation: 0.507895142836

Location: 924-938 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX7: SGST: mixed-task trial #7 "red"

Value	Label	Unweighted Frequency	%
0.519937500000	-	1	0.0 %
0.557166666667	-	1	0.0 %
0.590145833333	-	1	0.0 %
0.594937500000	-	1	0.0 %
0.612708333333	-	1	0.0 %
0.617395833333	-	1	0.0 %
0.618520833333	-	1	0.0 %
0.618625000000	-	1	0.0 %
0.629041666667	-	1	0.0 %
0.646604166667	-	1	0.0 %
0.646833333333	-	1	0.0 %
0.648166666667	-	1	0.0 %
0.649916666667	-	1	0.0 %
0.656354166667	-	1	0.0 %
0.660979166667	-	1	0.0 %
0.662604166667	-	1	0.0 %
0.665395833333	-	1	0.0 %
0.668250000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.681333333333	-	1	0.0 %
0.681395833333	-	1	0.0 %
0.681895833333	-	1	0.0 %
0.682791666667	-	1	0.0 %
0.692145833333	-	1	0.0 %
0.702937500000	-	1	0.0 %
0.703104166667	-	1	0.0 %
0.708937500000	-	1	0.0 %
0.718854166667	-	1	0.0 %
0.721416666667	-	1	0.0 %
0.723312500000	-	1	0.0 %
0.724625000000	-	1	0.0 %
0.724916666667	-	1	0.0 %
0.725000000000	-	1	0.0 %
0.725208333333	-	1	0.0 %
0.728041666667	-	1	0.0 %
0.733395833333	-	1	0.0 %
0.739708333333	-	1	0.0 %
0.741583333333	-	1	0.0 %
0.743750000000	-	1	0.0 %
0.748333333333	-	1	0.0 %
0.751395833333	-	1	0.0 %
0.751708333333	-	1	0.0 %
0.752458333333	-	1	0.0 %
0.753645833333	-	1	0.0 %
0.753958333333	-	1	0.0 %
0.755520833333	-	1	0.0 %
0.758270833333	-	1	0.0 %
0.758416666667	-	1	0.0 %
0.759166666667	-	1	0.0 %
0.759687500000	-	1	0.0 %
0.765604166667	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	187	5.7 %
98.000000000000	REFUSED/MISSING	96	2.9 %
99.000000000000	INVALID	82	2.5 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,926 valid cases out of 3,291 total cases.

- Mean: 1.506563785342
- Minimum: 0.519937500000
- Maximum: 10.674041666667
- Standard Deviation: 0.629016204607

Location: 939-953 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX8: SGST: mixed-task trial #8 "red"

Value	Label	Unweighted Frequency	%
0.547000000000	-	1	0.0 %
0.568895833333	-	1	0.0 %
0.570666666667	-	1	0.0 %
0.585041666667	-	1	0.0 %
0.587020833333	-	1	0.0 %
0.599458333333	-	1	0.0 %
0.602000000000	-	1	0.0 %
0.604437500000	-	1	0.0 %
0.618729166667	-	1	0.0 %
0.623687500000	-	1	0.0 %
0.627083333333	-	1	0.0 %
0.627187500000	-	1	0.0 %
0.627354166667	-	1	0.0 %
0.637895833333	-	1	0.0 %
0.646125000000	-	1	0.0 %
0.656500000000	-	1	0.0 %
0.656895833333	-	1	0.0 %
0.659729166667	-	1	0.0 %
0.660520833333	-	1	0.0 %
0.671875000000	-	1	0.0 %
0.673378684807	-	1	0.0 %
0.674583333333	-	1	0.0 %
0.676375000000	-	1	0.0 %
0.679937500000	-	1	0.0 %
0.680104166667	-	1	0.0 %
0.681750000000	-	1	0.0 %
0.683375000000	-	1	0.0 %
0.689083333333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.690125000000	-	1	0.0 %
0.694041666667	-	1	0.0 %
0.696354166667	-	1	0.0 %
0.697895833333	-	1	0.0 %
0.698000000000	-	1	0.0 %
0.700750000000	-	1	0.0 %
0.703979166667	-	1	0.0 %
0.704145833333	-	1	0.0 %
0.706979166667	-	1	0.0 %
0.708520833333	-	1	0.0 %
0.710041666667	-	1	0.0 %
0.712520833333	-	1	0.0 %
0.713062500000	-	1	0.0 %
0.713333333333	-	1	0.0 %
0.714062500000	-	1	0.0 %
0.716041666667	-	1	0.0 %
0.716229166667	-	1	0.0 %
0.719895833333	-	1	0.0 %
0.721729166667	-	1	0.0 %
0.722520833333	-	1	0.0 %
0.722708333333	-	1	0.0 %
0.723833333333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	172	5.2 %
98.000000000000	REFUSED/MISSING	96	2.9 %
99.000000000000	INVALID	72	2.2 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,951 valid cases out of 3,291 total cases.

- Mean: 1.305824542307
- Minimum: 0.547000000000
- Maximum: 5.163270833333
- Standard Deviation: 0.429212533927

Location: 954-968 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX9: SGST: mixed-task trial #9 "normal...red"

Value	Label	Unweighted Frequency	%
0.391625000000	-	1	0.0 %
0.521437500000	-	1	0.0 %
0.584000000000	-	1	0.0 %
0.585291666667	-	1	0.0 %
0.635583333333	-	1	0.0 %
0.652166666667	-	1	0.0 %
0.652625000000	-	1	0.0 %
0.665666666667	-	1	0.0 %
0.680895833333	-	1	0.0 %
0.687791666667	-	1	0.0 %
0.688333333333	-	1	0.0 %
0.690062500000	-	1	0.0 %
0.696937500000	-	1	0.0 %
0.699916666667	-	1	0.0 %
0.711500000000	-	1	0.0 %
0.716979166667	-	1	0.0 %
0.720416666667	-	1	0.0 %
0.723395833333	-	1	0.0 %
0.744125000000	-	1	0.0 %
0.747392290249	-	1	0.0 %
0.751104166667	-	1	0.0 %
0.753104166667	-	1	0.0 %
0.763541666667	-	1	0.0 %
0.768541666667	-	1	0.0 %
0.771375000000	-	1	0.0 %
0.771770833333	-	1	0.0 %
0.772354166667	-	1	0.0 %
0.772895833333	-	1	0.0 %
0.779354166667	-	1	0.0 %
0.780729166667	-	1	0.0 %
0.781833333333	-	1	0.0 %
0.787645833333	-	1	0.0 %
0.791604166667	-	1	0.0 %
0.796979166667	-	1	0.0 %
0.799291666667	-	1	0.0 %
0.804541666667	-	1	0.0 %
0.805125000000	-	1	0.0 %
0.806250000000	-	1	0.0 %
0.808500000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.809312500000	-	1	0.0 %
0.810541666667	-	1	0.0 %
0.810770833333	-	1	0.0 %
0.811395833333	-	1	0.0 %
0.812916666667	-	1	0.0 %
0.814979166667	-	1	0.0 %
0.816833333333	-	1	0.0 %
0.820875000000	-	1	0.0 %
0.821229166667	-	1	0.0 %
0.822041666667	-	1	0.0 %
0.823312500000	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	101	3.1 %
98.000000000000	REFUSED/MISSING	96	2.9 %
99.000000000000	INVALID	107	3.3 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,987 valid cases out of 3,291 total cases.

- Mean: 1.471554294873
- Minimum: 0.391625000000
- Maximum: 8.956187500000
- Standard Deviation: 0.502200116631

Location: 969-983 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX10: SGST: mixed-task trial #10 "green"

Value	Label	Unweighted Frequency	%
0.477500000000	-	1	0.0 %
0.492708333333	-	1	0.0 %
0.512270833333	-	1	0.0 %
0.528125000000	-	1	0.0 %
0.541729166667	-	1	0.0 %
0.556625000000	-	1	0.0 %
0.569083333333	-	1	0.0 %
0.576562500000	-	1	0.0 %
0.590145833333	-	1	0.0 %
0.594854166667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.596583333333	-	1	0.0 %
0.598395833333	-	1	0.0 %
0.600791666667	-	1	0.0 %
0.602312500000	-	1	0.0 %
0.606145833333	-	1	0.0 %
0.611854166667	-	1	0.0 %
0.613541666667	-	1	0.0 %
0.614000000000	-	1	0.0 %
0.614916666667	-	1	0.0 %
0.618416666667	-	1	0.0 %
0.620875000000	-	1	0.0 %
0.621208333333	-	1	0.0 %
0.622145833333	-	1	0.0 %
0.623729166667	-	1	0.0 %
0.630250000000	-	1	0.0 %
0.634395833333	-	1	0.0 %
0.637187500000	-	1	0.0 %
0.638187500000	-	1	0.0 %
0.639958333333	-	1	0.0 %
0.640437500000	-	1	0.0 %
0.643604166667	-	1	0.0 %
0.644187500000	-	1	0.0 %
0.644937500000	-	1	0.0 %
0.646000000000	-	1	0.0 %
0.650625000000	-	1	0.0 %
0.653229166667	-	1	0.0 %
0.654520833333	-	1	0.0 %
0.657937500000	-	1	0.0 %
0.659125000000	-	1	0.0 %
0.663750000000	-	1	0.0 %
0.664187500000	-	1	0.0 %
0.664875000000	-	1	0.0 %
0.665520833333	-	1	0.0 %
0.666395833333	-	1	0.0 %
0.666916666667	-	1	0.0 %
0.668187500000	-	1	0.0 %
0.669024943311	-	1	0.0 %
0.669291666667	-	1	0.0 %
0.672333333333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.673125000000	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	64	1.9 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	66	2.0 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,064 valid cases out of 3,291 total cases.

- Mean: 1.259466320154
- Minimum: 0.477500000000
- Maximum: 6.215166666667
- Standard Deviation: 0.426523745085

Location: 984-998 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX11: SGST: mixed-task trial #11 "red"

Value	Label	Unweighted Frequency	%
0.387125000000	-	1	0.0 %
0.527854166667	-	1	0.0 %
0.566729166667	-	1	0.0 %
0.576666666667	-	1	0.0 %
0.603562500000	-	1	0.0 %
0.610333333333	-	1	0.0 %
0.646145833333	-	1	0.0 %
0.651729166667	-	1	0.0 %
0.654729166667	-	1	0.0 %
0.662145833333	-	1	0.0 %
0.674750000000	-	1	0.0 %
0.686812500000	-	1	0.0 %
0.687437500000	-	1	0.0 %
0.687583333333	-	1	0.0 %
0.689062500000	-	1	0.0 %
0.701270833333	-	1	0.0 %
0.705750000000	-	1	0.0 %
0.709625000000	-	1	0.0 %
0.711625000000	-	1	0.0 %
0.712687500000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.714013605442	-	1	0.0 %
0.717791666667	-	1	0.0 %
0.719250000000	-	1	0.0 %
0.721979166667	-	1	0.0 %
0.722895833333	-	1	0.0 %
0.728916666667	-	1	0.0 %
0.730854166667	-	1	0.0 %
0.735541666667	-	1	0.0 %
0.738684807256	-	1	0.0 %
0.742312500000	-	1	0.0 %
0.751770833333	-	1	0.0 %
0.753750000000	-	1	0.0 %
0.757145833333	-	1	0.0 %
0.758916666667	-	1	0.0 %
0.762979166667	-	1	0.0 %
0.763437500000	-	1	0.0 %
0.763854166667	-	1	0.0 %
0.767625000000	-	1	0.0 %
0.768020833333	-	1	0.0 %
0.768270833333	-	1	0.0 %
0.769270833333	-	1	0.0 %
0.771562500000	-	1	0.0 %
0.772270833333	-	1	0.0 %
0.774750000000	-	1	0.0 %
0.776437500000	-	1	0.0 %
0.776937500000	-	1	0.0 %
0.777750000000	-	1	0.0 %
0.778375000000	-	1	0.0 %
0.779687500000	-	1	0.0 %
0.781729166667	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	163	5.0 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	76	2.3 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,955 valid cases out of 3,291 total cases.

- Mean: 1.444766148033
- Minimum: 0.387125000000
- Maximum: 6.118104166667
- Standard Deviation: 0.480973441737

Location: 999-1013 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX12: SGST: mixed-task trial #12 "green"

Value	Label	Unweighted Frequency	%
0.421041666667	-	1	0.0 %
0.457875000000	-	1	0.0 %
0.500083333333	-	1	0.0 %
0.507250000000	-	1	0.0 %
0.510187500000	-	1	0.0 %
0.516687500000	-	1	0.0 %
0.530666666667	-	1	0.0 %
0.549979166667	-	1	0.0 %
0.552145833333	-	1	0.0 %
0.559041666667	-	1	0.0 %
0.561479166667	-	1	0.0 %
0.567041666667	-	1	0.0 %
0.573875000000	-	1	0.0 %
0.574916666667	-	1	0.0 %
0.583270833333	-	1	0.0 %
0.589041666667	-	1	0.0 %
0.589416666667	-	1	0.0 %
0.593541666667	-	1	0.0 %
0.593583333333	-	1	0.0 %
0.595125000000	-	1	0.0 %
0.595187500000	-	1	0.0 %
0.599000000000	-	1	0.0 %
0.603354166667	-	1	0.0 %
0.604479166667	-	1	0.0 %
0.606083333333	-	1	0.0 %
0.606354166667	-	1	0.0 %
0.606916666667	-	1	0.0 %
0.608229166667	-	1	0.0 %
0.613645833333	-	1	0.0 %
0.617687500000	-	1	0.0 %
0.619000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.619020833333	-	1	0.0 %
0.621750000000	-	1	0.0 %
0.623583333333	-	1	0.0 %
0.624020833333	-	1	0.0 %
0.624041666667	-	1	0.0 %
0.624229166667	-	1	0.0 %
0.627562500000	-	1	0.0 %
0.632625000000	-	1	0.0 %
0.634812500000	-	1	0.0 %
0.634875000000	-	1	0.0 %
0.635083333333	-	1	0.0 %
0.637083333333	-	1	0.0 %
0.637458333333	-	1	0.0 %
0.638500000000	-	1	0.0 %
0.639562500000	-	1	0.0 %
0.639812500000	-	1	0.0 %
0.639833333333	-	1	0.0 %
0.640437500000	-	1	0.0 %
0.641791666667	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	90	2.7 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	81	2.5 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,023 valid cases out of 3,291 total cases.

- Mean: 1.233160014787
- Minimum: 0.421041666667
- Maximum: 11.671062500000
- Standard Deviation: 0.450405209991

Location: 1014-1028 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX13: SGST: mixed-task trial #13 "green"

Value	Label	Unweighted Frequency	%
0.501770833333	-	1	0.0 %
0.537166666667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.580666666667	-	1	0.0 %
0.587916666667	-	1	0.0 %
0.589791666667	-	1	0.0 %
0.596333333333	-	1	0.0 %
0.597604166667	-	1	0.0 %
0.602500000000	-	1	0.0 %
0.608354166667	-	1	0.0 %
0.608812500000	-	1	0.0 %
0.626208333333	-	1	0.0 %
0.633645833333	-	1	0.0 %
0.636229166667	-	1	0.0 %
0.646000000000	-	1	0.0 %
0.656437500000	-	1	0.0 %
0.659166666667	-	1	0.0 %
0.659479166667	-	1	0.0 %
0.664666666667	-	1	0.0 %
0.664958333333	-	1	0.0 %
0.665520833333	-	1	0.0 %
0.679500000000	-	1	0.0 %
0.679604166667	-	1	0.0 %
0.683791666667	-	1	0.0 %
0.686875000000	-	1	0.0 %
0.686937500000	-	1	0.0 %
0.687437500000	-	1	0.0 %
0.690041666667	-	1	0.0 %
0.691000000000	-	1	0.0 %
0.694104166667	-	1	0.0 %
0.694500000000	-	1	0.0 %
0.696583333333	-	1	0.0 %
0.697312500000	-	1	0.0 %
0.701312500000	-	1	0.0 %
0.702458333333	-	1	0.0 %
0.703750000000	-	1	0.0 %
0.707541666667	-	1	0.0 %
0.709687500000	-	1	0.0 %
0.711250000000	-	1	0.0 %
0.711854166667	-	1	0.0 %
0.711958333333	-	1	0.0 %
0.713187500000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.714770833333	-	1	0.0 %
0.714958333333	-	1	0.0 %
0.715750000000	-	1	0.0 %
0.715833333333	-	1	0.0 %
0.717166666667	-	1	0.0 %
0.717250000000	-	1	0.0 %
0.717750000000	-	1	0.0 %
0.718458333333	-	1	0.0 %
0.719020833333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	110	3.3 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	68	2.1 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,016 valid cases out of 3,291 total cases.

- Mean: 1.296095634437
- Minimum: 0.501770833333
- Maximum: 6.505833333333
- Standard Deviation: 0.398960974663

Location: 1029-1043 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX14: SGST: mixed-task trial #14 "red"

Value	Label	Unweighted Frequency	%
0.599104166667	-	1	0.0 %
0.602708333333	-	1	0.0 %
0.602750000000	-	1	0.0 %
0.606437500000	-	1	0.0 %
0.618083333333	-	1	0.0 %
0.621125000000	-	1	0.0 %
0.625729166667	-	1	0.0 %
0.627270833333	-	1	0.0 %
0.637958333333	-	1	0.0 %
0.639833333333	-	1	0.0 %
0.641000000000	-	1	0.0 %
0.648604166667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.648833333333	-	1	0.0 %
0.652312500000	-	1	0.0 %
0.656020833333	-	1	0.0 %
0.656395833333	-	1	0.0 %
0.656416666667	-	1	0.0 %
0.657187500000	-	1	0.0 %
0.662604166667	-	1	0.0 %
0.665416666667	-	1	0.0 %
0.667229166667	-	1	0.0 %
0.667687500000	-	1	0.0 %
0.672666666667	-	1	0.0 %
0.676770833333	-	1	0.0 %
0.678479166667	-	1	0.0 %
0.679520833333	-	1	0.0 %
0.687229166667	-	1	0.0 %
0.689458333333	-	1	0.0 %
0.689750000000	-	1	0.0 %
0.690104166667	-	1	0.0 %
0.691833333333	-	1	0.0 %
0.693166666667	-	1	0.0 %
0.698145833333	-	1	0.0 %
0.699187500000	-	1	0.0 %
0.699583333333	-	1	0.0 %
0.701958333333	-	1	0.0 %
0.705000000000	-	1	0.0 %
0.705166666667	-	1	0.0 %
0.705479166667	-	1	0.0 %
0.707041666667	-	1	0.0 %
0.709312500000	-	1	0.0 %
0.710062500000	-	1	0.0 %
0.715645833333	-	1	0.0 %
0.716145833333	-	1	0.0 %
0.716854166667	-	1	0.0 %
0.719645833333	-	1	0.0 %
0.720041666667	-	1	0.0 %
0.720125000000	-	1	0.0 %
0.720791666667	-	1	0.0 %
0.721687500000	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
95.000000000000	INCORRECT	116	3.5 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	63	1.9 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,015 valid cases out of 3,291 total cases.

- Mean: 1.302667592510
- Minimum: 0.599104166667
- Maximum: 4.745354166667
- Standard Deviation: 0.372233104991

Location: 1044-1058 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX15: SGST: mixed-task trial #15 "reverse...green"

Value	Label	Unweighted Frequency	%
0.608666666667	-	1	0.0 %
0.686666666667	-	1	0.0 %
0.709791666667	-	1	0.0 %
0.727500000000	-	1	0.0 %
0.739458333333	-	1	0.0 %
0.769395833333	-	1	0.0 %
0.784208333333	-	1	0.0 %
0.811375000000	-	1	0.0 %
0.832791666667	-	1	0.0 %
0.841208333333	-	1	0.0 %
0.842062500000	-	1	0.0 %
0.853333333333	-	1	0.0 %
0.857583333333	-	1	0.0 %
0.859479166667	-	1	0.0 %
0.868854166667	-	1	0.0 %
0.869395833333	-	1	0.0 %
0.879708333333	-	1	0.0 %
0.884020833333	-	1	0.0 %
0.884520833333	-	1	0.0 %
0.886562500000	-	1	0.0 %
0.887520833333	-	1	0.0 %
0.893583333333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.894312500000	-	1	0.0 %
0.897520833333	-	1	0.0 %
0.897854166667	-	1	0.0 %
0.900000000000	-	1	0.0 %
0.902333333333	-	1	0.0 %
0.903250000000	-	1	0.0 %
0.908562500000	-	1	0.0 %
0.910833333333	-	1	0.0 %
0.911708333333	-	1	0.0 %
0.913875000000	-	1	0.0 %
0.915854166667	-	1	0.0 %
0.916541666667	-	1	0.0 %
0.916770833333	-	1	0.0 %
0.924875000000	-	1	0.0 %
0.930208333333	-	1	0.0 %
0.931375000000	-	1	0.0 %
0.931729166667	-	1	0.0 %
0.933541666667	-	1	0.0 %
0.933875000000	-	1	0.0 %
0.934562500000	-	1	0.0 %
0.934916666667	-	1	0.0 %
0.936354166667	-	1	0.0 %
0.936854166667	-	1	0.0 %
0.941750000000	-	1	0.0 %
0.946625000000	-	1	0.0 %
0.947895833333	-	1	0.0 %
0.954291666667	-	1	0.0 %
0.955625000000	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	251	7.6 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	108	3.3 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,835 valid cases out of 3,291 total cases.

- Mean: 1.711482477182
- Minimum: 0.608666666667

- Maximum: 12.663562500000
- Standard Deviation: 0.616888801785

Location: 1059-1073 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX16: SGST: mixed-task trial #16 "green"

Value	Label	Unweighted Frequency	%
0.608666666667	-	1	0.0 %
0.634062500000	-	1	0.0 %
0.662312500000	-	1	0.0 %
0.683312500000	-	1	0.0 %
0.689562500000	-	1	0.0 %
0.697791666667	-	1	0.0 %
0.714013605442	-	1	0.0 %
0.714520833333	-	1	0.0 %
0.718291666667	-	1	0.0 %
0.732875000000	-	1	0.0 %
0.737687500000	-	1	0.0 %
0.739041666667	-	1	0.0 %
0.739333333333	-	1	0.0 %
0.739458333333	-	1	0.0 %
0.744916666667	-	1	0.0 %
0.749500000000	-	1	0.0 %
0.762020833333	-	1	0.0 %
0.763958333333	-	1	0.0 %
0.768125000000	-	1	0.0 %
0.772958333333	-	1	0.0 %
0.773875000000	-	1	0.0 %
0.774312500000	-	1	0.0 %
0.775708333333	-	1	0.0 %
0.777229166667	-	1	0.0 %
0.777604166667	-	1	0.0 %
0.779333333333	-	1	0.0 %
0.780395833333	-	1	0.0 %
0.781187500000	-	1	0.0 %
0.785312500000	-	1	0.0 %
0.786833333333	-	1	0.0 %
0.789791666667	-	1	0.0 %
0.794000000000	-	1	0.0 %
0.795283446712	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.796041666667	-	1	0.0 %
0.802500000000	-	1	0.0 %
0.803979166667	-	1	0.0 %
0.804812500000	-	1	0.0 %
0.805145833333	-	1	0.0 %
0.810416666667	-	1	0.0 %
0.812791666667	-	1	0.0 %
0.819812500000	-	1	0.0 %
0.820062500000	-	1	0.0 %
0.820250000000	-	1	0.0 %
0.820750000000	-	1	0.0 %
0.823395833333	-	1	0.0 %
0.824937500000	-	1	0.0 %
0.826541666667	-	1	0.0 %
0.828604166667	-	1	0.0 %
0.830187500000	-	1	0.0 %
0.831895833333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	153	4.6 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	92	2.8 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,949 valid cases out of 3,291 total cases.

- Mean: 1.405079058492
- Minimum: 0.608666666667
- Maximum: 6.779041666667
- Standard Deviation: 0.425222849383

Location: 1074-1088 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX17: SGST: mixed-task trial #17 "red"

Value	Label	Unweighted Frequency	%
0.464812500000	-	1	0.0 %
0.480020833333	-	1	0.0 %
0.486166666667	-	1	0.0 %
0.502229166667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.505958333333	-	1	0.0 %
0.510333333333	-	1	0.0 %
0.513770833333	-	1	0.0 %
0.513937500000	-	1	0.0 %
0.525375000000	-	1	0.0 %
0.525833333333	-	1	0.0 %
0.534750000000	-	1	0.0 %
0.536437500000	-	1	0.0 %
0.549395833333	-	1	0.0 %
0.551895833333	-	1	0.0 %
0.561270833333	-	1	0.0 %
0.564000000000	-	1	0.0 %
0.564562500000	-	1	0.0 %
0.568888888889	-	1	0.0 %
0.576145833333	-	1	0.0 %
0.584562500000	-	1	0.0 %
0.585729166667	-	1	0.0 %
0.588375000000	-	1	0.0 %
0.591291666667	-	1	0.0 %
0.591333333333	-	1	0.0 %
0.592108843537	-	1	0.0 %
0.594104166667	-	1	0.0 %
0.595083333333	-	1	0.0 %
0.595541666667	-	1	0.0 %
0.596250000000	-	1	0.0 %
0.598854166667	-	1	0.0 %
0.601875000000	-	1	0.0 %
0.604833333333	-	1	0.0 %
0.606312500000	-	1	0.0 %
0.608708333333	-	1	0.0 %
0.609666666667	-	1	0.0 %
0.609854166667	-	1	0.0 %
0.610520833333	-	1	0.0 %
0.611708333333	-	1	0.0 %
0.612895833333	-	1	0.0 %
0.614583333333	-	1	0.0 %
0.616833333333	-	1	0.0 %
0.617833333333	-	1	0.0 %
0.619187500000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.620937500000	-	1	0.0 %
0.624291666667	-	1	0.0 %
0.626000000000	-	1	0.0 %
0.626687500000	-	1	0.0 %
0.628062500000	-	1	0.0 %
0.628854166667	-	1	0.0 %
0.628875000000	-	2	0.1 %
	Missing Data		
95.000000000000	INCORRECT	118	3.6 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	76	2.3 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,000 valid cases out of 3,291 total cases.

- Mean: 1.264625735733
- Minimum: 0.464812500000
- Maximum: 7.593229166667
- Standard Deviation: 0.490213888921

Location: 1089-1103 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX18: SGST: mixed-task trial #18 "green"

Value	Label	Unweighted Frequency	%
0.568354166667	-	1	0.0 %
0.594791666667	-	1	0.0 %
0.648666666667	-	1	0.0 %
0.673378684807	-	1	0.0 %
0.685000000000	-	1	0.0 %
0.690208333333	-	1	0.0 %
0.694166666667	-	1	0.0 %
0.710125000000	-	1	0.0 %
0.718729166667	-	1	0.0 %
0.723187500000	-	1	0.0 %
0.738354166667	-	1	0.0 %
0.742604166667	-	1	0.0 %
0.753458333333	-	1	0.0 %
0.755104166667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.755750000000	-	1	0.0 %
0.755875000000	-	1	0.0 %
0.773625000000	-	1	0.0 %
0.775625000000	-	1	0.0 %
0.776375000000	-	1	0.0 %
0.778687500000	-	1	0.0 %
0.783333333333	-	1	0.0 %
0.784937500000	-	1	0.0 %
0.791166666667	-	1	0.0 %
0.792604166667	-	1	0.0 %
0.794937500000	-	1	0.0 %
0.801666666667	-	1	0.0 %
0.803020833333	-	1	0.0 %
0.805583333333	-	1	0.0 %
0.812791666667	-	1	0.0 %
0.814479166667	-	1	0.0 %
0.816375000000	-	1	0.0 %
0.819125000000	-	1	0.0 %
0.821479166667	-	1	0.0 %
0.829750000000	-	1	0.0 %
0.835666666667	-	1	0.0 %
0.836375000000	-	1	0.0 %
0.837333333333	-	1	0.0 %
0.837895833333	-	1	0.0 %
0.838166666667	-	1	0.0 %
0.841250000000	-	1	0.0 %
0.841416666667	-	1	0.0 %
0.842166666667	-	1	0.0 %
0.842479166667	-	1	0.0 %
0.843395833333	-	1	0.0 %
0.843520833333	-	1	0.0 %
0.843541666667	-	1	0.0 %
0.844312500000	-	1	0.0 %
0.847895833333	-	1	0.0 %
0.847958333333	-	1	0.0 %
0.848083333333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	238	7.2 %
98.000000000000	REFUSED/MISSING	97	2.9 %

Value	Label	Unweighted Frequency	%
99.000000000000	INVALID	88	2.7 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,868 valid cases out of 3,291 total cases.

- Mean: 1.579873929576
- Minimum: 0.568354166667
- Maximum: 6.774770833333
- Standard Deviation: 0.566971108821

Location: 1104-1118 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX19: SGST: mixed-task trial #19 "normal...green"

Value	Label	Unweighted Frequency	%
0.448895833333	-	1	0.0 %
0.454812500000	-	1	0.0 %
0.565458333333	-	1	0.0 %
0.592541666667	-	1	0.0 %
0.630145833333	-	1	0.0 %
0.637520833333	-	1	0.0 %
0.650062500000	-	1	0.0 %
0.663979166667	-	1	0.0 %
0.671208333333	-	1	0.0 %
0.673458333333	-	1	0.0 %
0.685854166667	-	1	0.0 %
0.687166666667	-	1	0.0 %
0.687333333333	-	1	0.0 %
0.689104166667	-	1	0.0 %
0.696500000000	-	1	0.0 %
0.701916666667	-	1	0.0 %
0.705437500000	-	1	0.0 %
0.705666666667	-	1	0.0 %
0.710729166667	-	1	0.0 %
0.711062500000	-	1	0.0 %
0.713104166667	-	2	0.1 %
0.716041666667	-	1	0.0 %
0.718333333333	-	1	0.0 %
0.720770833333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.722208333333	-	1	0.0 %
0.726500000000	-	1	0.0 %
0.727229166667	-	1	0.0 %
0.730208333333	-	1	0.0 %
0.730812500000	-	1	0.0 %
0.732166666667	-	1	0.0 %
0.732395833333	-	1	0.0 %
0.732916666667	-	1	0.0 %
0.733354166667	-	1	0.0 %
0.735500000000	-	1	0.0 %
0.741791666667	-	1	0.0 %
0.742812500000	-	1	0.0 %
0.748354166667	-	1	0.0 %
0.749729166667	-	1	0.0 %
0.750708333333	-	1	0.0 %
0.753312500000	-	1	0.0 %
0.753666666667	-	1	0.0 %
0.756875000000	-	1	0.0 %
0.757041666667	-	1	0.0 %
0.758375000000	-	1	0.0 %
0.763291666667	-	1	0.0 %
0.763916666667	-	1	0.0 %
0.764208333333	-	1	0.0 %
0.768333333333	-	1	0.0 %
0.769708333333	-	1	0.0 %
0.770333333333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	84	2.6 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	96	2.9 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,014 valid cases out of 3,291 total cases.

- Mean: 1.452409025126
- Minimum: 0.448895833333
- Maximum: 7.160104166667
- Standard Deviation: 0.498582802560

Location: 1119-1133 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX20: SGST: mixed-task trial #20 "red"

Value	Label	Unweighted Frequency	%
0.453229166667	-	1	0.0 %
0.508020833333	-	1	0.0 %
0.532395833333	-	1	0.0 %
0.534791666667	-	1	0.0 %
0.537416666667	-	1	0.0 %
0.538083333333	-	1	0.0 %
0.562062500000	-	1	0.0 %
0.568041666667	-	1	0.0 %
0.581950113379	-	1	0.0 %
0.583458333333	-	1	0.0 %
0.583958333333	-	1	0.0 %
0.591416666667	-	1	0.0 %
0.600500000000	-	1	0.0 %
0.608125000000	-	1	0.0 %
0.610479166667	-	1	0.0 %
0.611250000000	-	1	0.0 %
0.622333333333	-	1	0.0 %
0.630187500000	-	1	0.0 %
0.630604166667	-	1	0.0 %
0.632437500000	-	1	0.0 %
0.632958333333	-	1	0.0 %
0.637458333333	-	1	0.0 %
0.637666666667	-	1	0.0 %
0.640625000000	-	1	0.0 %
0.644353741497	-	1	0.0 %
0.645437500000	-	1	0.0 %
0.648645833333	-	1	0.0 %
0.650958333333	-	1	0.0 %
0.655520833333	-	1	0.0 %
0.656520833333	-	1	0.0 %
0.656750000000	-	1	0.0 %
0.657416666667	-	1	0.0 %
0.657500000000	-	1	0.0 %
0.658520833333	-	1	0.0 %
0.662041666667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.663625000000	-	1	0.0 %
0.663791666667	-	1	0.0 %
0.665187500000	-	1	0.0 %
0.666208333333	-	1	0.0 %
0.667604166667	-	1	0.0 %
0.669437500000	-	1	0.0 %
0.669875000000	-	1	0.0 %
0.673729166667	-	1	0.0 %
0.675812500000	-	1	0.0 %
0.679479166667	-	1	0.0 %
0.681437500000	-	1	0.0 %
0.687208333333	-	1	0.0 %
0.689229166667	-	1	0.0 %
0.693604166667	-	1	0.0 %
0.693625000000	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	68	2.1 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	73	2.2 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,053 valid cases out of 3,291 total cases.

- Mean: 1.291029727344
- Minimum: 0.453229166667
- Maximum: 5.651187500000
- Standard Deviation: 0.428430974965

Location: 1134-1148 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX21: SGST: mixed-task trial #21 "green"

Value	Label	Unweighted Frequency	%
0.150929705215	-	1	0.0 %
0.568888888889	-	1	0.0 %
0.573687500000	-	1	0.0 %
0.588250000000	-	1	0.0 %
0.595729166667	-	1	0.0 %
0.597791666667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.603250000000	-	1	0.0 %
0.606250000000	-	1	0.0 %
0.608395833333	-	1	0.0 %
0.608437500000	-	1	0.0 %
0.622000000000	-	1	0.0 %
0.626500000000	-	1	0.0 %
0.627666666667	-	1	0.0 %
0.628375000000	-	1	0.0 %
0.628916666667	-	1	0.0 %
0.629750000000	-	1	0.0 %
0.639645833333	-	1	0.0 %
0.651708333333	-	1	0.0 %
0.653895833333	-	1	0.0 %
0.654500000000	-	1	0.0 %
0.658229166667	-	1	0.0 %
0.658625000000	-	1	0.0 %
0.663770833333	-	1	0.0 %
0.666208333333	-	1	0.0 %
0.668958333333	-	1	0.0 %
0.670937500000	-	1	0.0 %
0.673020833333	-	1	0.0 %
0.673562500000	-	1	0.0 %
0.673666666667	-	1	0.0 %
0.676104166667	-	1	0.0 %
0.677708333333	-	1	0.0 %
0.679895833333	-	1	0.0 %
0.680458333333	-	1	0.0 %
0.682500000000	-	1	0.0 %
0.684479166667	-	1	0.0 %
0.692750000000	-	1	0.0 %
0.693458333333	-	1	0.0 %
0.694666666667	-	1	0.0 %
0.698354166667	-	1	0.0 %
0.698458333333	-	1	0.0 %
0.699166666667	-	1	0.0 %
0.700375000000	-	1	0.0 %
0.702458333333	-	1	0.0 %
0.713812500000	-	1	0.0 %
0.714333333333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.716750000000	-	1	0.0 %
0.719000000000	-	1	0.0 %
0.719645833333	-	1	0.0 %
0.724333333333	-	1	0.0 %
0.724833333333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	118	3.6 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	88	2.7 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,988 valid cases out of 3,291 total cases.

- Mean: 1.414407251799
- Minimum: 0.150929705215
- Maximum: 7.868583333333
- Standard Deviation: 0.514243657065

Location: 1149-1163 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX22: SGST: mixed-task trial #22 "green"

Value	Label	Unweighted Frequency	%
0.167346938776	-	1	0.0 %
0.531583333333	-	1	0.0 %
0.542270833333	-	1	0.0 %
0.549458333333	-	1	0.0 %
0.568812500000	-	1	0.0 %
0.576229166667	-	1	0.0 %
0.583416666667	-	1	0.0 %
0.585854166667	-	1	0.0 %
0.597375000000	-	1	0.0 %
0.597500000000	-	1	0.0 %
0.597833333333	-	1	0.0 %
0.604916666667	-	1	0.0 %
0.613000000000	-	1	0.0 %
0.625270833333	-	1	0.0 %
0.625875000000	-	1	0.0 %
0.628291666667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.631479166667	-	1	0.0 %
0.632562500000	-	1	0.0 %
0.634062500000	-	1	0.0 %
0.634541666667	-	1	0.0 %
0.634958333333	-	1	0.0 %
0.641041666667	-	1	0.0 %
0.643708333333	-	1	0.0 %
0.644041666667	-	1	0.0 %
0.647541666667	-	1	0.0 %
0.651041666667	-	1	0.0 %
0.657395833333	-	1	0.0 %
0.657958333333	-	1	0.0 %
0.659041666667	-	1	0.0 %
0.659895833333	-	1	0.0 %
0.664375000000	-	1	0.0 %
0.668541666667	-	1	0.0 %
0.675083333333	-	1	0.0 %
0.676750000000	-	1	0.0 %
0.677583333333	-	1	0.0 %
0.679375000000	-	1	0.0 %
0.682541666667	-	1	0.0 %
0.687375000000	-	1	0.0 %
0.688604166667	-	1	0.0 %
0.690229166667	-	1	0.0 %
0.691833333333	-	1	0.0 %
0.692541666667	-	1	0.0 %
0.692625000000	-	1	0.0 %
0.693541666667	-	1	0.0 %
0.694250000000	-	1	0.0 %
0.694500000000	-	1	0.0 %
0.694520833333	-	1	0.0 %
0.697604166667	-	1	0.0 %
0.699145833333	-	1	0.0 %
0.699875000000	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	101	3.1 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	99	3.0 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,994 valid cases out of 3,291 total cases.

- Mean: 1.249654764484
- Minimum: 0.167346938776
- Maximum: 5.421333333333
- Standard Deviation: 0.367379153305

Location: 1164-1178 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX23: SGST: mixed-task trial #23 "red"

Value	Label	Unweighted Frequency	%
0.167709750567	-	1	0.0 %
0.452625000000	-	1	0.0 %
0.523083333333	-	1	0.0 %
0.540604166667	-	1	0.0 %
0.561520833333	-	1	0.0 %
0.573104166667	-	1	0.0 %
0.575645833333	-	1	0.0 %
0.583145833333	-	1	0.0 %
0.586666666667	-	1	0.0 %
0.590312500000	-	1	0.0 %
0.607708333333	-	1	0.0 %
0.608791666667	-	1	0.0 %
0.612020833333	-	1	0.0 %
0.612541666667	-	1	0.0 %
0.613375000000	-	1	0.0 %
0.618520833333	-	1	0.0 %
0.618875000000	-	1	0.0 %
0.621145833333	-	1	0.0 %
0.622604166667	-	1	0.0 %
0.626854166667	-	1	0.0 %
0.628390022676	-	1	0.0 %
0.638312500000	-	1	0.0 %
0.638875000000	-	1	0.0 %
0.640166666667	-	1	0.0 %
0.641979166667	-	1	0.0 %
0.650250000000	-	1	0.0 %
0.650791666667	-	1	0.0 %
0.650916666667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.653458333333	-	1	0.0 %
0.654062500000	-	1	0.0 %
0.655875000000	-	1	0.0 %
0.657000000000	-	1	0.0 %
0.657833333333	-	1	0.0 %
0.658437500000	-	1	0.0 %
0.661687500000	-	1	0.0 %
0.662312500000	-	1	0.0 %
0.662645833333	-	1	0.0 %
0.663333333333	-	1	0.0 %
0.663354166667	-	1	0.0 %
0.665916666667	-	1	0.0 %
0.667229166667	-	2	0.1 %
0.668958333333	-	1	0.0 %
0.670937500000	-	1	0.0 %
0.671833333333	-	1	0.0 %
0.674208333333	-	1	0.0 %
0.678541666667	-	1	0.0 %
0.679791666667	-	1	0.0 %
0.680041666667	-	1	0.0 %
0.680604166667	-	1	0.0 %
0.681416666667	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	97	2.9 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	71	2.2 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,026 valid cases out of 3,291 total cases.

- Mean: 1.232592065548
- Minimum: 0.167709750567
- Maximum: 5.039562500000
- Standard Deviation: 0.354952991532

Location: 1179-1193 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX24: SGST: mixed-task trial #24 "reverse...green"

Value	Label	Unweighted Frequency	%
0.248979591837	-	1	0.0 %
0.466979166667	-	1	0.0 %
0.701166666667	-	1	0.0 %
0.760791666667	-	1	0.0 %
0.765083333333	-	1	0.0 %
0.767500000000	-	1	0.0 %
0.779625000000	-	1	0.0 %
0.795166666667	-	1	0.0 %
0.816604166667	-	1	0.0 %
0.823854166667	-	1	0.0 %
0.823875000000	-	1	0.0 %
0.831500000000	-	1	0.0 %
0.840583333333	-	1	0.0 %
0.842833333333	-	1	0.0 %
0.849312500000	-	1	0.0 %
0.852208333333	-	1	0.0 %
0.861020833333	-	1	0.0 %
0.862270833333	-	1	0.0 %
0.864000000000	-	1	0.0 %
0.870748299320	-	1	0.0 %
0.870958333333	-	1	0.0 %
0.876250000000	-	1	0.0 %
0.885645833333	-	1	0.0 %
0.886791666667	-	1	0.0 %
0.890750000000	-	1	0.0 %
0.896291666667	-	1	0.0 %
0.897312500000	-	1	0.0 %
0.900020833333	-	1	0.0 %
0.901375000000	-	1	0.0 %
0.909895833333	-	1	0.0 %
0.911541666667	-	1	0.0 %
0.911604166667	-	1	0.0 %
0.912333333333	-	1	0.0 %
0.913645833333	-	1	0.0 %
0.914770833333	-	1	0.0 %
0.915250000000	-	1	0.0 %
0.919875000000	-	1	0.0 %
0.920416666667	-	1	0.0 %
0.921250000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.922854166667	-	1	0.0 %
0.923541666667	-	1	0.0 %
0.924916666667	-	1	0.0 %
0.925750000000	-	1	0.0 %
0.926062500000	-	1	0.0 %
0.926416666667	-	1	0.0 %
0.929354166667	-	1	0.0 %
0.930062500000	-	1	0.0 %
0.930375000000	-	1	0.0 %
0.931666666667	-	1	0.0 %
0.932229166667	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	243	7.4 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	110	3.3 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,841 valid cases out of 3,291 total cases.

- Mean: 1.716229756557
- Minimum: 0.248979591837
- Maximum: 7.835250000000
- Standard Deviation: 0.618740716090

Location: 1194-1208 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX25: SGST: mixed-task trial #25 "green"

Value	Label	Unweighted Frequency	%
0.178231292517	-	1	0.0 %
0.492312500000	-	1	0.0 %
0.535312500000	-	1	0.0 %
0.646937500000	-	1	0.0 %
0.662791666667	-	1	0.0 %
0.666937500000	-	1	0.0 %
0.673378684807	-	1	0.0 %
0.685937500000	-	1	0.0 %
0.699104166667	-	1	0.0 %
0.708312500000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.709416666667	-	1	0.0 %
0.711145833333	-	1	0.0 %
0.712562358277	-	1	0.0 %
0.722187500000	-	1	0.0 %
0.723541666667	-	1	0.0 %
0.724770833333	-	1	0.0 %
0.725000000000	-	1	0.0 %
0.725833333333	-	1	0.0 %
0.728020833333	-	1	0.0 %
0.729937500000	-	1	0.0 %
0.730458333333	-	1	0.0 %
0.734437500000	-	1	0.0 %
0.735041666667	-	1	0.0 %
0.746416666667	-	1	0.0 %
0.749875000000	-	1	0.0 %
0.751229166667	-	1	0.0 %
0.759375000000	-	1	0.0 %
0.761854166667	-	1	0.0 %
0.771479166667	-	1	0.0 %
0.773458333333	-	1	0.0 %
0.773791666667	-	1	0.0 %
0.776916666667	-	1	0.0 %
0.776958333333	-	1	0.0 %
0.777104166667	-	1	0.0 %
0.778666666667	-	1	0.0 %
0.781062500000	-	1	0.0 %
0.781687500000	-	1	0.0 %
0.786208333333	-	1	0.0 %
0.788958333333	-	1	0.0 %
0.790208333333	-	1	0.0 %
0.791750000000	-	1	0.0 %
0.791979166667	-	1	0.0 %
0.792479166667	-	1	0.0 %
0.794729166667	-	1	0.0 %
0.795395833333	-	1	0.0 %
0.795791666667	-	1	0.0 %
0.796166666667	-	1	0.0 %
0.796229166667	-	1	0.0 %
0.797083333333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.798687500000	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	149	4.5 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	111	3.4 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,934 valid cases out of 3,291 total cases.

- Mean: 1.372661177410
- Minimum: 0.178231292517
- Maximum: 6.172875000000
- Standard Deviation: 0.443404880613

Location: 1209-1223 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX26: SGST: mixed-task trial #26 "red"

Value	Label	Unweighted Frequency	%
0.171609977324	-	1	0.0 %
0.359520833333	-	1	0.0 %
0.425083333333	-	1	0.0 %
0.473500000000	-	1	0.0 %
0.478520833333	-	1	0.0 %
0.507958333333	-	1	0.0 %
0.510520833333	-	1	0.0 %
0.516291666667	-	1	0.0 %
0.516643990930	-	1	0.0 %
0.521166666667	-	1	0.0 %
0.526354166667	-	1	0.0 %
0.536437500000	-	1	0.0 %
0.548791666667	-	1	0.0 %
0.553333333333	-	1	0.0 %
0.564520833333	-	1	0.0 %
0.565750000000	-	1	0.0 %
0.566125000000	-	1	0.0 %
0.567312500000	-	1	0.0 %
0.570833333333	-	1	0.0 %
0.573125000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.574000000000	-	1	0.0 %
0.578229166667	-	1	0.0 %
0.578687500000	-	1	0.0 %
0.587687500000	-	1	0.0 %
0.595541666667	-	1	0.0 %
0.595645833333	-	1	0.0 %
0.601145833333	-	1	0.0 %
0.604083333333	-	1	0.0 %
0.607666666667	-	1	0.0 %
0.609354166667	-	1	0.0 %
0.610250000000	-	1	0.0 %
0.610770833333	-	1	0.0 %
0.613625000000	-	1	0.0 %
0.615770833333	-	1	0.0 %
0.617854166667	-	1	0.0 %
0.620791666667	-	1	0.0 %
0.621937500000	-	1	0.0 %
0.623250000000	-	1	0.0 %
0.626875000000	-	1	0.0 %
0.628104166667	-	1	0.0 %
0.632250000000	-	1	0.0 %
0.633979166667	-	1	0.0 %
0.635541666667	-	1	0.0 %
0.636437500000	-	1	0.0 %
0.636500000000	-	1	0.0 %
0.639312500000	-	1	0.0 %
0.639916666667	-	1	0.0 %
0.639937500000	-	1	0.0 %
0.641125000000	-	1	0.0 %
0.641854166667	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	128	3.9 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	86	2.6 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,980 valid cases out of 3,291 total cases.

- Mean: 1.256083802257
- Minimum: 0.171609977324
- Maximum: 6.179062500000
- Standard Deviation: 0.483459593383

Location: 1224-1238 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX27: SGST: mixed-task trial #27 "green"

Value	Label	Unweighted Frequency	%
0.184217687075	-	1	0.0 %
0.550187500000	-	1	0.0 %
0.636833333333	-	1	0.0 %
0.663062500000	-	1	0.0 %
0.670791666667	-	1	0.0 %
0.683041666667	-	1	0.0 %
0.690062500000	-	1	0.0 %
0.699458333333	-	1	0.0 %
0.714187500000	-	1	0.0 %
0.727833333333	-	1	0.0 %
0.731791666667	-	1	0.0 %
0.743583333333	-	1	0.0 %
0.748750000000	-	1	0.0 %
0.750187500000	-	1	0.0 %
0.756895833333	-	1	0.0 %
0.758479166667	-	1	0.0 %
0.772625000000	-	1	0.0 %
0.775375000000	-	1	0.0 %
0.775833333333	-	1	0.0 %
0.776812500000	-	1	0.0 %
0.779750000000	-	1	0.0 %
0.783625000000	-	1	0.0 %
0.785812500000	-	1	0.0 %
0.792083333333	-	1	0.0 %
0.795333333333	-	1	0.0 %
0.797437500000	-	1	0.0 %
0.800145833333	-	1	0.0 %
0.801458333333	-	1	0.0 %
0.805979166667	-	1	0.0 %
0.810125000000	-	1	0.0 %
0.814833333333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.815458333333	-	1	0.0 %
0.818562500000	-	1	0.0 %
0.818729166667	-	1	0.0 %
0.823687500000	-	1	0.0 %
0.824308390023	-	1	0.0 %
0.827500000000	-	1	0.0 %
0.831354166667	-	1	0.0 %
0.831687500000	-	1	0.0 %
0.833583333333	-	1	0.0 %
0.838187500000	-	1	0.0 %
0.840375000000	-	1	0.0 %
0.844416666667	-	1	0.0 %
0.844875000000	-	1	0.0 %
0.846791666667	-	1	0.0 %
0.849437500000	-	1	0.0 %
0.849875000000	-	1	0.0 %
0.850229166667	-	1	0.0 %
0.850291666667	-	1	0.0 %
0.851687500000	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	238	7.2 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	103	3.1 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,853 valid cases out of 3,291 total cases.

- Mean: 1.573666262609
- Minimum: 0.184217687075
- Maximum: 10.107979166667
- Standard Deviation: 0.590375233122

Location: 1239-1253 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX28: SGST: mixed-task trial #28 "red"

Value	Label	Unweighted Frequency	%
0.207891156463	-	1	0.0 %
0.406937500000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.469770833333	-	1	0.0 %
0.511687500000	-	1	0.0 %
0.514208333333	-	1	0.0 %
0.553458333333	-	1	0.0 %
0.555562500000	-	1	0.0 %
0.567708333333	-	1	0.0 %
0.584687500000	-	1	0.0 %
0.589291666667	-	1	0.0 %
0.601854166667	-	1	0.0 %
0.608291666667	-	1	0.0 %
0.608791666667	-	1	0.0 %
0.613208333333	-	1	0.0 %
0.613791666667	-	1	0.0 %
0.617833333333	-	1	0.0 %
0.619500000000	-	1	0.0 %
0.621133786848	-	1	0.0 %
0.627750000000	-	1	0.0 %
0.629291666667	-	1	0.0 %
0.636583333333	-	1	0.0 %
0.639083333333	-	1	0.0 %
0.642645833333	-	1	0.0 %
0.646770833333	-	1	0.0 %
0.647333333333	-	1	0.0 %
0.647354166667	-	1	0.0 %
0.648875000000	-	1	0.0 %
0.649375000000	-	1	0.0 %
0.651125000000	-	1	0.0 %
0.653916666667	-	1	0.0 %
0.658020833333	-	1	0.0 %
0.660312500000	-	1	0.0 %
0.665020833333	-	1	0.0 %
0.666604166667	-	1	0.0 %
0.668604166667	-	1	0.0 %
0.669729166667	-	1	0.0 %
0.670791666667	-	1	0.0 %
0.671541666667	-	1	0.0 %
0.673104166667	-	1	0.0 %
0.678625000000	-	1	0.0 %
0.681812500000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.682770833333	-	1	0.0 %
0.684479166667	-	1	0.0 %
0.685500000000	-	1	0.0 %
0.686666666667	-	1	0.0 %
0.687791666667	-	1	0.0 %
0.688750000000	-	1	0.0 %
0.689750000000	-	1	0.0 %
0.690500000000	-	1	0.0 %
0.692958333333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	212	6.4 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	110	3.3 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,872 valid cases out of 3,291 total cases.

- Mean: 1.414699664695
- Minimum: 0.207891156463
- Maximum: 7.591062500000
- Standard Deviation: 0.550718496368

Location: 1254-1268 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX29: SGST: mixed-task trial #29 "normal...red"

Value	Label	Unweighted Frequency	%
0.385729166667	-	1	0.0 %
0.473895833333	-	1	0.0 %
0.546729166667	-	1	0.0 %
0.602267573696	-	1	0.0 %
0.620562500000	-	1	0.0 %
0.623666666667	-	1	0.0 %
0.647333333333	-	1	0.0 %
0.670166666667	-	1	0.0 %
0.676895833333	-	1	0.0 %
0.683375000000	-	1	0.0 %
0.684229166667	-	1	0.0 %
0.705500000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.713729166667	-	1	0.0 %
0.717958333333	-	1	0.0 %
0.728312500000	-	1	0.0 %
0.741437500000	-	1	0.0 %
0.755416666667	-	1	0.0 %
0.765312500000	-	1	0.0 %
0.766958333333	-	1	0.0 %
0.767020833333	-	1	0.0 %
0.767291666667	-	1	0.0 %
0.770041666667	-	1	0.0 %
0.784479166667	-	1	0.0 %
0.786354166667	-	1	0.0 %
0.788062500000	-	1	0.0 %
0.788416666667	-	1	0.0 %
0.790687500000	-	1	0.0 %
0.791437500000	-	1	0.0 %
0.793187500000	-	1	0.0 %
0.793750000000	-	1	0.0 %
0.794083333333	-	2	0.1 %
0.795791666667	-	1	0.0 %
0.796500000000	-	1	0.0 %
0.799187500000	-	1	0.0 %
0.800166666667	-	1	0.0 %
0.800645833333	-	1	0.0 %
0.801416666667	-	1	0.0 %
0.801812500000	-	1	0.0 %
0.802750000000	-	1	0.0 %
0.802916666667	-	1	0.0 %
0.803208333333	-	1	0.0 %
0.803312500000	-	1	0.0 %
0.806166666667	-	1	0.0 %
0.806354166667	-	1	0.0 %
0.812520833333	-	1	0.0 %
0.812625000000	-	1	0.0 %
0.813312500000	-	1	0.0 %
0.814250000000	-	1	0.0 %
0.816104166667	-	1	0.0 %
0.817333333333	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
95.000000000000	INCORRECT	109	3.3 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	123	3.7 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,962 valid cases out of 3,291 total cases.

- Mean: 1.530235935871
- Minimum: 0.385729166667
- Maximum: 6.330020833333
- Standard Deviation: 0.547175793665

Location: 1269-1283 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX30: SGST: mixed-task trial #30 "green"

Value	Label	Unweighted Frequency	%
0.524104166667	-	1	0.0 %
0.526583333333	-	1	0.0 %
0.536125000000	-	1	0.0 %
0.543000000000	-	1	0.0 %
0.557041666667	-	1	0.0 %
0.562854166667	-	1	0.0 %
0.571166666667	-	1	0.0 %
0.571750000000	-	1	0.0 %
0.580145833333	-	1	0.0 %
0.581770833333	-	1	0.0 %
0.582791666667	-	1	0.0 %
0.584458333333	-	1	0.0 %
0.585104166667	-	1	0.0 %
0.587791666667	-	1	0.0 %
0.589187500000	-	1	0.0 %
0.590812500000	-	1	0.0 %
0.594729166667	-	1	0.0 %
0.595937500000	-	1	0.0 %
0.604750000000	-	1	0.0 %
0.606708333333	-	1	0.0 %
0.606770833333	-	1	0.0 %
0.608833333333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.609523809524	-	1	0.0 %
0.610541666667	-	1	0.0 %
0.611875000000	-	1	0.0 %
0.613083333333	-	1	0.0 %
0.615083333333	-	1	0.0 %
0.615770833333	-	1	0.0 %
0.616979166667	-	1	0.0 %
0.620062500000	-	1	0.0 %
0.621458333333	-	1	0.0 %
0.622500000000	-	1	0.0 %
0.622666666667	-	1	0.0 %
0.628208333333	-	1	0.0 %
0.631812500000	-	1	0.0 %
0.632895833333	-	1	0.0 %
0.633041666667	-	1	0.0 %
0.634520833333	-	1	0.0 %
0.636354166667	-	1	0.0 %
0.636458333333	-	1	0.0 %
0.636562500000	-	1	0.0 %
0.637083333333	-	1	0.0 %
0.638750000000	-	1	0.0 %
0.641729166667	-	1	0.0 %
0.641791666667	-	1	0.0 %
0.642062500000	-	1	0.0 %
0.644166666667	-	1	0.0 %
0.644229166667	-	1	0.0 %
0.645187500000	-	1	0.0 %
0.646625000000	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	63	1.9 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	87	2.6 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,044 valid cases out of 3,291 total cases.

- Mean: 1.233068439845
- Minimum: 0.524104166667

- Maximum: 5.195916666667
- Standard Deviation: 0.406934450809

Location: 1284-1298 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX31: SGST: mixed-task trial #31 "red"

Value	Label	Unweighted Frequency	%
0.531520833333	-	1	0.0 %
0.547270833333	-	1	0.0 %
0.553770833333	-	1	0.0 %
0.574166666667	-	1	0.0 %
0.575270833333	-	1	0.0 %
0.616125000000	-	1	0.0 %
0.618291666667	-	1	0.0 %
0.636125000000	-	1	0.0 %
0.653645833333	-	1	0.0 %
0.661708333333	-	1	0.0 %
0.665437500000	-	1	0.0 %
0.669833333333	-	1	0.0 %
0.673395833333	-	1	0.0 %
0.675687500000	-	1	0.0 %
0.679166666667	-	1	0.0 %
0.682229166667	-	1	0.0 %
0.690312500000	-	1	0.0 %
0.692520833333	-	1	0.0 %
0.695645833333	-	1	0.0 %
0.695875000000	-	1	0.0 %
0.698062500000	-	1	0.0 %
0.699916666667	-	1	0.0 %
0.702583333333	-	1	0.0 %
0.703458333333	-	1	0.0 %
0.703520833333	-	1	0.0 %
0.706562500000	-	1	0.0 %
0.714395833333	-	1	0.0 %
0.714437500000	-	1	0.0 %
0.717875000000	-	1	0.0 %
0.720791666667	-	1	0.0 %
0.721625000000	-	1	0.0 %
0.721833333333	-	1	0.0 %
0.723729166667	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.724979166667	-	1	0.0 %
0.731428571429	-	1	0.0 %
0.732270833333	-	1	0.0 %
0.736458333333	-	1	0.0 %
0.736770833333	-	1	0.0 %
0.739750000000	-	1	0.0 %
0.740937500000	-	1	0.0 %
0.742270833333	-	1	0.0 %
0.742416666667	-	1	0.0 %
0.747041666667	-	1	0.0 %
0.750312500000	-	1	0.0 %
0.754125000000	-	1	0.0 %
0.755083333333	-	1	0.0 %
0.756208333333	-	2	0.1 %
0.757062500000	-	1	0.0 %
0.758354166667	-	1	0.0 %
0.758833333333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	83	2.5 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	85	2.6 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,026 valid cases out of 3,291 total cases.

- Mean: 1.405566935529
- Minimum: 0.531520833333
- Maximum: 4.467666666667
- Standard Deviation: 0.457458472430

Location: 1299-1313 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSWX32: SGST: mixed-task trial #32 "green"

Value	Label	Unweighted Frequency	%
0.427854166667	-	1	0.0 %
0.449291666667	-	1	0.0 %
0.452875000000	-	1	0.0 %
0.488979166667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.494770833333	-	1	0.0 %
0.506145833333	-	1	0.0 %
0.514270833333	-	1	0.0 %
0.515541666667	-	1	0.0 %
0.523000000000	-	1	0.0 %
0.537166666667	-	1	0.0 %
0.537979166667	-	1	0.0 %
0.542187500000	-	1	0.0 %
0.546166666667	-	1	0.0 %
0.552750000000	-	1	0.0 %
0.554875000000	-	1	0.0 %
0.557208333333	-	1	0.0 %
0.576979166667	-	2	0.1 %
0.577520833333	-	1	0.0 %
0.580937500000	-	1	0.0 %
0.583250000000	-	1	0.0 %
0.585125000000	-	1	0.0 %
0.589312500000	-	1	0.0 %
0.589500000000	-	1	0.0 %
0.590750000000	-	1	0.0 %
0.591895833333	-	1	0.0 %
0.592333333333	-	1	0.0 %
0.596462585034	-	1	0.0 %
0.596833333333	-	1	0.0 %
0.597104166667	-	1	0.0 %
0.597125000000	-	1	0.0 %
0.601000000000	-	1	0.0 %
0.601604166667	-	1	0.0 %
0.605000000000	-	1	0.0 %
0.607645833333	-	1	0.0 %
0.611145833333	-	1	0.0 %
0.612145833333	-	1	0.0 %
0.613291666667	-	1	0.0 %
0.617125000000	-	1	0.0 %
0.617250000000	-	1	0.0 %
0.618291666667	-	1	0.0 %
0.618979166667	-	1	0.0 %
0.619687500000	-	1	0.0 %
0.620833333333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.623000000000	-	1	0.0 %
0.628937500000	-	1	0.0 %
0.629812500000	-	1	0.0 %
0.631000000000	-	1	0.0 %
0.632625000000	-	1	0.0 %
0.632833333333	-	1	0.0 %
0.634270833333	-	1	0.0 %
	Missing Data		
95.000000000000	INCORRECT	87	2.6 %
98.000000000000	REFUSED/MISSING	97	2.9 %
99.000000000000	INVALID	80	2.4 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,027 valid cases out of 3,291 total cases.

- Mean: 1.229918691588
- Minimum: 0.427854166667
- Maximum: 4.523000000000
- Standard Deviation: 0.389647519349

Location: 1314-1328 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 95.000000000000 , 98.000000000000 , 99.000000000000

C3TSMMB: Metronome (median of 8 lags measured at the beginning of the SGST)

Value	Label	Unweighted Frequency	%
0.000000000000	PERFECT ACCURACY	234	7.1 %
0.075302083500	-	1	0.0 %
0.084114583333	-	1	0.0 %
0.091072916500	-	1	0.0 %
0.093166666667	-	1	0.0 %
0.094406250000	-	1	0.0 %
0.096708334000	-	1	0.0 %
0.098208334000	-	1	0.0 %
0.098572917000	-	1	0.0 %
0.104468750000	-	1	0.0 %
0.184083333000	-	1	0.0 %
0.185718750000	-	1	0.0 %
0.196968750000	-	1	0.0 %
0.200479167000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.205958333000	-	1	0.0 %
0.210645833333	-	1	0.0 %
0.214708333000	-	1	0.0 %
0.215697917000	-	1	0.0 %
0.224989583500	-	1	0.0 %
0.225645833500	-	1	0.0 %
0.226895834000	-	1	0.0 %
0.227208333000	-	1	0.0 %
0.229572916500	-	1	0.0 %
0.230802083333	-	1	0.0 %
0.232604167000	-	1	0.0 %
0.233229167000	-	1	0.0 %
0.234072916667	-	1	0.0 %
0.234750000000	-	1	0.0 %
0.239583333333	-	1	0.0 %
0.240875000000	-	1	0.0 %
0.244520833500	-	1	0.0 %
0.256916666667	-	1	0.0 %
0.257895833000	-	1	0.0 %
0.257989583000	-	1	0.0 %
0.261145833333	-	1	0.0 %
0.262739583500	-	1	0.0 %
0.272916666667	-	1	0.0 %
0.274739584000	-	1	0.0 %
0.275427083500	-	1	0.0 %
0.279281250000	-	1	0.0 %
0.280770833333	-	1	0.0 %
0.282500000000	-	1	0.0 %
0.283343750000	-	1	0.0 %
0.284781250000	-	1	0.0 %
0.289343750000	-	1	0.0 %
0.289479167000	-	1	0.0 %
0.291916667000	-	1	0.0 %
0.292510416500	-	1	0.0 %
0.292531250000	-	1	0.0 %
0.295375000000	-	1	0.0 %
	Missing Data		
98.000000000000	REFUSED/MISSING	42	1.3 %
99.000000000000	INAPP (LANDLINE PHONE)	2293	69.7 %

Value	Label	Unweighted Frequency	%
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 956 valid cases out of 3,291 total cases.

- Mean: 0.401867568889
- Minimum: 0.000000000000
- Maximum: 0.892666666500
- Standard Deviation: 0.262835188123

Location: 1329-1343 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98.000000000000 , 99.000000000000

C3TSMME: Metronome (median of 8 lags measured at the end of the SGST)

Value	Label	Unweighted Frequency	%
0.000000000000	PERFECT ACCURACY	228	6.9 %
0.078052083500	-	1	0.0 %
0.079802083333	-	1	0.0 %
0.103781250000	-	1	0.0 %
0.115968750000	-	1	0.0 %
0.168270833333	-	1	0.0 %
0.168791666667	-	1	0.0 %
0.179958333333	-	1	0.0 %
0.181833333333	-	1	0.0 %
0.188229167000	-	1	0.0 %
0.197229166500	-	1	0.0 %
0.200895834000	-	1	0.0 %
0.205583333500	-	1	0.0 %
0.207010417000	-	1	0.0 %
0.211416666667	-	1	0.0 %
0.213375000000	-	1	0.0 %
0.216916667000	-	1	0.0 %
0.218052083000	-	1	0.0 %
0.227729167000	-	1	0.0 %
0.230979167000	-	1	0.0 %
0.233250000000	-	1	0.0 %
0.234291666667	-	1	0.0 %
0.235770834000	-	1	0.0 %
0.247781250000	-	1	0.0 %
0.254937500000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.255854167000	-	1	0.0 %
0.259531250000	-	1	0.0 %
0.259802084000	-	1	0.0 %
0.263718750000	-	1	0.0 %
0.265031250000	-	1	0.0 %
0.265885416500	-	1	0.0 %
0.269427083000	-	1	0.0 %
0.273416666667	-	1	0.0 %
0.273479167000	-	1	0.0 %
0.274281250000	-	1	0.0 %
0.277312500000	-	1	0.0 %
0.283385417000	-	1	0.0 %
0.283989583500	-	1	0.0 %
0.284750000000	-	1	0.0 %
0.286572916667	-	1	0.0 %
0.287875000000	-	1	0.0 %
0.298802083333	-	1	0.0 %
0.299302083000	-	1	0.0 %
0.299375000000	-	1	0.0 %
0.300802083500	-	1	0.0 %
0.302125000000	-	1	0.0 %
0.302375000000	-	1	0.0 %
0.302791666667	-	1	0.0 %
0.311885416667	-	1	0.0 %
0.311968750000	-	1	0.0 %
	Missing Data		
98.000000000000	REFUSED/MISSING	39	1.2 %
99.000000000000	INAPP (LANDLINE PHONE)	2293	69.7 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 959 valid cases out of 3,291 total cases.

- Mean: 0.408553451961
- Minimum: 0.000000000000
- Maximum: 0.905656250000
- Standard Deviation: 0.261835502135

Location: 1344-1358 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98.000000000000 , 99.000000000000

C3TSMME: Metronome (mean of medians) mean(C3TSMME, C3TSMME)

Value	Label	Unweighted Frequency	%
0.000000000000	PERFECT ACCURACY	197	6.0 %
0.037651041750	-	1	0.0 %
0.039901041667	-	1	0.0 %
0.045536458250	-	1	0.0 %
0.046583333333	-	1	0.0 %
0.049104167000	-	1	0.0 %
0.051890625000	-	1	0.0 %
0.084135416667	-	1	0.0 %
0.084395833333	-	1	0.0 %
0.089979166667	-	1	0.0 %
0.092041666500	-	1	0.0 %
0.098614583250	-	1	0.0 %
0.103505208000	-	1	0.0 %
0.105708333333	-	1	0.0 %
0.106687500000	-	1	0.0 %
0.114786458250	-	1	0.0 %
0.116614583500	-	1	0.0 %
0.120437500000	-	1	0.0 %
0.123890625000	-	1	0.0 %
0.128947916500	-	1	0.0 %
0.137713541750	-	1	0.0 %
0.138119791667	-	1	0.0 %
0.141994791750	-	1	0.0 %
0.145958333000	-	1	0.0 %
0.146255208250	-	1	0.0 %
0.151062500000	-	1	0.0 %
0.151171875000	-	1	0.0 %
0.163187500000	-	1	0.0 %
0.165911458000	-	1	0.0 %
0.169223959000	-	1	0.0 %
0.177197917000	-	1	0.0 %
0.180697916750	-	1	0.0 %
0.195651041750	-	1	0.0 %
0.203260417000	-	1	0.0 %
0.211765625000	-	1	0.0 %
0.215812500000	-	1	0.0 %
0.215932291667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.216875000000	-	1	0.0 %
0.234187500000	-	1	0.0 %
0.236937500000	-	1	0.0 %
0.240750000250	-	1	0.0 %
0.245119792000	-	1	0.0 %
0.246546874750	-	1	0.0 %
0.247697916500	-	1	0.0 %
0.250125000000	-	1	0.0 %
0.251427084000	-	1	0.0 %
0.251828125000	-	1	0.0 %
0.252088542000	-	1	0.0 %
0.253333333333	-	1	0.0 %
0.254177083333	-	1	0.0 %
	Missing Data		
98.000000000000	REFUSED/MISSING	35	1.1 %
99.000000000000	INAPP (LANDLINE PHONE)	2293	69.7 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 963 valid cases out of 3,291 total cases.

- Mean: 0.405004083385
- Minimum: 0.000000000000
- Maximum: 0.851817708250
- Standard Deviation: 0.249500183777

Location: 1359-1373 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98.000000000000 , 99.000000000000

C3TSTN: SGST: normal single-task #correct

Value	Label	Unweighted Frequency	%
0	-	33	1.0 %
1	-	2	0.1 %
3	-	2	0.1 %
4	-	5	0.2 %
5	-	2	0.1 %
6	-	3	0.1 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	2	0.1 %

Value	Label	Unweighted Frequency	%
11	-	1	0.0 %
12	-	4	0.1 %
13	-	1	0.0 %
14	-	7	0.2 %
15	-	5	0.2 %
16	-	27	0.8 %
17	-	49	1.5 %
18	-	160	4.9 %
19	-	602	18.3 %
20	-	2384	72.4 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 19.33
- Median: 20.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 2.38

Location: 1374-1375 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSVN: SGST: normal single-task #invalid

Value	Label	Unweighted Frequency	%
0	-	2744	83.4 %
1	-	407	12.4 %
2	-	80	2.4 %
3	-	20	0.6 %
4	-	6	0.2 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	2	0.1 %
9	-	1	0.0 %
10	-	1	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
16	-	2	0.1 %
17	-	3	0.1 %
18	-	3	0.1 %

Value	Label	Unweighted Frequency	%
19	-	1	0.0 %
20	-	17	0.5 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.82

Location: 1376-1377 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSPN: SGST: normal single-task % correct

Value	Label	Unweighted Frequency	%
0.0000000000000	-	16	0.5 %
0.0500000000000	-	1	0.0 %
0.1578947368421	-	1	0.0 %
0.2000000000000	-	1	0.0 %
0.2500000000000	-	1	0.0 %
0.2631578947368	-	1	0.0 %
0.3000000000000	-	1	0.0 %
0.3333333333333	-	4	0.1 %
0.3636363636364	-	1	0.0 %
0.4000000000000	-	1	0.0 %
0.4736842105263	-	1	0.0 %
0.5000000000000	-	1	0.0 %
0.5500000000000	-	1	0.0 %
0.6000000000000	-	1	0.0 %
0.6315789473684	-	1	0.0 %
0.7000000000000	-	3	0.1 %
0.7058823529412	-	1	0.0 %
0.7142857142857	-	1	0.0 %
0.7368421052632	-	1	0.0 %
0.7500000000000	-	2	0.1 %
0.7777777777778	-	1	0.0 %
0.7894736842105	-	2	0.1 %
0.8000000000000	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.8125000000000	-	1	0.0 %
0.8235294117647	-	1	0.0 %
0.8421052631579	-	7	0.2 %
0.8500000000000	-	12	0.4 %
0.8750000000000	-	1	0.0 %
0.8823529411765	-	1	0.0 %
0.8888888888889	-	6	0.2 %
0.8947368421053	-	8	0.2 %
0.9000000000000	-	37	1.1 %
0.9230769230769	-	1	0.0 %
0.9411764705882	-	8	0.2 %
0.9444444444444	-	20	0.6 %
0.9473684210526	-	71	2.2 %
0.9500000000000	-	288	8.8 %
1.0000000000000	-	2765	84.0 %
	Missing Data		
8.0000000000000	REFUSED/MISSING	17	0.5 %
	Total	3,291	100%

Based upon 3,274 valid cases out of 3,291 total cases.

- Mean: 0.9820008868484
- Median: 1.0000000000000
- Mode: 1.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.0879716770642

Location: 1378-1392 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: 8.0000000000000

C3TSMN: SGST: normal single-task median RT

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,199 valid cases out of 3,291 total cases.

- Mean: 1.121148784792
- Minimum: 0.5360000000000
- Maximum: 3.9460833333333
- Standard Deviation: 0.261848777932

Location: 1393-1407 (width: 15; decimal: 12)

Variable Type: numeric
(Range of) Missing Values: 98

C3TSTR: SGST: reverse single-task #correct

Value	Label	Unweighted Frequency	%
0	-	46	1.4 %
1	-	3	0.1 %
2	-	3	0.1 %
3	-	1	0.0 %
4	-	4	0.1 %
5	-	3	0.1 %
6	-	4	0.1 %
7	-	4	0.1 %
8	-	5	0.2 %
9	-	4	0.1 %
10	-	11	0.3 %
11	-	4	0.1 %
12	-	15	0.5 %
13	-	10	0.3 %
14	-	29	0.9 %
15	-	50	1.5 %
16	-	83	2.5 %
17	-	175	5.3 %
18	-	373	11.3 %
19	-	780	23.7 %
20	-	1684	51.2 %
Total		3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 18.63
- Median: 20.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 2.98

Location: 1408-1409 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 98

C3TSVR: SGST: reverse single-task #invalid

Value	Label	Unweighted Frequency	%
0	-	2631	79.9 %

Value	Label	Unweighted Frequency	%
1	-	472	14.3 %
2	-	101	3.1 %
3	-	25	0.8 %
4	-	14	0.4 %
5	-	3	0.1 %
6	-	4	0.1 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	2	0.1 %
12	-	1	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	31	0.9 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 2.14

Location: 1410-1411 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSPR: SGST: reverse single-task % correct

Value	Label	Unweighted Frequency	%
0.00000000000000	-	15	0.5 %
0.05000000000000	-	1	0.0 %
0.0526315789474	-	2	0.1 %
0.10000000000000	-	2	0.1 %
0.15000000000000	-	1	0.0 %
0.20000000000000	-	2	0.1 %
0.25000000000000	-	1	0.0 %
0.2631578947368	-	2	0.1 %
0.2941176470588	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.30000000000000	-	1	0.0 %
0.3157894736842	-	2	0.1 %
0.35000000000000	-	2	0.1 %
0.3684210526316	-	1	0.0 %
0.40000000000000	-	3	0.1 %
0.4210526315789	-	1	0.0 %
0.44444444444444	-	1	0.0 %
0.4736842105263	-	3	0.1 %
0.50000000000000	-	6	0.2 %
0.5263157894737	-	3	0.1 %
0.55000000000000	-	4	0.1 %
0.5714285714286	-	1	0.0 %
0.58333333333333	-	1	0.0 %
0.5882352941176	-	1	0.0 %
0.60000000000000	-	4	0.1 %
0.6315789473684	-	3	0.1 %
0.65000000000000	-	3	0.1 %
0.66666666666667	-	2	0.1 %
0.6842105263158	-	1	0.0 %
0.70000000000000	-	11	0.3 %
0.7058823529412	-	4	0.1 %
0.72222222222222	-	2	0.1 %
0.7368421052632	-	9	0.3 %
0.75000000000000	-	20	0.6 %
0.77777777777778	-	1	0.0 %
0.7894736842105	-	11	0.3 %
0.80000000000000	-	33	1.0 %
0.81250000000000	-	3	0.1 %
0.8235294117647	-	2	0.1 %
0.83333333333333	-	14	0.4 %
0.8421052631579	-	26	0.8 %
0.85000000000000	-	70	2.1 %
0.87500000000000	-	2	0.1 %
0.8823529411765	-	3	0.1 %
0.88888888888889	-	19	0.6 %
0.8947368421053	-	66	2.0 %
0.90000000000000	-	197	6.0 %
0.9285714285714	-	1	0.0 %
0.93333333333333	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.9375000000000	-	4	0.1 %
0.9411764705882	-	3	0.1 %
	Missing Data		
8.0000000000000	REFUSED/MISSING	31	0.9 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,260 valid cases out of 3,291 total cases.

- Mean: 0.9529538191609
- Median: 1.0000000000000
- Mode: 1.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.1103869817692

Location: 1412-1426 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: 8.0000000000000

C3TSMR: SGST: reverse single-task median RT

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,187 valid cases out of 3,291 total cases.

- Mean: 1.270436444429
- Minimum: 0.472697916667
- Maximum: 4.657750000000
- Standard Deviation: 0.324782802429

Location: 1427-1441 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSMB: SGST: mean(C3TSMN, C3TSMR)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,207 valid cases out of 3,291 total cases.

- Mean: 1.196616669347
- Minimum: 0.520791666667

- Maximum: 3.932473958333
- Standard Deviation: 0.282523678077

Location: 1442-1456 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSTXNO: SGST: mixed-task normal nonswitch trials #correct

Value	Label	Unweighted Frequency	%
0	-	106	3.2 %
1	-	4	0.1 %
2	-	3	0.1 %
3	-	6	0.2 %
4	-	5	0.2 %
5	-	20	0.6 %
6	-	18	0.5 %
7	-	24	0.7 %
8	-	45	1.4 %
9	-	83	2.5 %
10	-	106	3.2 %
11	-	329	10.0 %
12	-	2542	77.2 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 11.16
- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.40

Location: 1457-1458 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSVXNO: SGST: mixed-task normal nonswitch trials #invalid

Value	Label	Unweighted Frequency	%
0	-	2878	87.5 %
1	-	253	7.7 %
2	-	37	1.1 %
3	-	14	0.4 %
4	-	6	0.2 %
5	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6	-	4	0.1 %
7	-	7	0.2 %
8	-	1	0.0 %
9	-	2	0.1 %
10	-	3	0.1 %
11	-	3	0.1 %
12	-	82	2.5 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.00

Location: 1459-1460 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSPXNO: SGST: mixed-task normal nonswitch trials %correct

Value	Label	Unweighted Frequency	%
0.00000000000000	-	24	0.7 %
0.0909090909091	-	2	0.1 %
0.1666666666667	-	2	0.1 %
0.25000000000000	-	4	0.1 %
0.2727272727273	-	1	0.0 %
0.3333333333333	-	4	0.1 %
0.3636363636364	-	1	0.0 %
0.4166666666667	-	9	0.3 %
0.4545454545455	-	4	0.1 %
0.50000000000000	-	12	0.4 %
0.5454545454545	-	6	0.2 %
0.5833333333333	-	9	0.3 %
0.60000000000000	-	2	0.1 %
0.62500000000000	-	1	0.0 %
0.6363636363636	-	10	0.3 %
0.6666666666667	-	31	0.9 %
0.70000000000000	-	3	0.1 %
0.7272727272727	-	7	0.2 %

Value	Label	Unweighted Frequency	%
0.75000000000000	-	47	1.4 %
0.80000000000000	-	1	0.0 %
0.8181818181818	-	15	0.5 %
0.83333333333333	-	35	1.1 %
0.87500000000000	-	1	0.0 %
0.88888888888889	-	3	0.1 %
0.90000000000000	-	11	0.3 %
0.9090909090909	-	52	1.6 %
0.91666666666667	-	176	5.3 %
1.00000000000000	-	2736	83.1 %
	Missing Data		
8.00000000000000	REFUSED/MISSING	67	2.0 %
.	-	15	0.5 %
	Total	3,291	100%

Based upon 3,209 valid cases out of 3,291 total cases.

- Mean: 0.9645244907788
- Median: 1.00000000000000
- Mode: 1.00000000000000
- Minimum: 0.00000000000000
- Maximum: 1.00000000000000
- Standard Deviation: 0.1252154033574

Location: 1461-1475 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: 8.00000000000000 , .

C3TSTXRO: SGST: mixed-task reverse nonswitch trials #correct

Value	Label	Unweighted Frequency	%
0	-	119	3.6 %
1	-	10	0.3 %
2	-	9	0.3 %
3	-	10	0.3 %
4	-	22	0.7 %
5	-	12	0.4 %
6	-	25	0.8 %
7	-	106	3.2 %
8	-	101	3.1 %
9	-	176	5.3 %
10	-	503	15.3 %
11	-	2198	66.8 %

Value	Label	Unweighted Frequency	%
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 9.94
- Median: 11.00
- Mode: 11.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 2.40

Location: 1476-1477 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSVXRO: SGST: mixed-task reverse nonswitch trials #invalid

Value	Label	Unweighted Frequency	%
0	-	2826	85.9 %
1	-	272	8.3 %
2	-	57	1.7 %
3	-	19	0.6 %
4	-	17	0.5 %
5	-	4	0.1 %
6	-	1	0.0 %
7	-	3	0.1 %
8	-	4	0.1 %
9	-	4	0.1 %
10	-	3	0.1 %
11	-	81	2.5 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 1.84

Location: 1478-1479 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSPXRO: SGST: mixed-task reverse nonswitch trials %correct

Value	Label	Unweighted Frequency	%
0.0000000000000	-	38	1.2 %
0.0909090909091	-	5	0.2 %
0.1000000000000	-	2	0.1 %
0.1818181818182	-	2	0.1 %
0.2000000000000	-	1	0.0 %
0.2500000000000	-	1	0.0 %
0.2727272727273	-	5	0.2 %
0.3000000000000	-	3	0.1 %
0.3636363636364	-	12	0.4 %
0.4000000000000	-	5	0.2 %
0.4285714285714	-	2	0.1 %
0.4444444444444	-	1	0.0 %
0.4545454545455	-	6	0.2 %
0.5000000000000	-	3	0.1 %
0.5454545454545	-	8	0.2 %
0.5555555555556	-	1	0.0 %
0.5714285714286	-	1	0.0 %
0.6000000000000	-	7	0.2 %
0.6250000000000	-	2	0.1 %
0.6363636363636	-	67	2.0 %
0.6666666666667	-	7	0.2 %
0.7000000000000	-	18	0.5 %
0.7272727272727	-	58	1.8 %
0.7500000000000	-	3	0.1 %
0.7777777777778	-	8	0.2 %
0.8000000000000	-	20	0.6 %
0.8181818181818	-	88	2.7 %
0.8333333333333	-	1	0.0 %
0.8571428571429	-	3	0.1 %
0.8750000000000	-	5	0.2 %
0.8888888888889	-	14	0.4 %
0.9000000000000	-	60	1.8 %
0.9090909090909	-	351	10.7 %
1.0000000000000	-	2402	73.0 %
	Missing Data		
8.0000000000000	REFUSED/MISSING	66	2.0 %
.	-	15	0.5 %
	Total	3,291	100%

Based upon 3,210 valid cases out of 3,291 total cases.

- Mean: 0.9409461436798
- Median: 1.00000000000000
- Mode: 1.00000000000000
- Minimum: 0.00000000000000
- Maximum: 1.00000000000000
- Standard Deviation: 0.1544088123786

Location: 1480-1494 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: 8.00000000000000 , .

C3TSTXBO: SGST: mixed-task nonswitch trials #correct

Value	Label	Unweighted Frequency	%
0	-	94	2.9 %
1	-	2	0.1 %
2	-	3	0.1 %
3	-	3	0.1 %
4	-	6	0.2 %
5	-	3	0.1 %
6	-	2	0.1 %
7	-	4	0.1 %
8	-	3	0.1 %
9	-	7	0.2 %
10	-	8	0.2 %
11	-	11	0.3 %
12	-	21	0.6 %
13	-	15	0.5 %
14	-	17	0.5 %
15	-	20	0.6 %
16	-	29	0.9 %
17	-	25	0.8 %
18	-	50	1.5 %
19	-	117	3.6 %
20	-	137	4.2 %
21	-	269	8.2 %
22	-	593	18.0 %
23	-	1852	56.3 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 21.09

- Median: 23.00
- Mode: 23.00
- Minimum: 0.00
- Maximum: 23.00
- Standard Deviation: 4.48

Location: 1495-1496 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSVXBO: SGST: mixed-task nonswitch trials #invalid

Value	Label	Unweighted Frequency	%
0	-	2591	78.7 %
1	-	433	13.2 %
2	-	101	3.1 %
3	-	30	0.9 %
4	-	16	0.5 %
5	-	7	0.2 %
6	-	2	0.1 %
7	-	4	0.1 %
8	-	1	0.0 %
9	-	3	0.1 %
10	-	2	0.1 %
11	-	5	0.2 %
13	-	2	0.1 %
14	-	1	0.0 %
15	-	3	0.1 %
16	-	1	0.0 %
18	-	2	0.1 %
19	-	2	0.1 %
20	-	2	0.1 %
21	-	3	0.1 %
22	-	1	0.0 %
23	-	79	2.4 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 0.94
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 23.00
- Standard Deviation: 3.79

Location: 1497-1498 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 98

C3TSPXBO: SGST: mixed-task nonswitch trials %correct

Value	Label	Unweighted Frequency	%
0.0000000000000	-	15	0.5 %
0.0454545454545	-	1	0.0 %
0.1304347826087	-	2	0.1 %
0.1739130434783	-	2	0.1 %
0.1818181818182	-	2	0.1 %
0.2857142857143	-	1	0.0 %
0.3478260869565	-	3	0.1 %
0.3684210526316	-	1	0.0 %
0.3913043478261	-	4	0.1 %
0.4000000000000	-	1	0.0 %
0.4090909090909	-	1	0.0 %
0.4166666666667	-	1	0.0 %
0.4285714285714	-	1	0.0 %
0.4347826086957	-	3	0.1 %
0.4375000000000	-	1	0.0 %
0.4444444444444	-	1	0.0 %
0.4545454545455	-	2	0.1 %
0.4782608695652	-	3	0.1 %
0.5000000000000	-	10	0.3 %
0.5217391304348	-	16	0.5 %
0.5454545454545	-	2	0.1 %
0.5625000000000	-	1	0.0 %
0.5652173913043	-	6	0.2 %
0.5714285714286	-	1	0.0 %
0.5789473684211	-	1	0.0 %
0.5909090909091	-	7	0.2 %
0.6086956521739	-	3	0.1 %
0.6363636363636	-	5	0.2 %
0.6521739130435	-	14	0.4 %
0.6666666666667	-	3	0.1 %
0.6818181818182	-	4	0.1 %
0.6956521739130	-	11	0.3 %
0.7000000000000	-	3	0.1 %
0.7142857142857	-	2	0.1 %
0.7272727272727	-	10	0.3 %

Value	Label	Unweighted Frequency	%
0.73333333333333	-	1	0.0 %
0.7368421052632	-	1	0.0 %
0.7391304347826	-	12	0.4 %
0.75000000000000	-	1	0.0 %
0.7619047619048	-	4	0.1 %
0.7692307692308	-	1	0.0 %
0.7727272727273	-	3	0.1 %
0.7777777777778	-	1	0.0 %
0.7826086956522	-	16	0.5 %
0.81250000000000	-	1	0.0 %
0.8181818181818	-	20	0.6 %
0.8260869565217	-	63	1.9 %
0.83333333333333	-	1	0.0 %
0.8421052631579	-	1	0.0 %
0.85000000000000	-	5	0.2 %
	Missing Data		
8.00000000000000	REFUSED/MISSING	64	1.9 %
.	-	15	0.5 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,212 valid cases out of 3,291 total cases.

- Mean: 0.9532015357666
- Median: 1.00000000000000
- Mode: 1.00000000000000
- Minimum: 0.00000000000000
- Maximum: 1.00000000000000
- Standard Deviation: 0.1191303963678

Location: 1499-1513 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: 8.00000000000000 , .

C3TSTXNS: SGST: mixed-task normal switch trials #correct

Value	Label	Unweighted Frequency	%
0	-	120	3.6 %
1	-	54	1.6 %
2	-	322	9.8 %
3	-	2795	84.9 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 2.76
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.66

Location: 1514-1514 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

C3TSVXNS: SGST: mixed-task normal switch trials #invalid

Value	Label	Unweighted Frequency	%
0	-	3021	91.8 %
1	-	152	4.6 %
2	-	27	0.8 %
3	-	91	2.8 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.55

Location: 1515-1515 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

C3TSPXNS: SGST: mixed-task normal switch trials %correct

Value	Label	Unweighted Frequency	%
0.00000000000000	-	29	0.9 %
0.33333333333333	-	24	0.7 %
0.50000000000000	-	9	0.3 %
0.66666666666667	-	185	5.6 %
1.00000000000000	-	2953	89.7 %
	Missing Data		
8.00000000000000	REFUSED/MISSING	76	2.3 %
.	-	15	0.5 %
	Total	3,291	100%

Based upon 3,200 valid cases out of 3,291 total cases.

- Mean: 0.9652604166667
- Median: 1.0000000000000
- Mode: 1.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.1353567739323

Location: 1516-1530 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: 8.0000000000000 , .

C3TSTXRS: SGST: mixed-task reverse switch trials #correct

Value	Label	Unweighted Frequency	%
0	-	137	4.2 %
1	-	117	3.6 %
2	-	556	16.9 %
3	-	2481	75.4 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 2.64
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.74

Location: 1531-1531 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

C3TSVXRS: SGST: mixed-task reverse switch trials #invalid

Value	Label	Unweighted Frequency	%
0	-	3008	91.4 %
1	-	169	5.1 %
2	-	22	0.7 %
3	-	92	2.8 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.55

Location: 1532-1532 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

C3TSPXRS: SGST: mixed-task reverse switch trials %correct

Value	Label	Unweighted Frequency	%
0.00000000000000	-	45	1.4 %
0.33333333333333	-	71	2.2 %
0.50000000000000	-	30	0.9 %
0.66666666666667	-	425	12.9 %
1.00000000000000	-	2628	79.9 %
Missing Data			
8.00000000000000	REFUSED/MISSING	76	2.3 %
.	-	16	0.5 %
Total		3,291	100%

Based upon 3,199 valid cases out of 3,291 total cases.

- Mean: 0.9221631759925
- Median: 1.00000000000000
- Mode: 1.00000000000000
- Minimum: 0.00000000000000
- Maximum: 1.00000000000000
- Standard Deviation: 0.1870547944388

Location: 1533-1547 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: 8.00000000000000 , .

C3TSTXBS: SGST: mixed-task switch trials #correct

Value	Label	Unweighted Frequency	%
0	-	101	3.1 %
1	-	17	0.5 %
2	-	37	1.1 %
3	-	55	1.7 %
4	-	171	5.2 %
5	-	645	19.6 %
6	-	2265	68.8 %
Total		3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 5.40
- Median: 6.00
- Mode: 6.00

- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.27

Location: 1548-1548 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

C3TSVXBS: SGST: mixed-task switch trials #invalid

Value	Label	Unweighted Frequency	%
0	-	2884	87.6 %
1	-	240	7.3 %
2	-	52	1.6 %
3	-	12	0.4 %
4	-	10	0.3 %
5	-	10	0.3 %
6	-	83	2.5 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.06

Location: 1549-1549 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

C3TSPXBS: SGST: mixed-task switch trials %correct

Value	Label	Unweighted Frequency	%
0.00000000000000	-	18	0.5 %
0.16666666666667	-	3	0.1 %
0.20000000000000	-	2	0.1 %
0.33333333333333	-	22	0.7 %
0.40000000000000	-	5	0.2 %
0.50000000000000	-	33	1.0 %
0.60000000000000	-	11	0.3 %
0.66666666666667	-	86	2.6 %
0.75000000000000	-	10	0.3 %
0.80000000000000	-	52	1.6 %
0.83333333333333	-	476	14.5 %

Value	Label	Unweighted Frequency	%
1.000000000000000	-	2490	75.7 %
	Missing Data		
8.000000000000000	REFUSED/MISSING	68	2.1 %
.	-	15	0.5 %
	Total	3,291	100%

Based upon 3,208 valid cases out of 3,291 total cases.

- Mean: 0.9434019118869
- Median: 1.000000000000000
- Mode: 1.000000000000000
- Minimum: 0.000000000000000
- Maximum: 1.000000000000000
- Standard Deviation: 0.1346646537558

Location: 1550-1564 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: 8.000000000000000 , .

C3TSTXBB: SGST: all mixed-task #correct

Value	Label	Unweighted Frequency	%
0	-	91	2.8 %
1	-	3	0.1 %
2	-	4	0.1 %
3	-	1	0.0 %
4	-	4	0.1 %
5	-	4	0.1 %
6	-	2	0.1 %
7	-	2	0.1 %
8	-	3	0.1 %
9	-	4	0.1 %
10	-	3	0.1 %
11	-	5	0.2 %
12	-	5	0.2 %
13	-	6	0.2 %
14	-	10	0.3 %
15	-	15	0.5 %
16	-	11	0.3 %
17	-	14	0.4 %
18	-	12	0.4 %
19	-	15	0.5 %
20	-	27	0.8 %

Value	Label	Unweighted Frequency	%
21	-	20	0.6 %
22	-	30	0.9 %
23	-	61	1.9 %
24	-	80	2.4 %
25	-	116	3.5 %
26	-	184	5.6 %
27	-	310	9.4 %
28	-	690	21.0 %
29	-	1559	47.4 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 26.49
- Median: 28.00
- Mode: 29.00
- Minimum: 0.00
- Maximum: 29.00
- Standard Deviation: 5.61

Location: 1565-1566 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSVXBB: SGST: all mixed-task #invalid

Value	Label	Unweighted Frequency	%
0	-	2444	74.3 %
1	-	467	14.2 %
2	-	161	4.9 %
3	-	64	1.9 %
4	-	18	0.5 %
5	-	11	0.3 %
6	-	10	0.3 %
7	-	3	0.1 %
8	-	2	0.1 %
9	-	3	0.1 %
11	-	1	0.0 %
12	-	4	0.1 %
13	-	3	0.1 %
14	-	3	0.1 %
15	-	1	0.0 %
16	-	1	0.0 %

Value	Label	Unweighted Frequency	%
17	-	1	0.0 %
19	-	2	0.1 %
20	-	3	0.1 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	3	0.1 %
26	-	1	0.0 %
27	-	3	0.1 %
28	-	1	0.0 %
29	-	78	2.4 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Mean: 1.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 29.00
- Standard Deviation: 4.78

Location: 1567-1568 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSPXBB: SGST: all mixed-task %correct

Value	Label	Unweighted Frequency	%
0.000000000000	-	13	0.4 %
0.035714285714	-	1	0.0 %
0.066666666667	-	1	0.0 %
0.068965517241	-	1	0.0 %
0.107142857143	-	1	0.0 %
0.137931034483	-	1	0.0 %
0.172413793103	-	1	0.0 %
0.178571428571	-	1	0.0 %
0.185185185185	-	1	0.0 %
0.222222222222	-	1	0.0 %
0.275862068966	-	1	0.0 %
0.285714285714	-	1	0.0 %
0.344827586207	-	2	0.1 %
0.379310344828	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.400000000000	-	1	0.0 %
0.407407407407	-	1	0.0 %
0.413793103448	-	4	0.1 %
0.416666666667	-	1	0.0 %
0.428571428571	-	1	0.0 %
0.444444444444	-	1	0.0 %
0.448275862069	-	2	0.1 %
0.450000000000	-	1	0.0 %
0.464285714286	-	1	0.0 %
0.478260869565	-	1	0.0 %
0.482758620690	-	4	0.1 %
0.500000000000	-	5	0.2 %
0.517241379310	-	7	0.2 %
0.518518518519	-	1	0.0 %
0.533333333333	-	1	0.0 %
0.535714285714	-	3	0.1 %
0.538461538462	-	1	0.0 %
0.551724137931	-	3	0.1 %
0.555555555556	-	4	0.1 %
0.560000000000	-	1	0.0 %
0.562500000000	-	1	0.0 %
0.571428571429	-	3	0.1 %
0.583333333333	-	1	0.0 %
0.586206896552	-	4	0.1 %
0.607142857143	-	1	0.0 %
0.620689655172	-	6	0.2 %
0.629629629630	-	2	0.1 %
0.642857142857	-	3	0.1 %
0.650000000000	-	1	0.0 %
0.655172413793	-	9	0.3 %
0.666666666667	-	3	0.1 %
0.678571428571	-	2	0.1 %
0.680000000000	-	4	0.1 %
0.689655172414	-	6	0.2 %
0.692307692308	-	2	0.1 %
0.695652173913	-	1	0.0 %
	Missing Data		
98.000000000000	REFUSED/MISSING	63	1.9 %
.	-	15	0.5 %

Value	Label	Unweighted Frequency	%
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,213 valid cases out of 3,291 total cases.

- Mean: 0.950747120416
- Median: 1.000000000000
- Mode: 1.000000000000
- Minimum: 0.000000000000
- Maximum: 1.000000000000
- Standard Deviation: 0.116971168734

Location: 1569-1583 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98.000000000000 , .

C3TSMXNO: SGST: mixed-task normal nonswitch median RT

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,143 valid cases out of 3,291 total cases.

- Mean: 1.253663408484
- Minimum: 0.554906250000
- Maximum: 4.492458333333
- Standard Deviation: 0.313795977286

Location: 1584-1598 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSMXRO: SGST: mixed-task reverse nonswitch median RT

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,130 valid cases out of 3,291 total cases.

- Mean: 1.349793403774
- Minimum: 0.550187500000
- Maximum: 7.665708333333
- Standard Deviation: 0.377333286186

Location: 1599-1613 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSMXBO: SGST: mixed-task nonswitch trials median RT

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,155 valid cases out of 3,291 total cases.

- Mean: 1.291194263775
- Minimum: 0.576229166667
- Maximum: 7.665708333333
- Standard Deviation: 0.334817747833

Location: 1614-1628 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSMXNS: SGST: mixed-task normal switch median RT

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,129 valid cases out of 3,291 total cases.

- Mean: 1.469324253414
- Minimum: 0.454812500000
- Maximum: 8.956187500000
- Standard Deviation: 0.473771109790

Location: 1629-1643 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSMXRS: SGST: mixed-task reverse switch median RT

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,113 valid cases out of 3,291 total cases.

- Mean: 1.663068035565
- Minimum: 0.702086167800
- Maximum: 12.663562500000
- Standard Deviation: 0.581499274825

Location: 1644-1658 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSMXBS: SGST: mixed-task switch trials median RT

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,148 valid cases out of 3,291 total cases.

- Mean: 1.533284668727
- Minimum: 0.715281250000
- Maximum: 5.715937500000
- Standard Deviation: 0.435492955423

Location: 1659-1673 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSMXBB: SGST: mean(C3TSMXBO, C3TSMXBS)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,158 valid cases out of 3,291 total cases.

- Mean: 1.414444845398
- Minimum: 0.702671875000
- Maximum: 7.665708333333
- Standard Deviation: 0.372623106769

Location: 1674-1688 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCGBA: SGST: General Switch Cost, absolute (C3TSMXBB-C3TSMB)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,156 valid cases out of 3,291 total cases.

- Mean: 0.220675935269
- Minimum: -0.657567708333
- Maximum: 5.859437500000
- Standard Deviation: 0.223615376477

Location: 1689-1703 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCGBR: SGST: General Switch Cost, relative (C3TSCGBA/C3TSMB)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,156 valid cases out of 3,291 total cases.

- Mean: 0.192043769372
- Minimum: -0.379950345684
- Maximum: 3.243941823047
- Standard Deviation: 0.174415313777

Location: 1704-1718 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCGNA: SGST: General Switch Cost (normal), absolute [mean(C3TSMXNO, C3TSMXNS)-C3TSMN]

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,137 valid cases out of 3,291 total cases.

- Mean: 0.243240643666
- Minimum: -0.665187500000
- Maximum: 4.051697916667
- Standard Deviation: 0.229150307255

Location: 1719-1733 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCGNR: SGST: General Switch Cost (normal), relative (C3TSCGNA/C3TSMN)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,137 valid cases out of 3,291 total cases.

- Mean: 0.226483216334
- Minimum: -0.348596508467
- Maximum: 3.468857576028
- Standard Deviation: 0.211386060986

Location: 1734-1748 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCGRA: SGST: General Switch Cost (reverse), absolute [mean(C3TSMXRO, C3TSMXRS)-C3TSMR]

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,138 valid cases out of 3,291 total cases.

- Mean: 0.244165910092
- Minimum: -1.710947916667
- Maximum: 8.005812500000
- Standard Deviation: 0.331569842616

Location: 1749-1763 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCGRR: SGST: General Switch Cost (reverse), relative (C3TSCGRA/C3TSMR)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,138 valid cases out of 3,291 total cases.

- Mean: 0.204169946306
- Minimum: -0.572388894503
- Maximum: 2.956838733653
- Standard Deviation: 0.232938413214

Location: 1764-1778 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCCLBA: SGST: Local Switch Cost, absolute (C3TSMXBS-C3TSMXBO)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,145 valid cases out of 3,291 total cases.

- Mean: 0.244364694471
- Minimum: -1.954218750000
- Maximum: 4.232687500000
- Standard Deviation: 0.286581294527

Location: 1779-1793 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCLEBR: SGST: Local Switch Cost, relative (C3TSCLEBA/C3TSMXBO)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,145 valid cases out of 3,291 total cases.

- Mean: 0.198752130713
- Minimum: -0.589300522692
- Maximum: 2.853657508849
- Standard Deviation: 0.214704782945

Location: 1794-1808 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCLENA: SGST: Local Switch Cost (normal), absolute (C3TSMXNS-C3TSMXNO)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,127 valid cases out of 3,291 total cases.

- Mean: 0.217048944084
- Minimum: -2.022114583333
- Maximum: 7.472937500000
- Standard Deviation: 0.358276893681

Location: 1809-1823 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCLENR: SGST: Local Switch Cost (normal), relative (C3TSCLENA/C3TSMXNO)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,127 valid cases out of 3,291 total cases.

- Mean: 0.183375503007
- Minimum: -0.597540554683
- Maximum: 5.038218439238
- Standard Deviation: 0.274530191575

Location: 1824-1838 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCCLRA: SGST: Local Switch Cost (reverse), absolute (C3TSMXRS-C3TSMXRO)

Value	Label	Unweighted Frequency	%
-3.551072916667	-	1	0.0 %
-1.023697916667	-	1	0.0 %
-1.016395833333	-	1	0.0 %
-0.888375000000	-	1	0.0 %
-0.828458333333	-	1	0.0 %
-0.732572916667	-	1	0.0 %
-0.647104166667	-	1	0.0 %
-0.642843750000	-	1	0.0 %
-0.628520833333	-	1	0.0 %
-0.621583333333	-	1	0.0 %
-0.543937500000	-	1	0.0 %
-0.540666666667	-	1	0.0 %
-0.535541666667	-	1	0.0 %
-0.525520833333	-	1	0.0 %
-0.498416666667	-	1	0.0 %
-0.478583333333	-	1	0.0 %
-0.450208333333	-	1	0.0 %
-0.430385416667	-	1	0.0 %
-0.427614583333	-	1	0.0 %
-0.423260416667	-	1	0.0 %
-0.419927083333	-	1	0.0 %
-0.405437500000	-	1	0.0 %
-0.396041666667	-	1	0.0 %
-0.390645833333	-	1	0.0 %
-0.387020833333	-	1	0.0 %
-0.342343750000	-	1	0.0 %
-0.341104166667	-	1	0.0 %
-0.328312500000	-	1	0.0 %
-0.325656250000	-	1	0.0 %
-0.323531250000	-	1	0.0 %
-0.303958333333	-	1	0.0 %
-0.302583333333	-	1	0.0 %
-0.302291666667	-	1	0.0 %
-0.293604166667	-	1	0.0 %
-0.287791666667	-	1	0.0 %
-0.274354166667	-	1	0.0 %
-0.266072916667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-0.265614583333	-	1	0.0 %
-0.265583333333	-	1	0.0 %
-0.257145833333	-	1	0.0 %
-0.254333333333	-	1	0.0 %
-0.249062500000	-	1	0.0 %
-0.246395833333	-	1	0.0 %
-0.243020833333	-	1	0.0 %
-0.236687500000	-	1	0.0 %
-0.228312500000	-	1	0.0 %
-0.227020833333	-	1	0.0 %
-0.218416666667	-	1	0.0 %
-0.215166666667	-	1	0.0 %
-0.214645833333	-	1	0.0 %
	Missing Data		
98.000000000000	REFUSED/MISSING	194	5.9 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,097 valid cases out of 3,291 total cases.

- Mean: 0.311949525504
- Minimum: -3.551072916667
- Maximum: 5.979229166667
- Standard Deviation: 0.408522955510

Location: 1839-1853 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98.000000000000

C3TSCLR: SGST: Local Switch Cost (reverse), relative (C3TSCLR/C3TSMXRO)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,097 valid cases out of 3,291 total cases.

- Mean: 0.244067523269
- Minimum: -0.589217534987
- Maximum: 2.745989115839
- Standard Deviation: 0.286841711792

Location: 1854-1868 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSFV: SGST: Filter invalid cases

Value	Label	Unweighted Frequency	%
0	NOT SELECTED	5	0.2 %
1	SELECTED	3286	99.8 %
	Total	3,291	100%

Based upon 3,291 valid cases out of 3,291 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1869-1870 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSFC: SGST: Filter cases with low accuracy or extreme latencies

Value	Label	Unweighted Frequency	%
0	NOT SELECTED	357	10.8 %
1	SELECTED	2873	87.3 %
	Missing Data		
98	REFUSED/MISSING	61	1.9 %
	Total	3,291	100%

Based upon 3,230 valid cases out of 3,291 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1871-1872 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSMNC: SGST: normal single-task median RT CORRECTED

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,195 valid cases out of 3,291 total cases.

- Mean: 0.999832832564
- Minimum: 0.219380208167
- Maximum: 3.946083333333
- Standard Deviation: 0.300457204360

Location: 1873-1887 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSMRC: SGST: reverse single-task median RT CORRECTED

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,183 valid cases out of 3,291 total cases.

- Mean: 1.148317749389
- Minimum: 0.314661458250
- Maximum: 4.657750000000
- Standard Deviation: 0.358894922680

Location: 1888-1902 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSMBC: SGST: mean(C3TSMNC, C3TSMRC)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,203 valid cases out of 3,291 total cases.

- Mean: 1.074925601079
- Minimum: 0.288927083167
- Maximum: 3.932473958333
- Standard Deviation: 0.319903428715

Location: 1903-1917 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSMXNOC: SGST: mixed-task normal nonswitch median RT CORRECTED

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,139 valid cases out of 3,291 total cases.

- Mean: 1.129870629295
- Minimum: 0.241895833583
- Maximum: 4.492458333333
- Standard Deviation: 0.342851957110

Location: 1918-1932 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSMXROC: SGST: mixed-task reverse nonswitch median RT CORRECTED

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,126 valid cases out of 3,291 total cases.

- Mean: 1.225736027689
- Minimum: 0.316187500250
- Maximum: 7.665708333333
- Standard Deviation: 0.405489439160

Location: 1933-1947 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSMXBOC: SGST: mixed-task nonswitch trials median RT CORRECTED

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,151 valid cases out of 3,291 total cases.

- Mean: 1.167594477651
- Minimum: 0.306041666917
- Maximum: 7.665708333333
- Standard Deviation: 0.363708668577

Location: 1948-1962 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSMXNSC: SGST: mixed-task normal switch median RT CORRECTED

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,125 valid cases out of 3,291 total cases.

- Mean: 1.345246051789
- Minimum: 0.106479166000
- Maximum: 8.956187500000
- Standard Deviation: 0.501939090165

Location: 1963-1977 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSMXRSC: SGST: mixed-task reverse switch median RT CORRECTED

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,109 valid cases out of 3,291 total cases.

- Mean: 1.538867259676
- Minimum: 0.543541666917
- Maximum: 12.663562500000
- Standard Deviation: 0.604339974344

Location: 1978-1992 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSMXBSC: SGST: mixed-task switch trials median RT CORRECTED

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,144 valid cases out of 3,291 total cases.

- Mean: 1.409527249874
- Minimum: 0.508453124917
- Maximum: 5.715937500000
- Standard Deviation: 0.464311536611

Location: 1993-2007 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSMXBBC: SGST: mean(C3TSMXBOC, C3TSMXBSC)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,158 valid cases out of 3,291 total cases.

- Mean: 1.292133795086
- Minimum: 0.417744791917
- Maximum: 7.665708333333
- Standard Deviation: 0.406032079506

Location: 2008-2022 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCGBAC: SGST: General Switch Cost, absolute (C3TSMXBBC-C3TSMBC)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,152 valid cases out of 3,291 total cases.

- Mean: 0.219958348747
- Minimum: -0.657567708333
- Maximum: 5.859437500000
- Standard Deviation: 0.220472656340

Location: 2023-2037 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCGBRC: SGST: General Switch Cost, relative (C3TSCGBAC/C3TSMBC)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,152 valid cases out of 3,291 total cases.

- Mean: 0.219421864186
- Minimum: -0.379950345684
- Maximum: 3.243941823047
- Standard Deviation: 0.194344181652

Location: 2038-2052 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCGNAC: SGST: General Switch Cost (normal), absolute [mean(C3TSMXNOC, C3TSMXNSC)-C3TSMNC]

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,133 valid cases out of 3,291 total cases.

- Mean: 0.242496642999
- Minimum: -0.665187500000
- Maximum: 4.051697916667
- Standard Deviation: 0.225751514764

Location: 2053-2067 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCGNRC: SGST: General Switch Cost (normal), relative (C3TSCGNAC/C3TSMNC)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,133 valid cases out of 3,291 total cases.

- Mean: 0.261838366740
- Minimum: -0.446923542807
- Maximum: 3.468857576028
- Standard Deviation: 0.240272899163

Location: 2068-2082 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCGRAC: SGST: General Switch Cost (reverse), absolute [mean(C3TSMXROC, C3TSMXRSC)-C3TSMRC]

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,134 valid cases out of 3,291 total cases.

- Mean: 0.243510232475
- Minimum: -1.710947916667
- Maximum: 8.005812500000
- Standard Deviation: 0.330014505871

Location: 2083-2097 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCGRRRC: SGST: General Switch Cost (reverse), relative (C3TSCGRAC/C3TSMRC)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,134 valid cases out of 3,291 total cases.

- Mean: 0.231795857864
- Minimum: -0.572388894503
- Maximum: 2.956838733653
- Standard Deviation: 0.259075192780

Location: 2098-2112 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCLBAC: SGST: Local Switch Cost, absolute (C3TSMXBSC-C3TSMXBOC)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,141 valid cases out of 3,291 total cases.

- Mean: 0.244305219127
- Minimum: -1.954218750000
- Maximum: 4.232687500000
- Standard Deviation: 0.286621002147

Location: 2113-2127 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCLBRC: SGST: Local Switch Cost, relative (C3TSCLBAC/C3TSMXBOC)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,141 valid cases out of 3,291 total cases.

- Mean: 0.222970181565
- Minimum: -0.589300522692
- Maximum: 2.853657508849
- Standard Deviation: 0.234284695996

Location: 2128-2142 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCLNAC: SGST: Local Switch Cost (normal), absolute (C3TSMXNSC-C3TSMXNOC)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,123 valid cases out of 3,291 total cases.

- Mean: 0.217245779374
- Minimum: -2.022114583333
- Maximum: 7.472937500000
- Standard Deviation: 0.358457452783

Location: 2143-2157 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCLNRC: SGST: Local Switch Cost (normal), relative (C3TSCLNAC/C3TSMXNOC)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,123 valid cases out of 3,291 total cases.

- Mean: 0.205441767178
- Minimum: -0.597540554683
- Maximum: 5.038218439238
- Standard Deviation: 0.295380119727

Location: 2158-2172 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98

C3TSCLRAC: SGST: Local Switch Cost (reverse), absolute (C3TSMXRSC-C3TSMXROC)

Value	Label	Unweighted Frequency	%
-3.551072916667	-	1	0.0 %
-1.023697916667	-	1	0.0 %
-1.016395833333	-	1	0.0 %
-0.888375000000	-	1	0.0 %
-0.828458333333	-	1	0.0 %
-0.732572916667	-	1	0.0 %
-0.647104166667	-	1	0.0 %
-0.642843750000	-	1	0.0 %
-0.628520833333	-	1	0.0 %
-0.621583333333	-	1	0.0 %
-0.543937500000	-	1	0.0 %
-0.540666666667	-	1	0.0 %
-0.535541666667	-	1	0.0 %
-0.525520833333	-	1	0.0 %
-0.498416666667	-	1	0.0 %
-0.478583333333	-	1	0.0 %
-0.450208333333	-	1	0.0 %
-0.430385416667	-	1	0.0 %
-0.427614583333	-	1	0.0 %
-0.423260416667	-	1	0.0 %
-0.419927083333	-	1	0.0 %
-0.405437500000	-	1	0.0 %
-0.396041666667	-	1	0.0 %
-0.390645833333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-0.387020833333	-	1	0.0 %
-0.342343750000	-	1	0.0 %
-0.341104166667	-	1	0.0 %
-0.328312500000	-	1	0.0 %
-0.325656250000	-	1	0.0 %
-0.323531250000	-	1	0.0 %
-0.303958333333	-	1	0.0 %
-0.302583333333	-	1	0.0 %
-0.302291666667	-	1	0.0 %
-0.293604166667	-	1	0.0 %
-0.287791666667	-	1	0.0 %
-0.274354166667	-	1	0.0 %
-0.266072916667	-	1	0.0 %
-0.265614583333	-	1	0.0 %
-0.265583333333	-	1	0.0 %
-0.257145833333	-	1	0.0 %
-0.254333333333	-	1	0.0 %
-0.249062500000	-	1	0.0 %
-0.246395833333	-	1	0.0 %
-0.243020833333	-	1	0.0 %
-0.236687500000	-	1	0.0 %
-0.228312500000	-	1	0.0 %
-0.227020833333	-	1	0.0 %
-0.218416666667	-	1	0.0 %
-0.215166666667	-	1	0.0 %
-0.214645833333	-	1	0.0 %
	Missing Data		
98.000000000000	REFUSED/MISSING	198	6.0 %
	Total	3,291	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,093 valid cases out of 3,291 total cases.

- Mean: 0.311767715832
- Minimum: -3.551072916667
- Maximum: 5.979229166667
- Standard Deviation: 0.408506872736

Location: 2173-2187 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98.000000000000

C3TSCLRRRC: SGST: Local Switch Cost (reverse), relative (C3TSCLRAC/C3TSMXROC)

Value	Label	Unweighted Frequency	%
98	REFUSED/MISSING	-	-
	Total	3,291	100%

Based upon 3,093 valid cases out of 3,291 total cases.

- Mean: 0.273244245333
- Minimum: -0.589217534987
- Maximum: 2.866548244148
- Standard Deviation: 0.316889825873

Location: 2188-2202 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: 98