

# Create a video game

---

## Summary

Who doesn't love a good, fun computer game? This unit will give you the opportunity to learn how it is done within Python and to have a go at creating your own.

## Unit information

MYP item	This unit
Key concept	tba
Related concepts	tba
Global context	tba
Statement of inquiry	tba
Assessment objectives	A (inquiring & analysing), B (devising ideas), C (creating the solution), D (evaluating)

## Lesson overviews

12 lessons as follows:

1. Pygame basics
2. Shapes, colour and text
3. Keyboard events
4. Mouse events
5. Playing sound
6. Using images
7. Detecting collisions
8. Code a project sampler
9. Design modifications to your project
10. Code modifications to your project
11. Evaluate your project

## Website

The website for this unit is <https://pbaumgarten.com/myp-design/game-making/>

## Libraries required

Once you have Python installed, open the command prompt and run the following

```
pip install pygame pygamemadeeasy Pillow ImageToolsMadeEasy
```

If you get a permissions error with the above, try it again with the `--user` switch as follows

```
pip install --user pygame pygamedeeasy Pillow ImageToolsMadeEasy
```

## Basic Python knowledge

This guide assumes a basic familiarity with Python. I have written a quick recap designed for a one hour lesson should you need it. It is available at:

- <https://pbaumgarten.com/python/recap/>

If you need a more detailed introduction to Python I have a set of detailed tutorials on my website. Each lesson contains detailed notes, videos and practice exercises. Each lesson is roughly an hour in length with 9 lessons in "the basics" (though only the first 5 are required for this tutorial).

- <https://pbaumgarten.com/python/>

# 1. Pygame basics

---


## Coordinate system

Pygame is a graphics system for Python. The screen is divided into pixels. You use sets of pixel coordinates to tell Python where to draw shapes, place text or images etc.

Pygame coordinates start with the top-left of the screen being  $(x=0,y=0)$ .

The x-axis increases as you move to the right.

The y-axis increases as you move down – this is different to the way you do it in Maths so be aware of that!



# Hello Pygame

All Pygames in my tutorials are built from this basic template. Please divide your games into these sections to make it easier to build and for me to assist you with any problems.

```
import pygame, time, random
from pygame.locals import *
from pygame.makedeeasy import *

pygame.init()
window = pygame.display.set_mode((500,500))    # set screen width,height
fps = pygame.time.Clock()

#***** Declare colors, images, sounds, fonts, variables *****
BLACK = (0,0,0)
quit = False
""" insert your code here """

#***** Main game loop starts *****
while not quit:
    window.fill(colors.black)                # Reset the screen to black background
    #***** Process events *****
    for event in pygame.event.get():
        print(event)
        if event.type == QUIT:
            quit = True
        elif event.type == KEYDOWN:
            if event.key == K_ESCAPE:
                quit = True
            """ insert your code here """

    #***** Perform calculations *****
    """ insert your code here """

    #***** Draw graphics *****
    """ insert your code here """

    #***** Update screen *****
    pygame.display.update()                  # Actually does the screen update
    fps.tick(25)                             # Run the game at 25 frames per second

#***** Game over *****
pygame.quit()
```

The comments in the above program are important. They are recommendations on where you want to place the code for each part of your game. It's a good idea to follow the above as your "master template". Copy and paste it as the starting point each time you want to begin a new Pygame project.

To briefly explain a few commands:

- The `import` lines at the top are telling Python to load other code saved elsewhere (in this case the code that makes pygame exist)
- `pygame.display.set_mode( (500,500) )` is setting the width and height of your game window.
- `window` is a variable that we use to draw things onto the screen
- Pygame will only actually draw onto your screen when it hits the `pygaame.display.update()` command.
- `window.fill(BLACK)` will erase everything on screen and fill the screen with the specified color, in this case black.
- `fps.tick(25)` is saying we want the game to run at 25 frames per second

## Your tasks/

TODO

## 2. Shapes, colour & text

### Drawing basic shapes

An optional video walkthrough for this is at <https://www.youtube.com/watch?v=Dp9BvEFX8Tc> or use the QR code



The following are the basic commands for drawing simple geometric shapes.

```
# Rule for a line
pygame.draw.line( window, color, ( x1, y1 ), ( x2, y2 ), thickness )
# Example
pygame.draw.line( window, colors.blue, (50, 60), (50, 160), 10)

# Rule for a rectangle
pygame.draw.rect( window, color, ( x, y, width, height ), thickness )
# Example
pygame.draw.rect( window, colors.green, (52, 160, 120, 40) )

# Rule for a circle
pygame.draw.circle( window, color, ( x, y ), radius, thickness )
# Example
pygame.draw.circle( window, colors.white, (110, 110), 40, 10)

# Rule for an ellipse (oval)
pygame.draw.ellipse( window, colour, ( x, y, width, height ),
thickness )
# Example
pygame.draw.ellipse( window, colors.fuchsia, (220, 100, 80, 40) )

# Rule for a multipoint polygone
pygame.draw.polygon( window, colour, ( (x1,y1), (x2,y2), (x3,y3),
etc ) , thickness)
# Example
pygame.draw.polygon( window, colors.red, ((20,20), (52,60),
(172,60), (200,20)), 5)
```

(If thickness is left out, the shape will be filled in)

Coordinates are always provided as a set of (X,Y) values including their own set of parenthesis. That's why when you look at the sample for `pygame.draw.line` below you can see that the from-coordinate is (50,60) and the to-coordinate is (50,160).

To have a go drawing some basic shapes:

- Start with a copy of the basic master template from the previous page.
- Add the following code AFTER the `line BLACK = (0,0,0)`

```
BLUE = (0,0,255)
GREEN = (0,255,0)
WHITE = (255,255,255)
RED = (255,0,0)
YELLOW = (255,255,0)
PINK = (0xFF, 0x65, 0xFF)
```

- Add the following code AFTER the `window.fill(BLACK)` and BEFORE the `pygame.display.update()`

```
pygame.draw.line(window, BLUE, (50, 60), (50, 160), 10)
pygame.draw.rect(window, GREEN, (52, 160, 120, 40) )
pygame.draw.circle(window, WHITE, (110, 110), 40, 10)
pygame.draw.rect(window, YELLOW, (220, 100, 80, 40) )
pygame.draw.ellipse(window, PINK, (220, 100, 80, 40) )
pygame.draw.polygon(window, RED, ((20,20), (52,60), (172,60), (200,20)), 5)
```

## Using colour

Colours are created using a 3 number variable, COLORNAME = (red, green, blue), where each colour value is between 0 and 255.

```
BLACK = (0, 0, 0)
WHITE = (255, 255, 255)
RED = (227, 27, 27)
GREEN = (0, 255, 0)
BLUE = (0, 0, 255)
```

Colours can also be written using hexadecimal numbers. This is handy as frequently colour charts will give you a colour in that form.

For instance, the colour PINK might be `#ff99cc`. To use that as a Python colour variable, you would write it as:

```
PINK = (0xFF, 0x99, 0xCC)
```

To get a colour at a given pixel

```
pixel_colour = window.get_at(( x , y ))
```

A good online resource for picking colours is <https://htmlcolorcodes.com>

## Displaying text

An optional video walkthrough to assist with some of the content of this topic <https://www.youtube.com/watch?v=mfRnTDJbM68> or use the QR code

There are two steps to displaying text within a Pygame Python program:

- Create the font variable
- Convert the text to an image that is then drawn on the screen

The following walks you through the two steps with the program we have been creating over the last few pages.

1. Create the font variable. Create a font variable before your game loop. Typically I would add it just after all the colours are defined.


```
ARIAL = pygame.font.SysFont("Arial", 60)
```



2. Convert the text to an image and draw it to screen. Inside your loop, before the `pygame.display.update()`, add two lines to render your text to a bitmap, and then blit that bitmap to the screen window.

```
label = ARIAL.render("Hello Python!", 1, (255,255,255))
window.blit(label, (300, 50))
```

The (300,50) in the `window.blit` command is the coordinates of where to draw the text. The output should look like:



**\*\*Watch out\*\*** – A common mistake students make is not realising the information for the `render()` function must be a string. So, for example, if you have an integer variable called `score` that you want to be displaying on screen, remember to convert it to a string first using `str(score)`.

## Your task/s

- Draw a simple landscape scene? Perhaps a house with a triangle shaped roof, or a stick person?
- Use different colours, shapes and add some text to your landscape scene.
- Upload a screen shot of the image, and the Python code, to your portfolio.



### 3. Keyboard events

---

An optional video walkthrough to assist with some of the content of this topic <https://www.youtube.com/watch?v=16DMTuQW3cY> or use the QR code



We have already been using the Pygame event handler without really looking too much at it. It is the `for event in pygame.event.get()`. Just like items in a list, the `for` loop will run through all the events that have occurred since the last time the program checked through them. This is how the program detects and processes keyboard and mouse events.

Let's start by looking at the keyboard.

All keyboard events have an `event.type == KEYDOWN` or `event.type == KEYUP`, which correspond to the time the key is first pressed, and the time it is released. Once we know it is a keyboard event, we can then check to see the contents of `event.key` which will tell Python which key was involved.

For a full list of the event.key codes, see <https://www.pygame.org/docs/ref/key.html>.

The ones we are going to be concerned with primarily are: `K_ESCAPE`, `K_RETURN`, `K_SPACE`, `K_UP`, `K_DOWN`, `K_LEFT`, and `K_RIGHT`.

## Demo 1 - Space bar

Get your template code and add to it as shown in the demo code.

The following demonstration will highlight whether or not the user is pressing the space bar.

- Save a copy of the previous program from Displaying Text as a new file.
- Create a new variable in the section before the while loop

```
import pygame, time, random
from pygame.locals import *

pygame.init()
window = pygame.display.set_mode((500,500))
fps = pygame.time.Clock()

# Declare colors, images, sounds, fonts, variables
BLACK = (0,0,0)
quit = False
spaceBar = False

# Main game loop
while not quit:

    # Process events
    for event in pygame.event.get():
        print(event)
        if event.type == QUIT:
            quit = True
        elif event.type == KEYDOWN:
            if event.key == K_ESCAPE:
                quit = True
            if event.key == K_SPACE:
                spaceBar = True
        elif event.type == KEYUP:
            if event.key == K_SPACE:
                spaceBar = False

    # Perform calculations

    # Draw graphics
    window.fill(BLACK)
    if spaceBar:
        msg = ARIAL60.render("Space bar", 1, GREEN)
    else:
        msg = ARIAL60.render("Space bar", 1, RED)
    window.blit(msg, (300,150))
    pygame.display.update() # Actually does the screen update
    fps.tick(25) # Run the game at 25 frames per second

# Loop over, game over
pygame.quit()
```

## Demo 2 - Arrow keys

Let's move onto something more useful for a game. This demo will use the arrow keys to move an object on the screen. While the arrow key is pressed, the object will move; once the key(s) are released, the movement will stop.

```
import pygame, time, random
from pygame.locals import *

pygame.init()
window = pygame.display.set_mode((500,500))
fps = pygame.time.Clock()

# Declare colors, images, sounds, fonts, variables
BLACK = (0,0,0)
PINK = (0xFF, 0x99, 0xCC)
x = 400
y = 300
movex = 0
movey = 0
quit = False
spaceBar = False

# Main game loop
while not quit:

    # Process events
    for event in pygame.event.get():
        print(event)
        if event.type == QUIT:
            quit = True
        elif event.type == KEYDOWN:
            if event.key == K_ESCAPE:
                quit = True
            if event.key == K_UP:
                movey = -20
            if event.key == K_DOWN:
                movey = 20
            if event.key == K_LEFT:
                movex = -20
            if event.key == K_RIGHT:
                movex = 20
        elif event.type == KEYUP:
            if event.key == K_UP or event.key == K_DOWN:
                movey = 0
            if event.key == K_LEFT or event.key == K_RIGHT:
                movex = 0

    # Perform calculations

    # Draw graphics
    window.fill(BLACK)
    x = x + movex
    y = y + movey
    pygame.draw.circle(window, PINK, (x,y), 40, 0)
    pygame.display.update() # Actually does the screen update
    fps.tick(25) # Run the game at 25 frames per second

# Loop over, game over
pygame.quit()
```

## Your task/s

- Get the two demonstration activities to work (do not just copy and paste the code - practice typing Python code for yourself so you learn how to correct the errors along the way)

## 4. Mouse events

---

An optional video walkthrough to assist with some of the content of this topic <https://www.youtube.com/watch?v=Ttch-J4ulKM> or use the QR code

Mouse events work very similar to keyboard events. They are stored in the same queue to be processed by the `for` event in `pygame.events.get()` loop.

There are three types of events we can check for:

- `event.type == MOUSEMOTION`
- `event.type == MOUSEBUTTONDOWN`
- `event.type == MOUSEBUTTONUP`

In all three cases, there will be an `event.pos` value that will indicate the `(x,y)` location of the mouse pointer when the event occurred. To illustrate the use of `mousemotion`, lets make a very simple pong game where the paddle will be controlled by the mouse. The sections relevant to the mouse motion event will be highlighted with comments.



## Demo - Basic pong game

```
import pygame, time, random
from pygame.locals import *
pygame.init()
window = pygame.display.set_mode((500,500))
fps = pygame.time.Clock()

# Declare colors, fonts, images, variables etc
BLACK = (0,0,0)
WHITE = (255,255,255)
ball_x = 250 # Starting position of the ball
ball_y = 250
ball_move_x = random.randint(5,10) # Set a random horizontal speed
ball_move_y = random.randint(5,10) # Set a random vertical speed
paddle_x = 220 # Starting position of the paddle
paddle_y = 470
quit = False

# Main game loop
while not quit:
    # Process events
    for event in pygame.event.get():
        if event.type == QUIT:
            quit = True
        elif event.type == MOUSEMOTION: ## The mouse has moved
            paddle_x = event.pos[0] ## We only need the x coordinate of the
            mouse position

    # Perform calculations
    ball_x = ball_x + ball_move_x
    ball_y = ball_y + ball_move_y

    ball_hit_zone = Rect(ball_x-10, ball_y-10,20,20)
    paddle = Rect(paddle_x, paddle_y, 60, 20)

    if paddle.colliderect(ball_hit_zone):
        ball_move_y = -abs(ball_move_y)
    if ball_x < 0 or ball_x > 500:
        ball_move_x = -ball_move_x
    if ball_y < 0:
        ball_move_y = -ball_move_y
    if ball_y > 500:
        quit = True
        print("You lost! Game over!")

    # Draw graphics
    window.fill(BLACK)
    pygame.draw.ellipse(window, WHITE, ball_hit_zone, 10)
    pygame.draw.rect(window, WHITE, paddle)
    pygame.display.update()
    fps.tick(25)
pygame.quit()
```

## Your task/s

TODO

## 5. Playing sound

---

Like images, this will assume all your sound files are in your project folder. You can only have one track of "background" music playing at a time. You can, however, have multiple sound effects at once.

### Background music

Playing a background song is dead easy... one command to load it, one command to play. Don't put this in your loop! It should go where colours are declared etc.

```
pygame.mixer.music.load('background.mp3')
pygame.mixer.music.play(-1)           # 0 = play once, -1 = loop
```

**Important!** - Do not put your `pygame.mixer.music.load` in your game loop. Every time you run it you are reloading the file into memory, slowing your system down!

### Sound effects

Make sure you only load the sound effect once. You can use it multiple times, but it will chew up your system memory very quickly if you put the load inside your game loop!

Where you declare your colours etc...

```
BOUNCE_SOUND = pygame.mixer.Sound('sound-effect.wav')
```

When you want the sound to play

```
BOUNCE_SOUND.play()
```

- Sound effects have to be WAV files.

### Your task/s

TODO

## 6. Using images in Pygame

An optional video walkthrough to assist with some of the content of this topic <https://www.youtube.com/watch?v=2ClnBpKGx7o> or use the QR code



### Draw an image

Drawing an image file (jpeg or png) is really easy! Only two lines of code needed. The following assumes your image files are located in your PyCharms project folder.

Load the image to a variable. Do this only once, typically where you declare your colours, fonts etc. **It is important that your `pygame.image.load` is not in your game loop. Every time you run it you are reloading the file into memory, slowing your system down!**

```
IMAGE = pygame.image.load("image.jpg").convert_alpha()
```

To draw the full image onto the screen, use the `blit()` command. The coordinates are the top-left corner of the image on your screen. Do this where you would have used `pygame.draw.rect` or similar.

```
window.blit(IMAGE, (x, y))
```

### Resize an image

To resize an image before drawing it onto the screen.

```
picture = pygame.image.load(filename)
picture = pygame.transform.scale(picture, (newWidth, newHeight))
```

### Rotate an image

- Will rotate counter-clockwise. Use a negative number to rotate clockwise.
- Unless rotating by 90 degree increments, the image will be padded larger to hold the new size. If the image has pixel alphas, the padded area will be transparent. Otherwise pygame will pick a color that matches the Surface colorkey or the topleft pixel value.

```
originalPicture = pygame.image.load(filename)
rotatedPicture = pygame.transform.rotate(originalPicture, 90)
```

### Get colour at pixel

```
pixel_colour = window.get_at(( x , y ))
```



## Draw part of an image

To only render part of an image onto the screen, you can supply the coordinates of the rectangle within the image you want to use.

```
window.blit(IMAGE, (window-x, window-y), (image-x, image-y, image-width, image-height))
```

Where

- window-x, window-y: the coordinates where you want the partial image located on the screen
- image-x, image-y: within the image file, this is the top left of the part of the image to include
- image-width, image-height: the number of pixels wide and high to include

## Animated sprites

An optional video walkthrough to assist with some of the content of this topic <https://www.youtube.com/watch?v=gT0qmgAauT8> or use the QR code

A sprite map is where one image has several icons drawn on it. The idea is you rotate through the icons to give the appearance of animation.

Sprite maps are easy to find online, or create your own using a site such as [piskelapp.com/](http://piskelapp.com/)



To simplify the process, use my pygamemadeeasy package:

```
pip install pygamemadeeasy
```

Required import statement

```
from pygamemadeeasy import *
```

Then to create the sprite animation object

```
animation = SpriteAnimation("animation.png", 32, 24) # each frame is 32 x 24
```

Use `object.next_frame()` to return the next frame as an image that is ready to blit. Each time you call the function it will increment to the next frame, and then sequence back to the start of the set.

```
window.blit(animation.next_frame(), (x, y))
```

## Demo - Basic mario

The following exercise creates a simple Mario walking scene where his "walk" is animated through a series of cells for the left and right walking as shown



You will need to download the following files:

- [mario-stationary.png](#)
- [mario-left-animation.png](#)
- [mario-right-animation.png](#)
- [mario-background-768p.png](#)

The sprite animation runs from functionality in the `pygamemadeeasy` library. Ensure you have it installed and import as follows

```
from pygamemadeeasy import *
```

Creating an animation then involves creating an animation object such as below. In this case, the `90, 133` indicates the height and width of the individual frames within the image file. The `SpriteAnimation()` object has been designed to work on PNG files exported from Piskelapp where columns has been set to `1`.

```
mario_left_animation = SpriteAnimation("mario-left-animation.png", 90, 133)
```

To then obtain the image data to blit onto screen, use the `.next_frame()` function which will automatically iterate through the set of sprite frames each time it is called.

```
window.blit(mario_right_animation.next_frame(), (player_x, player_y))
```

TODO

## Demo - Running and jumping mario

This extends the Mario demo so he can walk, run, jump based on your keyboard input.

You will need to download the following files:

- [mario-stationary.png](#)
- [mario-left-animation.png](#)
- [mario-right-animation.png](#)
- [mario-background-768p.png](#)

```
import pygame, time, random
from pygame.locals import *
from pygamemadeeasy import *
from spritemap import load_sprite_map

### FUNCTIONS ###

def jump(frame_number):
    """
    Calculate gravity effect for jumping.
    Returns change in y-axis for x-frames. Jumps to a height of 200 pixels and lands again
    over a total of 100 frames
    (~20 frames/sec = 5 second process)
    Who ever said quadratics and physics weren't useful!?
    """
    frame_number = float(frame_number)          # convert integer to float for
    calculation purposes                         # calculation purposes
    delta_y = -(2.0/25.0)*(frame_number**2) + 8.0*frame_number
    return int(delta_y)                         # turn the decimal float back to an
    integer to represent change of pixels

### START GAME CODE ###
pygame.init()
window = pygame.display.set_mode((1000,760))
fps = pygame.time.Clock()

# Declare colors, fonts, images
background_image = pygame.image.load("media/mario-background-768p.png").convert_alpha()
mario_left_animation = SpriteAnimation("media/mario-left-animation.png", 90, 133)
mario_right_animation = SpriteAnimation("media/mario-right-animation.png", 90, 133)
mario_stationary_image = pygame.image.load("media/mario-stationary.png").convert_alpha()
arial_60 = pygame.font.SysFont("Arial", 60)

# Variables
player_x = 30                                # x-value of player
player_y = 400                                # y-value of player
quit = False                                  # game still playing while this is True
score = 0                                     # starting score
floor = 555                                  # y-value of the floor
gravity = 25                                  # Gravity speed
falling = True                                # are we falling??
jumping = False                               # are we jumping?
jumping_frames = 0                            # number of frames we have been jumping
delta_x = 0
sprite_num = 0
sprite_scene = 0
# Main game loop
while not quit:
    # Process events
    for event in pygame.event.get():
        if event.type == QUIT:
            quit = True
        elif event.type == KEYDOWN:
            if event.key == K_ESCAPE:
                quit = True
```

```

        if event.key == K_SPACE:
            if not falling and not jumping:          # We can't jump if we are already in the
air
                jumping = True                        # we are jumping!
                jumping_frames = 0                    # start of a new jump
            if event.key == K_LEFT:
                delta_x = -20
            if event.key == K_RIGHT:
                delta_x = 20
        elif event.type == KEYUP:
            if event.key == K_LEFT or event.key == K_RIGHT:
                delta_x = 0
        elif event.type == MOUSEMOTION:              ## The mouse has moved
            paddle_x = event.pos[0]                  ## We only need the x coordinate of the
mouse position

        if jumping:
            player_y -= gravity
            jumping_frames += 1
            if jumping_frames > 10:                    # We've reached our jump limit, time to
fall down again
                jumping = False
                falling = True
        elif player_y < floor:
            falling = True
            player_y += gravity
        else:
            falling = False
        player_x += delta_x
        # Draw graphics
        window.fill(colors.black)
        window.blit(background_image, (0, 0))
        if delta_x > 0: # moving right
            window.blit(mario_right_animation.next_frame(), (player_x, player_y))
        elif delta_x < 0:
            window.blit(mario_left_animation.next_frame(), (player_x, player_y))
        else:
            window.blit(mario_stationary_image, (player_x, player_y))
        window.blit(arial_60.render( str(score), 1, colors.white ), (20, 20))
        pygame.display.update()
        fps.tick(10)
    pygame.quit()

```

## Your task/s

TODO

## 7. Detecting collisions

---

Pygame has a couple of really handy built in collision detection functions you can use: `colliderect` and `collidelist` are the main two I'll discuss here.

### Rectangle

It works by providing the coordinates to two sets of rectangles, and if there is any overlap it will trigger the collision. We've drawn rectangles using `pygame.draw.rect` but you can also create rectangle variables. These can then be used for collision detection as well as drawing on screen (though once you start using images/sprites you probably won't even draw them).

To create a rectangle variable

```
my_rect = Rect( x, y, width, height )
```

To then draw that rectangle use

```
pygame.draw.rect( window, COLOR, my_rect )
```

To check if two rectangles overlap (collide) at all, the "if" statement would look like this:

```
if Rect( x, y, w, h ).colliderect( Rect( x, y, w, h ) ):
    print("There is a collision")
```

Example code with a couple of rectangle variables would be:

```
ball = Rect( ball_x, ball_y, 20, 20 )
paddle = Rect( paddle_x, 470, 60, 20 )

if ball.colliderect( paddle ):
    print("Collision detected")
```

Look back at the "Basics Pong using mousemotion" sample code and you'll spot an example of it being used.

### List of rectangles

This works very similar as `colliderect`, the difference being that instead of checking if one rectangle is overlapping another single rectangle, it can check to see if a rectangle is overlapping any items in a list of rectangles!

This is very useful in a game scenario where you might have multiple enemies, bombs or bullets to avoid – you can check your player isn't touching any of them in one line of code!

The key difference is that instead of returning `True` or `False`, the function will return a number to indicate which item in the list there is collision with, or -1 if there is no collision.

A crude illustration of it's use might look like:

```
baddies = [  
    Rect( 0, 50, 50, 50 ),  
    Rect( 50, 200, 50, 50 ),  
    Rect( 200, 100, 50, 50 )  
]  
me = Rect( 75, 25, 50, 50 )  
if me.collidelist(baddies) >= 0:  
    print("Uh oh! A baddie has caught you!")
```

To see this in use properly, look at Space Invaders in the project starters section. Look for the comment "Check for collisions between bullets and aliens " and you'll see collidelist in action.

## Your task/s

TODO

## 8. Project starters

---

I have a set of pre-written code as starters for the following games. The intention is you would use one of these as the ***starting point***, from where you will then add your own features to the game.

- Pong
- Snake
- Simple platformer
- Space invaders
- 1942
- Candy crush
- Better platformer

Discuss with me if you feel you are ready one of these.

### Your task/s

- Get your selected project starter coded and successfully running.

## 9. Design your own game

---

TODO

- Once you have your starter project, it is time to modify it and make it your own.

### Design

- Submit your designs to your portfolio

### Create

- Submit your Python code to your portfolio

### Evaluate

- Submit your Video evaluation to your portfolio