

visualkeras: A Python Package for Visualizing Keras and TensorFlow Models

Paul Gavrikov^{1,2} and Santosh Patapati³

¹ IMLA, Offenburg University ² University of Mannheim ³ Cyrion Labs

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [Open Journals](#)

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

visualkeras is a Python package designed to facilitate the visualization of Keras and TensorFlow models. It provides an intuitive developer interface for generating visual representations of model architectures, making it easier for researchers and developers to understand and communicate their designs. The package supports layered volumetric views in 2D / 3D space and directed node-edge graph-based layouts. When provided with a functional or sequential Keras model, visualkeras can generate a highly customizable visualization through various parameters such as color, spacing, dynamic sizing modes, legends, dimensionality, textual annotations, orientation, and more.

Statement of Need

The visualization of Artificial Intelligence (AI) and Machine Learning (ML) models plays a crucial role for understanding and communicating their architecture. The effectiveness of such visualizations plays a key role in the scientific process. Although detailed descriptions of model architectures and mathematics are often provided in research papers, architectural diagrams are essential for conveying complex structures and relationships in a more accessible manner.

The Keras package (Chollet & others, 2015) provides a high-level API for building and training deep learning models. Keras and its underlying framework, TensorFlow (Abadi et al., 2015), have been widely adopted in the AI and ML community. However, the built-in visualization tools in Keras are primitive and do not provide the flexibility needed for proper architectural representation. Images generated using Keras's built-in visualization tools require significant effort for readers to understand and are simply not suitable for scientific publication or communication purposes. visualkeras addresses this gap by providing a comprehensive set of tools for visualizing Keras models in a way that is both informative and visually appealing.

Key Features

visualkeras offers a range of visualization features and customization options. The framework is split into two main components.

Layered View

This component is designed to render both sequential and functional models using a pseudo-3D stacked box layout in a single continuous view. Each box visually represents a layer, with its width, height, and depth corresponding to the layer's spatial and channel dimensions under one of five sizing modes (accurate, balanced, capped, logarithmic, relative).

36 Rendering options can be toggled between three-dimensional (volumetric) and two-dimensional
37 (flat) modes via the `draw_volume` parameter. Funnel-style connectors can be displayed be-
38 tween boxes using `draw_funnel`, and `shade_step` controls the deviation in lightness to im-
39 prove depth perception. Logical spacing can be introduced through special “dummy” layers
40 (`SpacingDummyLayer`) which are incorporated into the model object itself. Users may add cus-
41 tom annotations to each box via a `text_callable` function, which can be further customized
42 with vertical offset adjustments provided by `text_vspacing`. A flexible `color_map` parameter
43 allows users to color boxes based on layer type or user-defined attributes.

44 Layout control is further refined by adjusting spacing (inter-layer gaps), padding (margins at
45 the beginning and end), and orientation settings. One-dimensional layers can be oriented using
46 `one_dim_orientation`, and individual layers can be constrained to 2D rendering via `index_2D`.
47 An entire model can be rendered flat by disabling volumetric rendering. Support for better
48 visualizing decoder-like architectures is available through the `draw_reversed` option.

49 A configurable legend can be added, with options for adjusting text spacing (`legend_text_spacing_offset`)
50 font properties (`font`, `font_color`), and whether to show dimensions at each layer
51 (`show_dimension`). Finally, users can control scaling across the x-y plane and z-axis using
52 `scale_xy` and `scale_z`. These dimensions can be explicitly capped or floored using `max_xy`,
53 `max_z`, `min_xy`, and `min_z` parameters.

54 The final visualization is produced as a Pillow Image object (Clark, 2015), which can be
55 displayed in Jupyter notebooks or saved to disk.

56 Graph View

57 This component generates a left-to-right node-edge visualization of any Keras or `tf.keras`
58 model by treating each layer (or individual neuron) as a node and drawing directed connectors
59 to represent data flow. Given a `Model` instance, the function computes a hierarchy of layers
60 based on their graph depth, places nodes evenly spaced in horizontal layers, and centers them
61 vertically within the image canvas. Each node is drawn as a fixed-size circle or box (specified
62 by `node_size`), and may represent the entire layer or each neuron it contains, depending on
63 the `show_neurons` parameter.

64 Connectors between nodes are rendered as lines whose color and thickness can be controlled
65 through the `connector_fill` and `connector_width` arguments. Layout parameters such as
66 `layer_spacing`, `node_spacing`, `padding`, and `background_fill` allow users to adjust the
67 overall compactness, margins, and canvas appearance. For models with a large number of
68 neurons in a layer, the `ellipsize_after` parameter can be used to replace excess nodes with
69 an ellipsis symbol to prevent overcrowding. The `inout_as_tensor` option determines whether
70 each tensor input or output is shown as a single tensor (rectangular shape) or expanded into
71 multiple units.

72 Node coloring is fully customizable via the `color_map` parameter which maps layer classes to
73 fill and outline colors. This allows for visually distinguishing different layer types.

74 Like the Layered View, the Graph View produces a Pillow Image object (Clark, 2015) that can
75 be displayed in Jupyter notebooks or saved to disk.

76 Usage Examples

77 */In this section, we provide examples of how to use `visualkeras` to visualize Keras models in*
78 *different ways. The examples shown in Figure 1, Figure 2, Figure 3, and Figure 4 demonstrate*
79 *the flexibility and customization options available in the package. The generated graphical*
80 *visualizations can be displayed in Jupyter notebooks or saved as image files for use in publications*
81 *or presentations./*

82 In this section, we provide examples of Keras model visualizations that were generated using
83 visualkeras. The examples shown in Figure 1, Figure 2, Figure 3, and Figure 4 demonstrate the
84 flexibility and customization options available in the package. Code snippets used to generate
85 these examples are written in the visualkeras GitHub repository's [usage_examples.md](#) file.
86 Generated graphical visualizations can be displayed inline in Jupyter notebooks or saved as
87 image files for use in publications or presentations.

88 Layered View

89 Basic Usage



Figure 1: An example of layered style visualization on a simple sequential model with little styling

90 Advanced Usage




Figure 2: An example of a more complex model's Layered View with custom styling

91 Graph View

92 Basic Usage




Figure 3: An example of Graph View visualization on a simple sequential model with little styling



We thank and acknowledge the contributions of the open-source community which has supported the development of visualextras over the years through their feature requests, ideas, bug reports, issue discussions, and pull requests. These contributions have allowed us to continuously improve the package and adapt it to the needs of the community. We are grateful for the collaborative spirit that has made visualextras a valuable tool for visualizing Keras and TensorFlow models.

104 **References**

- Abadi, M., Agarwal, A., Barham, P., Brevdo, E., Chen, Z., Citro, C., Corrado, G. S., Davis,
A., Dean, J., Devin, M., Ghemawat, S., Goodfellow, I., Harp, A., Irving, G., Isard, M., Jia,
Y., Jozefowicz, R., Kaiser, L., Kudlur, M., ... Zheng, X. (2015). *TensorFlow: Large-scale
machine learning on heterogeneous systems*. <https://www.tensorflow.org/>
- Chollet, F., & others. (2015). *Keras*. <https://keras.io>.
- Clark, A. (2015). *Pillow (PIL fork) documentation*. readthedocs. [/url%7Bhttps://buildmedia.
readthedocs.org/media/pdf/pillow/latest/pillow.pdf%7D](https://buildmedia.readthedocs.org/media/pdf/pillow/latest/pillow.pdf)
- Hendria, W. F., & Gavrikov, P. (2024). VisualTorch: Streamlining visualization for PyTorch
neural network architectures. *Journal of Open Source Software*, 9(102), 6678. <https://doi.org/10.21105/joss.06678>