

Practice Problems Final Math 235 Fall 09

1: Let V, W be vector spaces. Define the following terms:

1a: What is a subspace of V ?

1b: Let $F : V \rightarrow W$ be a function. What does it mean to say that F is linear?

1c: Let $T = \{v_1, v_2, \dots\}$ be a subset of V . What is a linear combination of elements of T ? What is the span of T ? What does it mean to say that T is linearly independent? What does it mean to say that T spans V ? What does it mean to say that T is a basis of V ?

1d: What is the dimension of V ?

1e: Let $F : V \rightarrow W$ be linear. Define $\ker(F)$. Define $\operatorname{im}(F)$. What is the rank of F ? What is the nullity of F ?

1f: Let $F : V \rightarrow V$ be linear. What is an eigenvalue of F ? What is an eigenvector of F ?

1g: What does it mean to say that two $n \times n$ matrices are similar?

1h: What does it mean to say that two vector spaces are isomorphic?

1i: Let A be an $n \times n$ matrix. What is an eigenbasis for the matrix A ?

1k: Let B be a basis of a vector space V . What does one mean by the coordinates of a vector $v \in V$ with respect to B ?

2a: Let $F : V \rightarrow W$ be linear. Show that $\ker(F)$ is a subspace of V . Show that $\operatorname{im}(F)$ is subspace of W .

2b: State the rank+nullity theorem.

3: Consider the system of equations

$$x - 2y + 3z - w = 2$$

$$2x + y - z + 3w = 1$$

$$5x + z + 5w = 4.$$

3a: Find all, if any, solutions to this system.

3b: Write the system as a matrix equation.

4a: Which vectors $\begin{pmatrix} a \\ b \\ c \end{pmatrix}$ can be written as a linear combination of the vectors $\begin{pmatrix} 1 \\ -2 \\ 3 \end{pmatrix}, \begin{pmatrix} 0 \\ 1 \\ -2 \end{pmatrix}, \begin{pmatrix} 2 \\ -5 \\ 8 \end{pmatrix}$.

4b: Which vectors $\begin{pmatrix} a \\ b \\ c \end{pmatrix}$ are in the image of the matrix

$$\begin{pmatrix} 1 & 0 & 2 \\ -2 & 1 & -5 \\ 3 & -2 & 8 \end{pmatrix}.$$

5: Let A denote the matrix representing rotation by angle $\pi/6$ about the line through the origin and the point $\begin{pmatrix} 1 \\ -1 \\ 1 \end{pmatrix}$. Let B be the matrix representing reflection across the plane

$3x - y + z = 0$. How do you find the matrix representing the composition, first, of the reflection and then, second, the rotation from the matrices A and B ? Note that we do not ask you to find the matrices A and B or the matrix representing the composition.

6: Let $A = \left\{ \begin{pmatrix} 1 \\ 2 \end{pmatrix}, \begin{pmatrix} 1 \\ 3 \end{pmatrix} \right\}$ be a basis of \mathbb{R}^2 . . Let

$$M = \begin{pmatrix} 1 & -2 \\ 3 & 0 \end{pmatrix}$$

be the matrix representing a linear transformation from \mathbb{R}^2 to \mathbb{R}^2 with respect to the basis $E = \left\{ \begin{pmatrix} 1 \\ 0 \end{pmatrix}, \begin{pmatrix} 0 \\ 1 \end{pmatrix} \right\}$. What is the representation this linear transformation with respect to the basis A ?

7: True or False. Explain.

7a: The set of all vectors of the form $\begin{pmatrix} a \\ b \\ 0 \\ a \end{pmatrix}$ where a, b are real numbers forms a subspace.

7b: Let V be the space of all functions from \mathbb{R} to \mathbb{R} that have infinitely many derivatives. The function

$$\begin{aligned} F : V &\rightarrow V \\ F : f &\mapsto 3f' - 2f'' \end{aligned}$$

is linear.

7c: If the determinant of a 4×4 matrix is 4, then the rank of the matrix must be 4.

7d: If the standard vectors $\{e_1, e_2, \dots, e_n\}$ are eigenvectors of an $n \times n$ matrix, then the matrix is diagonal.

7e: If 1 is the only eigenvalue of an $n \times n$ matrix A , then A must be I_n .

7f: If two 3×3 matrices both have the eigenvalues 3, 4, 5, then A must be similar to B .

8a: Let F be counterclockwise rotation of the plane by angle 45 degrees followed by a scaling of $\frac{3}{2}$. What are all the eigenvalues of F .

8b: What are all the eigenvalues and eigenvectors of orthogonal projection onto a line L in \mathbb{R}^3 ?

9: Let A be a 2×2 matrix with eigenvalues 1.3, .6. and corresponding eigenvectors $\begin{pmatrix} 1 \\ 2 \end{pmatrix}, \begin{pmatrix} 1 \\ 3 \end{pmatrix}$. Let $v = \begin{pmatrix} 15 \\ 15 \end{pmatrix}$. Find $A^n(v)$ for $n = 61$. Your answer will have expressions of the form $(.6)^p, (1.3)^p$. Do not simplify these. 10a: Find the eigenvalues and eigenvectors for the matrix

$$A = \begin{pmatrix} 4 & 2 \\ 2 & 7 \end{pmatrix}.$$

Find a matrix B so that

$$BAB^{-1} = M$$

is diagonal. What is the matrix M .

10b: Find the eigenvalues and eigenvectors for the matrix

$$\begin{pmatrix} 8 & 9 \\ -4 & -4 \end{pmatrix}.$$

Is this matrix diagonalizable. If it is what is the diagonal matrix? If not diagonalisable, why not?

10c: Find the eigenvalues and eigenvectors for the matrix

$$C = \begin{pmatrix} 0 & 2 \\ -5 & 2 \end{pmatrix}.$$

Give a matrix of the form $\begin{pmatrix} a & -b \\ b & a \end{pmatrix}$ that is similar to C .

11: Find the eigenvalues of the matrix A , given below. Find bases for the eigenspaces of A . Can you find an invertible matrix, S , such that $S^{-1}AS = D$, where D is a diagonal matrix? If no, why not? If yes, find the matrices S and D .

$$A = \begin{pmatrix} 1 & 2 & 0 & 0 \\ 2 & 1 & 0 & 0 \\ 0 & 0 & 2 & 3 \\ 0 & 0 & 3 & 2 \end{pmatrix}.$$

Hint: When computing the characteristic polynomial of A , watch out for common factors: you want it factored at the end of the day.

12: Find the eigenvalues of the matrix A , given below. Find bases for the eigenspaces of A . Can you find an invertible matrix, S , such that $S^{-1}AS = D$, where D is a diagonal matrix? If no, why not? If yes, find the matrices S and D .

$$A = \begin{pmatrix} -8 & 5 & 4 \\ -9 & 5 & 5 \\ 0 & 1 & 0 \end{pmatrix}.$$

Hint: One way to solve a cubic equation is to find (guess) one root, and then perform long division, which would leave you with a quadratic polynomial. If the characteristic polynomial has a free coefficient which is an integer, as a first guess you may want to check the numbers which divide it. For example, if you have $\lambda^3 - 2\lambda^2 - \lambda + 2$, you may want to try ± 1 and ± 2 .

13: Find the eigenvalues of the matrix A , given below. Find bases for the eigenspaces of A . Can you find an invertible matrix, S , such that $S^{-1}AS = D$, where D is a diagonal matrix? If no, why not? If yes, find the matrices S and D .

$$A = \begin{pmatrix} 3 & 2 & -2 \\ 2 & 3 & -2 \\ 6 & 6 & -5 \end{pmatrix}.$$

14: Find the determinant of the matrix

$$\begin{pmatrix} -1 & 2 & 0 \\ 2 & -2 & 5 \\ 4 & -1 & 3 \end{pmatrix}$$

.