



A Title for Skeleton Template: rnw2pdf-guide-knit

First Author, CRMDA <first@ku.edu>
Second Author, CRMDA <second@ku.edu>
Third Author, i <third@ku.edu>



Guide No: 48

Keywords: single-authoring, just one
See <https://crmda.ku.edu/guides> for updates.

Feb 13, 2018

Abstract

This is an abstract. Please include a terse, yet descriptive statement here of less than 200 words. It should avoid colloquialisms and polysyllabic profundities.

Contents

| | | |
|----------|---|----------|
| 1 | Introduction | 1 |
| 2 | Check our instructions manuals | 1 |
| 3 | Write Sections & Subsections | 2 |
| 4 | R Code Chunks Work | 2 |
| 5 | Session Info | 2 |

1 Introduction

Do put your title & name in the top block.

The code chunks above this, and the one in the final section, are important. Don't change them unless you know what you are doing.

Don't change margins, geometry, or hyperlink options with Lyx pull down menus or the document won't compile. Edit preamble for that.

2 Check our instructions manuals

1. Brief instruction sheet in same folder as this skeleton: "rnw2pdf-guide-knitr"
2. The vignettes in the crmda package.

3 Write Sections & Subsections

Please do use sections and focused subsections to help readers find what they want.

4 R Code Chunks Work

When using knitr, we have not succeeded in customizing the display of input or output cells. What you see is what they insist on, at least until we figure how to change it.

```
x <- rnorm(100)
head(x)

[1] 0.5855288 0.7094660 -0.1093033 -0.4534972 0.6058875 -1.8179560

mean(x)

[1] 0.2451972
```

5 Session Info

Please leave this section for guide documents. It is important for replication.

```
R version 3.4.3 (2017-11-30)
Platform: x86_64-pc-linux-gnu (64-bit)
Running under: Ubuntu 17.10

Matrix products: default
BLAS: /usr/lib/x86_64-linux-gnu/blas/libblas.so.3.7.1
LAPACK: /usr/lib/x86_64-linux-gnu/lapack/liblapack.so.3.7.1

locale:
 [1] LC_CTYPE=en_US.UTF-8      LC_NUMERIC=C
 [3] LC_TIME=en_US.UTF-8      LC_COLLATE=en_US.UTF-8
 [5] LC_MONETARY=en_US.UTF-8  LC_MESSAGES=en_US.UTF-8
 [7] LC_PAPER=en_US.UTF-8     LC_NAME=C
 [9] LC_ADDRESS=C             LC_TELEPHONE=C
[11] LC_MEASUREMENT=en_US.UTF-8 LC_IDENTIFICATION=C

attached base packages:
[1] stats      graphics  grDevices  utils      datasets  base

other attached packages:
[1] crmda_0.53 knitr_1.19
```

loaded via a namespace (and not attached):

| | | |
|----------------------|--------------------|-----------------|
| [1] Rcpp_0.12.15 | quadprog_1.5-5 | rprojroot_1.3-2 |
| [4] digest_0.6.15 | plyr_1.8.4 | backports_1.1.2 |
| [7] xtable_1.8-2 | stats4_3.4.3 | magrittr_1.5 |
| [10] evaluate_0.10.1 | highr_0.6 | stringi_1.1.6 |
| [13] pbivnorm_0.6.0 | rmarkdown_1.8 | openxlsx_4.0.17 |
| [16] tools_3.4.3 | stringr_1.2.0 | foreign_0.8-69 |
| [19] kutils_1.34 | compiler_3.4.3 | mnormt_1.5-5 |
| [22] htmltools_0.3.6 | lavaan_0.5-23.1097 | methods_3.4.3 |