

	model	initial values
1	$t = t + dt$	$t = 0 \text{ s}$
2	IF $t \geq 0.25$ THEN STOP ENDIF	$dt = 0.10 \text{ s}$
3	---Arithmeticoperators---	$u = 1.000$
4	$v_1 = u \cdot 2 + 1 - 0.5/2^3$	$v_1 = 0$
5	---Comparison + ternary(single - line)---	$v_2 = 0$
6	IF $u \geq 1.05$ THEN $v_2 = 1$ ELSE $v_2 = 0$ ENDIF	$v_3 = 0$
7	---Ternarymulti - line(\mrule*)---	$v_4 = 0$
8	IF $u \geq 1.05$ THEN	$v_5 = 0$
	$v_3 = 1$	$v_6 = 0$
	ELSE	$v_7 = 0$
	$v_3 = 0$	$v_8 = 0$
	ENDIF	$v_9 = 0$
9	---Booleanoperators---	$v_{10} = 0$
10	IF $(u > 0)$ AND $!(t \geq 1)$ THEN $v_4 = 1$ ELSE $v_4 = 0$ ENDIF	$v_{11} = 0$
11	---abs, sign(display - translated)---	$v_{12} = 0$
12	$v_5 = \text{ABS}(u - 2)$	$v_{13} = 0$
13	$v_6 = \text{SIGN}(u - 1.05)$	$v_{14} = 0$
14	---Generalmath---	$v_{56} = 0$
15	$v_7 = u - \text{trunc}(u/0.7) \cdot 0.7$	$v_{15} = 0$
16	$v_8 = \text{SQRT}(u)$	$v_{16} = 0$
17	$v_9 = \text{trunc}(u \cdot 3.7)$	$v_{17} = 0$
18	$v_{10} = \text{round}(u, 2)$	$v_{18} = 0$
19	$v_{11} = \text{INT}(u + 0.3)$	$v_{19} = 0$
20	$v_{12} = -\text{INT}(-u - 0.3)$	$v_{20} = 0$
21	$v_{13} = \text{MIN}(u, 1.05)$	$v_{21} = 0$
22	$v_{14} = \text{MAX}(u, 1.05)$	$v_{22} = 0$
23	$v_{56} = \text{fact}(3)$	$v_{23} = 0$
24	---Exponentialandlogarithmic---	$v_{24} = 0$
25	$v_{15} = \text{EXP}(u)$	$v_{25} = 0$
26	$v_{16} = \text{LN}(u)$	$v_{41} = 0$
27	$v_{17} = \text{LN}(u)/\text{LN}(10)$	$v_{42} = 0$
28	$v_{18} = \text{logb}(u \cdot 100)$	$v_{43} = 0$
29	---Trigonometry(radians)---	$v_{44} = 0$
30	$v_{19} = \text{SIN}(t \cdot \pi)$	$v_{45} = 0$

Continued on next page

(Continued)

	model	initial values
31	$v_{20} = \text{COS}(t \cdot \pi)$	$v_{46} = 0$
32	$v_{21} = \text{TAN}(t)$	$v_{47} = 0$
33	$v_{22} = \text{ARCSIN}(\text{SIN}(t \cdot \pi))$	$v_{26} = 0$
34	$v_{23} = \text{ARCCOS}(\text{COS}(t \cdot \pi))$	$v_{27} = 0$
35	$v_{24} = \text{ARCTAN}(t)$	$v_{28} = 0$
36	$v_{25} = \text{ARCTAN}(t, 1.0)$	$v_{29} = 0$
37	$v_{41} = 1/\text{TAN}(t)$	$v_{30} = 0$
38	$v_{42} = 1/\text{SIN}(t)$	$v_{31} = 0$
39	$v_{43} = 1/\text{COS}(t)$	$v_{48} = 0$
40	$v_{44} = \text{ARCTAN}(1/t)$	$v_{49} = 0$
41	$v_{45} = \text{ARCTAN}(1/t, 1.0)$	$v_{50} = 0$
42	$v_{46} = \text{ARCSIN}(1/2)$	$v_{51} = 0$
43	$v_{47} = \text{ARCCOS}(1/2)$	$v_{52} = 0$
44	— — <i>Trigonometry(degrees)</i> — —	$v_{53} = 0$
45	$v_{26} = \text{SIN}(\pi/180 \cdot t \cdot 180)$	$v_{54} = 0$
46	$v_{27} = \text{COS}(\pi/180 \cdot t \cdot 180)$	$v_{55} = 0$
47	$v_{28} = \text{TAN}(\pi/180 \cdot t \cdot 90)$	$v_{32} = 0$
48	$v_{29} = 180/\pi \cdot \text{ARCSIN}(\text{SIN}(\pi/180 \cdot t \cdot 90))$	$v_{33} = 0$
49	$v_{30} = 180/\pi \cdot \text{ARCCOS}(\text{COS}(\pi/180 \cdot t \cdot 90))$	$v_{34} = 0$
50	$v_{31} = 180/\pi \cdot \text{ARCTAN}(t)$	$v_{35} = 0$
51	$v_{48} = 180/\pi \cdot \text{ARCTAN}(t, 1.0)$	$v_{36} = 0$
52	$v_{49} = 1/\text{TAN}(\pi/180 \cdot t \cdot 90)$	$v_{37} = 0$
53	$v_{50} = 1/\text{SIN}(\pi/180 \cdot t \cdot 90)$	$v_{60} = 0$
54	$v_{51} = 1/\text{COS}(\pi/180 \cdot t \cdot 90)$	$v_{61} = 0$
55	$v_{52} = 180/\pi \cdot \text{ARCTAN}(1/t)$	$v_{62} = 0$
56	$v_{53} = 180/\pi \cdot \text{ARCTAN}(1/t, 1.0)$	$v_{40} = 0$
57	$v_{54} = 180/\pi \cdot \text{ARCSIN}(1/2)$	$v_{58} = 0$
58	$v_{55} = 180/\pi \cdot \text{ARCCOS}(1/2)$	$v_{59} = 0$
59	— — <i>Hyperbolic(viaexpformulas)</i> — —	
60	$v_{32} = (\text{EXP}(t) - \text{EXP}(-t))/2$	
61	$v_{33} = (\text{EXP}(t) + \text{EXP}(-t))/2$	
62	$v_{34} = (\text{EXP}(t) - \text{EXP}(-t))/(\text{EXP}(t) + \text{EXP}(-t))$	
63	$v_{35} = (\text{EXP}(t + 0.5) + \text{EXP}(-(t + 0.5)))/(\text{EXP}(t + 0.5) - \text{EXP}(-(t + 0.5)))$	

Continued on next page

(Continued)

	model	initial values
64	--Constants---	
65	$v_{36} = \pi$	
66	$v_{37} = \text{EXP}(1)$	
67	$v_{60} = \text{deg}$	
68	$v_{61} = \text{true}$	
69	$v_{62} = \text{false}$	
70	--Random---	
71	$v_{40} = \text{rand}()$	
72	$v_{58} = \text{randint}(10)$	
73	$v_{59} = \text{randint}(5, 15)$	
74	$u = u \cdot 1.1$	

	model	startwaarden
1	$t = t + dt$	$t = 0 \text{ s}$
2	Als $t \geq 0.25$ Dan Stop EindAls	$dt = 0,10 \text{ s}$
3	--Arithmeticoperators---	$u = 1,000$
4	$v_1 = u \cdot 2 + 1 - 0.5/2^3$	$v_1 = 0$
5	--Comparison + ternary(single-line)---	$v_2 = 0$
6	Als $u \geq 1.05$ Dan $v_2 = 1$ Anders $v_2 = 0$ EindAls	$v_3 = 0$
7	--Ternarymulti-line(\mrule*)---	$v_4 = 0$
8	Als $u \geq 1.05$ Dan $v_3 = 1$ Anders $v_3 = 0$ EindAls	$v_5 = 0$ $v_6 = 0$ $v_7 = 0$ $v_8 = 0$ $v_9 = 0$
9	--Booleanoperators---	$v_{10} = 0$
10	Als $(u > 0)$ EN $!(t \geq 1)$ Dan $v_4 = 1$ Anders $v_4 = 0$ EindAls	$v_{11} = 0$
11	--abs, sign(display-translated)---	$v_{12} = 0$
12	$v_5 = \text{Abs}(u - 2)$	$v_{13} = 0$
13	$v_6 = \text{Teken}(u - 1.05)$	$v_{14} = 0$
14	--Generalmath---	$v_{56} = 0$
15	$v_7 = u - \text{trunc}(u/0.7) \cdot 0.7$	$v_{15} = 0$

Wordt vervolgd op volgende pagina

(Vervolg)

	model	startwaarden
16	$v_8 = \text{Sqrt}(u)$	$v_{16} = 0$
17	$v_9 = \text{trunc}(u \cdot 3.7)$	$v_{17} = 0$
18	$v_{10} = \text{round}(u, 2)$	$v_{18} = 0$
19	$v_{11} = \text{Entier}(u + 0.3)$	$v_{19} = 0$
20	$v_{12} = -\text{Entier}(-u - 0.3)$	$v_{20} = 0$
21	$v_{13} = \text{Min}(u, 1.05)$	$v_{21} = 0$
22	$v_{14} = \text{Max}(u, 1.05)$	$v_{22} = 0$
23	$v_{56} = \text{fact}(3)$	$v_{23} = 0$
24	--- <i>Exponentialandlogarithmic</i> ---	$v_{24} = 0$
25	$v_{15} = \text{Exp}(u)$	$v_{25} = 0$
26	$v_{16} = \text{Ln}(u)$	$v_{41} = 0$
27	$v_{17} = \text{Ln}(u)/\text{Ln}(10)$	$v_{42} = 0$
28	$v_{18} = \text{logb}(u \cdot 100)$	$v_{43} = 0$
29	--- <i>Trigonometry(radians)</i> ---	$v_{44} = 0$
30	$v_{19} = \text{Sin}(t \cdot \pi)$	$v_{45} = 0$
31	$v_{20} = \text{Cos}(t \cdot \pi)$	$v_{46} = 0$
32	$v_{21} = \text{Tan}(t)$	$v_{47} = 0$
33	$v_{22} = \text{Arcsin}(\text{Sin}(t \cdot \pi))$	$v_{26} = 0$
34	$v_{23} = \text{Arccos}(\text{Cos}(t \cdot \pi))$	$v_{27} = 0$
35	$v_{24} = \text{Arctan}(t)$	$v_{28} = 0$
36	$v_{25} = \text{Arctan}(t, 1.0)$	$v_{29} = 0$
37	$v_{41} = 1/\text{Tan}(t)$	$v_{30} = 0$
38	$v_{42} = 1/\text{Sin}(t)$	$v_{31} = 0$
39	$v_{43} = 1/\text{Cos}(t)$	$v_{48} = 0$
40	$v_{44} = \text{Arctan}(1/t)$	$v_{49} = 0$
41	$v_{45} = \text{Arctan}(1/t, 1.0)$	$v_{50} = 0$
42	$v_{46} = \text{Arcsin}(1/2)$	$v_{51} = 0$
43	$v_{47} = \text{Arccos}(1/2)$	$v_{52} = 0$
44	--- <i>Trigonometry(degrees)</i> ---	$v_{53} = 0$
45	$v_{26} = \text{Sin}(\pi/180 \cdot t \cdot 180)$	$v_{54} = 0$
46	$v_{27} = \text{Cos}(\pi/180 \cdot t \cdot 180)$	$v_{55} = 0$
47	$v_{28} = \text{Tan}(\pi/180 \cdot t \cdot 90)$	$v_{32} = 0$
48	$v_{29} = 180/\pi \cdot \text{Arcsin}(\text{Sin}(\pi/180 \cdot t \cdot 90))$	$v_{33} = 0$

Wordt vervolgd op volgende pagina

(Vervolg)

	model	startwaarden
49	$v_{30} = 180/\pi \cdot \text{Arccos}(\text{Cos}(\pi/180 \cdot t \cdot 90))$	$v_{34} = 0$
50	$v_{31} = 180/\pi \cdot \text{Arctan}(t)$	$v_{35} = 0$
51	$v_{48} = 180/\pi \cdot \text{Arctan}(t, 1.0)$	$v_{36} = 0$
52	$v_{49} = 1/\text{Tan}(\pi/180 \cdot t \cdot 90)$	$v_{37} = 0$
53	$v_{50} = 1/\text{Sin}(\pi/180 \cdot t \cdot 90)$	$v_{60} = 0$
54	$v_{51} = 1/\text{Cos}(\pi/180 \cdot t \cdot 90)$	$v_{61} = 0$
55	$v_{52} = 180/\pi \cdot \text{Arctan}(1/t)$	$v_{62} = 0$
56	$v_{53} = 180/\pi \cdot \text{Arctan}(1/t, 1.0)$	$v_{40} = 0$
57	$v_{54} = 180/\pi \cdot \text{Arcsin}(1/2)$	$v_{58} = 0$
58	$v_{55} = 180/\pi \cdot \text{Arccos}(1/2)$	$v_{59} = 0$
59	---Hyperbolic(viaexpformulas)---	
60	$v_{32} = (\text{Exp}(t) - \text{Exp}(-t))/2$	
61	$v_{33} = (\text{Exp}(t) + \text{Exp}(-t))/2$	
62	$v_{34} = (\text{Exp}(t) - \text{Exp}(-t))/(\text{Exp}(t) + \text{Exp}(-t))$	
63	$v_{35} = (\text{Exp}(t + 0.5) + \text{Exp}(-(t + 0.5)))/(\text{Exp}(t + 0.5) - \text{Exp}(-(t + 0.5)))$	
64	---Constants---	
65	$v_{36} = \pi$	
66	$v_{37} = \text{Exp}(1)$	
67	$v_{60} = \text{deg}$	
68	$v_{61} = \text{true}$	
69	$v_{62} = \text{false}$	
70	---Random---	
71	$v_{40} = \text{rand}()$	
72	$v_{58} = \text{randint}(10)$	
73	$v_{59} = \text{randint}(5, 15)$	
74	$u = u \cdot 1.1$	