

The following Safety Data Sheet has been created according to the Regulation (EC) No 1272/2008 [CLP/GHS], the Regulation (EU) No 453/2010 and the Commission Regulation (EU) 2015/830 (28th of May 2015) on compilation of e-SDS.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

CALDE® TROWEL PC 85 U

1.1.1. Dates and Modifier of the Safety Data Sheet

Creation Date 21/04/2017 (DD/MM/YY)

Revision Date: 02/08/2017

Modifier JP Targe

1.1.2. SDS (Safety Data Sheet) status:

Revision

1.2. Relevant identifier uses of the substances or mixture and uses advised against:

1.2.1. Relevant identified uses:

Usages of the product according to the ECHA (European Chemical Agency) - Guidance R.12 Use descriptor system - draft version 2.0
SU10; 13+NACE C23.2+PC 10+PROC 1; 2; 3; 4; 5; 8a; 9; 13; 14; 19; 21; 22; 23; 24; 26+ERC 2; 3; 5+AC 12-1; 12-2
Liquid binder to be added to a refractory material
Restricted to industrial or professional users for application as safety or wear linings and maintenance of both in all industrial devices at temperatures > 1000°C.

1.2.2. Uses advised against:

Non relevant.

1.3. Details of the supplier of the safety data sheet:

1.3.1. Supplier:

EUROPEAN ECONOMIC COMMUNITY :

Calderys
17, rue de Copenhague – Bât. F
F-38070 Saint Quentin Fallavier - France
Phone: +33 (0)4 74 99 99 64 - Fax: +33 (0)4 74 99 99 56

1.3.5. E-mail:

If another updated SDS is needed, please contact your local CALDERYS commercial desk.
For any precision about the content of this MSDS, please refer to the point 1.3.6.

1.3.6. National contact's name:

See local contact for your country at §16 - Point 16.9.
www.calderys.com

1.4. Emergency telephone number:

UK: The UK National Poisons Emergency number is 0870 600 6266 - (Outside the UK: +44 870 600 6266)

See enclosed annex for Emergency telephone

1.5. Opening hours (if not 24/24 h):

Non relevant.

SECTION 2: Hazards identification

2.1 Classification of the substance or the mixture:

2.1.0. Substances linked to the Classification of the product

Aluminium tris(dihydrogen phosphate) - (CAS Nr. 13530-50-2)

2.1.1. Classification according to Regulation:

(EC) No 1272/2008 [CLP/GHS]

Skin Irrit. 2 - Skin irritation, hazard category 2; H315: Causes skin irritation.

Eye Irrit. 2 - Serious eye damage / Eye irritation, hazard category 2; H319: Causes serious eye irritation.

- 2.1.1.1 Other:

Non relevant.

2.1.3. Additional information:

For full text of H, EUH-phrases: see section 16.

2.2. Label elements:

2.2.1.2. Signal word:

Warning

2.2.2.1. Symbol(s) in black/white or colour according to the Regulation:

(EC) No 1272/2008 [CLP/GHS]

GHS07: Exclamation mark



2.2.7. Authorization number(s) from ECHA:

Non relevant.

2.2.8. Labelling according to the Regulation:

(EC) No 1272/2008 [CLP/GHS]

Skin Irrit. 2; H315

Eye Irrit. 2; H319

2.2.9. GHS, Precautionary statement phrases (P)

2.2.9.1. GHS, Precautionary statements — Prevention

P280: Wear protective gloves, protective clothing, eye protection and a face protection.

2.2.9.2. GHS, Precautionary statements — Response

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.

2.2.9.4. GHS, Precautionary statements — Disposal

P501: Dispose of contents/containers in accordance with local regulation

2.3. Other hazards:

Unknown at that date.

2.3.2. CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

No.

2.3.3. PBT : Persistent, Bioaccumulative and Toxic

Unknown at that date.

2.3.4. vPvB: very Persistent very Bioaccumulative

Unknown at that date.

2.3.5. POP: Persistent Organic Pollutant

No.

2.3.6. Formation of air contaminants during hardening or processing:

Unknown at that date.

2.3.7. Dust explosion hazard (VDI 2263):

No.

SECTION 3: Composition / Information on ingredients

3.1. Substance:

3.2. Mixture:

3.2.1. Non hazardous components

Component	CAS N° / EC N°	Weight %
-----------	----------------	----------

Aluminium oxide - Nr. REACH. 01-2119529248-35

CAS : 1344-28-1
Einecs : 215-691-6

>=50 <100

Kaolinite - REACH: Substance exempted in accordance with Annex V.7

CAS : 1318-74-7
Einecs : 215-286-4

>=10 <25

3.2.2. Hazardous components

Component

CAS N° / EC N°

Weight %

Aluminium tris(dihydrogen phosphate) - Nr. REACH. 01-2119490078-32

CAS : 13530-50-2
Einecs : 236-875-2

>=1 <2.5

Skin Corr.1B - Eye Dam.1; H318

SECTION 4: First aid measures

4.1. Description of first aid measures

4.1.1. Eyes:

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

4.1.2. Skin:

Wash with soap and water, if irritation persists seek medical advice.

If skin irritation or rash occurs: Get medical advice/attention.

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of basic solution.

4.1.3. Ingestion:

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

If swallowed, rinse mouth with water (only if the person is conscious).

If swallowed, drink copious amount of water (at least 0,5 liter), provided fresh air and seek medical advice immediately.

Swallowing will have a severe caustic effect on the mouth and throat with a danger of perforation of the oesophagus and stomach

4.1.4. Inhalation:

If there is a sensation of nausea or dizziness, remove to fresh air and seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed.

Stinging to eyes

Redness, tearing.

Stinging to skin

Symptoms: Pain, redness and blurred vision.

Swallowing will have a severe caustic effect on the mouth and throat with a danger of perforation of the oesophagus and stomach

4.3. Indication of any immediate medical attention and special treatment needed.

Information for doctor/physician: If swallowed, gastric irrigation.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

5.1.1. Suitable fire-fighting methods :

In case of fire use water based extinguishers or hosepipe.

5.1.2. Unsuitable extinguishing media:

Non relevant.

5.2. Special hazards arising from the substance or mixture

In standard storage conditions, non-combustible, non-explosive and non-flammable.

Causes skin irritation.

Causes serious eye irritation.

5.2.1. Hazardous decomposition products

P205

Thermal decomposition may produce toxic fumes of phosphorus oxides and/or phosphine.

5.3. Advice for firefighters

5.3.1. Personal precautions:

Personal precautions : see Section 8.

Personal precautions : wear acid resistant clothing and gloves.

Personal precautions : wear Self-Contained Breathing Apparatus (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

6.1.1.1. Protective equipment:

Personal precautions : see Section 8.

Personal precautions : wear acid resistant clothing.

6.1.1.2. Emergency procedures

Avoid breathing vapour and contact with skin and eyes. Wear recommended personal protective equipment.

6.1.2. For emergency responders

Personal precautions : wear acid resistant clothing and gloves.

Avoid breathing vapour and contact with skin and eyes. Wear recommended personal protective equipment.

6.2. Environmental precautions

Prevent access to water table, running or stagnant water, or drains.

6.3. Methods and material for containment and cleaning up

6.3.1. Appropriate containment techniques may include any of the following:

6.3.1. - (a) bunding, covering of drains;

Non relevant.

6.3.1. - (b) capping procedures.

Non relevant.

6.3.2. Appropriate advices on how to clean-up a spill. Appropriate clean-up procedures may include any of the following:

6.3.2. - (a) neutralisation techniques;

Neutralize spills with absorbent materials.

6.3.2. - (b) decontamination techniques;

Non relevant.

6.3.2. - (c) adsorbent materials;

Sand, diatomite earth, saw dust, vermiculite.

6.3.2. - (d) cleaning techniques;

To clean the floor and all objects contaminated by this material, wash immediately with plenty of warm water.

6.3.2. - (e) vacuuming techniques;

Non relevant.

6.3.2. - (f) equipment required for containment/clean-up (include the use of non-sparking tools and equipment where applicable).

Put in drums after neutralisation.

Collect the spillage in closable, corrosion resistant, suitable disposal containers.

6.3.3. Other information relating to spills and releases:

6.3.3.1. Non allowed techniques:

Non relevant.

6.4. Reference to other sections

6.4.1. References:

Personal precautions : see Section 8.

Dump according to the definition in section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling:

7.1.1. Protective measures:

7.1.1.- (a) Measures to prevent fire:

Non relevant.

7.1.1.- (b) Measures to prevent aerosol and dust generation:

Non relevant.

7.1.1.- (c) Measures to protect environment:

Prevent access to water table, running or stagnant water, or drains.

7.1.2. Advice on general occupational hygiene:

When using do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities:

7.2.1. Technical measures and storage conditions:

Keep only in the original container at a temperature not exceeding 40°C.

Avoid breathing vapour and contact with skin and eyes. Wear recommended personal protective equipment.

Stacking height: up to 2 pallets maximum.

7.2.2. Recommended packing:

Plastic bottle.

Plastic shrink or cling film.

Wooden pallet with shrink film.

Always keep the main pallet label

7.2.3. Requirements for storage rooms and vessels:

Store away from direct source of heat to avoid product damage.

Avoid freezing conditions.

Do not store outside.

Store away from alkalis.

Store on acid resistant floor.

Avoid contact with incompatibles mentioned under item 10

7.2.4. Storage class (national):

Unknown at that date.

7.2.5. Further information on storage conditions:

Do not store in packaging other than that of origin.

Do not transfer to light alloy metal, aluminium, zinc or tin coated steel.

Keep only in the original container at a temperature not exceeding 40°C.

Always keep in the original packaging.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Substance	CAS N° / EC N°	L.T.E - 8 hr TWA mg/m3
Aluminium oxide - Nr. REACH. 01-2119529248-35	CAS : 1344-28-1 Einecs : 215-691-6	1,5
Kaolinite - REACH: Substance exempted in accordance with Annex V.7	CAS : 1318-74-7 Einecs : 215-286-4	No data
Aluminium tris(dihydrogen phosphate) - Nr. REACH. 01-2119490078-32 Skin Corr.1B - Eye Dam.1; H318	CAS : 13530-50-2 Einecs : 236-875-2	No data

8.2. Exposure Controls:

The chart above mentionnes the lowest exposure limit values known in the EU for each substance.

All the values indicated in the chart above are available in the (Worldwide) GESTIS database:

<http://limitvalue.ifa.dguv.de/>

The product is delivered as wet, so is not relevant to respirable dust.

Contains some substances without any approved Occupational Exposure values

8.2.0. DNEL (Derived no effect level)

Workers

Acronyms used in the following sentences.

BBB = DNEL Long Term exposure - Acute effect - Local

ROEX = Route of Exposure

INH = Inhalation dose in mg/m3

8.2.0.1. Substance:

Aluminium tris(dihydrogen phosphate) - CAS Nr.13530-50-2 - Einecs Nr.236-875-2 - BBB; ROEX;

INH = 4,07

8.2.1. Appropriate engineering controls

Non relevant.

8.2.2. Individual protection measures, such as personal protective equipment

8.2.2.1. Good occupational hygiene practices

Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

For details about the following HS personal devices, please see the annex dedicated to.
(Section .17)

8.2.2.2. Personal Protective Equipment

8.2.2.2. (a) Eye/face protection

Wear a face shield

Wear safety glasses with lateral protection (166 rev. S4KN2)



8.2.2.2. (b) Skin protection

Wear acid resistant clothing.



8.2.2.2. (c) Hands:

Wear acid resistant gloves

Suitable material for gloves: Nitrile rubber (NBR) - Natural rubber (NR) - Neoprene

In case of spray contact at least protection index 2 recommended, according to more than 30 min. penetration time (EN 374).

Layer thickness of gloves at least: 0.4 mm

In case of prolonged and intensive contact protection index 6 recommended, according to more than 480 min. penetration time (EN 374).

Layer thickness of gloves at least: 0.7 mm.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Not suitable are gloves made of the following materials: Leather gloves



8.2.2.2. (d) Respiratory protection

The product is delivered as wet, so is not relevant to respirable dust.

Consult the local reglementation.



8.2.3. Environmental exposure controls

Prevent access to water table, running or stagnant water, or drains during installation or during washing the tools used for installation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Name of the characteristic	Value
Appearance:	Wet mixture of aggregates and fine powders
Color:	Slightly yellow
Odour:	No particular odour
Melting point	> 1650 °C
Packing Density (g/cm³) :	At 20°C, 1,5 g/cm ³
Vapour density:	Unknown at that date.
pH:	Unable to determine.
Segregation:	BEWARE: Segregation may occur, after some weeks of storage, between the mineral charge and its liquid binder.
Boiling point:	Unknown at that date.
Flash point:	Non relevant.
Inflammability:	Non relevant.
Explosive properties:	No.
Combustive properties:	No.
Solubility solvent:	No.
Partition coefficient n-octanol/water:	Unknown at that date.
Viscosity:	Non relevant.
Hydrosolubility:	Unknown at that date.

SECTION 10: Stability and reactivity

10.1. Reactivity

May react in contact with alkalis.

10.2. Chemical stability

Chemically stable refractory product

10.3. Possibility of hazardous reactions

Strong exothermic reaction with alkaline

10.4. Conditions to avoid

Danger : Hazardous reaction in contact with alkaline.

Danger: Hazardous reaction in contact with metals (may generates highly inflammable hydrogen gas).

Avoid incompatible materials mentioned in section 10.5.

10.5. Incompatible materials

Avoid ordinary steels, bases, nitrates, chlorates, calcium carbide, cyanid, sulphurs and sulphites.

Avoid contact with light alloy metal, aluminium, zinc or tin coated steel.

10.6. Hazardous decomposition products

P2O5

Thermal decomposition may produce toxic fumes of phosphorus oxides and/or phosphine.

SECTION 11: Toxicological information

Substance	CAS N° / EC N°
Aluminium tris(dihydrogen phosphate) - Nr. REACH. 01-2119490078-32	CAS : 13530-50-2
Skin Corr.1B - Eye Dam.1; H318	Einecs : 236-875-2

11.1. Information on toxicological effects.

11.1.1. Substances.

11.1.1.1. The relevant hazard classes for which information shall be provided, are:

11.1.1.1. - (a) acute toxicity:

Non relevant.

11.1.1.1. - (b) skin corrosion/irritation:

Skin irritation, hazard category 2

11.1.1.1. - (c) serious eye damage/irritation:

Eye irritation, hazard category 2

11.1.1.1. - (d) respiratory or skin sensitisation:

Non relevant.

11.1.1.1. - (e) germ cell mutagenicity:

Non relevant.

11.1.1.1. - (f) carcinogenicity:

Non relevant.

11.1.1.1. - (g) reproductive toxicity:

Non relevant.

11.1.1.1. - (h) STOT-single exposure:

Non relevant.

11.1.1.1. - (i) STOT - repeated exposure:

Non relevant.

11.1.1.1. - (j) aspiration hazard:

Non relevant.

11.1.2. Mixtures.

Non relevant.

11.1.4. Toxicological properties of the hazardous substance or mixture, as placed on the market:

11.1.4.1. LD50: Lethal Dose, 50%.

Oral LD50 - rat - > 2000 mg / kg

Dermal LD50 - rat, rabbit - > 4640 mg / kg

11.1.4.2. LC50: Lethal Concentration, 50%.

Inhalation: (rat, 4 h, dust/mist) > 5,1 mg/L - OECD Test Guideline 403

SECTION 12: Ecological information

12.1. Toxicity

The following points are theoretical conclusions:

Spillage may be dangerous if it comes in contact with incompatible materials see section 10.

12.1.1. Air:

Unknown at that date.

12.1.2. Water:

Prevent access to water table, running or stagnant water, or drains.

Inorganic salts are basically not biodegradable.

Product causes strong drop of pH-value of water

Phosphates are plant nutrient and as such may contribute to the growth of phytoplankton in water.

12.1.2.0 Toxicity linked to fishes, Daphnia, Other aquatic invertebrates, Bacteria, Algae:

Acronyms used in the following sentences.

TOF LC50 = Toxicity on fish LC50

TOF NOEC = Toxicity on fish NOEC

TDOAI EC50 = Toxicity to daphnia and other aquatic invertebrates (EC50)

12.1.2.1 Substance:

Aluminium tris(dihydrogen phosphate) - CAS Nr.13530-50-2 - EINECS Nr.236-875-2 - TOF LC50 =

[> 100 mg/l; 96 h] - OECD Test Guideline 203 - [freshwater fish: Oncorhynchus mykiss] / TOF

NOEC = [100 mg/l; 96 h] - OECD Test Guideline 203 - [freshwater fish: Oncorhynchus mykiss] /

TDOAI EC50 = [> 100 mg/l; 48 h] - OECD Test Guideline 202 - [Water flea: Daphnia magna]

12.1.2.2 PNEC : Predicted No-Effect Concentration

Unknown at that date.

12.1.2.3. Substance:

Non relevant.

12.1.3. Soil :

Soluble phosphates can be leached out of the unused product.

Carry out a leaching test to determine values according to local legislation.

Product causes strong drop of pH-value of soil

12.1.4. Flora:

Unknown at that date.

12.1.5. Fauna:

Unknown at that date.

12.1.6. Bee:

Unknown at that date.

12.2. Persistence and degradability

Inorganic salts are basically not biodegradable.

12.3. Bioaccumulative potential

Non relevant.

12.4. Mobility in soil

Unknown at that date.

12.5. Results of PBT and vPvB assessment

Unknown at that date.

12.6. Other adverse effects

Unknown at that date.

However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment;

SECTION 13: Disposal considerations

13.0. DIRECTIVE 2008/98/EC ON INDUSTRIAL WASTE. - Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal - UNEP

13.1. WASTE TREATMENT METHODS

Please consult local regulations and statutory European Union provisions

Used packaging should be treated in the same way as the received product

Dispose of substance in suitable containers in accordance with local, regional, national or international regulation. Do not dispose in waterways.

Offer surplus to a licensed disposal company.

Recycling and disposal of packaging has to be organised in cooperation with a suitable waste disposal company. The re-use of packaging is not recommended.

Do not flush into drains or surface water

13.1.1. DISPOSAL OPERATIONS

D 9 Physico-chemical treatment not specified elsewhere in this Annex which results in final compounds or mixtures which are discarded by means of any of the operations numbered D 1 to D 12 (e.g. evaporation, drying, calcination, etc.)

13.1.2. RECOVERY OPERATIONS

Unknown at that date.

13.1.3. PROPERTIES OF WASTE WHICH RENDER IT HAZARDOUS

H 4 (Irritant): non-corrosive substances and preparations which, through immediate, prolonged or repeated contact with the skin or mucous membrane, can cause inflammation.

13.2. POTENTIAL DANGER FROM THE WASTE:

Unknown at that date.

Soluble phosphates can be leached out of the unused product.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

13.3. EUROPEAN LIST OF HAZARDOUS WASTES (2000/532/EC)

As this product can be used in multiple industries, all categories are potentially valid.

Waste code according to EWC/AVV: 060316

06 03 wastes from the MFSU of salts and their solutions and metallic oxides

06 03 14 solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13

10 02 : Wastes from the iron and steel industry

10 02 06 : Spent linings and refractories

10 03 : Wastes from aluminium thermal metallurgy

10 03 99 : Wastes not otherwise specified

10 04 : Wastes from lead thermal metallurgy

10 04 08 : Spent linings and refractories

10 05 : Wastes from zinc thermal metallurgy

10 05 07 : Spent linings and refractories

10 06 : Wastes from copper thermal metallurgy

10 06 08 : Spent linings and refractories

10 07 : Wastes from silver, gold and platinum thermal metallurgy

10 07 06 : Spent linings and refractories

10 08 : Wastes from other non-ferrous thermal metallurgy

10 08 07 : Spent linings and refractories

10 09 : Wastes from casting of ferrous pieces

10 09 99 : Wastes not otherwise specified
10 10 : Wastes from casting of non-ferrous pieces
10 10 99 : Wastes not otherwise specified
10 11 : Wastes from manufacture of glass and glass products
10 11 08 : Spent linings and refractories
10 12 : Wastes from manufacture of ceramic goods, bricks, tiles and construction products
10 12 07 : Spent linings and refractories
10 13 : Wastes from manufacture of cement, lime and plaster and articles and products made from them
10 13 08 : Spent linings and refractories
16 03 : Off-specification batches and unused products
16 03 03 : Inorganic wastes containing dangerous substances

SECTION 14: Transport information

ADR/RID/ADN class:

Non relevant to the UN classification on dangerous goods.

ICAO-TI / IATA-DGR class:

Non relevant to the UN classification on dangerous goods.

IMDG (marine) class:

Non relevant to the IMDG classification on dangerous goods.

14.1. UN number

Non relevant.

14.2. UN proper shipping name

Non relevant.

14.3. Transport hazard class(es)

Non relevant to the UN classification on dangerous goods.

14.4. Packing group:

Non relevant.

14.5. Environmental hazards:

Unknown at that date.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.2. Regulation 1907/2006/EC on REACH regulation.

The classification of this product has been established according to this regulation.

15.1.3. Regulation 1272/2008/EC on the GHS/CLP, including the EC 605/2014 (6th ATP)

The classification of this product has been established according to this regulation.

15.1.4. Regulation 453/2010/EC amending Regulation (EC) No 1907/2006

This SDS has been created according to this regulation.

15.1.5. Other Regulation used to create this Safety Data Sheet:

The following Safety Data Sheet has been created according to the Regulation GHS Nr.6 (ST/SG/AC.10/30/Rev.6 - Dec.2015)

15.1.6. Directive 2006/8/EC on CMR and hazardous substances for environment.

This product does not meet the criteria for classification in that directive.

15.1.7. Directive 94/9/EC on equipment and protective systems intended for use in potentially explosive atmospheres (ATEX 95)

This product does not meet the criteria for classification in that directive.

15.1.8. Directive 1999/92/EC on minimum requirements for improving the safety and health protection of workers potentially at risk from explosive atmospheres (ATEX 137)

This product does not meet the criteria for classification in that directive.

15.1.9. Decision No 2455/2001/EC on the list of priority substances in the field of water policy.

This product does not meet the criteria for classification in that directive.

15.1.10. MONTREAL Protocol on Substances That Deplete the Ozone Layer (7th revision)

This product does not meet the criteria for classification in that protocol: Mixture of inert minerals.

15.1.11. IBC: Institutional Biosafety Committee

This product does not meet the criteria for any biosafety classification.

15.1.12. MARPOL 73/78 (the International Convention for the Prevention of Pollution from Ships)

This product does not meet the criteria for classification in that directive.

15.1.13. STOCKHOLM convention on persistent organic pollutants (POPs)

This product does not meet the criteria for classification in that directive.

15.1.14. ROTTERDAM Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.

This product does not meet the criteria for classification in that directive.

15.1.15. Directive 96/29 EURATOM :

This product does not meet the criteria for classification in that directive.

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been completed for this product

15.3. Occupational illness

Commission Recommendation of 19 September 2003 concerning the European schedule of occupational diseases (Text with EEA relevance) (notified under document number C(2003) 3297)
Non relevant.

15.5. Other national relevant Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.5.- (a) TA Air/TA Luft (German Technical Instructions on Air Quality Control)

Contains: Aluminium tris(dihydrogen phosphate); CAS Nr. 13530-50-2 - Total Dust including Micro Dust 5.2.1

15.5.- (b) WgK: German Water hazard class (from the Administrative Regulation on substances hazardous to water - assessment):

The product, (according to German regulation) is classified as (in the sense of 17.05.1999):
WGK 1: slightly hazardous to water (self-classification)

15.5.- (c) Technical rules for dangerous substances (Technische Regeln für Gefahrstoffe)

Unknown at that date.

15.5.- (d) Nomenclature of classified installations for environmental protection.

This product does not meet the criteria for classification in that directive.

15.5.- (e) list of carcinogens, mutagens and reproductive toxins SZW (Dutch Regulation)

This product does not meet the criteria for classification in that directive.

15.5.- (f) The General Water Assessment methodology (ABM) - Dutch Regulation

Unknown at that date.

15.5.- (g) The Dutch Emissions Directive (NeR) - Dutch Regulation

Unknown at that date.

15.5.- (h) Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal - UNEP

This Convention is applied in the points 13.1.1, 13.1.2. and 13.1.3.

SECTION 16: Other information

16.0. Additionnal safety information:

As announced in the Sub-section 2.1.3. find below the full text of the Hazard statement phrases (H - EUH) and Precautionary statement phrases (P) from GHS phrases indicated.

16.1. GHS Pictograms

16.1.1. Symbol(s) in black/white or colour according to the Regulation:

(EC) No 1272/2008 [CLP/GHS]



16.1.2. Labelling according to the Regulation:

(EC) No 1272/2008 [CLP/GHS]
Skin Irrit. 2; H315
Eye Irrit. 2; H319

16.1.3. Classification according to Regulation:

(EC) No 1272/2008 [CLP/GHS]
Skin Irrit. 2 - Skin irritation, hazard category 2; H315: Causes skin irritation.
Eye Irrit. 2 - Serious eye damage / Eye irritation, hazard category 2; H319: Causes serious eye irritation.

16.1.4. Signal word:

Warning

16.1.5. GHS Hazard statement phrases (H) (linked to the product)

H315: Causes skin irritation.
H319: Causes serious eye irritation.

16.2. GHS Precautionary statement phrases (P)

SAFETY DATA SHEET

CALDE® TROWEL PC 85 U

Version: 21
MAM80022

P280: Wear protective gloves, protective clothing, eye protection and a face protection.
P302+P352: IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
P337+P313: If eye irritation persists: Get medical advice/attention.
P360: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
P501: Dispose of contents/containers in accordance with local regulation

16.3. Hazardous substances present, below GHS classification limits:

Non relevant.

16.5. Training:

Non relevant.

16.6. Other informations :

This safety data sheet (SDS) has been compiled according to Directive 453/2010/CE
This safety data sheet (SDS) has been compiled according to annexe II of the CE 1907/2007
(18th of december 2006) regulations concerning the adoption of REACH

16.7. Local contact for your country:

Australia: Jim Matthews - 2 Charcoal Close Unanderra NSW 2526 Australia - Phone: (02) 4271 0800 or 0434 745 006 - Fax: (02) 4272 2543 - jim.matthews@calderys.com
South-Africa: Robert Snelling - 6 Kariba Street, Vereeniging - Phone: +27(0)164406400 - Mail: robert.snelling@calderys.com
U.K: J-P.Targe - Tel +33 (0)4.74.99.99.64 - Fax+33 (0)4.74.99.99.56 : CALDERYS France - Research Centre - 17, rue de Copenhagen - F-38070 Saint Quentin Fallavier
USA: Mr. Fielding Clover - Calderys USA, Inc. - 917 Francis Street West - Jacksonville, Alabama 36265 - P.O. Box 909 - Emergency Telephone Number: 256-435-9342

SDS status :

Modifier	JP Targe	Modification Date : 02/08/2017
-----------------	----------	--------------------------------

Modification:

Modified section : 2
Modified section : 13
Modified section : 16

Acronyms and abbreviations used:

AAA = DNEL Long Term exposure - Chronic effect - Local
ADR: European regulation on transport of dangerous goods by road.
AOEL: Acceptable Operator Exposure Level
AOX: Adsorbable Organic Halogen
BBB = DNEL Long Term exposure - Acute effect - Local
BCF: Bioconcentration factor
BOD: Biochemical Oxygen Demand (BOD)
CAS: Chemical Abstracts Service
CCC = DNEL Short Term exposure - Chronic effect - Local
CLP : Classification, Labelling and Packaging of chemicals
CMR : Carcinogenic, Mutagenic or Toxic for Reproduction
COD: Chemical Oxygen Demand.
CSA : Chemical Safety Assessment
CSR : Chemical Safety Report
DDD = DNEL Short Term exposure - Acute effect - Local
DNEL : Derived No-Effect Level
EC: Ecotoxicity
EC50: Half maximal effective concentration
ECHA : European Chemical Agency
EINECS: European Inventory of Existing Commercial Chemical Substance.
ES : Exposure Scenario
eSDS : extended Safety Data Sheet
GefStoffV: German regulation on hazardous substances.
GHS : Global Harmonized System of classification and labelling of chemicals
GHS/CLP: Globally Harmonized System of Classification, Labelling and Packaging of chemicals
IATA: International Air Transport Association.
IATA-DGR: Dangerous Goods Regulation by the International Air Transport Association
ICAO: International Civil Aviation Organization.
ICAO-TI: Technical Instruction by the International Air Transport Association
IMDG: International Maritime code for Dangerous Goods.
JAP-ISHA-C.O.Nr. = Japanese Industrial Safety and Health Act - Cabinet Order Nr.

JAP-PDSA-C.O.Nr. = Japanese Poisonous and Deleterious Substances Control Act - Cabinet Order Nr.
JAP-PRTR-C.O.Nr. = Japanese Pollutant Release and Transfer Register - Cabinet Order Nr.
LC50: Lethal Concentration, 50%.
LD50: Lethal Dose, 50%.
LOAEL: Lowest observed adverse effect level
MFSU: Manufacture, Formulation, Supply and Use
NEC: No effect concentration
NOEC: No Observed Effect Concentration
N.O.S. : Not Otherwise Specified
NLP : No-Longer Polymers
OECD: Organisation for Economic Co-operation and Development
PAH: Polycyclic Aromatic Hydrocarbon.
PBT : Persistent, Bioaccumulative and Toxic
PEC : Predicted Environmental Concentration
PNEC : Predicted No-Effect Concentration
PNEC Co = PNEC Coral
PNEC FW = PNEC Freshwater
PNEC Sd = PNEC Sediment
PNEC So = PNEC Soil
PNEC SW = PNEC Seawater
PNEC WIR = PNEC Water intermittent release
POP: Persistent Organic Pollutant
CSFF: Crystalline Silica Fine Fraction (according to the standard EN 481)
REACH : Registration, Evaluation, Authorisation and Restriction of Chemical substances
RID: International regulation on transport of dangerous goods by railway.
RIP : REACH Implementation Project
RMM : Risk Management Measure
ROEX = Route of Exposure
SVHC : Substance of Very High Concern
TDOAI EC50 = Toxicity to daphnia and other aquatic invertebrates (EC50)
TDOAI NOEC = Toxicity to daphnia and other aquatic invertebrates NOEC
TGD : Technical Guidance Document
ThOD: Theoretical Oxygen Demand
TOF LC50 = Toxicity on fish LC50
TOF NOEC = Toxicity on fish NOEC
TTA EC10 = Toxicity to algae EC10
TTA EC50 = Toxicity to algae EC50
TTA NOEC = Toxicity to algae NOEC
TTB EC0 = Toxicity to Bacteria (EC0)
TTB NOEC = Toxicity to Bacteria NOEC
UVCB : Substances of Unknown Variable composition, complex reaction products or Biological materials
vPvB: very Persistent very Bioaccumulative

17. Annexes:

Attached annex : Medical toxicology units
Attached annex: HS Devices - Personal protection
Attached annex: ECHA, Guidance R.12 - Standard Use descriptors.

Annex: MEDICAL TOXICOLOGY UNITS

Australia:

1- South Australian Poisons Information Centre Women's and Children's Hospital,
72 King William Road North Adelaide SA 5006 - Tel: +61 82 04 72 22 - Fax: +61 82 04 60 49
2 - Canberra A.C.T. Poisons Information Service, Woden Valley Hospital, Garran, Yamba Drive -
Tel: +61 62443333 / +61 62852852 - Fax: +61 6244 3334

Belgique:

Brussels / Bruxelles : Centre Anti-Poisons/Antigifocentrum, Hôpital Militaire Reine Astrid, Rue Bruyn,
Brussels B -1120 - Emergency telephone: +32 70 245 245 - Fax: +32 2 264 9646

Brazil:

Centro de Informacao Toxicologica, Rua Domingos Cresencio, 132/8 andar CEP 90650-090
Porto Alegre-RS - Tel: +55 51-223-6110 - Fax: +55 51 2299067

Bulgaria - България

Национална Токсикологична информационен център, Институт за спешна медицинска
"Пирогов", 21 Tottleben Boulevard, 1606 София - Телефон за спешни случаи: +359 2 9154 409

Croatia - Hrvatska

Otrovi Kontrolni centar, Institut za medicinska istraživanja i medicinu rada, Ksaverska cesta 2,
PP Box 291, HR-10000 Zagreb - Hitna Telefon: +385 1 234 8342

Czech Republic - česká republika

Toxikologické informační středisko, Klinika pro pracovní lékařství, 1. lékařská fakulta Univerzity Karlovy
Na Bojišti 1, 128 00 Praha 2 - Nouzové telefonní číslo: +42 2 2491 9293
nebo +42 2 2491 5402 - Fax: +42 2 2491 4570

Denmark:

Giftinformationscentralen - Bispebjerg Hospital, Bispebjerg Bakke 23, 60, 1, DK-2400 København NV -
Nødtelefon, offentlige: +45 82 12 12 12

España:

Servicio Nacional de Toxicología, c/Luis Cabrera, 9 – 28002 Madrid, Tel: +34 915 62 04 20
Unitat de Toxicologia Clinica, Servicio de Urgencias, Hospital Clinic I Provincial de Barcelona,
C/Villarroel, 170 , E-08036 Barcelona - Telèfon d'urgències: +34 93 227 98 33 or +34 93 227 54 00

Finland - SUOMI

Myrkytystietokeskuksen P.O.B 790 (Tukholmankatu 17), SF - 00029 HUS, Helsinki -
Puhelin: +358 9 471 977, Fax: +358 9 4717 47 02

France:

système ORFILA, tél: 33 (0)1.45.42.59.59 (24h/24h)

Germany - DEUTSCHLAND

Giftnotruf Berlin, Berliner Betrieb für Zentrale Gesundheitliche Aufgaben, Institut für Toxikologie,
Oranienburger Straße 285, 13437 Berlin - Notrufnummer: +49 30 19240

Greece - ΕΛΛΑΔΑ, Αθήνα Αθηνών:

Νοσοκομείο Παιδών "Αγλαΐα Κυριακού" - 11527 Αθήνα - Τηλ: +30 1 779 3777 - Fax: +30 1748 6114

Hungary - Magyarország

Egészségügyi Toxikológiai Tájékoztató Szolgálat - 1097 Budapest, Nagyvárad tér 2.
Telefon: +36 80 20 11 99, Fax: +36 1 476 1138

India:

Poison Information Centre National Institute of Occupational Health Meghani Nagar, Ahmedabad -
India 320016 - Tel: +91-272-867351 - Fax: +91-272-866630

Italia:

Roma : Centro Antiveleni, Dipartimento di Tossicologia Clinica, Universita Cattolica del Sacro Cuore,
Largo Agostino Gemelli 8, I-00168 Roma - Telefono di emergenza: +39 06 305 4343

Nederland:

Rijkinstituut voor Volksgezondheid, Antonie van Leeuwenhoeklaan 9, 3720BA Bilthoven
Tel: +31 302 541 5 11 – Fax: +31 302 748 888

Norway - NORGE

Gift Informasjon, Direktoratet for Sosial-og helsedirektoratet, P.O. Box 7000, St. Olavs Plass,
0130 Oslo - Emergency telefon: +47 22 591300

Osterreich: Vergiftungsinformationszentrale

Stubenring 6, 1010 Wien - Notruf: +43 1 406 43 43 - Informationen & Anfragen: + 43 1 406 68 98 11

Poland - Polska:

Warszawa, Poison Control Warszawie i Centrum Informacji, Szpital Praski, Al. Solidarności 67, P-03 401
Warszawa
Telefon alarmowy: +48 22 619 66 54, +48 22 619 08 97

Romania:

S.O.S Vitan Birzesti 9, Sector 4, 75889 București - Tel: +401 6 34 38 90 135 – Fax: +401 3 21 02 60
Departamentul de Toxicologie Clinică, Spitalul de Urgenta Floreasca, Calea Floreasca, București
De telefon de urgență: +40 21 230 8000

RSA - South-Africa

Poison Information Centre, University of Cape Town, Department of Paediatrics and Child Health,
Red Cross War Memorial Children's Hospital, Klipfontein Road, Rondebosch, Cape 7700,
South Africa - Tel: +27 21 658 5308 - Fax: +27 21 689 1287

Russia - Российская Федерация:

МЧС России - Центральный офис: 109012 Г.МОСКВА, ТЕАТРАЛЬНЫЙ ПР.,3 -
Телефон: (495) 449-99-99 или 122 (мобильный телефон) - Сайт: <http://www.mchs.gov.ru>
Исследования и прикладной токсикологии Центра (RATC) Федерального медико-
биологического агентства, 3 Большая Сухаревская площадь, Блок 7, Москва 129090 -
Телефон экстренной связи: +7 495 628 16 87 (только на русском)

Slovenská republika:

Národné toxikologické informačné centrum SR :
24 – hodinová konzultačná služba pri akútnych intoxikáciách: +421 2 5477 4166
Univerzitná Nemocnica Bratislava, Limbová 5, 833 05 Bratislava - e-mail: ntic@ntic.sk
Tel: +421 2 5465 2307, Fax.: +421 2 5477 4605, Mobil: +421 911 166 066,

Sweden - SVERIGE

Svenska Giftinformationscentralen, Karolinska sjukhuset, SE-171 76 Stockholm - Telefonnummer för
nödsituationer: +46 8 33 12 31 (International) 112 (Nationella)

Turkey - Türkiye

Toksikoloji Anabilim Dalı ve Zehir Merkezi, Refik Saydam Hıfızısıhha Merkez Araştırma
Enstitüsü
Cemal Gürsel Cad yok. 18, Sıhhiye, Ankara 06100 - Acil telefon numarası: 0 800 314 7900
(Türkiye), veya +90 0312 433 70 01 - Faks: +90 0312 433 70 00

SAFETY DATA SHEET
CALDE® TROWEL PC 85 U

Version: 21
MAM80022

United Kingdom:

The UK National Poisons Emergency number is 0870 600 6266

SAFETY DATA SHEET

CALDE® TROWEL PC 85 U

Version: 21
MAM80022

ROUTE OF EXPOSURE			
EYES	SKIN	HANDS	INHALATION
Glasses with lateral protection			
166 rev, S4KN2	Clothes	Gloves	Mask
166 rev, S4KN2	340 rev	388 - 3111	FFP3
DEDICATED USAGE: Non labelled, cast, hydraulic bonded products, cold conditions.			
Glasses with lateral protection			
166 rev, S4KN2	Clothes	Gloves	Mask
166 rev, S4KN2	ISO6942	407 - 2122	FFP3
DEDICATED USAGE: Non labelled, cast, hydraulic bonded products, hot conditions.			
Face shield			
166 rev, F4KN2	Clothes	Gloves	Mask
166 rev, F4KN2	340 rev	388 - 3111	FFP3
DEDICATED USAGE: Non labelled, gunned, hydraulic bonded products, cold conditions.			
Face shield			
166 rev, F4KN2	Clothes	Gloves	Mask
166 rev, F4KN2	ISO6942	407 - 2122	FFP3
DEDICATED USAGE: Non labelled, gunned, hydraulic bonded products, hot conditions.			
Face shield			
166 rev, F4KN2	Clothes	Gloves	Mask
166 rev, F4KN2	340 rev	388 - 3111	FFP3
DEDICATED USAGE: Non labelled chemical bonded gunning mixes, cold installation			
Face shield			
166 rev, F4KN2	Clothes	Gloves	Mask
166 rev, F4KN2	ISO6942	407 - 2122	FFP3
DEDICATED USAGE: Non labelled chemical bonded gunning mixes, hot installation			
Glasses with lateral protection			
166 rev, S4KN2	Clothes	Gloves	Mask
166 rev, S4KN2	340 rev	388 - 3111	FFP3
DEDICATED USAGE: Labelled hydraulic bonded products, cold installation			
Glasses with lateral protection			
166 rev, S4KN2	Clothes	Gloves	Mask
166 rev, S4KN2	ISO6942	407 - 2122	EN 141:2000
DEDICATED USAGE: Labelled hydraulic bonded products, hot installation			
Face shield			
166 rev, F4KN2	Clothes	Gloves	Mask
166 rev, F4KN2	ISO6529-463	3121 - 1994	Local rules
DEDICATED USAGE: Phosphate bonded products			
Face shield			
166 rev, F4KN2	Clothes	Gloves	Mask
166 rev, F4KN2	ISO17491-3	3121 - 1994	Local rules
DEDICATED USAGE: Sodium silicate bonded products			
Glasses with lateral protection			
166 rev, S4KN2	Clothes	Gloves	Mask
166 rev, S4KN2	340 rev	388 - 3111	EN 141:2000
DEDICATED USAGE: Labelled dry mixes			
Glasses with lateral protection			
166 rev, S4KN2	Clothes	Gloves	Mask
166 rev, S4KN2	340 rev	388 - 3111	FFP3
DEDICATED USAGE: Non labelled dry mixes			
Glasses with lateral protection			
166 rev, S4KN2	Clothes	Gloves	Mask
166 rev, S4KN2	340 rev	388 - 3111	Local rules
DEDICATED USAGE: Non labelled plastics or ramming mixes			
Glasses with lateral protection			
166 rev, S4KN2	Clothes	Gloves	Mask
166 rev, S4KN2	340 rev	388 - 3111	FFP3
DEDICATED USAGE: Resin bonded products, cold installation.			
Glasses with lateral protection			
166 rev, S4KN2	Clothes	Gloves	Mask
166 rev, S4KN2	ISO6942	407 - 2122	EN 141:2000
DEDICATED USAGE: Resin bonded products, hot installation			
Glasses with lateral protection			
166 rev, S4KN2	Clothes	Gloves	Mask
166 rev, S4KN2	340 rev	388 - 3111	Local rules
DEDICATED USAGE: Non labelled cement, patched, sprayed or trowelled products			

CALDERYS table for Standard Use prescriptors

	Standard Use by Refractory producer	DEFINITION	Comments and explanations	CALDERYS examples	Standard Use by Refractory user	Definition, Comments or Examples
Sector of use						
SU a	SU10	<i>Companies mixing and blending chemicals (formulators) to produce preparations (mixtures).</i>	Monolithics producers.		SU3	<i>Industrial end-users</i>
SU b	SU13	<i>Manufacture of other non-metallic mineral products, e.g. plasters, cement</i>	Monolithics producers.		SU13	<i>Use of refractory products at e.g. cement, glass or lime industry</i>
SU c					SU14	<i>Use of refractory products at e.g. metal industry</i>
SU d					SU 0-1	<i>Other activity related to manufacturing of chemical products</i>
NACE	C23.2	<i>Manufacturing of refractory products</i>	Monolithics producers.			
Chemical Product category						
PC a	PC 10	<i>Building and construction preparations not covered elsewhere</i>	Monolithics producers.		PC 10	<i>Building and construction preparations not covered elsewhere.</i>
Process categories						
PROC a	PROC 1	<i>Use in closed process, no likelihood of exposure</i>	Use of the substances in high integrity contained system where little potential exists for exposures	Plant but mainly linked to research and control labs.	PROC 1	<i>General terms of use at refractories. Producers and Users.</i>
PROC b	PROC 2	<i>Use in closed, continuous process with occasional controlled exposure (e.g. sampling)</i>	Continuous process not specifically aimed at minimizing emissions It is not high integrity and occasional expose will arise.	Plant but mainly linked to research and control labs.	PROC 2	<i>General terms of use at refractories. Producers and Users.</i>
PROC c	PROC 3	<i>Use in closed batch process (synthesis or formulation)</i>	Batch manufacture of a chemical or formulation where the predominant handling is in a contained manner, but where some opportunity for contact occurs.	Plant but mainly linked to research and control labs.	PROC 3	<i>General terms of use at refractories. Producers and Users.</i>
PROC d	PROC 4	<i>Use in batch and other process (synthesis) where</i>	Use in batch manufacture of a chemical where	Plant but mainly linked to research and control labs.	PROC 4	<i>General terms of use at refractories. Producers and Users.</i>

SAFETY DATA SHEET

CALDE® TROWEL PC 85 U

Version: 21
MAM80022

		opportunity for exposure arises	significant opportunity for exposure arises, and when the nature of the design is likely to result in exposure.			
PROC e	PROC 5	Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact)	Manufacture or formulation of chemical products or articles using technologies related to mixing and blending of solid or liquid materials, and where the process is in stages and provides the opportunity for significant contact at any stage.	Mixing minerals and/or binders.	PROC 5	Mixing minerals and/or binders at users's site.
PROC g	PROC 8a	Transfer of substance or preparation (charging/discharging from/to vessels/large containers at non-dedicated facilities	Sampling, loading, filling, transfer, dumping, bagging in nondedicated facilities. Exposure related to dust, vapour, aerosols or spillage, and cleaning of equipment to be expected.	Transport of material at refractory producer, pumping castables at customer	PROC 8a	Transport of material by pumping castables at customers' site.
PROC h	PROC 9	Transfer of substance or preparation into small containers (dedicated filling line, including weighing)	Filling lines specifically designed to both capture vapour and aerosol emissions and minimise spillage	Sacking castables o. mortar at refractory producer		
PROC i	PROC 13	Treatment of articles by dipping and pouring	Treatment of articles by dipping, pouring, immersing, soaking, washing out or washing in substances; including cold formation or resin type matrix.	E.g. Tap-Hole clays	PROC 13	E.g. Tap-Hole clays
PROC j	PROC 14	Production of preparations or articles by tableting, compression, extrusion, pelletisation	Extrusion!	E.g. Tap-Hole clays, plastics.		
PROC k	PROC 19	Hand-mixing with intimate contact and only PPE available.	Addresses occupations where intimate and intentional contact with substances occurs without any specific exposure controls other than PPE.	Producer handling material (e.g. chemical bonded mortar), e.g. during control.	PROC 19	Customer using material (e.g. chemical bonded mortar) at site.

SAFETY DATA SHEET

CALDE® TROWEL PC 85 U

Version: 21
MAM80022

PROC I	PROC 21	<i>Low energy manipulation of substances in form of massive metal or bound in other materials and/or articles.</i>	Manual cutting, cold rolling or assembly / disassembly of material/article, possibly resulting in the release of fibres, rubber fumes, metal fumes or dust	SR fibres or aluminium powder handling. Demolition of precast pieces.	PROC 21	Use and demolition of refractory material at customers' sites.
PROC m	PROC 22	<i>Potentially closed processing operations with minerals/metals at elevated temperature Industrial setting.</i>	Activities at furnaces, Exposure related to dust and fumes to be expected. Emission from direct cooling may be relevant.	E.g. Heating precast pieces.	PROC 22	Firing refractory material, at customers' sites.
PROC n	PROC 23	<i>Open processing and transfer operations with minerals/metals at elevated temperature.</i>	Exposure related to dust and fumes to be expected.	E.g. Heating precast pieces.	PROC 23	Firing refractory material, at customers' sites.
PROC o	PROC 24	<i>High (mechanical) energy work-up of massive metals or substances bound in materials and/or articles.</i>	Substantial thermal or kinetic energy applied to substance by mechanical cutting or drilling. Exposure is predominantly expected to be to dust.	Plant but mainly linked to research and control labs.	PROC 24	Use and demolition of refractory material at customers' sites.
PROC p	PROC 26	<i>Handling of solid inorganic substances at ambient temperature (no corresponding TRA entry).</i>	Transfer and handling of ores, concentrates, raw metal oxides and scrap; packaging, un-packaging, mixing/blending and weighing of metal powders or other minerals;	Standard monolithics process.	PROC 26	Handling castables at customers' sites.

Environmental Release Categories

ERC a	ERC 2	<i>Formulation of preparations (not included into matrix).</i>	Mixing and blending of substances into preparations in all types of formulating industries.	E.g. castables formulation.	ERC 1	Mixing of raw materials, castables, mortars at customers' sites.
ERC b	ERC 3	<i>Formulation of preparations (inclusion into/onto matrix).</i>	Mixing or blending of substances, which will be physically or chemically bound into or onto a matrix (material) such as plastics.	E.g. Plastics formulation, mortars ...	ERC 2	Mixing of raw materials, castables, mortars at customers' sites.
ERC d	ERC 5	<i>Industrial use resulting in inclusion into or onto a matrix.</i>	Industrial use of substances as such or in preparations (non-processing aids), which will be physically or chemically bound into or onto a matrix (material) such as binding. The	E.g. use of reclaims such as MgO/C bricks, or Al ₂ O ₃ /C/SiC products.	ERC 5	Handling scraps at customers' sites.

SAFETY DATA SHEET

CALDE® TROWEL PC 85 U

Version: 21
MAM80022

			category covers substances in articles with a particular function and also substances remaining in the article after having been used as processing aid in an earlier life cycle stage.			
ERC e					ERC 10a	Wide dispersive outdoor use of long-life articles and materials with low release. Low release of substances included into or onto articles and materials during their service life.
ERC f					ERC 11a	Wide dispersive indoor use of long-life articles and materials with low release. Low release of substances included into or onto articles and materials during their service life.
Article categories for articles with no intended release						
AC a	AC 12-1	Constructional articles and building material: insulating material (without indoor flooring).			AC 12-1	
AC b	AC 12-2	Constructional articles and building material: wall construction material ceramic			AC 12-2	For consumers
TARIC 3801	Artificial graphite; colloidal or semi-colloidal graphite; preparations based on graphite or other carbon in the form of pastes, blocks, plates or other semi-manufactures					
TARIC 3816	Refractory cements, mortars, concretes and similar compositions, other than products of heading 3801					
TARIC 6901	Bricks, blocks, tiles and other ceramic goods of siliceous fossil meals (for example, kieselguhr, tripolite or diatomite) or of similar siliceous earths					
TARIC 6902	Refractory bricks, blocks, tiles and similar refractory ceramic constructional goods, other than those of siliceous fossil meals or similar siliceous earths					

SAFETY DATA SHEET
CALDE® TROWEL PC 85 U

Version: 21
MAM80022

SAFETY DATA SHEET
CALDE® TROWEL PC 85 U

Version: 21
MAM80022