

# EE5609: Matrix Theory

## Assignment-9

M Pavan Manesh  
EE20MTECH14017

**Abstract**—This document explains how to find the basis for the given vector space

Download all latex-tikz codes from

<https://github.com/pavanmanesh/EE5609/tree/master/Assignment9>

### 1 PROBLEM

Let  $\mathbb{V}$  be a vector space which is spanned by the rows of matrix

$$\mathbf{A} = \begin{pmatrix} 3 & 21 & 0 & 9 & 0 \\ 1 & 7 & -1 & -2 & -1 \\ 2 & 14 & 0 & 6 & 1 \\ 6 & 42 & -1 & 13 & 0 \end{pmatrix} \quad (1.0.1)$$

a. Find a basis for  $\mathbb{V}$

b. Tell which vectors  $\begin{pmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \end{pmatrix}$  are elements of  $\mathbb{V}$

c. If  $\begin{pmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \end{pmatrix}$  is in  $\mathbb{V}$ , what are its coordinates in the basis chosen?

### 2 SOLUTION

Row reducing (1.0.1)

$$\begin{pmatrix} 3 & 21 & 0 & 9 & 0 \\ 1 & 7 & -1 & -2 & -1 \\ 2 & 14 & 0 & 6 & 1 \\ 6 & 42 & -1 & 13 & 0 \end{pmatrix} \xrightarrow{R_1 \leftarrow \frac{R_1}{3}} \begin{pmatrix} 1 & 7 & 0 & 3 & 0 \\ 1 & 7 & -1 & -2 & -1 \\ 2 & 14 & 0 & 6 & 1 \\ 6 & 42 & -1 & 13 & 0 \end{pmatrix}$$

$$\begin{pmatrix} 1 & 7 & 0 & 3 & 0 \\ 0 & 0 & -1 & -5 & -1 \\ 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & -1 & -5 & 0 \end{pmatrix} \xrightarrow{\begin{matrix} R_3 \leftarrow R_3 - 2R_1 \\ R_2 \leftarrow R_2 - R_1 \end{matrix}} \begin{pmatrix} 1 & 7 & 0 & 3 & 0 \\ 0 & 0 & -1 & -5 & -1 \\ 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & -1 & -5 & 0 \end{pmatrix}$$

$$\xrightarrow{R_2 \leftarrow -R_2} \begin{pmatrix} 1 & 7 & 0 & 3 & 0 \\ 0 & 0 & 1 & 5 & 1 \\ 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 1 \end{pmatrix}$$

$$\xrightarrow{\begin{matrix} R_4 \leftarrow R_4 - R_3 \\ R_2 \leftarrow R_2 - R_3 \end{matrix}} \begin{pmatrix} 1 & 7 & 0 & 3 & 0 \\ 0 & 0 & 1 & 5 & 1 \\ 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 \end{pmatrix} \quad (2.0.1)$$

a. For the basis of  $\mathbb{V}$ , we can take the non zero rows of (2.0.1)

$$\rho_1 = (1 \ 7 \ 0 \ 3 \ 0) \quad (2.0.2)$$

$$\rho_2 = (0 \ 0 \ 1 \ 5 \ 1) \quad (2.0.3)$$

$$\rho_3 = (0 \ 0 \ 0 \ 0 \ 1) \quad (2.0.4)$$

b. Vectors which are elements of  $\mathbb{V}$  are of the form:

$$c_1\rho_1 + c_2\rho_2 + c_3\rho_3 = (c_1 \ 7c_1 \ c_2 \ 3c_1 + 5c_2 \ c_3) \quad (2.0.5)$$

where  $c_1, c_2, c_3$  are scalars.

c. By (2.0.5), if  $\begin{pmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \end{pmatrix}$  is in  $\mathbb{V}$ , it must be of the form

$$x_1\rho_1 + x_3\rho_2 + x_5\rho_3 \quad (2.0.6)$$

The coordinates of  $\begin{pmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \end{pmatrix}$  in the basis is

$$\begin{pmatrix} x_1 \\ x_3 \\ x_5 \end{pmatrix} \quad (2.0.7)$$