



TOC unit V MCQ - MCQ's of Unit V TOC

Computer Engineering (Savitribai Phule Pune University)

TOC unit V MCQ

1. What is the reason behind a Turing machine is more powerful than finite state machine FSM?

1. Turing machine head movement is continued to one direction.
2. Turing machine head moment is in both directions i.e. left moment and right moment as well.
3. Turing machine has capability remember arbitrary long sequence of input string.
4. All are correct.

Ans: 3

2. A pushdown automata behaves like a Turing machine, when it has number of auxiliary/ memory.

1. 0
2. Exactly 2
3. 2 or more
4. Both Exactly 2 or more are correct

Ans: 3

3. The language $L = \{anbn \mid n \geq 1\}$ is recognized by

1. Turing machine
2. 2 Pushdown automata
3. Post machine
4. All are correct

Ans: 4

4. If Turing machine accepts all the words of the languages L and rejects or loops for other words, which are not in L, then L is said to be

1. Recursive enumerable
2. Recursive
3. Context Free Language (CFL)
4. None of them

Ans: 1

5. If a Turing machine halts for each and every word of a language L and rejects other, then L is said to be

1. Recursive enumerable
2. Recursive
3. Context Free Language
4. None of these

Ans: 3

6. Universal Turing machine (UTM) influenced the concepts of

1. Computability
2. Interpretive implementation of programming language
3. Program and data is in same memory
4. All are correct

Ans: 4

7. The number of symbols necessary to simulate a Turing machine with m symbols and n states

1. $4m \times n + m$
2. $4m \times n + n$
3. $m+n$
4. None of them

Ans: 1

8. A universal Turing machine is a

1. Reprogrammable Turing machine
2. Two-tape Turing machine
3. Single tape Turing machine
4. None of them

Ans: 1

9. The difference between a read-only Turing machine and a two-way finite state machine is

1. Head movement
2. Finite control
3. Storage capacity
4. Power

Ans: 3

10. Which is correct regard an off-line Turing machine?

1. An offline Turing machine is a special type of multi-tape Turing machine
2. An offline Turing machine is a kind of multi-tracks Turing machine
3. An offline Turing machine is a kind of single-track Turing machine
4. None of them

Ans: 1

11. Which of the following statement is wrong?

1. Power of NTM and TM is same
2. For $n \geq 2$, NPDA has some power as a TM
3. For $n \geq 2$, NPDA and 2PDA have same power
4. Power of NTM and TM is not same

Ans: 4

12. Four pairs are following; in each pair both objects have some common thing. Choose the odd pair;

1. (TM, 2PDA)
2. (Computer, UTM)
3. (2PDA, nPDA)
4. (FA, PDA)

Ans: 4

13. We think of a Turing machine's transition function as a

1. Computer system
2. Software
3. Hardware
4. All of them

Ans: 2

14. Church's Thesis supports

1. A Turing machine as a general-purpose computer system
2. A Turing machine an algorithm and an algorithm as a Turing machine
3. Both TM is an general-purpose computer and TM is an algorithm and vice-versa are correct
4. None of them is correct

Ans: 3

15. A random access machine (RAM) and truing machine are different in

1. Power
2. Accessing
3. Storage
4. Both accessing and storage are correct

Ans: 4

16. Choose the correct statement

1. Recursive set \subseteq recursive enumerable set
2. Total function is same as partial function
3. Recursive sets are analogous to total functions
4. Both Recursive set \subseteq recursive enumerable set and Recursive sets are analogous to total functions are correct.

Ans: 4

17. Given $S = \{a, b\}$, which one of the following sets is not countable?

1. The set all strings over Σ
2. The set of all language over Σ
3. The set of all binary strings
4. The set of all languages over Σ accepted by Turing machines

Ans: 2

18. In which of the stated below is the following statement true?

"For every non-deterministic machine M1, there exists as equivalent deterministic machine M2 recognizing the same language."

1. M1 is a non-deterministic finite automata
2. M1 is a non-deterministic push-down automata
3. M1 is a non-deterministic Turing machine
4. For no machine M1 use the above statement true

Ans: 3

19. Which of the following conversion is not possible (algorithmically)?

1. Regular grammar to context-free grammar
2. Non-deterministic finite state automata to deterministic finite state automata
3. Non-deterministic pushdown automata to deterministic pushdown automata
4. None deterministic Turing machine to deterministic Turing machine

ANS: 3

20. Match the following List-I with List-II and select the correct answer using the codes given below the lists:

List-I	List-II
A. Laxical analyser	1. Pushdown automata
B. Parsing	2. Turing machine
C. Computing	3. Finite state automata
D. Non-deterministic but finite machine	4. Non-deterministic FA

- 1. ☐ A-3, B-4, C-2, D-1
- 2. ☐ A-3, B-1, C-2, D-4
- 3. ☐ A-3, B-1, C-4, D-2
- 4. ☐ A-3, B-2, C-1, D-4

Ans: 2