

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot

Quicksort
Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

All Sorts of Quicksorts!

An investigation into multi-pivot quicksorts

Paymahn Moghadasian Joshua Hernandez

University of Manitoba

April 7, 2014

Introduction

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort
Three Pivot
Quicksort
M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

- $O(n \log(n))$ Average Case Run Time

Introduction

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort
Three Pivot
Quicksort
M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

Introduction

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort
Three Pivot
Quicksort
M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

- $O(n \log(n))$ Average Case Run Time
- In place algorithm
- Picking Pivots

Introduction

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort
Three Pivot
Quicksort
M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

- $O(n \log(n))$ Average Case Run Time
- In place algorithm
- Picking Pivots
- Partitioning Data

Introduction

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort
Three Pivot
Quicksort
M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

- $O(n \log(n))$ Average Case Run Time
- In place algorithm
- Picking Pivots
- Partitioning Data
- Recurse to a smaller sub-array

Introduction

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort
Three Pivot
Quicksort
M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

- $O(n \log(n))$ Average Case Run Time
- In place algorithm
- Picking Pivots
- Partitioning Data
- Recurse to a smaller sub-array
- Use Insertion Sort for a small sub-array

Classic Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $2n \log n - 1.51n + O(\log(n))$ Comparisons

[Wild and Nebel(2012)]

Classic Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $2n \log n - 1.51n + O(\log(n))$ Comparisons
- $0.33n \log n - 0.58n + O(\log(n))$ Swaps

[Wild and Nebel(2012)]

Classic Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $2n \log n - 1.51n + O(\log(n))$ Comparisons
- $0.33n \log n - 0.58n + O(\log(n))$ Swaps
- One Pivot

[Wild and Nebel(2012)]

Classic Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $2n \log n - 1.51n + O(\log(n))$ Comparisons
- $0.33n \log n - 0.58n + O(\log(n))$ Swaps
- One Pivot
 - First Element

[Wild and Nebel(2012)]

Classic Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $2n \log n - 1.51n + O(\log(n))$ Comparisons
- $0.33n \log n - 0.58n + O(\log(n))$ Swaps
- One Pivot
 - First Element
 - Last Element

[Wild and Nebel(2012)]

Classic Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $2n \log n - 1.51n + O(\log(n))$ Comparisons
- $0.33n \log n - 0.58n + O(\log(n))$ Swaps
- One Pivot
 - First Element
 - Last Element
 - Median of Three

[Wild and Nebel(2012)]

Classic Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $2n \log n - 1.51n + O(\log(n))$ Comparisons
- $0.33n \log n - 0.58n + O(\log(n))$ Swaps
- One Pivot
 - First Element
 - Last Element
 - Median of Three
- Simple Partitioning

[Wild and Nebel(2012)]

Classic Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass
Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $2n \log n - 1.51n + O(\log(n))$ Comparisons
- $0.33n \log n - 0.58n + O(\log(n))$ Swaps
- One Pivot
 - First Element
 - Last Element
 - Median of Three
- Simple Partitioning
- Two Recursive Calls

[Wild and Nebel(2012)]

Dual Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $2.13n \log n - 2.57n + O(\log(n))$ Comparisons

[Wild and Nebel(2012)]

Dual Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $2.13n \log n - 2.57n + O(\log(n))$ Comparisons
- $0.8n \log n - 0.3n + O(\log(n))$ Swaps

[Wild and Nebel(2012)]

Dual Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort

Summary

Legend

Results

Mass
Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $2.13n \log n - 2.57n + O(\log(n))$ Comparisons
- $0.8n \log n - 0.3n + O(\log(n))$ Swaps
- Two Pivots

[Wild and Nebel(2012)]

Dual Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

- $2.13n \log n - 2.57n + O(\log(n))$ Comparisons
- $0.8n \log n - 0.3n + O(\log(n))$ Swaps
- Two Pivots
 - First and Last Element

[Wild and Nebel(2012)]

Dual Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

- $2.13n \log n - 2.57n + O(\log(n))$ Comparisons
- $0.8n \log n - 0.3n + O(\log(n))$ Swaps
- Two Pivots
 - First and Last Element
 - Middle 2 of 5 elements (Evenly Spaced Out)

[Wild and Nebel(2012)]

Dual Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

- $2.13n \log n - 2.57n + O(\log(n))$ Comparisons
- $0.8n \log n - 0.3n + O(\log(n))$ Swaps
- Two Pivots
 - First and Last Element
 - Middle 2 of 5 elements (Evenly Spaced Out)
- Partitions Smalls then Bigs (Middle is automatic)

[Wild and Nebel(2012)]

Dual Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

- $2.13n \log n - 2.57n + O(\log(n))$ Comparisons
- $0.8n \log n - 0.3n + O(\log(n))$ Swaps
- Two Pivots
 - First and Last Element
 - Middle 2 of 5 elements (Evenly Spaced Out)
- Partitions Smalls then Bigs (Middle is automatic)
- Three Recursive Calls

[Wild and Nebel(2012)]

Dual Pivot Quicksort with Optimal Partitioning

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort

Summary

Legend

Results

Mass
Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $1.8n \log n + O(n)$ Comparisons

[Aumüller and Dietzfelbinger(2013)]

Dual Pivot Quicksort with Optimal Partitioning

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort

Summary

Legend

Results

Mass
Comparison

One Pivot
Two Pivots

Three Pivots
M Pivots

Polynomial Fit

The End

- $1.8n \log n + O(n)$ Comparisons
- $0.33n \log n + O(n)$ Swaps

[Aumüller and Dietzfelbinger(2013)]

Dual Pivot Quicksort with Optimal Partitioning

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $1.8n \log n + O(n)$ Comparisons
- $0.33n \log n + O(n)$ Swaps
- Two Pivots

[Aumüller and Dietzfelbinger(2013)]

Dual Pivot Quicksort with Optimal Partitioning

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort

Summary

Legend

Results

Mass
Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $1.8n \log n + O(n)$ Comparisons
- $0.33n \log n + O(n)$ Swaps
- Two Pivots
 - Keeps Tracks of smalls and bigs

[Aumüller and Dietzfelbinger(2013)]

Dual Pivot Quicksort with Optimal Partitioning

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort

Summary

Legend

Results

Mass
Comparison

One Pivot
Two Pivots

Three Pivots
M Pivots

Polynomial Fit

The End

- $1.8n \log n + O(n)$ Comparisons
- $0.33n \log n + O(n)$ Swaps
- Two Pivots
 - Keeps Tracks of smalls and bigs
 - Uses the information to see who to compare to first

[Aumüller and Dietzfelbinger(2013)]

Dual Pivot Quicksort with Optimal Partitioning

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot
Quicksort

Yaroslavskiy's

Quicksort

Three Pivot
Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $1.8n \log n + O(n)$ Comparisons
- $0.33n \log n + O(n)$ Swaps
- Two Pivots
 - Keeps Tracks of smalls and bigs
 - Uses the information to see who to compare to first
- Otherwise very similar to standard Dual Pivot Quicksort

[Aumüller and Dietzfelbinger(2013)]

Yaroslavskiy's Dual Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $1.9n \log n - 2.46n + O(\log(n))$ Comparisons

[Wild and Nebel(2012)]

Yaroslavskiy's Dual Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's
Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $1.9n \log n - 2.46n + O(\log(n))$ Comparisons
- $0.6n \log n + 0.08n + O(\log(n))$ Swaps

[Wild and Nebel(2012)]

Yaroslavskiy's Dual Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $1.9n \log n - 2.46n + O(\log(n))$ Comparisons
- $0.6n \log n + 0.08n + O(\log(n))$ Swaps
- Two Pivots

[Wild and Nebel(2012)]

Yaroslavskiy's Dual Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's
Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $1.9n \log n - 2.46n + O(\log(n))$ Comparisons
- $0.6n \log n + 0.08n + O(\log(n))$ Swaps
- Two Pivots
 - Middle 2 of 5 elements (Evenly Spaced Out)

[Wild and Nebel(2012)]

Yaroslavskiy's Dual Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort

Three Pivot
Quicksort
M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

- $1.9n \log n - 2.46n + O(\log(n))$ Comparisons
- $0.6n \log n + 0.08n + O(\log(n))$ Swaps
- Two Pivots
 - Middle 2 of 5 elements (Evenly Spaced Out)
 - Uses 5-element sorting network

[Wild and Nebel(2012)]

Yaroslavskiy's Dual Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort

Three Pivot
Quicksort
M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

- $1.9n \log n - 2.46n + O(\log(n))$ Comparisons
- $0.6n \log n + 0.08n + O(\log(n))$ Swaps
- Two Pivots
 - Middle 2 of 5 elements (Evenly Spaced Out)
 - Uses 5-element sorting network
- Simultaneous Partition algorithm

[Wild and Nebel(2012)]

Yaroslavskiy's Dual Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort

Three Pivot
Quicksort
M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

- $1.9n \log n - 2.46n + O(\log(n))$ Comparisons
- $0.6n \log n + 0.08n + O(\log(n))$ Swaps
- Two Pivots
 - Middle 2 of 5 elements (Evenly Spaced Out)
 - Uses 5-element sorting network
- Simultaneous Partition algorithm
- Two Recursive Calls

[Wild and Nebel(2012)]

Kushagra-Ortiz-Qiao-Munro Tri-Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

**Three Pivot
Quicksort**

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $1.846n \log n + O(n)$ Comparisons

[Kushagra et al.(2013)Kushagra, López-Ortiz, Qiao, and Munro]

Kushagra-Ortiz-Qiao-Munro Tri-Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

- $1.846n \log n + O(n)$ Comparisons
- $0.615n \log n + O(n)$ Swaps

[Kushagra et al.(2013)Kushagra, López-Ortiz, Qiao, and Munro]

Kushagra-Ortiz-Qiao-Munro Tri-Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

- $1.846n \log n + O(n)$ Comparisons
- $0.615n \log n + O(n)$ Swaps
- Three Pivots

[Kushagra et al.(2013)Kushagra, López-Ortiz, Qiao, and Munro]

Kushagra-Ortiz-Qiao-Munro Tri-Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

- $1.846n \log n + O(n)$ Comparisons
- $0.615n \log n + O(n)$ Swaps
- Three Pivots
 - Middle 3 of 7 elements (Evenly Spaced Out)

[Kushagra et al.(2013)Kushagra, López-Ortiz, Qiao, and Munro]

Kushagra-Ortiz-Qiao-Munro Tri-Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

- $1.846n \log n + O(n)$ Comparisons
- $0.615n \log n + O(n)$ Swaps
- Three Pivots
 - Middle 3 of 7 elements (Evenly Spaced Out)
- Simultaneous Partition algorithm

[Kushagra et al.(2013)Kushagra, López-Ortiz, Qiao, and Munro]

Kushagra-Ortiz-Qiao-Munro Tri-Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

- $1.846n \log n + O(n)$ Comparisons
- $0.615n \log n + O(n)$ Swaps
- Three Pivots
 - Middle 3 of 7 elements (Evenly Spaced Out)
- Simultaneous Partition algorithm
- Four Recursive Calls

[Kushagra et al.(2013)Kushagra, López-Ortiz, Qiao, and Munro]

M-Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $O(n \log n)$ Comparisons

[Kushagra et al.(2013)Kushagra, López-Ortiz, Qiao, and Munro]

M-Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort

Summary

Legend

Results

Mass
Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $O(n \log n)$ Comparisons
- $O(n \log n)$ Swaps

[Kushagra et al.(2013)Kushagra, López-Ortiz, Qiao, and Munro]

M-Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort

Summary

Legend

Results

Mass
Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $O(n \log n)$ Comparisons
- $O(n \log n)$ Swaps
- M Pivots

[Kushagra et al.(2013)Kushagra, López-Ortiz, Qiao, and Munro]

M-Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort

Summary

Legend

Results

Mass
Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $O(n \log n)$ Comparisons
- $O(n \log n)$ Swaps
- M Pivots
 - Sort $2M$ elements

[Kushagra et al.(2013)Kushagra, López-Ortiz, Qiao, and Munro]

M-Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort

Summary

Legend

Results

Mass
Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $O(n \log n)$ Comparisons
- $O(n \log n)$ Swaps
- M Pivots
 - Sort $2M$ elements
- Partition each segment on at a time

[Kushagra et al.(2013)Kushagra, López-Ortiz, Qiao, and Munro]

M-Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort

Summary

Legend

Results

Mass
Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- $O(n \log n)$ Comparisons
- $O(n \log n)$ Swaps
- M Pivots
 - Sort $2M$ elements
- Partition each segment on at a time
- $M + 1$ Recursive Calls

[Kushagra et al.(2013)Kushagra, López-Ortiz, Qiao, and Munro]

Example M-Pivot Selection and Partitioning

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

Pivot Candidate Selection with 3 Pivots (25 elements)



[Kushagra et al.(2013) Kushagra, López-Ortiz, Qiao, and Munro]

Example M-Pivot Selection and Partitioning

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot


Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End



[Kushagra et al.(2013) Kushagra, López-Ortiz, Qiao, and Munro]

Example M-Pivot Selection and Partitioning

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's
Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot


Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End



[Kushagra et al.(2013)Kushagra, López-Ortiz, Qiao, and Munro]

Heap Optimized M-Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort

Summary

Legend

Results

Mass
Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- Enforce the Heap Property to the array before any computation

[Kushagra et al.(2013)Kushagra, López-Ortiz, Qiao, and Munro]

Heap Optimized M-Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort

Summary

Legend

Results

Mass
Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

- Enforce the Heap Property to the array before any computation
 - Adds only $O(n)$ run time at each call

[Kushagra et al.(2013)Kushagra, López-Ortiz, Qiao, and Munro]

Heap Optimized M-Pivot Quicksort

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort
Three Pivot
Quicksort
M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

- Enforce the Heap Property to the array before any computation
 - Adds only $O(n)$ run time at each call
 - Improves the sort to optimize pivot selection

[Kushagra et al.(2013)Kushagra, López-Ortiz, Qiao, and Munro]

Example M-Pivot Heap Optimized Pivot Selection

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot

Quicksort
Yaroslavskiy's

Quicksort
Three Pivot

Quicksort
M-Pivot

Quicksort
Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots


M Pivots

Polynomial Fit

The End

Candidate Selection from Min Heap (100 elements)

Base Candidate Pair = (31 / 6) - 1 = 4
Next Candidate Pair = 4 + 1 = every 5 elements



[Kushagra et al.(2013)Kushagra, López-Ortiz, Qiao, and Munro]

Theoretical Average Case Run Time

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot

Quicksort
Yaroslavskiy's

Quicksort
Three Pivot
Quicksort
M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

Sort Method	Comparisons
Classic	$2n \log n - 1.51n + O(\log(n))$
Dual Pivot	$2.13n \log n - 2.57n + O(\log(n))$
Optimal Dual Pivot	$1.8n \log n + O(n)$
Three Pivot	$1.846n \log n + O(n)$
Yaroslavskiy	$1.9n \log n - 2.46n + O(\log(n))$
M Pivot	$O(n \log n)$

[Aumüller and Dietzfelbinger(2013)]

[Wild and Nebel(2012)]

[Kushagra et al.(2013)Kushagra, López-Ortiz, Qiao, and Munro]

Theoretical Average Case Run Time

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot

Quicksort
Yaroslavskiy's

Quicksort
Three Pivot

Quicksort
M-Pivot

Quicksort
Summary

Legend

Results

Mass
Comparison

One Pivot

Two Pivots
Three Pivots

M Pivots
Polynomial Fit

The End

Sort Method	Swaps
Classic	$0.33n \log n - 0.58n + O(\log(n))$
Dual Pivot	$0.8n \log n - 0.3n + O(\log(n))$
Optimal Dual Pivot	$0.33n \log n + O(n)$
Three Pivot	$0.615n \log n + O(n)$
Yaroslavskiy	$0.6n \log n + 0.08n + O(\log(n))$
M Pivot	$O(n \log n)$

[Aumüller and Dietzfelbinger(2013)]

[Wild and Nebel(2012)]

[Kushagra et al.(2013)Kushagra, López-Ortiz, Qiao, and Munro]

Legend

- ClassicQuicksort - 1 - 1 - True
- ×—× ClassicQuicksort - 2 - 1 - True
- ▲—▲ ClassicQuicksort - 3 - 1 - True
- DualPivotQuicksort - 1 - 2 - True
- DualPivotQuicksort - 2 - 2 - True
- ◀—▶ HeapOptimizedMPivotQuicksort - 1 - 3 - True
- ▼—▼ HeapOptimizedMPivotQuicksort - 1 - 4 - True
- HeapOptimizedMPivotQuicksort - 1 - 5 - True
- ◀—▶ HeapOptimizedMPivotQuicksort - 1 - 6 - True
- MPivotQuicksort - 1 - 3 - True
- ×—× MPivotQuicksort - 1 - 4 - True
- ▲—▲ MPivotQuicksort - 1 - 5 - True
- MPivotQuicksort - 1 - 6 - True
- OptimalDualPivotQuicksort - 1 - 2 - True
- ◆—◆ OptimalDualPivotQuicksort - 2 - 2 - True
- ▼—▼ ThreePivotQuicksort - 1 - 3 - True
- YaroslavskiyQuicksort - 1 - 2 - True

Mass Comparison Small Scale

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's
Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot


Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End



Mass Comparison Small Scale

QuickSort

Moghadasian,
Hernandez

Quicksorts


Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort
Three Pivot
Quicksort
M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End



Mass Comparison Large Scale

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot


Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End



Mass Comparison Large Scale

QuickSort

Moghadasiyan,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot


Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End



Mass Comparison Semi Log x

QuickSort

Moghadasian,
Hernandez

Quicksorts


Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort
Three Pivot
Quicksort
M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End



Mass Comparison Semi Log x

QuickSort

Moghadasian,
Hernandez

Quicksorts


Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort
Three Pivot
Quicksort
M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End



One Pivot Comparison Small Scale

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot


Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End



One Pivot Comparison Small Scale

QuickSort

Moghadasi, Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot


Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End



One Pivot Comparison Large Scale

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot


Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End



One Pivot Comparison Large Scale

QuickSort

Moghadasiyan,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort

Three Pivot
Quicksort


M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End



Two Pivot Comparison Small Scale

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort

Summary

Legend

Results

Mass
Comparison

One Pivot


Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End



Two Pivot Comparison Small Scale

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot


Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End



Two Pivot Comparison Large Scale

QuickSort

Moghadasian,
Hernandez

Quicksorts


Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort
Three Pivot
Quicksort
M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End



Two Pivot Comparison Large Scale

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot


Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End



Three Pivot Comparison Small Scale

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot


Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End



Three Pivot Comparison Small Scale

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot


Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End



Three Pivot Comparison Large Scale

QuickSort

Moghadasiyan,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort

Three Pivot
Quicksort


M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End



Three Pivot Comparison Large Scale

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort

Three Pivot
Quicksort


M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End



M Pivot Comparison Small Scale

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot


Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End



M Pivot Comparison Small Scale

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot


Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End



M Pivot Comparison Large Scale

QuickSort

Moghadasian,
Hernandez

Quicksorts


Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort
Three Pivot
Quicksort
M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End



M Pivot Comparison Large Scale

QuickSort

Moghadasian,
Hernandez

Quicksorts


Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort
Three Pivot
Quicksort
M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End



Fit Coefficients of $A n \log(n) + B n + C \log(n)$

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot

Quicksort
Yaroslavskiy's
Quicksort

Three Pivot
Quicksort

M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot

Two Pivots
Three Pivots

M Pivots

Polynomial Fit

The End

Sort Method	Comparisons	Swaps
Classic - 1 - 1	0.02219	0.01060
Classic - 2 - 1	0.02126	0.01110
Classic - 3 - 1	0.01799	0.00828
Dual Pivot - 1 - 2	0.02109	0.00636
Dual Pivot - 2 - 2	0.01787	0.00603
Optimal Dual Pivot - 1 - 2	0.02044	0.00636
Optimal Dual Pivot - 2 - 2	0.01754	0.00603
Three Pivot - 1 - 3	0.02595	0.00616
Yaroslavskiy - 1 - 2	0.01811	0.00584

Fit Coefficients of $A n \log(n) + B n + C \log(n)$

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort
Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End

Sort Method	Comparisons	Swaps
Heap M Pivot - 1 - 3	0.02755	0.00999
Heap M Pivot - 1 - 4	0.02782	0.00885
Heap M Pivot - 1 - 5	0.02903	0.00809
Heap M Pivot - 1 - 6	0.02801	0.00769
M Pivot - 1 - 3	0.01955	0.00640
M Pivot - 1 - 4	0.02039	0.00594
M Pivot - 1 - 5	0.02136	0.00532
M Pivot - 1 - 6	0.02369	0.00524

References I

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort

Dual Pivot

Quicksort

Yaroslavskiy's

Quicksort

Three Pivot

Quicksort

M-Pivot

Quicksort

Summary

Legend

Results

Mass

Comparison

One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End



Martin Aumüller and Martin Dietzfelbinger.

Optimal partitioning for dual pivot quicksort.

In *Proceedings of the 40th International Conference on Automata, Languages, and Programming - Volume Part I, ICALP'13*, pages 33–44, Berlin, Heidelberg, 2013.

Springer-Verlag.

ISBN 978-3-642-39205-4.

doi: 10.1007/978-3-642-39206-1_4.

URL

http://dx.doi.org/10.1007/978-3-642-39206-1_4.



Shrinu Kushagra, Alejandro López-Ortiz, Aurick Qiao, and J Ian Munro.

Multi-pivot quicksort: Theory and experiments.
2013.

References II

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort

Yaroslavskiy's
Quicksort

Three Pivot
Quicksort
M-Pivot
Quicksort

Summary

Legend

Results

Mass
Comparison
One Pivot

Two Pivots

Three Pivots

M Pivots

Polynomial Fit

The End



Sebastian Wild and Markus E. Nebel.

Average case analysis of java 7's dual pivot quicksort.

In *Proceedings of the 20th Annual European Conference on Algorithms*, ESA'12, pages 825–836, Berlin, Heidelberg, 2012. Springer-Verlag.

ISBN 978-3-642-33089-6.

doi: 10.1007/978-3-642-33090-2_71.

URL

http://dx.doi.org/10.1007/978-3-642-33090-2_71.

QuickSort

Moghadasian,
Hernandez

Quicksorts

Classic Quicksort
Dual Pivot
Quicksort
Yaroslavskiy's
Quicksort
Three Pivot
Quicksort
M-Pivot
Quicksort
Summary

Legend

Results

Mass
Comparison
One Pivot
Two Pivots
Three Pivots
M Pivots
Polynomial Fit

The End

Questions?

QuickSort

Moghadasian,
Hernandez