

Introduction to Travis CI
with git and GitHub
with a focus on developing a software pipeline

© 2015-2017 Richel Bilderbeek www.github.com/richelbilderbeek/CppPresentations







Continuous worries

I saw your GitHub Issue and I've submitted a Pull Request with a fix.







Mr Worry by Roger Hargreaves

Continuous worries

I cannot get your code to run.
I think it is broken.
Please help!






N00bG1rl


Mr Worry by Roger Hargreaves

Continuous worries

Can I do it more efficient?



Mr Rush, by Roger Hargreaves



Mr Perfect, by Roger Hargreaves Do I really need to do this every time?

Yes, I should




Mr Lazy, by Roger Hargreaves

Continuous solution


I can do all bash commands you like every time you push

- Test if nothing breaks
- Test if pipeline works
- Gather diagnostics
- Other goodies




Activate Travis


• Go to https://travis-ci.org



Activate accounts



Configure Travis files



.travis.yml

- 'Yet another Markup Language'
- Just use the bash scripts you would use in the 'script' section

Example .travis.yml

script:

- echo "Hello"
- ls

Result

```
135 $ echo "Hello"
136 Hello
137
138
    The command "echo "Hello"" exited with \theta.
140 $ ls
141 LICENSE README.md
142
143
   The command "ls" exited with θ.
145
146 Done. Your build exited with 0.
```

How to get a more complex .travis.yml file

• Go to

https://github.com
/richelbilderbeek

/travis_cpp_tutorial

 Copy the best fitting Travis configuration file


More examples

- proselint
- cowsay
- convert
- pipeline example 1: convert image to cowfile

proselint

- Python tool that tests prose for style errors
- Put prose in file called 'my_prose.md'

 From https://github.com/riche lbilderbeek/travis_prose lint



my_prose.md

I do not want this poem to go too deep. It's premature, and love's too far away. But there are things I feel the need to say rather than more days of silence keep. I hope for you it's not too great a leap to hear me talking to you in this way. My fears sometimes my sentiments betray, telling me to put my thoughts to sleep. Ever since we met I've thought of you as something more than just a passing friend. You seem so lovely, like a melody that haunts me with the wisp of something true. You haunt me still, and so I won't pretend: I tell you this that you might think of me.

.travis.yml

```
sudo: require
```

install:

- sudo pip install proselint

script:

- proselint my_prose.md


Result

```
$ sudo pip install proselint
153 $ proselint my_prose.md
154 my_prose.md:2:41: misc.but No paragraph should start with a 'But'.
155
156
157 The command "proselint my_prose.md" exited with 1.
158
159 Done. Your build exited with 1.
```

cowsay

 Command-line tool to let a cow (or other ASCII art) say someting

From https://github.com /richelbilderbeek/ travis_cowsay



.travis.yml

```
sudo: require
install:
  - sudo apt-get install cowsay
  - export PATH=/usr/bin:/bin:/usr/games
script:
  - cowsay "Howdy" | cowsay -n -f stegosaurus
```

Result

```
$ cowsay "Howdy" | cowsay -n -f stegosaurus
  < Howdy >
               (00)
The command "cowsay "Howdy" \mid cowsay -n -f stegosaurus" exited with 0.
Done. Your build exited with 0.
```

convert

- Part of Imagemagick
- Command-line tool to work on images
- From https://github.com/richelbilderbeek/ travis_convert



Charcoal filter



Lenna, from https://upload.wikimedia.org/wikipedia/en/2/24/Lenna.png

.travis.yml

```
script:
```

- rm *.png
- ./run
- ls *.png

run

```
#!/bin/bash
wget https://upload.wikimedia.org/wikipedia/en/2/24/Lenna.png
convert Lenna.png -charcoal 1 Edge.png
```

Result

```
143 $ rm *.png
    The command "rm *.png" exited with 0.
    $ ./run
   --2017-01-18 18:18:20-- https://upload.wikimedia.org/wikipedia/en/2/24/Lenna.png
    Resolving upload.wikimedia.org (upload.wikimedia.org)... 208.80.154.240, 2620:0:861:ed1a::2:b
    Connecting to upload.wikimedia.org (upload.wikimedia.org) 208.80.154.240 :443... connected.
    HTTP request sent, awaiting response... 200 OK
    Length: 473831 (463K) [image/png]
    Saving to: `Lenna.png'
    2017-01-18 18:18:21 (42.6 MB/s) - `Lenna.png' saved [473831/473831]
    The command "./run" exited with θ.
    $ ls *.png
    Edge.png Lenna.png
    The command "ls *.png" exited with 0.
    Done. Your build exited with 0.
```

Pipeline example 1

- Convert image to cowfile
- From
 https://github.com/ri
 chelbilderbeek/travis
 _example_pipeline







.travis.yml 1/2

```
sudo: require
dist: trusty
# Boost
addons:
  apt:
    packages: libboost-all-dev
before install:
  # C++14
  - sudo add-apt-repository --yes ppa:ubuntu-toolchain-
r/test
  - sudo apt-get update -qq
```

.travis.yml 2/2

```
install:
  # C++14
  - sudo apt-get install -qq g++-5
  # Cowsay
  - sudo apt-get install cowsay
  - export PATH=/usr/bin:/bin:/usr/games
script:
 - ./run
```

run 1/3

```
#!/bin/bash
# Download Lenna.png
wget
https://upload.wikimedia.org/wikipedia/en/2/24/Lenna.png
# Convert to edge detected version
convert Lenna.png -charcoal 1 Edge.png
# Download prerequisites
git clone https://github.com/richelbilderbeek/AsciiArter
git clone https://github.com/richelbilderbeek/DotMatrix
git clone https://github.com/richelbilderbeek/RibiClasses
git clone https://github.com/richelbilderbeek/RibiLibraries
```

run 2/3

```
# Build AsciiArter

cd AsciiArter


qmake AsciiArterConsole.pro

make debug

cp AsciiArterConsole ../

cd ..
```

Convert Edge to ascii art
./AsciiArterConsole Edge.png
art.txt 78




AsciiArter GUI menu, from https://github.com/richelbilde rbeek/AsciiArter

run 3/3

```
# Create cowfile
echo "\$the cow = <<\"EOC\";" > art.cow
echo " \$thoughts" >> art.cow
echo " \$thoughts" >> art.cow
cat art.txt >> art.cow
echo "EOC" >> art.cow
# Use cowfile
cowsay -f ./art.cow "Hello!"
```

Result




1846 Done. Your build exited with 0.

Other uses



Project health



Testing

```
Running 151 test cases...
4276
4277
4278
4279
     elly results test.cpp(479): error in "elly convert to daisie input wit
    std::count(branching times.begin(), branching times.end(), 1.0) failed
4281
     *** 1 failure detected in test suite "test elly module"
4282
4283
4284
    The command "if [[ $TRAVIS_BRANCH == "elly" || $TRAVIS_BRANCH == "mast
4285
    ./elly_test; fi" exited with 201.
```

Code coverage

```
  void elly::cladogenesis island only(simulation& s)

239
249
            assert(s.count species(location::island only) > 0);
241
            cladogenesis island only(s.get populations(), s.get time(), s.get rng());
242
        void elly::cladogenesis island only(simulation& sim, const species& s)
243
244
245
            assert(sim.count species(location::island only) > 0);
            cladogenesis island only(sim.get populations(), sim.get time(), s);
246
247
248
249
        void elly::both extinction island(simulation &s)
250
251
            both extinction island(s.get populations(), s.get time(), s.get rng());
252
253
        void elly::both extinction island(simulation &sim, const species& s)
254
255
            both extinction island(sim.get populations(), sim.get time(), s);
256
257
        void elly::both extinction mainland(simulation& s)
258
259
269
            both extinction mainland(s.get populations(), s.get time(), s.get rng());
261
         void elly::both extinction mainland(simulation& sim, const species& s)
262
263
264
            both extinction mainland(sim.get populations(), sim.get time(), s);
265
266
        7 void elly::both anagenesis(simulation &s)
267
268
            both anagenesis(s.get populations(), s.get time(), s.get rng());
269
279
        void ellv::both anagenesis(simulation &sim, const species& s)
271
272
            both anagenesis(sim.get populations(), sim.get time(), s);
273
274
275
276
       void elly::cladogenesis global on island(simulation &s)
277
278
            cladogenesis global on island(s.get populations(), s.get time(), s.get rng());
279
289
        void elly::cladogenesis global on island(simulation &sim, const species& s)
281
            cladogenesis global on island(sim.get populations(), sim.get time(), s);
282
283
284

    void elly::cladogenesis global on mainland(simulation &s)

286
287
            cladogenesis global on mainland(s.get populations(), s.get time(), s.get rng());
289
        void elly::cladogenesis global on mainland(simulation &sim, const species& s)
298
            cladogenesis global on mainland(sim.get populations(), sim.get time(), s);
291
292
```

Style checking

```
3128
     OCLint Report
3130
     Summary: TotalFiles=195 FilesWithViolations=1 P1=0 P2=0 P3=4
3132
     /home/travis/build/richelbilderbeek/pbdmms/elly clade.cpp:146:1: long line [size|P3] Line
    exceeds limit of 100
3133 /home/travis/build/richelbilderbeek/pbdmms/elly clade.cpp:158:3: redundant local variable
3134 /home/travis/build/richelbilderbeek/pbdmms/elly clade.cpp:148:3: long variable name [namir
    42 characters is longer than the threshold of 20
3135 /home/travis/build/richelbilderbeek/pbdmms/elly clade.cpp:158:3: long variable name [namin
    35 characters is longer than the threshold of 20
3136
      [OCLint (http://oclint.org) v0.10.3]
     OCLint: Compiler error, can only be warnings :-(
3138
     OCLint: Fail
3139
3141
3142
     The command "./do oclint" exited with 1.
3143
3144
     Done. Your build exited with 1.
```

Profile

```
Flat profile:
Each sample counts as 0.01 seconds.
  % cumulative self
                               self total
 time seconds seconds calls ms/call ms/call name
                                          0.00 sado::gausser impl lut
 59.23 3.82 3.82 939651438 0.00
                                         0.02 sado::calc comp(sado::;
 17.06
      4.92 1.10
                                 0.00
                        240827
sado::parameters const&)
                                 0.01
                                         0.03 sado::get attractivene:
          5.53
                  0.61 60877
  9.46
jouble, sado::parameters const&)
                                 0.01 0.01 sado::get summed(std::v
  8.53
          6.08
                  0.55
                         60877
const&)
                                 0.00
  3.41
          6.30
              0.22
                         60877
                                         0.01 sado::create kids(sado
std::vector<double, std::allocator<double> > const&, sado::parameters const&)
                                              sado::gausser impl lut
                  0.11
  1.71
          6.41
                                         0.00 sado::Uniform()
  0.16
          6.42 0.01 2124253
                                  0.00
```

Other uses

- Memory leak detection
- Data race detection
- Undefined behavior sanitizer

To not forget how to do something

Conclusion

- Travis CI can be used to automate everything you can do from a terminal
- Travis CI results in a reproducible build/pipeline
- Set up once, profit every push