

Intermediate Microeconomics: Advanced

Notes

Marie Burer

16-1-24

Contents

| | | |
|----------|--------------------------------------|----------|
| 1 | Mathematics of Optimization | 3 |
| 1.1 | Unconstrained Optimization | 3 |
| 1.2 | Constrained Optimization | 3 |

1 Mathematics of Optimization

1.1 Unconstrained Optimization

- First order conditions: $\frac{\delta f}{\delta x} = 0, \frac{\delta f}{\delta y} = 0$
- Second order conditions: $\frac{\delta^2 f}{\delta x^2} < 0, \frac{\delta^2 f}{\delta y^2} < 0$
- Additionally, $(\frac{\delta^2 f}{\delta x^2} \times \frac{\delta^2 f}{\delta y^2}) - (\frac{\delta^2 f}{\delta x \delta y})^2 > 0$

Example: $G(T, C) = 50 + 10T + 16C - T^2 - 2TC - 2C^2$

$$\frac{\delta G}{\delta T} = 10 - 2T - 2C$$

$$\frac{\delta G}{\delta C} = 16 - 2T - 4C$$

$$\begin{bmatrix} -2 & -2 & -10 \\ -2 & -4 & -16 \end{bmatrix} \Rightarrow \begin{bmatrix} -2 & -2 & -10 \\ 0 & -2 & -6 \end{bmatrix} \Rightarrow \begin{bmatrix} -2 & 0 & -4 \\ 0 & -2 & -6 \end{bmatrix}$$
$$\Rightarrow T = 2, C = 3$$

$$\frac{\delta^2 G}{\delta T^2} = -2 < 0$$

$$\frac{\delta^2 G}{\delta C^2} = -4 < 0$$

$$(\frac{\delta^2 G}{\delta T^2} \times \frac{\delta^2 G}{\delta C^2}) - (\frac{\delta^2 G}{\delta T \delta C})^2 = (-2 \times -4) - (-2)^2 = 8 - 4 = 4 > 0$$

$$\Rightarrow G(2, 3) \text{ is a maximum} \Rightarrow G(2, 3) = 50 + 20 + 48 - 4 - 12 - 18 = 84$$

1.2 Constrained Optimization

To find the critical points of $f(x)$ subject to some constraints $g(x) = c$ we have

$$\begin{bmatrix} \frac{\delta f}{\delta x} &= \lambda \frac{\delta g}{\delta x} \\ \frac{\delta f}{\delta y} &= \lambda \frac{\delta g}{\delta y} \\ g(x) &= c \end{bmatrix}$$

Example: $T = 19.25 - 6 \ln(R) - 4 \ln(W)$, constraint is $R + W = 5$

$$\begin{bmatrix} 19.25 - \frac{6}{R} &= \lambda \\ 19.25 - \frac{4}{W} &= \lambda \\ R + W &= 5 \end{bmatrix}$$

$$19.25 - \frac{6}{R} = 19.25 - \frac{4}{W} \Rightarrow 6W = 4R$$

$$W = 5 - R \Rightarrow 6(5 - R) = 4R \Rightarrow 30 - 6R = 4R \Rightarrow 10R = 30 \Rightarrow R = 3, W = 2$$

$$T(3, 2) = 19.25 - 6 \ln(3) - 4 \ln(2) \approx 9.89$$