Astronomy Observation Journal

Piero Dalle Pezze

July 23, 2015

Abstract

This document contains my observation reports and the objects listed by catalogue that I have so far observed. At the end the complete Messier and Caldwell catalogues are also presented. This file was generated using Java software tool AstroJournal (https://pdp10@bitbucket.org/pdp10/astrojournal.git) and pdflatex (http://www.tug.org/texlive/). AstroJournal imports files containing astronomy observation reports and observed objects by catalogues. Once imported, it generates an integrated journal document in LaTeX which is then exported in PDF using the utility pdflatex. AstroJournal is released under GPL v3 license.

Contents

1 Legends		2
2 Observation reports		3
3 Complete Messier and Caldwell sel-	lection of NGC objects	188

1 Legends

Seeing Scale (Antoniadi):

- 1. Perfect seeing, without a quiver
- 2. Slight undulations, with moments of calm lasting several seconds
- 3. Moderate seeing, with larger air tremors
- 4. Poor seeing, with constant troublesome undulations
- 5. Very bad seeing, scarcely allowing the makings of a rough sketch

Transparency Scale (American Association of Amateur Astronomers):

- 1. Do Not Observe: Completely cloudy or precipitating (Why are you out?)
- 2. Very Poor: Mostly Cloudy
- 3. Poor: Partly cloudy or heavy haze. 1 or 2 Little Dipper stars visible
- 4. Somewhat Clear: Cirrus or moderate haze. 3 or 4 Little Dipper stars visible
- 5. Partly Clear: Slight haze. 4 or 5 Little Dipper stars visible
- 6. Clear: No clouds. Milky Way visible with averted vision. 6 Little Dipper stars visible
- 7. Very Clear: Milky Way and M31 visible. Stars fainter than mag 6.0 are just seen and fainter parts of the Milky Way are more obvious
- 8. Extremely Clear: overwhelming profusion of stars, Zodiacal light and the gegenschein form continuous band across the sky, the Milky Way is very wide and bright throughout

Target Types:

- SN Rem: Supernova Remnant
- Neb: Nebula
- Galaxy: Galaxy
- CL+Neb: Cluster with Nebula
- Opn CL: Open Cluster
- Glob CL: Globular Cluster
- Pln Neb: Planetary Nebula
- Satellite: Our Satellite (Moon)
- Planet: Solar System Planet
- Star: Star
- Dbl Star: Double Star
- Mlt Star: Multiple Star
- Asterism: Asterism

2 Observation reports

25/03/2015 21:00-22:45, Cambridge, UK. 2 - Slight undulations, 3 - Somewhat clear. Tele Vue 60 F6, 72x. Spica. Blue star

Venus, , Planet:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 36x; 72x, 144x. C114F8, Venice (IT); TV60F6, Cambridge (UK).
- 24/03/2015 19:00-21:30, Cambridge, UK. 3 Moderate seeing, 3 Somewhat clear. Tele Vue 60 F6, 72x, 144x. 144x was too much. Possibly because the planet was too low, or because the eyepiece did not cool down properly. In any case, even at 72x, no planet atmosphere detail.
- 12/05/2015 21:00-23:45, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 103x. Observed in the twilight. Visible 60% of its phase. No cloud detail was detectable. A polarised filter might help on this target.
- 13/05/2015 21:00-0:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 103x, 206x. Observed in the twilight. Visible 60% of its phase. No cloud detail was detectable. At 206x, on one side of the focus, Venus appeared violet, on the other side green/yellow. When in focus, there was no colour aberration. Curiously, at this magnification it was still very bright suggesting that a variable polarising filter might be beneficial.
- 20/05/2015 21:30-0:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 103x +/- SPF, 206x + SPF. Observed in the twilight. Visible 60% of its phase. No cloud detail was detectable even with the SPF. Planet glare was reduced but it was very difficult to focus, likely due to the average seeing and high magnification.
- 11/06/2015 22:00-0:00, Cambridge, UK. 3 Moderate seeing, 3 Somewhat clear. Tele Vue 60 F6, 103x, 206x. Phase about 50%. No detail visible, but the image was sufficiently stable. A SPF would have helped, but I forgot it at home.
- 15/06/2015 21:45-0:30, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 72x, 144x +/- SPF. Gorgeous with the Vixen SLV 5mm. The best view of Venus I have ever had so far. Phase was about 45%, and Venus appeared crystal clear without any glare and perfectly focused. The borders were very crisp. At 144x the planet was bigger, but no additional detail was detectable. At both 72x and 144x, I felt that at the center of the visible part of the planet, the colour was just slightly dimmer as if a soft darker cloud was there. Really beautiful. SPF did not help much with the Vixen, so I removed.
- 23/06/2015 21:40-23:15, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 28x, 72x, 103x. Observation at twilight. Phase about 40%. Again, the Vixen revealed a wonderful Venus. Very crisp on the border and a clear arc defining the phase. A few times I had the impression of a slightly darker patch on the clouds located in the South hemisphere near the centre centre of the planet. This happened with Venus at different position in the eyepiece. At 103x Venus was still a pleasure to see, but not as much as at 72x. At 28x the phase was clearly there too, and the image was still crisp.

Venus - Jupiter, Com, Planet:

• 30/06/2015 21:30-23:20, Cambridge, UK. 3 - Moderate seeing, 4 - Partly clear. Tele Vue 60 F6, 28x, 72x, 103x. Observation at twilight. Conjunction Venus-Jupiter. The two planets were about 0.3 / 0.5 degrees apart. Venus was largely brighter and bigger than Jupiter. Venus phase was less than 40%. The planet border was well defined. Jupiter bands were only visible at low power (28x) due to the mediocre seeing. It was possible to see 3 satellites but the sky was still too bright for detect them easily. It was nice to see this conjunction, but unfortunately the seeing did not allow sufficient resolution for Jupiter which was not easy to focus. At 28x the North and South Equatorial belts were visible in the early evening. It was an interesting conjunction but not as great as the one I saw when I was teenager. At the time the two planets were elongated at naked eye. It was spectacular.

Uranus, , Planet:

 \bullet xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 10x; 15x; 15x. B10x50, Lorenzago (IT); B15x70, TV60F6, Newcastle (UK).

Gamma, UMi, Dbl Star:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 51x. Pherkad. TV60F6, Cambridge (UK).
- 22/03/2015 19:00-22:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Pherkad. Blue 3mag. It has a neighbour star 10.30mag. Pherkad Minor orange 5mag.

13/05/2015 21:00-0:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 28x, 103x. Polaris. A nice target because of the large difference in brightness between the two stars. Polaris' companion was dim grey and detectable at 28x with some difficulty. 103x easily split the two stars.

Zeta, UMa, Dbl Star:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x; 15x, 51x. Mizar and Alcor. B15x70, TV60F6, Newcastle, Cambridge (UK).

xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x; 30x. Dubhe. B15x70, TV60F6, Newcastle (UK).

Sun, , Star:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 50x; 15x, 51x. TV60F6, Cambridge (UK).
- 11/04/2015 18:00-19:00, Cambridge, UK. 2 Slight undulations, 2 Poor. Tele Vue 60 F6, 51x +/- VPF; 72x. Two spot areas: one in the north, the other one in the south. 5 small spots where visible in the north, 4-5 in the south spot area. 2 small spots in the centre of the sun. Best view 51x, using variable polarising filter. No granularity was visible due to the bad seeing.
- 14/04/2015a 18:00-19:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 51x +/- VPF; 72x, 103x. Today at 4pm there was a gigantic flare (CME) about 1 sun radius long. Unfortunately I was not at home. I looked at the Sun, but the flare was gone by the time I set up the telescope. A large group of black spots was visible in the North hemisphere. Around them granulation was clearly visible. Granulation was also detectable, although with some difficulty, on the Sun surface at 51x using a VPF. At 72x the Sun revealed a nice image where Sun spot details were visible as well as surface granulation. 103x was just too much for this seeing. Although it can be used for magnifying the solar spots, granulation is completely lost. In addition, floaters become a real issue when watching the sun using 0.6mm exit pupil. I think the best magnification is between 51x and 72x. The Vixen 5mm works very well with the Sun. This was used without VPF filter.
- 06/06/2015 15:00-18:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 51x +/- VPF or SPF, 72x +/- VPF, 103x +/- VPF. I enjoyed observing the Sun a lot today. There were more than 30 sunspots and also a hint of granulation when the wind became calm for short moments. Very nice day. The wind did not allow to see Sun granulation most of the time. The seeing improved after 5pm when the wind became more moderate. Many sunspots were visible. Three larger umbrae were surrounded by nice areas of penumbra. One of this had an irregular shape and the South part vanished gradually. This at all powers. It was very attractive. A central area contain 4 well defined sunspots and many little grey spots. Around the larger sunspots, there were brighter and extended areas on the Sun surface. 51x gave the best view most of the time. 72x and 103x were interesting powers but only suitable when the wind was calm, which was rare! A VPF increased the detail noticeably. Apart from reducing image brightness, I appreciate this filter because it stabilises the image, particularly under average seeing. Surprisingly I found that I prefer the view through a SPF rather than VPF. A VPF reduces image brightness, whereas a SPF improves contrast to me. Through a SPF I could see a hint of granulation at 51x even when there was moderate wind. This did not happen with a VPF. I am considering whether separate the two filters. Having them separate would also be quite comfortable when watching planets in the twilight. SPF also improved contrast for all the sunspots. This works as follows: 0 (or 180) degrees shows the brightest image, 90 (or 270) degrees shows the darkest image. For observing both planets and the Sun, I found that I prefer the view when the SPF is positioned at 45 (or 135 or 225 or 315) degrees. The image was still bright, contrast was highest than all other options and the number of details was maximised. Nagler 7mm, Vixen 5mm, and Nagler 3.5mm form my best eyepiece combination for watching the Sun with the TV-60. All

Stock2, Cas, Opn CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. B15x70, TV60F6, Newcastle (UK).
- 30/04/2015 22:00-23:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 15x. This cluster next to the double cluster is very nice and needs a wide field telescope. Its stars are not so bright and generally of similar magnitude and colour.
- \bullet 12/05/2015 21:00-23:45, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 15x, 28x. As above.
- 17/07/2015 23:30-3:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 28x. Large open cluster right above the Double Cluster.

Stock1, Vul, Opn CL:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. B15x70, Newcastle (UK).

Omega, Sco, Dbl star:

• 15/06/2015 21:45-0:30, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 28x, 72x. The two stars were largely more separated than Acrab double stars. A no substantial difference in colour or size was noticeable though. I did not find this target particularly interesting. Nicer at 28x.

Nu, Sco, Dbl star:

• 15/06/2015 21:45-0:30, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 28x, 72x. I am not sure I saw this. If so, it appeared as a tight double star with the same colour and quite dim. 28x was better due to the higher image brightness.

10/06/2015 22:00-0:00, Cambridge, UK. 3 - Moderate seeing, 5 - Clear. Tele Vue 60 F6, 51x. Acrab or Graffias. Very fine multiple star system at 51x. The two stars have different colour and brightness. If I remember correctly the small one was blue. They were split but still quite tight. At 70x they should be split clearer.

11/06/2015 22:00-0:00, Cambridge, UK. 3 - Moderate seeing, 3 - Somewhat clear. Tele Vue 60 F6, 103x. Acrab or Graffias. It was clearly split, but the seeing was not very nice near the horizon and the stars light was not punctiform. The small star is blue. This double star is the top of the three stars of Scorpius.

15/06/2015 21:45-0:30, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 28x, 72x. Acrab or Graffias. Although tight, I prefer this double star at 28x rather than 72x because of the smaller Airy disks. Very nice though. A bigger and bright orange star associated with a smaller blue star.

10/06/2015 22:00-0:00, Cambridge, UK. 3 - Moderate seeing, 5 - Clear. Tele Vue 60 F6, 15x. Antares. Lovely red star. I could see the Airy disc and diffraction rings very nicely. Antares is one of my favourite stars.

Saturn, , Planet:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 36x, 90x, 180x. C114F8, Venice (IT).
- 12/05/2015 21:00-23:45, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 103x. Very low on the horizon and therefore not the best moment for viewing this target. Despite this, rings and titan were visible. Neither the Cassini division nor belts were detectable.
- 13/05/2015 21:00-0:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 103x. It was a bit higher than yesterday, but unfortunately, my telescope and eyepieces were soaked with humidity and could not really see this target after the first 5 min. Rings were clearly defined, and I believe the Cassini division could have been detectable.
- 20/05/2015 21:30-0:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 103x, 206x. It is still fairly low on the horizon. Titan was visible. The Cassini division was not detectable, but it was possible to see a shade in the middle of the ring. At 206x the image was just degraded and difficult to focus. I have to wait for a higher position of the planet.
- 10/06/2015 22:00-0:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 103x. Seen during civil twilight and later in the nautical twilight. Although the seeing was not great, Saturn appeared very crisp. The rings had a very nice inclination. The Cassini division was generally not detectable. For few seconds when the seeing stabilised, a hint of dimmer colour was visible on the external part of the rings. A nice belt was visible all the time in the North hemisphere (North Equatorial Belt) of the planet. Titan was visible too. The view was really nice generally. Possibly due to the seeing, but I preferred the view when the sky was darker.
- 11/06/2015 22:00-0:00, Cambridge, UK. 3 Moderate seeing, 3 Somewhat clear. Tele Vue 60 F6, 103x, 206x. Very nice view of Saturn tonight. At both 103x and 206x, the Cassini division was detectable when the sky appeared steady for few seconds. It appeared as a soft grey shade on the lateral parts of the rings. Possibly what I was seeing was the shade between the A and B rings. This was not always visible, but just for few seconds when the seeing was steady and no wind blew, the difference in colour intensity was noticeable. Titan was also visible on the South of the planet. It seemed a grey dot. The North Equatorial Belt on the planet appeared as a soft darker gradient compared to the planet equatorial zone. The North Polar Region was not clearly detectable.
- 15/06/2015 21:45-0:30, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 28x, 72x +/- SPF, 144x. Saturn was wonderful with the Vixen at 72x. The North Equatorial Belt was detectable particularly when in contrast with the Equatorial zone. The Cassini division was visible on the left and right parts of the rings when the planet was at the centre of the eyepiece. It appeared as a soft grey line which separated more dense rings (B rings) from lighter rings (A rings). The shadow of the planet on the ring or details on the polar region were not visible. Titan was also visible. A SPF did not help and actually degraded the image for Saturn with the Vixen. At 144x, the image degraded and was not as nice as at 72x. At 28x, the planet was very small, but the rings and the empty part between the planets and the rings were visible. Titan at South-West of the planet in the eyepiece was much brighter at this magnification (due to the larger exit pupil) and I felt a small faint dot was detectable at South-East of the planet in the eyepiece. This was closer to the planet than Titan. After checking Saturn's moons positions with Sky and Telescope software application, the only moon at that distance and position was Rhea. I am not sure I saw this moon of magnitude 10. It would be at the limit of my TV60. This dot was more visible with averted vision although it was also detectable via direct vision.

- 23/06/2015 21:40-23:15, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 18x, 28x, 72x, 103x. Observation at twilight. At 72x, Titan was clearly visible and appeared yellow-orange. The planet appeared yellow globally, whereas one the North Equatorial Belt was more orange. The Cassini division was detectable on the lateral parts of the rings and the Ring A was distinguishable from the Ring B, due to the difference colour intensity. At 103x, no additional detail was visible, but the Cassini division was still there on the lateral parts. At 28x, the rings were visible and well separated from the planet. Titan's colour was a bit more orange. It is really interesting that these colours appear much more evident when the sky is clear rather than dark. I believe this is due to the eye cones which are more active than the eye rods. At 18x, I could not really distinguish the rings from the planet, although the non spherical shape was observable. No additional moon was detectable at these low powers.
- 30/06/2015 21:30-23:20, Cambridge, UK. 3 Moderate seeing, 4 Partly clear. Tele Vue 60 F6, 72x. Observation at twilight. Due to the poor seeing, I did not push magnifications higher than 72x. Even at this zoom, the planet was not very crisp.
- 02/07/2015 21:50-0:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 28x, 51x, 72x, 103x. Observation at twilight. At 28x I could spot the rings and Titan. At 51x Saturn was very crisp but not additional detail was detectable. At 72x, the North Equatorial Belt and the Cassini division on the lateral rings were visible. At 103x those gained details were somehow lost unfortunately. Saturn was lovely at 72x.
- 05/07/2015 21:50-0:20, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 28x, 51x, 72x, 103x. Observation at twilight. At 72x, the North Equatorial Belt was easily visible. The Cassini division was detectable at the lateral sides of the rings, and the rings A and B were clearly distinct. Titan was visible and appeared like a small star. At 28x or 51x the planet looked crisper, but the NEB was not easily detectable. At 103x the Cassini division was not visible. The seeing was not good enough for higher power, unfortunately.

24/03/2015 19:00-21:30, Cambridge, UK. 3 - Moderate seeing, 3 - Somewhat clear. Tele Vue 60 F6, 72x. Alnitak. Separated components A and C. Cannot remember if B was detectable.

Sigma, Ori, Mlt star:

- 22/03/2015 19:00-22:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 51x. Sufficient for seeing 5 stars
- \bullet 24/03/2015 19:00-21:30, Cambridge, UK. 3 Moderate seeing, 3 Somewhat clear. Tele Vue 60 F6, 72x. Visible 5 stars, although only able to split Sigma Orionis into two stars.

Iota, Ori, Dbl Star:

• 24/03/2015 19:00-21:30, Cambridge, UK. 3 - Moderate seeing, 3 - Somewhat clear. Tele Vue 60 F6, 72x. Hatsya. Very nice double star. The companion is quite dim and small compared to Hatsya. Companion is grey.

Delta, Ori, Dbl Star:

 $\bullet\ 24/03/2015\ 19:00\text{-}21:30,\ Cambridge,\ UK.\ 3\ -\ Moderate\ seeing,\ 3\ -\ Somewhat\ clear.\ Tele\ Vue\ 60\ F6,\ 72x.\ Mintaka.\ Easily\ split.$

xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 37x, 74x; 15x. Rigel. C114F8, Italy (IT), B15x70, Newcastle (UK).

HIP87937, Oph, Star:

• 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 15x, 51x. Barnard's Star. Located near 66 Oph. This faint star of 9 mag is the fourth closest star to the Sun. It is a red dwarf. At 51x it was slightly more visible. Interesting target.

71-72, Oph, Dbl Star:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. B15x70, Newcastle (UK).

61, Oph, Dbl Star:

• 05/07/2015 21:50-0:20, Cambridge, UK. 3 - Moderate seeing, 5 - Clear. Tele Vue 60 F6, 28x. From Beta Oph (Cebalrai), I moved South towards Gamma Oph. 61 Oph is a double star located at about 1 degree East of Gamma Oph. It is already split at 28x. It seems to me that they were both blue but with slightly different magnitude. The sky was not completely dark, so I might be wrong. Nice pair.

NGC957, Per, Opn CL:

• 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 28x. Faint small open cluster. Few dim stars were visible via direct vision.

NGC869/884, Per, Opn CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x, 51x. Double Cluster. B15x70, Exeter, Newcastle (UK); TV60F6, Newcastle (UK).
- 30/04/2015 22:00-23:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 15x, 51x. Double cluster. Superb cluster. Even if low in the sky, it was a pleasure to see it. At 51x, the cluster emerged from the background and showed more faint stars.
- 12/05/2015 21:00-23:45, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 15x, 28x. Double Cluster. Again, the Nagler 13 offering almost 3 degrees of fov shows the full object with great detail but conserving an adequate image brightness.
- 20/05/2015 21:30-0:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x, 28x. Double Cluster. This target is superb with the Nagler 13. Although low on the horizon, it still offers nice contrast with the background sky and the 2.8deg of fov show the object with all its context.
- 17/07/2015 23:30-3:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 15x, 28x. Double Cluster. As already found before, 28x and 2.7 degrees of field of view shows this target as a real gem. It is wonderful.

NGC752, And, Opn CL:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. B15x70, Newcastle (UK).

NGC744, Per, Opn CL:

 \bullet 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 28x. As for NGC957.

NGC7261, Cep, Opn CL:

• 02/07/2015 21:50-0:00, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 28x. Two of the three stars previously mentioned are double stars (I think!). To find NGC7261 I moved along the line depicted from these three stars on the side of the double star on the corner (the one located at East). This cluster was also small and made of 3-4 dim stars.

NGC7235, Cep, Opn CL:

• 02/07/2015 21:50-0:00, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 28x. From the Garnet Star, I moved East until I reached Zeta Cep. From there in the same field I gradually moved South. There are three bright stars as a reference. Between Zeta Cep and these three stars there is this little open cluster formed by dim stars.

NGC7086, Cyg, Opn CL:

• 02/07/2015 21:50-0:00, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 28x. Located 3-4 degrees North of M39 and above the star 80 Cyg (Azelfafage, mag 4.75), this cluster is just above a curved chain of stars. It is a small open cluster made of dim stars.

NGC7082, Cyg, Opn CL:

• 02/07/2015 21:50-0:00, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 28x, 51x. Although this cluster is a bit smaller than M39, it is much less evident. It is located at South of M39 and where the lines made from two pairs of stars intersect. Nice to see, but far less spectacular than M39.

NGC7000, Cyg, Neb:

- 05/07/2015 21:50-0:20, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x +/- UHC. North America Nebula. The presence of diffuse nebulosity was visible in the area, but it was not obvious to spot the presence of this nebula specifically.
- 17/07/2015 23:30-3:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 15x + OIII. North America Nebula. The patch of nebula is visible but the America continent shape is not clearly identifiable.

NGC6992/6960, Cyg, SN Rem:

- 13/05/2015 21:00-0:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 15x + OIII. Veil Nebula. No visible, although it is not the best time of the year to see this target.
- 20/05/2015 21:30-0:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x + OIII. Veil Nebula. Again, no visible although it is too low on the horizon.
- 11/06/2015 22:00-0:00, Cambridge, UK. 3 Moderate seeing, 3 Somewhat clear. Tele Vue 60 F6, 15x +/- OIII, 28x +/- OIII. Veil Nebula. No visible or detectable. I carefully searched the stars and positioned at 52 Cygni. 28x +OIII seemed to show a soft transparent cloud, but I cannot say that that was the Veil Nebula. The sky was not fully transparent and dark. This might be the reason.
- 05/07/2015 21:50-0:20, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x +/- OIII. Veil Nebula. I did not spot it. After positioning at 52 Cyg, I gradually moved in the surrounding area at South, but was not able to spot any nebulosity. As for the Crescent Nebula, this is a challenging target and I believe it requires darker skies.
- 17/07/2015 23:30-3:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 15x + OIII. Veil Nebula. The first time I observe this target and it is gorgeous. The Eastern part nicely emerged from the sky. The shape and some features were visible with direct vision, although other minute details, mainly about the extension, were accessible via averted vision. The Western part above 52 Cyg was also visible via direct vision. The Northern part was more difficult although the presence of nebulosity was detectable. Tonight the sky was very clear and sufficiently dark (nautical twilight). A bit of Milky Way was visible on Cygnus at Naked eyes. Superb.

NGC6934, Del, Glob CL:

 $\bullet\ 17/07/2015\ 23:30\text{-}3:00,\ Cambridge,\ UK.\ 1\ -\ Perfect\ seeing,\ 5\ -\ Clear.\ Tele\ Vue\ 60\ F6,\ 28x.\ Easy\ to\ find.\ As\ usual\ a\ nice\ grey\ ball.$

NGC6910, Cyg, Opn CL:

• 30/06/2015 21:30-23:20, Cambridge, UK. 3 - Moderate seeing, 4 - Partly clear. Tele Vue 60 F6, 28x. From Deneb (Alpha), I moved to Sadr (Gamma). This open cluster is on the line between these two stars, but on the side of Sadr. Its size is only 8', but is sufficiently bright (magnitude 7.4, surface brightness 11.7). It is formed by few bright stars and I could count about 7-8 dim stars. Apparently, many of these stars are variable. Very beautiful to me.

NGC6888, Cyg, Neb:

- 05/07/2015 21:50-0:20, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x +/- UHC or OIII. Crescent Nebula. The nearby group of stars is located on the Cygnus' neck at about 1.5 degrees from IC4996 (from IC4996, just move 1.5 degrees North-West). Spotting the nebula was difficult though. I suspect it requires a darker sky. With averted vision and a UHC filter, very faint small grey patches were suspected around the nearby stars. A OIII filter made these patches slightly more noticeable. However, in my opinion this seems to be a challenging target.
- 17/07/2015 23:30-3:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 15x + OIII. Crescent Nebula. No real shape was visible, but the presence of a soft nebulosity was detectable to my eye.

NGC6885, Vul, Opn CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. B15x70, Newcastle (UK).
- 07/07/2015 22:30-0:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x, 51x. Also called 20 Vulpeculae cluster, this cluster surrounds the star 20 Vul. From this, the south part is NGC6885, the North is NGC6882, another open cluster. NGC6885 is about one third the size of NGC6882, but two magnitudes brighter.

NGC6883, Cyg, Opn CL:

- 30/06/2015 21:30-23:20, Cambridge, UK. 3 Moderate seeing, 4 Partly clear. Tele Vue 60 F6, 28x. From IC4996, I moved South, using as a reference a group of stars reminding me of a pan and a long handle. NGC6883 is located below a line of 3 stars. It is quite easy to find.
- \bullet 05/07/2015 21:50-0:20, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x. As for IC4996.

NGC6882, Vul, Opn CL:

 \bullet 07/07/2015 22:30-0:00, Cambridge, UK. 3 - Moderate seeing, 5 - Clear. Tele Vue 60 F6, 15x, 51x. See NGC6885.

NGC6871, Cyg, Opn CL:

- 30/06/2015 21:30-23:20, Cambridge, UK. 3 Moderate seeing, 4 Partly clear. Tele Vue 60 F6, 28x. From NGC6883, I moved South-West. There is a chain of about 8-10 stars, leading to this wonderful open cluster. The cluster is of medium size. I could see about 10-15 blue bright stars, and 3-4 pairs seemed to be double stars. There are also lovely double stars in this area.
- 02/07/2015 21:50-0:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 28x, 51x. I tried to see this wonderful open cluster again at both 28x and 51x. It is a fantastic cluster with the faint Milky Way dust in the background. 3-4 pairs of double stars were visible. All the bright stars are blue. Really nice.
- 05/07/2015 21:50-0:20, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x. As for IC4996.
- \bullet 17/07/2015 23:30-3:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 15x. Nice target with doubles inside.

NGC6830, Vul, Opn CL:

 \bullet 07/07/2015 22:30-0:00, Cambridge, UK. 3 - Moderate seeing, 5 - Clear. Tele Vue 60 F6, 15x, 51x. Located next to 12 Vul, this medium-small open cluster is detectable at 15x, but is more appreciable at 51x.

NGC6823, Vul, Opn CL:

• 07/07/2015 22:30-0:00, Cambridge, UK. 3 - Moderate seeing, 5 - Clear. Tele Vue 60 F6, 15x, 51x. This cluster is located on the line formed by M27 and NGC6823. From it, two roads of stars form and converge at 3 degrees South East with Cr399, the Brocchi's cluster. Also this cluster is relatively smallish and emerges at 51x.

NGC663, Cas, Opn CL:

• 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 28x. Very pretty medium size open cluster. About 10-15 stars were visible. It contains some bright stars and the background is dusty.

10/06/2015 22:00-0:00, Cambridge, UK. 3 - Moderate seeing, 5 - Clear. Tele Vue 60 F6, 15x. From 71-72 Oph to East, NGC6633 and Cr386 appear in succession. Both are sufficiently large to be appreciable with a low power eyepiece. They are quite rich in stars.

NGC6633, Oph, Opn CL:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 36x; 15x. C114F8, Venice (IT); B15x70, Newcastle (UK). A beautiful chain of stars.

NGC6604, Ser, CL+Neb:

• 05/07/2015 21:50-0:20, Cambridge, UK. 3 - Moderate seeing, 5 - Clear. Tele Vue 60 F6, 15x +/- UHC, 28x. This cluster with associated nebulosity is located at about 1.5 degrees North of the Eagle Nebula. It is a fairly spread cluster without many stars. The nebula shape was not really identifiable, but it was possible to spot the presence of diffuse nebulosity in the area.

NGC659, Cas, Opn CL:

 \bullet 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 28x. As for NGC957.

NGC654, Cas, Opn CL:

 \bullet 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 28x. As for NGC957.

NGC6530, Sgr, Opn CL:

• 05/07/2015 21:50-0:20, Cambridge, UK. 3 - Moderate seeing, 5 - Clear. Tele Vue 60 F6, 15x +/- UHC, 28x. Cluster inside / East the Lagoon Nebula. This cluster emerges at 28x to me.

NGC637, Cas, Opn CL:

 \bullet 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 28x. As for NGC957.

NGC559, Cas, Opn CL:

 \bullet 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 28x. This cluster is relatively small compared to NGC663, but shows a little bit more content than the nearby NGC open clusters.

NGC5053, Com, Glob CL:

 \bullet 14/04/2015b 21:30-23:20, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 15x, 18x, 51x. Invisible. This is a bit smaller and dimmer than M53. I could not find it.

NGC457, Cas, Opn CL:

• 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 28x. Dragonfly Cluster. Very beautiful open cluster. Not sure why it is called Dragonfly. It reminds me of a bell where the two bright stars are at the bottom.

NGC436, Cas, Opn CL:

 \bullet 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 28x. As for NGC957.

NGC381, Cas, Opn CL:

 \bullet 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 28x. As for NGC957.

NGC3242, Hya, Pln Neb:

• 06/04/2015 21:00-22:45, Cambridge, UK. 2 - Slight undulations, 3 - Somewhat clear. Tele Vue 60 F6, 15x; 51x +/- OIII, UHC; 72x. Ghost of Jupiter. By naked eye, from Alphard (Alpha Hydrae, mag 1.95), move east and detect the Lambda Hydrae (mag 3.6). This star appears like a star system extending north and south from Lambda Hydrae. Continue moving east following Hydrae body. The next star is slightly south of Lambda. This is Mu Hydra (mag 3.6). Then next one is Nu Hydra (mag 3.10). Mu Hydra will appear Yellow/Orange and almost isolated. It has a little star on the north. Slightly south, you see two bright couples of stars: two more distant at east (HIP50693, HIP50764), two closer at west (HIP51170, HIP51193). Consider the tight couple at west. There is a little star (near this couple in the direction of the other couple. If you use the tight couple and the little star as pointer and you move for another segment in the direction of the little star, the planetary nebula will appear. This appears as a faint tiny and diffuse light. No structure. At 51x it appears like a little full circle. An OIII seems more effective than an UHC filter here possibly because the planetary nebula is low on the horizon. The OIII filter makes it appear from the sky, whereas really few nearby stars are visible. 72x does not show more detail. UHC filter works fine but does not boost the object at the same level as the OIII does.

NGC2392, Gem, Pln Neb:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x, 51x, 72x. Eskimo Nebula. TV60F6, Cambridge (UK).
- 25/03/2015 21:00-22:45, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x, 51x +/- OIII, UHC, 72x. Eskimo nebula. From Wasat (Delta Gem) move east to 63 Gem. 63 Gem is the brightest star of a 'half moon' of 7 stars. The Eskimo nebula is next to the star HIP36370 (mag8.2), which is a bit isolated but very close to 63 on the opposite direction of Wasat. You can spot it at 15x without filters, but you see it only with averted vision. It appears as a very small patch next to the star. At 51x the nebula is visible as a grey little ball. The boundaries are obfuscated. An UHC filter helps increasing the contrast between the sky and the nebula. An OIII filter shows even more contrast, although I think an UHC filter is better at this exit pupil (1.2mm). Using these filters, the boundaries of the nebula appear much clearer although no structure is visible at this magnification. At 72x (and no filter) is still visible as a grey little ball. Boundaries are obfuscated.
- 30/04/2015 22:00-23:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 15x, 51x. Eskimo nebula. At 15x it was detectable with averted vision. It was easily visible at 51x and appeared like a fuzzy blue/grey small patch next to the star.

NGC2264, Mon, Opn CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 36x; 15x, 51x. C114F8, Venice (IT); TV60F6, Cambridge (UK).
- 22/03/2015 19:00-22:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x + OIII. Christmas tree + Cone nebula. Christmas tree is easily visible. Cone nebula is not detectable with or without an OIII filter near. Apparently apertures of at least 300mm and H-beta filter or UHC filters are required beside a moderately dark sky.
- \bullet 25/03/2015 21:00-22:45, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Christmas tree.

NGC2244, Mon, Opn CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. Satellite cluster. TV60F6, Newcastle, Cambridge (UK).
- \bullet 23/02/2015 19:00-21:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x, 18x. Satellite cluster. Six stars in two columns
- 22/03/2015 19:00-22:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Satellite cluster. Six stars in two columns
- 25/03/2015 21:00-22:45, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Satellite cluster. Six stars in two columns

NGC2237, Mon, Neb:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. Rosette Nebula. TV60F6, Cambridge (UK).
- 23/02/2015 19:00-21:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x, 18x. Rosette nebula. Detectable with OIII filter. Very soft grey patch. No structure. Invisible with UHC filter.
- \bullet 22/03/2015 19:00-22:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x + OIII. Rosette nebula. Detectable with OIII filter. A grey patch 2 degree large. No structure visible

NGC1981, Ori, Opn CL:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x, 51x. TV60F6, Cambridge (UK).

NGC1980, Ori, Neb:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. TV60F6, Cambridge (UK).
- \bullet 22/03/2015 19:00-22:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x + OIII. With 4mm exit pupil, OIII shows a bit of nebula around the star Hatsya

NGC188, UMi, Opn CL:

• 13/05/2015 21:00-0:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 28x. The detail of this target seemed accessible, but I did not manage to see anything in the position suggested by Stellarium. Unfortunately, I did not have a star atlas with me.

NGC1817, Tau, Opn CL:

• 06/04/2015 21:00-22:45, Cambridge, UK. 2 - Slight undulations, 3 - Somewhat clear. Tele Vue 60 F6, 15x, 51x. After finding NGC1647, from i Tauri, go south-east for 5 deg until you see m Tauri (mag 4.9). NGC1817 and 1807 appear on the same field of view at both 15x and 51x. 15x is not sufficient for seeing details of these two clusters. These are accessible at 51x. NGC1817 seems less visible than NGC1807

NGC1807, Tau, Opn CL:

 \bullet 06/04/2015 21:00-22:45, Cambridge, UK. 2 - Slight undulations, 3 - Somewhat clear. Tele Vue 60 F6, 15x, 51x. See NGC1817. NGC1807 is more spectacular than NGC1817 at 51x possibly because it has brighter stars.

NGC1750, Tau, Opn CL:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x, 51x. TV60F6, Cambridge (UK).

NGC1746, Tau, Opn CL:

- 23/02/2015 19:00-21:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Not sure I found it. It appeared smaller than NGC1647. Possibly a darker sky reveals more interesting features.
- 06/04/2015 21:00-22:45, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x, 51x. After finding NGC1647, from i Tauri, go east for other 4-5deg until you see iota(?) Tauri (102 Tau, mag 4.6). NGC1746 is a medium size cluster at 15x at west of 102 Tau. It also appears very nice at 51x.

NGC1662, Ori, Opn CL:

- 23/02/2015 19:00-21:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x, 51x. Found casually while scanning from Aldebaran to Beltegeuse. Very small little open cluster at 15x. Much better at 51x. Not easily detectable, because of its small size
- 06/04/2015 21:00-22:45, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x, 51x. A little open cluster near the top of Orion's shield. It is also reachable from Aldebaran (Alpha Tauris) moving towards south for about 8deg. At 15x it only shows it compactness. At 51x it shows some stars. This is a compact open cluster formed by relatively visible stars.

NGC1647, Tau, Opn CL:

- 23/02/2015 19:00-21:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x . Beautiful open cluster easily detectable from Aldebaran
- 06/04/2015 21:00-22:45, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x, 51x. In this period of the year, Taurus is quite low on the horizon. This object did not show many stars due to the light pollution and atmosphere. You will need darker skies or look at it when it is higher on the horizon. From Aldebaran, go east for 4 degrees. It is near a couple of stars and i Tauri (mag 5), which is the brightest star in the area. 51x did not help tonight, as the object became too dim. I suspect a 30x, exit pupil 2.0mm would be the best for these targets.

NGC1027, Cas, Opn CL:

 \bullet 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 15x + OIII. Cluster just below Heart Nebula.

Moon, , Satellite:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 36x, 90x, 180x; 15x, 51x, 72x, 103x, 144x. C114F8, Italy (IT); B15x70, TV60F6, Newcastle, Cambridge (UK).
- 24/03/2015 19:00-21:30, Cambridge, UK. 3 Moderate seeing, 3 Somewhat clear. Tele Vue 60 F6, 72x. Waxing crescent 25%. Very crisp details.
- 30/04/2015 22:00-23:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 51x, 103x. Moon phase 91%. The moon at 103x did not need a filter. It was very crisp and showed details in the South hemisphere despite it was almost full. At 51x, the moon is simply scaled of a factor of 1/2, indicating that the Nagler 3.5mm behaves as a perfect 2x Nagler 7mm. It would be useful to have a Moon map to check the crater's names.
- 26/05/2015 21:15-0:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 103x +/- SPF, 206x + SPF. Observed in the twilight. Visible almost 60% of its phase. The SPF seems to stabilise the image if the seeing is not good. This is a lovely target with the TV60, and keeps magnification pretty well. At 206x the moon surface appeared like a bubble at the poles due to the seeing, but there were moments in which it was possible to see a quasi stable image. Subtle details on the surface were observable as well as minute craters and shades on the ground. Interestingly, on the terminator mounts tips were illuminated whereas their bases were obscured. There is so much to see at 206x that one could spend the entire night observing our satellite! Montes Apenninus, Caucasus, and Alpes were incredible targets and appeared just beautiful. The crater Cassini and all the small nearby craters were spectacular. While I am not sure the SPF increased image contrast, I prefer the view with SPF as it seems that the image is just stabler at both 103x and 106x.
- 03/06/2015 21:40-23:30, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 103x +/- SPF. Phase 96%. No many detail were revealed. The moon is not really interesting when full. Craters and seas were detectable but not immersive.
- 23/06/2015 21:40-23:15, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 28x, 72x, 103x, 206x. Observation at twilight. Waxing crescent at about 40%. At 72x, the Moon was really beautiful and crisp. Very soft little clouds passed over the South hemisphere and the view was really suggestive. At 103x, some more detail were visible, although these were somehow lost at 206x due to the non perfect seeing which did not allow to get a perfect focus. At 28x, the Moon appeared as a lovely target floating on the sky. The ultra wide field of the Nagler 13mm really shows the Moon and the surrounding context.
- 29/06/2015 21:30-22:00, Cambridge, UK. 2 Slight undulations, 4 Partly clear. Tele Vue 60 F6, 72x, 103x, 206x. Observation at twilight. Waxing Gibbous, 94%. The moon was not very crisp tonight due to a little layer of high clouds caused by the high temperature during the day. I moved from Montes Apenninus to Copernicus. A small crater was visible inside, but many details on the circular border were not clear. Therefore I moved to Kepler as this was farther East hoping to improve the visible contrast. This showed a little shadow on one border. At 206x, from Kepler I moved North-East, following the crater chain formed by Kepler C, Marius D, F, A, C, and B. All these craters are relatively small and close to each other. Finally I moved North reaching Aristarchus which appeared beautiful. This white crater shows an impressive contrast and is close to a little half circle of hills at North-East and a dark crater (Herodotus) at East. Really nice view.
- 30/06/2015 21:30-23:20, Cambridge, UK. 3 Moderate seeing, 4 Partly clear. Tele Vue 60 F6, 72x, 144x, 206x. Observation at twilight. Waxing Gibbous and phase 97%. I observed Tycho, Copernicus and Kepler.

Mercury, , Planet:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. B15x70, Newcastle (UK).

Mel25, Tau, Opn CL:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 36x; 15x, 51x. Hydes. C114F8, Venice (IT); TV60F6, Newcastle, Cambridge (UK).

Mel20, Per, Opn CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. B15x70, TV60F6, Newcastle (UK).
- 30/04/2015 22:00-23:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 15x. Alpha Per moving cluster. Wide field telescopes or binoculars are the best for this superb cluster. Even if low in the sky, it was very beautiful to see. 70 stars detectable.
- 17/07/2015 23:30-3:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 15x. Alpha Persei Cluster. Lovely large open cluster formed by very bright stars. Always a pleasure to see.

14/04/2015b 21:30-23:20, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 15x. Coma Berenices star cluster. Located just south of Gamma Com, this large object is as spectacular as M44. Very rich of stars, some bright some small and fainting. Some are doubles. As this is a large object, 15x is the adequate magnification. As Coma Berenices does not have bright stars, you can find this object knowing that is between Denebola (Leo) and Cor Caroli (Alpha CVn).

Mel111, CmB, Opn CL:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. Coma Berenices Star Cluster. B15x70, Newcastle (UK).

Mars, , Planet:

 \bullet xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 36x, 90x,180x. C114F8, Venice (IT).

M97, UMa, Pln Neb:

- 20/05/2015 21:30-0:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 28x +/- OIII. Owl Nebula. Interesting target. Completely invisible without OIII filter. With the OIII, it emerges from the sky and the nearby stars. It is a quite large planetary nebula. No colour or shape was detectable, but it simply appeared as a grey bubble. At 15x + OIII was detectable, but was too small to see any major detail.
- 26/05/2015 21:15-0:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 28x +/- UHC. Owl Nebula. Invisible at 28x with or without UHC filter. This target requires an OIII filter for being detectable with small aperture telescopes. Consistently with what said for M57, the OIII filter is a better choice for planetary nebulae (and for extended nebulae where we want to maximise nebulae contrast).

M96, Leo, Galaxy:

 \bullet 22/03/2015 19:00-22:00, Cambridge, UK. 2 - Slight undulations, 3 - Somewhat clear. Tele Vue 60 F6, 15x. Unsuccess

M95, Leo, Galaxy:

 $\bullet~22/03/2015~19:00\text{-}22:00,~Cambridge,~UK.~2\text{-}Slight~undulations},~3\text{-}Somewhat~clear.~Tele~Vue~60~F6,~15x.~Unsuccess}$

M92, Her, Glob CL:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. B15x70, Newcastle (UK).

M8, Sgr, CL+Neb:

- 15/06/2015 21:45-0:30, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 28x. Lagoon Nebula. About 1-1.5 degree large, this is a very nice cluster with nebulosity. I did not have a OIII filter with me, but the nebula was detectable without filter. It appeared a soft gray patch surrounding the cluster. This cluster is quite elongated. Superb.
- 05/07/2015 21:50-0:20, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x +/- UHC or OIII, 28x. Lagoon Nebula. At 28x the stars in this cluster with nebula are much better separated. I decided to use a low power eyepiece on the nebulae in this area. The OIII was too strong mainly because the sky was not dark enough and this target is just above the horizon. Instead a UHC was ideal and revealed the nebula via direct vision clearly. This is one of my favourite targets in Sagittarius.

M82, UMa, Galaxy:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. Cigar Galaxy. B15x70, Newcastle (UK).
- 26/05/2015 21:15-0:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 15x, 28x. Cigar galaxy. Its elongated shape was visible. It was amazing to see this galaxy and its neighbour M81 in the same field. These two targets are going to become one of my favourite objects.

M81, UMa, Galaxy:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. Bode's Galaxy. B15x70, Newcastle (UK).
- 26/05/2015 21:15-0:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 15x, 28x. Bode's nebulae. Not easy to find it at 15x with half moon, but M81 and M82 were detectable via star hopping from Dubhe. At 28x this large galaxy shows its core and a bit of brightness on the body. I was very impressed at seeing these two targets and I believe M31, M32, M101, M81, and M82 are the most appreciable galaxies for small telescopes. Averted vision improved the visibility of this target significantly.

M7, Sco, Opn CL:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 36x. Ptolemy Cluster. C114F8, Venice (IT). Large and beautiful open cluster. It was just above the horizon and the last cluster visible if moving towards East.

M78, Ori, Neb:

 $\bullet~22/03/2015~19:00\text{-}22:00,~Cambridge,~UK.~2-Slight~undulations,~3-Somewhat~clear.~Tele~Vue~60~F6,~15x.~Unsuccess$

M73, Aqr, Asterism:

• 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 28x. Slightly easier than M72, but still very difficult. This target was wrongly classified as an open cluster, but is actually just an asterism of four stars.

M72, Aqr, Glob CL:

• 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 28x. Very difficult to detect. Even with averted vision, this target was very faint. It appeared like a grey faint patch.

M71, Sge, Glob CL:

 \bullet 07/07/2015 22:30-0:00, Cambridge, UK. 3 - Moderate seeing, 5 - Clear. Tele Vue 60 F6, 15x, 51x. This globular cluster appeared very faint, but noticeable via direct vision when the sky became sufficiently dark. No much difference at 51x. It requires larger aperture telescopes.

M67, Cnc, Opn CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. The King Cobra Cluster. TV60F6, Cambridge (UK).
- 23/02/2015 19:00-21:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. King cobra. Not to easy to detect. Looks like a grey patch, more visible using averted vision.
- \bullet 22/03/2015 19:00-22:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x, 51x. King cobra. Not to easy to detect. Nicer at 51x.

M66, Leo, Galaxy:

- 22/03/2015 19:00-22:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Leo triplet. As for M65. Maybe using an exit pupil of 2.7-2.0mm is better.
- \bullet 25/03/2015 21:00-22:45, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x, 18x, 30x. Invisible. Sky not transparent enough.
- \bullet 06/04/2015 21:00-22:45, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 30x. Leo triplet. As for M65.
- \bullet 14/04/2015b 21:30-23:20, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 15x, 18x. See above

M65, Leo, Galaxy:

- 22/03/2015 19:00-22:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Leo triplet. From Chertan (theta Leo), use the star pointers HIP54688 and HIP54711 to reach eta Leo. Eta Leo forms a 90Deg triangle with HIP55033 and HIP55262. From the latter look at south slightly. Galaxy detectable as patches. M56 is elongated. Averted vision for 10min is required. Cover the other eye to relax the observing eye nerve.
- 25/03/2015 21:00-22:45, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x, 18x, 30x. Invisible. Sky not transparent enough. I think an exit pupil of 3.3mm is a good compromise between 4mm and 2mm. 2mm is too much for the TV60 on this targets.
- 06/04/2015 21:00-22:45, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 30x. Leo triplet. Elongated grey patch visible with averted vision. Shape of a cigar. At 30x, the patch is visible more easily than at 15x. The leo triplet is more easily detectable when the telescope is slightly moved. The patches will move accordingly.
- 14/04/2015b 21:30-23:20, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 15x, 18x. This object requires aperture and dark sky to be detected and viewed properly. Just very faint object visible through averted vision. An exit pupil of 3.3mm is better than 4.0mm. I wonder whether something between 2.5 and 2.0mm can improve this view even more.

M60, Vir, Galaxy:

- 12/05/2015 21:00-23:45, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 15x, 28x. Turn West to Vindemiatrix. A little crown of star is visible slightly South. Continue and you see a little arrow of stars and a single star in the North. M60 is between these two objects. Not detectable at 15x. Detectable via averted vision at 28x. A patch of grey. The sky was not fully dark though and my eye was not dark adapted. I believe this object can show more detail.
- 13/05/2015 21:00-0:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 28x. It was detectable with averted vision at 28x. It appeared as a grey patch without a structure. I tried M58, but it was not visible. I believe that to see these targets with this small telescope, very dark skies are required.

M5, Ser, Glob CL:

 \bullet 26/05/2015 21:15-0:00, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 28x. It appears like a grey cloud. From the star Unukalhai (Alpha Ser), go South and you find it. It is a relatively easy target.

M57, Lyr, Pln Neb:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 37x; 15x. Ring Nebula. C114F8, Venice, Lorenzago (IT); B15x70, Newcastle (UK).
- 12/05/2015 21:00-23:45, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 15x, 28x, 51x. Ring Nebula. For the first time, I managed to see this object with the TV-60. I find extremely difficult to detect it at 15x unless I map the nearby stars with Stellarium. At 28x M57 is clearly visible and appears as a grey blob. At 51x the ring is detectable. I did not try to use an OIII filter because I was freezing due to lack of cloths and about to leave. I believe this target will show much more detail at 51x with OIII filter.
- 13/05/2015 21:00-0:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 15x + OIII. Ring Nebula. The OIII filter largely improves the detection of this nebula at 15x. Without a filter, its detection is not easy. It emerges in the sky as a grey little ball. I believe the Nagler 7mm or even the Vixen 5mm can give great views when combined with an OIII filter.
- 20/05/2015 21:30-0:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 28x +/- OIII. Ring Nebula. I tried the OIII filter with the Nagler 3.5 (103x). Although the ring shape was noticeable, it was just too much magnification and the overall image was largely degraded. At 28x + OIII the Ring Nebula emerged from the background sky and appeared as a colourless bubble. I believe that an exit pupil of 1-1.5mm can improve the view for this target.
- 26/05/2015 21:15-0:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 28x +/- UHC, 103x +/- UHC or OIII. Ring Nebula. The UHC filter increases a little bit the visibility of this target at 28x, but does not improve the contrast. The object appears as a grey blob without a shape. At 103x the ring was detectable using an UHC filter using averted vision, but this was not easy too see. The ring shape was more noticeable with a OIII filter despite the severe loss in image brightness. Without filter the nebula appeared just as a grey blob and no ring was detectable. Generally, I think an exit pupil of 0.6mm is just too small for nebula filters. It seems to me that 1.0mm is the maximum usable effectively. As this is the exit pupil typically used when observing planetary nebulae, I would say that an OIII filter is a better choice for these targets as it allows to increase contrast which is needed on these targets. Conversely, for bright extended nebulae to watch with low power eyepieces (or exit pupils larger than 3mm), a UHC filter can be beneficial for targeting and maximizing nebulae extension.
- 03/06/2015 21:40-23:30, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 103x +/- OIII. Ring nebula. The ring was visible with averted vision, but no other detail really. The contrast between the ring and the internal area is much more visible with an OIII filter. Still nice planetary nebula.
- 10/06/2015 22:00-0:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 51x. It was lovely to see this planetary nebulae at 1.2mm exit pupil. The ring was clearly visible and the size was acceptable. No colour of course, but averted vision showed this object pretty well, although it was visible also via direct observation. As expected, the Nalger 7mm is perfect for this target and I expect that is more than adequate for many other planetary nebulae.

M56, Lyr, Glob CL:

• 20/05/2015 21:30-0:00, Cambridge, UK. 3 - Moderate seeing, 5 - Clear. Tele Vue 60 F6, 15x, 28x. This is the first time I detect this target. It is quite challenging to find with a 60mm but not impossible. I used the Sheliak (Beta Lyrae) and Sulafat (Gamma Lyrae) as pointers to target M56 along the line passing through these two stars on the side of Sulafat. M56 was detectable with a 15x using an atlas but was very faint and averted vision was almost required to find it. At 28x the object was more visible, but did not show much detail as it only appeared as a soft grey patch. This target required larger aperture and / or darker skies.

M53, Com, Glob CL:

• 14/04/2015b 21:30-23:20, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 15x, 18x, 51x. This object is not easy to find. It is just 1-2 degrees east of Diadem (Alpha Com), but this star is very dim to be seen, unless the sky is enough dark. Instead use the Virgo trapezium and point to north following the star Vindemiatrix (Virgo). You can find Diadem just going some degree north from Vindemiatrix. M53 appears as a little grey cloud at 15x. No detail of this globular cluster is visible. At 18x, the contrast is a bit improved, but the image is the same. At 51x this objects is larger and well detectable, but still appears like a grey cloud.

M51, CVn, Galaxy:

- 22/03/2015 19:00-22:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Whirlpool Galaxy. From UMA-Alkaid, move south to 24CVn. Continue on that direction until HIP65768. This forms a triangle with HIP66004 and HIP66116. They are all 7mag stars. HIP65768 is the brightest in the area. M51 lies externally of the line between HIP65768 and HIP66004. Averted vision for 10min is required. You will see a grey patch. No structure.
- \bullet 06/04/2015 21:00-22:45, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 30x. Whirlpool Galaxy. Grey patch without a structure visible with averted vision. A darker sky will make the difference on this target.

M4, Sco, Glob CL:

• 15/06/2015 21:45-0:30, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 28x. I was not able to detect this cluster. I suspect the reason was that it is too low in the sky for my TV-60 and Antares brightness did not help either. Therefore I decided to focus on the beautiful open cluster of this region of Sky, which was the only area not affected by clouds and actually transparent.

M48, Hya, Opn CL:

- 24/03/2015 19:00-21:30, Cambridge, UK. 3 Moderate seeing, 3 Somewhat clear. Tele Vue 60 F6, 15x. Not easy to see if the sky is not very dark. Fortunately it is quite large. It is the third vertex of the triangle formed by the trio of stars "1Hya C Hya 2Hya (CHya mag 3.8 is the brightest in the middle of the trio) and 29 Mon (mag 4.35).
- \bullet 25/03/2015 21:00-22:45, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Dim open cluster. It requires transparent skies to shine properly.

M47, Pup, Opn CL:

- 24/03/2015 19:00-21:30, Cambridge, UK. 3 Moderate seeing, 3 Somewhat clear. Tele Vue 60 F6, 15x, 51x. Superb anchor shape. 51x reveals many more details. Quite tight double star near the centre. From Alpha Mon, go 5 degrees South.
- \bullet 25/03/2015 21:00-22:45, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Rich of stars. These are quite spread, making this cluster easy to detect and study.

M46, Pup, Opn CL:

- 24/03/2015 19:00-21:30, Cambridge, UK. 3 Moderate seeing, 3 Somewhat clear. Tele Vue 60 F6, 15x, 51x. Missed as I confused it with the aggregation of stars at North-West of 2 Pup A and 4 Pup.
- \bullet 25/03/2015 21:00-22:45, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. This is a compact cluster. It is detectable.

M45, Tau, CL+Neb:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 36x; 15x, 51x. Pleiades. C114F8, Venice (IT); TV60F6, Newcastle, Cambridge (UK).
- 22/03/2015 19:00-22:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x, 51x. Very clear and defined. 15x offers the best fov.

M44, Cnc, Opn CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. Beehive Cluster. B15x70, TV60F6, Newcastle (UK).
- \bullet 23/02/2015 19:00-21:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Praesepe. Spectactular at 15x.
- 22/03/2015 19:00-22:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Praesepe. Spectacular at 15x.
- 30/04/2015 22:00-23:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 15x. Beehive cluster. One of the best wide open cluster. Not many faint stars were visible because of almost full moon. However, the cluster still emerged in the sky.
- 12/05/2015 21:00-23:45, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 15x, 28x. The Nagler 13mm offers the best view. Its fov covers the whole object nicely. Image not degraded at all and the background sky was darkened just the right amount for maximising contrast. Exit pupil of about 2.0mm shows a really nice brightness / contrast for point source DSO.

M43, Ori, Brt Neb:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 36x; 15x, 18x, 30x, 36x, 51x, 72x. Detached part of Orion Nebula. C114F8, Venice (IT); TV60F6, Newcastle, Cambridge (UK).

M42, Ori, CL+Neb:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 36x; 15x, 18x, 30x, 36x, 51x, 72x. Orion nebula. C114F8, Venice (IT); TV60F6, Newcastle, Cambridge (UK).
- 23/02/2015 19:00-21:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x, 18x. Great Orion Nebula. M42 benefits from both UHC and OIII filters, but in different way. The OIII shows a sublime image where the border between the nebula and sky background really emerges. The same can be said about the North part (that one linked to M43). In the centre of the nebula, some 'waves' were also visible. It is a super target to my eye. The UHC shows a much larger extension for this nebula and this is amazing with a wide field telescope. Small fine details visible within the nebula with the OIII are less obvious with the UHC, but the nebula just appears as massive globally and faint details on the outside borders are accessible as pure diffuse bright areas.
- 22/03/2015 19:00-22:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x + OIII, 51x. Well balanced contrast at 15x with OIII. 51x shows trapezium

M41, CMa, Opn CL:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. TV60F6, Cambridge (UK).

M3, CVn, Glob CL:

- 14/04/2015b 21:30-23:20, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 15x, 51x. Again, not easy to find. I used the axis from Gamma to Beta Com. This cluster is brighter than M54 and at 51x seems a large white/grey blob.
- 26/05/2015 21:15-0:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 28x. As all the globular cluster seen with a small telescope, M3 also appears like a little grey cloud. This is a bright globular cluster and a hint of 'granulation' is perceptible although no star can be resolved. Not very easy to find due to the lack of bright stars to star hop from Arcturus.

M39, Cyg, Opn CL:

- 15/06/2015 21:45-0:30, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 28x. Quite large open cluster position at North-East of Deneb. Some stars are faint but still visible without much difficulty with direct vision. The clouds were slowly coming from West. I decided to move to South for the last observations.
- 02/07/2015 21:50-0:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 28x, 51x. Great open cluster of medium size. About 20-25 bright stars were visible and another 20-25 faint stars detectable. This is a nice open cluster with a decent size, shape and a mixture of bright and dim stars.

M38, Aur, Opn CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x, 30x. TV60F6, Newcastle, Cambridge (UK).
- \bullet 23/02/2015 19:00-21:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. The first of the group to find. Poor detail.
- 22/03/2015 19:00-22:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Quite clear under transparent skies.

M37, Aur, Opn CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x, 30x. TV60F6, Newcastle, Cambridge (UK).
- 23/02/2015 19:00-21:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Very poor detail, but detectable.
- \bullet 22/03/2015 19:00-22:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Easy to find after finding M36. Still difficult to see inside.

M36, Aur, Opn CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x, 30x. TV60F6, Newcastle, Cambridge (UK).
- 23/02/2015 19:00-21:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Very poor detail, but detectable.
- \bullet 22/03/2015 19:00-22:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Easy to find after finding M38. A bit difficult to see inside as it is quite dim.

M35, Gem, Opn CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x, 72x. B15x70, Newcastle (UK).
- 23/02/2015 19:00-21:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Detectable but not much detailed.
- 22/03/2015 19:00-22:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Under transparent night, many stars are visible inside.
- 24/03/2015 19:00-21:30, Cambridge, UK. 3 Moderate seeing, 3 Somewhat clear. Tele Vue 60 F6, 72x. Many other stars are visible.
- 14/04/2015b 21:30-23:20, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 15x. Under dark sky this object emerges clearly. A few bright stars with many little faint stars in background. Averted vision helps, but this object is not too demanding if the sky is sufficiently transparent.

M34, Per, Opn CL:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. B15x70, TV60F6, Newcastle (UK).

M32, And, Galaxy:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. Companion to M31. B15x70, Luton, Devon (UK).

M31, And, Galaxy:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 36x; 15x. Andromeda Galaxy. C114F8, Venice (IT); B15x70, Luton, Devon (UK); TV60F6, Newcastle (UK).
- 17/07/2015 23:30-3:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 15x. Andromeda Galaxy. It is still low in this season. The core was very bright but the disc was loosely visible.

M2, Aqr, Glob CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. B15x70, Newcastle (UK).
- 17/07/2015 23:30-3:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 28x. As for M15.

M29, Cyg, Opn CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. B15x70, Newcastle (UK).
- 30/06/2015 21:30-23:20, Cambridge, UK. 3 Moderate seeing, 4 Partly clear. Tele Vue 60 F6, 28x. Cooling Tower. From Sadr (Gamma), this cluster is East South-East. The main six stars forming a little tower, or an academic hat, were easily visible. No dim star was detectable likely due to the Moon. This is a nice cluster which might be interesting to see at higher power (e.g. 51x).
- 02/07/2015 21:50-0:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 28x, 51x. Cooling Tower. At 51x the cluster revealed 2-3 dim stars but not much else. The full moon did not help though.
- 05/07/2015 21:50-0:20, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x. Cooling Tower. Easily detectable as it is in the same field of view of Sadr. It is at about 2 degrees South from Sadr and 2 degrees East from the Cygnus' neck.
- 17/07/2015 23:30-3:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 15x. Cooling Tower. About 8 stars were visible, 2 were very faint.

M27, Vul, Pln Neb:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. Dumbbell nebula. B15x70, Newcastle (UK).
- 05/07/2015 21:50-0:20, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x +/- UHC. The Dumbbell Nebula. This planetary nebula is clearly distinguishable from the background sky and shows up like a grey ball. No detail at this magnification was visible though. Really pretty target.
- 07/07/2015 22:30-0:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x, 28x +/- UHC or OIII, 51x. Great open cluster of medium size. About 20-25 bright stars were visible and another 20-25 faint stars detectable. This is a nice open cluster with a decent size, shape and a mixture of bright and dim stars.

M25, Sgr, Opn CL:

- 15/06/2015 21:45-0:30, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 28x. This cluster showed a mix of bright and dim stars. The size is sufficient for the Nagler 13 and the details are quite rich.
- 05/07/2015 21:50-0:20, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x +/- UHC, 28x. This is a nice open cluster of medium size. Some star are bright, others much dimmer.
- 07/07/2015 22:30-0:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x. This cluster is located at about 4-5 degrees West from M24. To me this is one of the best open cluster in this area. It is surrounded by bright stars, but dimmer stars are also present.
- 17/07/2015 23:30-3:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 15x. Much more compact than M24, but this target shows stars of different magnitude really nicely.

M24, Sgr, Opn CL:

- 15/06/2015 21:45-0:30, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 28x. Sagittarius Star Cloud. Impressive and large group of stars. Really spectacular. It covered a field of almost 2 degrees populated by stars. The surrounding stars were quite bright. Globally this appeared as a bright area with a few faint stars.
- 05/07/2015 21:50-0:20, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 28x. Sagittarius Star Cloud. I counted about 50 stars, although the sky was not dark yet. Fantastic cluster
- 07/07/2015 22:30-0:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 28x. Sagittarius Star Cloud. Large open cluster.
- 17/07/2015 23:30-3:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 15x. Sagittarius Star Cloud. Always superb to see this dense cloud of stars.

M23, Sgr, Opn CL:

• 15/06/2015 21:45-0:30, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 28x. This cluster was a little bit at North-West from M21. It was a bit dim, but if the sky were more transparent and darker it would be a lovely target, I think.

M22, Sgr, Opn CL:

• 07/07/2015 22:30-0:00, Cambridge, UK. 3 - Moderate seeing, 5 - Clear. Tele Vue 60 F6, 15x, 51x. Large globular cluster quite similar to M13 in Hercules. There is a little star triangle at South West from this cluster. At about 2.5 degrees in the same direction there is Lambda Sgr (Kaus Borealis), a fairly bright star shining at magnitude 2.8. At 51x a hint of granulation was perceptible but no star was really resolved. Really beautiful.

M21, Sgr, Opn CL:

• 15/06/2015 21:45-0:30, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 28x. M21 was a condensed group of stars on one extremity of M20. M8, M20 and M21 are really spectacular targets.

M20, Sgr, CL+Neb:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 36x. Trifid nebula. C114F8, Venice (IT).
- 15/06/2015 21:45-0:30, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 28x. Trifid Nebula. Positioned at North of M8, M20 is a bit smaller, but still impressive. Also here, the nebulosity was detectable and the shape of the cluster was elongated connecting M20 with M21.
- 05/07/2015 21:50-0:20, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x +/- UHC, 28x. Trifid Nebula. The Southern part of this nebula benefitted from the UHC filter and showed a patch of cloud around the cluster. The Northern part of the nebula was not visible instead.

M1, Tau, SN Rem:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 36x. Crab Nebula. C114F8, Venice (IT).
- 06/04/2015 21:00-22:45, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x; 51x +/- OIII, UHC. Crab Nebula. Invisible after trying with different magnifications and averted vision. Filters did not help either. Darker skies are required for this target. Possibly try with an eyepiece at 2.0mm exit pupil.

M18, Sgr, Opn CL:

 $\bullet\ 15/06/2015\ 21:45-0:30,\ Cambridge,\ UK.\ 2\ -\ Slight\ undulations,\ 5\ -\ Clear.\ Tele\ Vue\ 60\ F6,\ 28x.\ A\ small\ open\ cluster\ at\ South\ of\ Omega\ Nebula.$

M17, Sgr, CL+Neb:

- 15/06/2015 21:45-0:30, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 28x. Omega Nebula. From the Eagle Nebula, I simply moved South and saw this target. It is a bit smaller than the Eagle, but still bright.
- 05/07/2015 21:50-0:20, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x +/- UHC, 28x. Omega Nebula. The nebula was clearly visible at 15x with direct vision. It appeared as a small but quite dense cloud.
- 17/07/2015 23:30-3:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 15x + /- UHC or OIII. Omega Nebula. As for the Eagle nebula.

M16, Ser, CL+Neb:

- 15/06/2015 21:45-0:30, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 28x. Eagle Nebula. After seeing M25, I moved North-West towards M16. This appeared quite bright with some stars at the centre.
- 05/07/2015 21:50-0:20, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x +/- UHC, 28x. Eagle Nebula. This nebula was only visible with averted vision. Whereas I did not see much difference in the Omega Nebula between averted and direct vision, for the Eagle Nebula averted vision showed a much wider nebula extension.
- 17/07/2015 23:30-3:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 15x +/- UHC or OIII. Eagle Nebula. As previously found, the UHC seems to work better on these targets. I believe it is due to the lower position and to the sky which is not fully dark. The OIII largely shrank the nebulosity. Beautiful target as always.

M15, Peg, Glob CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. B15x70, Newcastle (UK).
- 17/07/2015 23:30-3:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 28x. One of the most brightest globular cluster.

M14, Oph, Glob CL:

 \bullet 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 15x. Bright globular cluster and relatively easy to find. As all the globular cluster I have observed with the TV60, no star is resolved.

M13, Her, Glob CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 36x; 15x, 51x. Hercules Globular Cluster. C114F8, Venice (IT); B15x70, TV60F6, Newcastle (UK).
- 12/05/2015 21:00-23:45, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 15x, 28x. Detectable at 15x, but nicer at 28x. No star was resolved. It would be interesting to try 51x although I guess this might be too much.
- 26/05/2015 21:15-0:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 28x. Same as M3. Very bright and large globular cluster. Some granulation is perceptible but no star could be resolved.

M12, Oph, Glob CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. B15x70, Newcastle (UK).
- 10/06/2015 22:00-0:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x, 51x. Like M10, this is another nice globular cluster. Somehow I preferred it to M10 because of the presence of surrounding close stars at east. I believe this cluster is slightly bigger than M10, or at least it seemed so. Like M10, a hint of granulation was detectable.

M11, Sct, Opn CL:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. Wild duck cluster. B15x70, Newcastle (UK).

M110, And, Galaxy:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. M31 Companion. B15x70, Luton, Devon (UK).

M10, Oph, Glob CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 36x; 15x. C114F8, Venice (IT); B15x70, Newcastle (UK).
- 10/06/2015 22:00-0:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x, 51x. Nice globular cluster. It does not have nearby stars, but is relatively large. Stars are not really visible, but the cluster appear with some hint of granulation particularly detectable on the outside.

M108, UMa, Galaxy:

• 20/05/2015 21:30-0:00, Cambridge, UK. 3 - Moderate seeing, 5 - Clear. Tele Vue 60 F6, 15x, 28x. Surfboard Galaxy. Invisible at both 15x and 28x. This object as well as most of the other galaxies require larger aperture and / or a darker sky.

M107, Ser, Glob CL:

• 10/06/2015 22:00-0:00, Cambridge, UK. 3 - Moderate seeing, 5 - Clear. Tele Vue 60 F6, 15x, 51x. From Han, Zeta Oph, go slightly South and see a triangle. M103 is on the outside of one of the vertices. It was barely visible at 15x, also due to the bright sky. At 51x was detectable but still with difficulty. Not much to see. Just a grey smudge visible with averted vision.

M103 or NGC457, Cas, Opn CL:

• 12/05/2015 21:00-23:45, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 28x. Not sure whether I saw M103 or NGC457 (the Owl Cluster) though. A clear double star was well visible and there were a few dim stars in the background were also detectable. This object starts being visible at 28x. It is relatively small, but a lovely target. I think it was M103 as my memory seems more similar to the images.

M103, Cas, Opn CL:

 \bullet 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 28x. This cluster has less impact than NGC663, but is still pretty. It is more compact than NGC663.

M101, UMa, Galaxy:

 \bullet 22/03/2015 19:00-22:00, Cambridge, UK. 2 - Slight undulations, 3 - Somewhat clear. Tele Vue 60 F6, 15x. Unsuccess

03/06/2015 21:40-23:30, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 15x, 103x. Already split at 15x, but much nicer at 103x.

HD175634, Lyr, Dbl star:

• 15/06/2015 21:45-0:30, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 28x. This double star is relatively close to M57 and inside the parallelogram of Lyra. One star is orange, the other is blue. Similar to Sheliak but a bit dimmer.

Epsilon, Lyr, Dbl star:

- 03/06/2015 21:40-23:30, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 15x, 103x, 206x. The Double Double. Epsilon 1 and 2 were easily split at 15x. At 103x it was possible to detect that both Epsilon 1 and 2 are double stars themselves. At 206x this pair of tight double stars was visible although these double stars remained very close. Same colour.
- 10/06/2015 22:00-0:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 51x. The Double Double. I could not split the two. The image suggested a possible elongation of the two stars, but this was not obvious. I would not have detected it if I had not known that they are doubles. I carefully focused inward and outward to reach the optimum, but this was not sufficient.
- 11/06/2015 22:00-0:00, Cambridge, UK. 3 Moderate seeing, 3 Somewhat clear. Tele Vue 60 F6, 103x. The Double Double. Just managed to see the two pairs, although the separation was not clear. They appeared just a tiny more than elongated stars. I am not sure, but I suspect this was more due to the Nagler 3.5mm. I will try with the Vixen 5mm next time, as generally this eyepiece delivers better views than the Naglers, on planets at least.
- 15/06/2015 21:45-0:30, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 72x. The Double Double. It was possible to see the two pairs at 72x, although to me this was not appreciable. The two pairs appeared a little bit more than elongated or just separated, but I much prefer when a double star is clearly and nicely separated. The two pairs were similarly separated. Possibly Epsilon1 (the North pair) was slightly more, but, if so, a tiny bit.

03/06/2015 21:40-23:30, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 15x, 103x. This is a very nice system of stars already visible at 15x. A larger triangle with a little internal triangle. Just beautiful.

15/06/2015 21:45-0:30, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 28x. Superb multi star system. At 28x it is really bright and proportional to the field of view. I love the triangles and the overall geometry in this system of stars.

03/06/2015 21:40-23:30, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 15x, 103x. Sheliak. Splendid double already split at 15x. This was very nice at 103x.

15/06/2015 21:45-0:30, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 28x. Sheliak. Wonderful colour double star. One orange and one blue. Really beautiful.

xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 37x, 74x. Regulus. C114F8, Italy (IT).

25/03/2015 21:00-22:45, Cambridge, UK. 2 - Slight undulations, 3 - Somewhat clear. Tele Vue 60 F6, 15x, 72x. Regulus. Blue-white double star visible at 15x. Clearly split at 72x although not all this magnification is actually required for split it.

Jupiter, , Planet:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 36x, 90x, 180x; 72x, 103x, 144x. C114F8, Italy (IT); B15x70, TV60F6, Newcastle, Cambridge (UK).
- 23/02/2015 19:00-21:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 103x, 144x. A bit of wind, but the image stays crisp at high magnifications. No aberration.
- 22/03/2015 19:00-22:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 144x. Order: Europa, Callisto, Jupiter, Io, Ganymede. Two belts very visible. The lower one was visible on the left (refractor). On the right the great red spot was detectable. Very minor belts north and south.
- 25/03/2015 21:00-22:45, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 72x. Quick observation. Two belts and four satellite were visible.
- 06/04/2015 21:00-22:45, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 103x. Two belts clearly visible and a faint one in the South hemisphere was detectable. All four satellite were visible. Io and Europa were very tight at East of the planet.
- 09/04/2015 21:20-22:45, Cambridge, UK. 2 Slight undulations, 2 Poor. Tele Vue 60 F6, 15x; 103x +/- VPF. At the eyepiece from right to left: Callisto, Io, Jupiter, Europa and Ganymede. This evening I decided to test my new eyepiece (Nagler 3.5mm). Due to the lack of transparency, I only tested this on Jupiter. This was the first time I observed at 103x without using a Bresser 2x SA. The difference was quite substantial. I had the impression that the Nagler 7mm with Bresser 2x SA was more colour corrected than the Nagler 3.5mm only at the edge (last 10% before the field stop). This might have been caused by the presence of light fog though, instead of the eyepiece. I will test this again. On the other hand, the lack of the Bresser 2x SA (4 lens less) improved transparency, and this was detectable. With a Nagler 7mm and Bresser 2x SA, I am able to see a bit more than the two main belts only when the seeing is quite good. Tonight, although the seeing was acceptable, but the sky was quite foggy. The main two belts (North and South Equatorial Belts) were visible and other two belts at the poles were easily detectable (North Polar Region, S.S. Temperate Belt). In the North and South Equatorial Belts, some shades were also detectable. No direction was visible but it was possible to see that the borders and belt colours were rough and not homogeneous. This was particularly true for the North Equatorial Belt. No GRS was detectable. The use of a single or double polarizing filter did not improve image quality. The whole image only appeared too dark and the minute details previously described were lost. Possibly, the VPF is more appropriate for brighter objects (e.g. the Sun and the Moon) or Jupiter during sunset or dawn.
- 14/04/2015b 21:30-23:20, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 103x, 72x. Transit of Ganymede on Jupiter. Little black dot on the Equatorial zone. All the other three main satellites were well distict on right.
- 30/04/2015 22:00-23:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 103x. At 103x Jupiter showed 4 moons and 4 belts. No specific events were visible this evening.
- 12/05/2015 21:00-23:45, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 103x, 206x. Observed in the twilight. Still visible at 206x with some detail but the new tripod is not up to this sort of magnifications. To be fair, the new tripod was fine at 103x but only when there was no wind. 3 belts and 4 moons visible. It would be interesting to try 206x with my solid tripod.

- 13/05/2015 21:00-0:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 103x, 206x. Observed in the twilight. The idea started as a joke because I thought the image would have been too dark for discerning any detail. Instead, it was possible to perceive a little amount of shades on the two major belts of the planet. The boundaries of the other two less visible belts (North and South hemisphere, respectively) were also there. At 103x I was able to see the boundaries of these two belts on the 'equator side', but not on the 'pole side'. At 206x these were noticeable. 4 moons were detectable and one was just about to get closer to Jupiter. I agree with Gerry (sgl: jetstream) that watching Jupiter in twilight shows more contrast. I was also able to see some red-ish colour on the major two belts, which instead is less noticeable when watching Jupiter in the dark. Looking at a bright source before watching the planet did not help me instead. I found I had more difficulty to notice details. Although the exit pupil was only 0.3mm, floaters did not cause me serious problems. Interestingly, I found floaters to be a problem when watching the Sun at 103x. Could these be related to overall image brightness?
- 20/05/2015 21:30-0:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 103x +/- SPF, 206x + SPF. Observed in the twilight. The SPF noticeably improved the view. Four belts and the transit of Callisto were easily visible at both 103x and 206x. The use of a SPF seemed to stabilise the image and improved contrast. A fair amount of shades were also perceptible on the main two belts. The transit appeared as a crisp black dot on the planet atmosphere. Without the SPF it was only possible to see the two main belts and no shade on them. They simply appeared as two thick lines across the planet. Interestingly the transit shadow appeared a tiny bit better without the filter. To me, using the SPF requires a bit of experience in order to rotate the eyepiece to gain the best contrast. However this is feasible.
- 26/05/2015 21:15-0:00, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 103x +/- SPF. Observed in civil twilight. The seeing was not enough good for pushing magnification beyond 103x. At 103x, two major belts and two moons were visible. I did not spend much on this target tonight because it was too windy when I observed it.
- 03/06/2015 21:40-23:30, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 103x +/- SPF, 206x + SPF. Just a quick look until the sky became darker. No particular event tonight. It was very nice to see it. The two main belts revealed some subtle detail appearing like tiny shades. In particular these were more detectable in the North Equatorial Belt.
- 11/06/2015 22:00-0:00, Cambridge, UK. 3 Moderate seeing, 3 Somewhat clear. Tele Vue 60 F6, 103x, 206x. 206x was too much for Jupiter tonight. Mostly seen it at 103x. Three moons visible, whereas the fourth seemed behind the planet. North and South Equatorial Belts were visible. On the North Hemisphere another belt was also detectable. No GRS visible.
- 15/06/2015 21:45-0:30, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 72x, 144x +/- SPF. Jupiter was visible with North and South Equatorial Belts and four moons. No other detail was detectable. SPF did not help with the Vixen. The planet did not appear much crisp in contrast to Venus. Also here, I preferred the view of Jupiter at 72x (without Barlow). It is as if the barlow lens introduces some imperfections which remove the additional benefit of using a Vixen vs a Nagler. The same can be said for the SPF with the Vixen. Vixen alone gave the best views (without Barlow or SPF).
- 23/06/2015 21:40-23:15, Cambridge, UK. 2 Slight undulations, 5 Clear. Tele Vue 60 F6, 72x, 103x. Observation at twilight. All four moons were visible tonight. At 72x 4 belts were detectable and colours were also visible. These appeared as brown-red for the belts and slightly darker white for the zones. At 103x the image was a bit degraded compared to 72x. I believe the Vixen SLV is just a tiny but noticeable bit better than the nagler 3.5mm

IC4996, Cyg, Opn CL:

- 30/06/2015 21:30-23:20, Cambridge, UK. 3 Moderate seeing, 4 Partly clear. Tele Vue 60 F6, 28x. From M29, I moved South. This is a very small open cluster which is detectable at this low power, but would benefit of higher power. It is near an isolated star near three pairs of aligned stars. Three four stars were detectable apart from the main one.
- 05/07/2015 21:50-0:20, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x. From Sadr, follow the line forming Cygnus' neck. This object is located at about 1.5-2 degrees East from the Cygnus' neck. It is easily detectable at 15x.

IC4756, Ser, Opn CL:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 36x; 15x. Graff's Cluster. C114F8, Venice (IT); B15x70, Newcastle (UK).

10/06/2015 22:00-0:00, Cambridge, UK. 3 - Moderate seeing, 5 - Clear. Tele Vue 60 F6, 15x. Graff's cluster. See above

IC4665, Oph, Opn CL:

- 10/06/2015 22:00-0:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x. Summer Beehive Cluster. Amazing open cluster of large size above the star Cebalrai. A pleasure to see with a low power eyepiece. Stars have similar colours and magnitude, but the shape is nice.
- 05/07/2015 21:50-0:20, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 28x. Summer Beehive Cluster. Wonderful open cluster, close to Beta Oph (Cebalrai). Always worth having a look if in the area.
- 17/07/2015 23:30-3:00, Cambridge, UK. 1 Perfect seeing, 5 Clear. Tele Vue 60 F6, 15x. The Summer Beehive. I used this target for finding the Barnard's Star. It is a lovely target.

IC1848, Cas, CL+Neb:

• 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 15x + OIII. Soul Nebula. Again, the whole nebula was not visible, but some nebulosity and the chain of stars was there.

IC1805, Cas, CL+Neb:

• 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 15x + OIII. Heart Nebula. The full nebula was not visible but the top part of the heart shape was detectable. It is the area where there are more stars. A faint but visible layer of grey patch was there.

IC1396, Cep, CL+Neb:

• 02/07/2015 21:50-0:00, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 28x +/- OIII, 51x. Elephant's Trunk Nebula. I tried to reach this open cluster from M39, but I wrongly arrived at Alpha Cep (Alderamin). Star hopping from Alderamin was much easier. Although the nebula was not visible with the OIII filter, it was nice to see this cluster. In front of the Garnet Star, there is a chain of stars. The brightest is a tight system of three stars of different luminosity. Really nice to see and already split at 28x. This was well separated at 51x. Nearby this system there is another double star where the components have different brightness. Almost all, if not all these stars but the Garnet Star, are blue.

25/03/2015 21:00-22:45, Cambridge, UK. 2 - Slight undulations, 3 - Somewhat clear. Tele Vue 60 F6, 72x. Alphard. Yellow star

27 Hydra, Hya, Dbl Star:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 51x. TV60F6, Cambridge (UK).

27 Hya, Hya, Dbl Star:

 $\bullet \ 12/05/2015 \ 21:00-23:45, \ Cambridge, \ UK. \ 2 - Slight \ undulations, \ 5 - Clear. \ Tele \ Vue \ 60 \ F6, \ 15x, \ 28x. \ Easily \ split. \ Colours \ detectable.$

Alpha, Her, Dbl Star:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. Rasalgethi. B15x70, Newcastle (UK).
- 07/07/2015 22:30-0:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 72x, 103x. Rasalgethi. A real gem. Superb double star. The bright component is orange, whereas the second component appears green. They are already split at 72x, but I preferred the view at 103x where they are split more clearly.

24/03/2015 19:00-21:30, Cambridge, UK. 3 - Moderate seeing, 3 - Somewhat clear. Tele Vue 60 F6, 72x. Mekbuda. Easily split double star.

24/03/2015 19:00-21:30, Cambridge, UK. 3 - Moderate seeing, 3 - Somewhat clear. Tele Vue 60 F6, 72x. Castor. The companion Castor B is also bright and the two stars are quite close to each other. Same colour. Castor C is very dim and more distant from the other two.

Eta-HIP80309A, Dra, Dbl Star:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 51x. TV60F6, Cambridge (UK).
- \bullet 22/03/2015 19:00-22:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. 2.7mag and 6.05mag

19-20, Dra, Dbl Star:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 51x. TV60F6, Cambridge (UK).
- $\bullet~22/03/2015~19:00-22:00,~Cambridge,~UK.~2~-Slight~undulations,~3~-Somewhat~clear.~Tele~Vue~60~F6,~15x.~4.5 mag~and~7 mag.$

xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 72x. Albireo. C114F8, Venice (IT); TV60F6, Newcastle (UK).

03/06/2015 21:40-23:30, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 15x, 103x. Albireo. Wonderful double. A bit tight at 15x, but very nice at 103x. One orange, the other one blue.

Cr97, Mon, Opn CL:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x, 30x. TV60F6, Cambridge (UK).

Cr89, Gem, Opn CL:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. TV60F6. Newcastle, Cambridge (UK).

Cr70, Ori, Opn CL:

 \bullet 23/02/2015 19:00-21:00, Cambridge, UK. 2 - Slight undulations, 3 - Somewhat clear. Tele Vue 60 F6, 15x. Gorgeous Orion's belt. The chain of stars surrounding Alnilam is superb. Wide field telescope.

Cr68, Ori, Opn CL:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x, 30x. TV60F6. Newcastle, Cambridge (UK).

Cr65, Tau, Opn CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. TV60F6, Cambridge (UK).
- \bullet 23/02/2015 19:00-21:00, Cambridge, UK. 2 Slight undulations, 3 Somewhat clear. Tele Vue 60 F6, 15x. Nice aggregation of stars, although none of them really emerges. Wide field is required. North of Orion-Meissa.

Cr39, Ori, Opn CL:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 36x; 15x, 51x. TV60F6, Cambridge (UK).

Cr399, Vul, Opn CL:

- xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. Brocchi's Cluster, the Coathanger. B15x70, Newcastle (UK).
- 07/07/2015 22:30-0:00, Cambridge, UK. 3 Moderate seeing, 5 Clear. Tele Vue 60 F6, 15x. Brocchi's Cluster. Very nice open cluster at 15x.

Cr107, Mon, Opn CL:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x, 30x. TV60F6, Cambridge (UK).

Cr106, Mon, Opn CL:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x, 30x. TV60F6, Cambridge (UK).

Mu, Cep, Star:

• 02/07/2015 21:50-0:00, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 28x. Hershel's Garnet Star. Bright red supergiant star located next to IC1396. Magnitude 4.2. It is the biggest star visible at naked eye.

02/07/2015 21:50-0:00, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 28x. Very close to the cluster above, continuing along that imaginary line, I found this beautiful easily split double star. One component is orange, whereas the other is blue. The brightness is different between the two and in particular the blue star is dimmer. This double star is a little gem and reminded me of Beta Cyg (Albireo).

Rho, Cap, Dbl Star:

 \bullet 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 28x. Well separated double star.

Omicron, Cap, Dbl Star:

• 17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 28x. Much tighter than Rho, but already split at 28x. One blue, the other is yellow.

17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 28x. Dabih. Another nice double star. Yellow-Blue.

17/07/2015 23:30-3:00, Cambridge, UK. 1 - Perfect seeing, 5 - Clear. Tele Vue 60 F6, 28x. Algedi. Two lovely bright stars, one of which has a grey dim companion. Stunning.

24/03/2015 19:00-21:30, Cambridge, UK. 3 - Moderate seeing, 3 - Somewhat clear. Tele Vue 60 F6, 72x. Sirius. Not able to split Sirius. Too much bright.

15/06/2015 21:45-0:30, Cambridge, UK. 2 - Slight undulations, 5 - Clear. Tele Vue 60 F6, 28x, 72x. Izar. I could not split this double star at 28x or 72x. I thought it was easier. Still a very nice yellow bright star. The sky was becoming less transparent on this region of the sky. Therefore I moved North.

Beta, And, Dbl Star:

• xx/xx/1998 Mar 1998 to Jan 2015, Venice, Lorenzago (IT). Newcastle, Luton Devon, Cambridge, (UK). 1 to 3, 3 to 5. Celestron Newton 114mm F8; Binoculars 15x70; Tele Vue 60 F6, 15x. Mirach. B15x70, Newcastle (UK).

3 Complete Messier and Caldwell selection of NGC objects

Messier Catalogue

Name	Other	Type	Cons	RA	Dec	Mag	Size (arc min)	SB	Distance (ly)	Common Name
$\overline{\mathrm{M1}}$	NGC1952	SN Rem	Tau	00:40:22	+22° 01'	8.4	8'	11	4.9-8.1	Crab Nebula
M2	NGC7089	Glob CL	Aqr	00:42:42	-0° 49'	6.3	11.7'	11	33	
M3	NGC5272	Glob CL	$\overline{\mathrm{CVn}}$	00:42:44	$+28^{\circ} 23'$	6.2	18.6'	11	33.9	
M4	NGC6121	Glob CL	Sco	01:33:12	-26° 32'	5.9	26.3'	12	7.2	
M5	NGC5904	Glob CL	Ser	01:33:51	$+2^{\circ} 05'$	6.7	19.9'	11	24.5	
M6	NGC6405	Opn CL	Sco	01:36:42	-32° 13'	4.2	20'	10	1.6	Butterfly Cluster
M7	NGC6475	Opn CL	Sco	01:42:20	-34° 49'	3.3	80'	12	0.65-1.31	Ptolemy Cluster
M8	NGC6523	$\stackrel{\frown}{\mathrm{CL+Neb}}$	Sgr	02:42:00	-24° 23'	6	45'	13	4.1	Lagoon Nebula
M9	NGC6333	Glob CL	Oph	02:42:41	-18° 31'	8.4	5.5'	11	25.8	_
M10	NGC6254	Glob CL	Oph	03:47:00	- 4° 06'	6.4	12.2'	12	14.3	
M11	NGC6705	Opn CL	Sct	05:24:11	- 6° 16'	6.3	14'	9	6.2	Wild Duck Cluster
M12	NGC6218	Glob CL	Oph	05:28:43	-1° 57'	7.7	14.5'	12	15.7	
M13	NGC6205	Glob CL	Her	05:34:32	$+36^{\circ} 28'$	5.8	23.2'	12	22.2	Great Globular Cluster in Hercules
M14	NGC6402	Glob CL	Oph	05:35:31	- 3° 15'	8.3	6.7'	12	30.3	
M15	NGC7078	Glob CL	Peg	05:36:12	$+12^{\circ} 10'$	6.2	12.3'	11	33	
M16	NGC6611	CL+Neb	Ser	05:37:17	-13° 47'	6	7'	12	7	Eagle Nebula
M17	NGC6618	CL+Neb	Sgr	05:46:47	-16° 11'	6	11'	13	5,000-6,000	Omega, Swan, Horseshoe, or Lobster Nebula
M18	NGC6613	Opn CL	Sgr	05:52:19	-17° 08'	7.5	9'	12	4.9	
M19	NGC6273	$\operatorname{Glob}\operatorname{CL}$	Oph	06:08:54	-26° 16'	7.5	5.3'	11	28.7	
M20	NGC6514	CL+Neb	Sgr	06:46:54	-23° 02'	6.3	28'	13	5.2	Trifid Nebula
M21	NGC6531	Opn CL	Sgr	07:02:48	-22° 30'	6.5	13'	11	4.25	
M22	NGC6656	$\operatorname{Glob}\operatorname{CL}$	Sgr	07:36:36	-23° 54'	5.1	24'	11	9.6-11.6	Sagittarius Cluster
M23	NGC6494	$\operatorname{Opn}\operatorname{CL}$	Sgr	07:41:48	-19° 01'	6.9	27'	13	2.15	
M24	IC4715	$\operatorname{Opn}\operatorname{CL}$	Sgr	07:44:36	-18° 29'	4.6	95'	4.3	10	Sagittarius Star Cloud
M25	IC4725	$\operatorname{Opn}\operatorname{CL}$	Sgr	08:13:48	-19° 15'	4.6	29'	12	2	
M26	NGC6694	$\operatorname{Opn}\operatorname{CL}$	Sct	08:40:24	- 9° 24'	8	15'	12	5	
M27	NGC6853	Pln Neb	Vul	08:51:18	$+22^{\circ} 43'$	7.5	480"	11.2	1.148 - 1.52	Dumbbell Nebula
M28	NGC6626	$\operatorname{Glob}\operatorname{CL}$	Sgr	09:55:33	-24° 52'	7.7	15'	11	17.9	
M29	NGC6913	$\operatorname{Opn}\operatorname{CL}$	Cyg	09:55:52	$+38^{\circ} 32'$	7.1	7'	11	7.2	
M30	NGC7099	$\operatorname{Glob}\operatorname{CL}$	Cap	10:43:58	- 23° 11'	7.7	8.9'	11	27.8-31	
M31	NGC224	Galaxy	And	10:46:46	$+41^{\circ} 16'$	3.4	189'	13.5	2,430-2,650	Andromeda Galaxy
M32	NGC221	Galaxy	And	10:47:50	$+40^{\circ} 52'$	8.1	8.5'	12.4	$2,\!410\text{-}2,\!570$	
M33	NGC598	Galaxy	Tri	11:11:31	$+30^{\circ} 39'$	5.7	68.7'	14.2	2,380-3,070	Triangulum Galaxy
M34	NGC1039	Opn CL	Per	11:14:48	$+42^{\circ} 47'$	5.5	35'	-	1.5	
M35	NGC2168	$\operatorname{Opn}\operatorname{CL}$	Gem	11:18:56	$+24^{\circ} 20'$	5.3	28'	12	2.8	

M36	NGC1960	Opn CL	Aur	11:20:15	$+34^{\circ} 08'$	6.3	12'	12	4.1	
M37	NGC2099	$\operatorname{Opn}\operatorname{CL}$	Aur	11:57:36	$+32^{\circ} 33'$	6.2	24	11	4.511	
M38	NGC1912	$\operatorname{Opn}\operatorname{CL}$	Aur	12:13:48	$+35^{\circ} 50'$	7.4	21'	12	4.2	
M39	NGC7092	$\operatorname{Opn}\operatorname{CL}$	Cyg	12:18:50	$+48^{\circ} 26'$	5.5	32	11	0.8244	
M40	Winnecke 4	Asterism	UMa	12:18:58	$+58^{\circ} 05'$	9.7	12	-	0.51	Winnecke 4
M41	NGC2287	Opn CL	CMa	12:21:55	- 20° 44'	4.5	38'	12	2.3	
M42	NGC1976	CL+Neb	Ori	12:22:24	- 5° 27'	4	90'	11	1.324 - 1.364	Orion Nebula
M43	NGC1982	Brt Neb	Ori	12:22:55	- 5° 16'	9	20'	13	1.6	De Mairan's Nebula
M44	NGC2632	Opn CL	Cnc	12:25:04	$+19^{\circ} 59'$	3.7	95'	13	0.577	Beehive Cluster
M45	Mel 22	CL+Neb	Tau	12:25:24	$+24^{\circ}~07'$	1.6	100'	11	0.39 - 0.46	Pleiades
M46	NGC2437	Opn CL	Pup	12:26:12	-14° 49'	6.1	27	13	5.4	
M47	NGC2422	Opn CL	Pup	12:29:47	-14° 30'	4.2	30'	11	1.6	
M48	NGC2548	Opn CL	Hya	12:30:49	- 5° 48'	5.5	54	13	1.5	
M49	NGC4472	Galaxy	Vir	12:31:59	$+8^{\circ}~00'$	9.4	9.8'	13.2	2 53,600-58,200	
M50	NGC2323	Opn ČL	Mon	12:35:26	- 8° 23'	5.9	16'	12	3.2	
M51	NGC5194	Galaxy	CVn	12:35:40	$+47^{\circ} 12'$	8.4	10.8'	12.9	19,000-27,000	Whirlpool Galaxy
M52	NGC7654	Opn ČL	Cas	12:36:50	$+61^{\circ} 35'$	5	13'	12	5	1
M53	NGC5024	Glob CL	Com	12:37:44	$+18^{\circ} 10'$	8.3	14.4'	12	58	
M54	NGC6715	$\operatorname{Glob}\operatorname{CL}$	Sgr	12:39:28	- 30° 29'	8.4	9.1'	11	87.4	
M55	NGC6809	Glob CL	Sgr	12:39:59	- 30° 58'	7.4	19'	13	17.6	
M56	NGC6779	Glob CL	Lyr	12:42:02	$+30^{\circ} 11'$	8.3	5'	12	32.9	
M57	NGC6720	Pln Neb	Lyr	12:43:40	$+33^{\circ} 02'$	8.8	86"	9.3	1.6 - 3.8	Ring Nebula
M58	NGC4579	Galaxy	Vir	12:50:53	$+11^{\circ} 49'$	10.5	6'	13.1		S
M59	NGC4621	Galaxy	Vir	12:56:44	$+11^{\circ} 39'$	10.6	5.3	12.9		
M60	NGC4649	Galaxy	Vir	13:12:55	+11° 33'	9.8	7.6	12.9		
M61	NGC4303	Galaxy	Vir	13:15:49	$+4^{\circ} 28'$	10.2	6.5	13.4		
M62	NGC6266	Glob CL	Oph	13:29:52	- 30° 07'	7.4	14.1'	11	22.2	
M63	NGC5055	Galaxy	$\overline{\mathrm{CVn}}$	13:37:01	$+42^{\circ} 02'$	9.3	12.6'	13	37000	Sunflower Galaxy
M64	NGC4826	Galaxy	Com	13:42:11	$+21^{\circ} 41'$	9.4	10.3'	12.7	22,000-26,000	Black Eye Galaxy
M65	NGC3623	Galaxy	Leo	14:03:12	$+13^{\circ} 05'$	10.3	9'	12.8		Leo Triplet
M66	NGC3627	Galaxy	Leo	15:06:29	$+12^{\circ} 59'$	8.9	9.1'	12.7		Leo Triplet
M67	NGC2682	Opn ČL	Cnc	15:18:34	$+11^{\circ} 49'$	6.1	30'	13	2.61-2.93	•
M68	NGC4590	Glob CL	Hya	16:17:03	-26° 45'	9.7	9.8'	13	33.6	
M69	NGC6637	Glob CL	Sgr	16:23:35	- 32° 21'	8.3	7.1'	11	29.7	
M70	NGC6681	Glob CL	Sgr	16:32:32	- 32° 18'	9.1	7.8'	11	29.4	
M71	NGC6838	Glob CL	$_{\mathrm{Sge}}$	16:41:41	$+18^{\circ} 47'$	6.1	6.1'	12	13	
M72	NGC6981	Glob CL	Aqr	16:47:15	-12° 32'	9.4	5.9	12	53.40-55.74	
M73	NGC6994	Asterism	Aqr	16:57:09	-12° 38'	9	2.8'	-	2.5	
M74	NGC628	Galaxy	Psc	17:01:13	$+15^{\circ} 47'$	10	10'	14.2		
M75	NGC6864	Glob CL	Sgr	17:02:38	-21° 55'	9.2	6'	11	67.5	
M76	NGC650/1	Pln Neb	Per	17:17:07	+51° 34'	10.1	163"	10.4		Little Dumbbell Nebul

M77	NGC1068	Galaxy	Cet	17:19:12	- 0° 01'	9.6	7.3'	13	47000	Cetus A
M78	NGC2068	Brt Neb	Ori	17:37:36	$+0^{\circ} 03'$	8.3	8'	12	1.6	Cettas 11
M79	NGC1904	Glob CL	Lep	17:40:06	-24° 33'	8.6	7.8'	12	41	
M80	NGC6093	Glob CL	Sco	17:53:54	-22° 59'	7.9	5.1'	11	32.6	
M81	NGC3031	Galaxy	UMa	17:56:48	$+69^{\circ}~04'$	6.9	24.9	13.2	11,400-12,200	Bode's Galaxy
M82	NGC3034	Galaxy	UMa	18:02:23	+69° 41'	8.4	10.5	12.5	10,700-12,300	Cigar Galaxy
M83	NGC5236	Galaxy	Hya	18:03:37	-29° 52'	7.5	13.1'	13	14700	Southern Pinwheel Galaxy
M84	NGC4374	Galaxy	Vir	18:04:36	$+12^{\circ} 53'$	10.1	6.7'	13	57,000-63,000	
M85	NGC4382	Galaxy	Com	18:18:24	+18° 11'	10	7.4'	12.9	56,000-64,000	
M86	NGC4406	Galaxy	Vir	18:18:48	+12° 57'	9.8	9.8'	13.2	49,000-55,000	
M87	NGC4486	Galaxy	Vir	18:19:54	+12° 24'	9.6	8.7'	13	51,870-55,130	Virgo A
M88	NGC4501	Galaxy	Com	18:20:26	$+14^{\circ} 25'$	10.4	6.8'	13	39,000-56,000	
M89	NGC4552	Galaxy	Vir	18:24:33	$+12^{\circ} 33'$	10.7	5.3'	13.2	47,000-53,000	
M90	NGC4569	Galaxy	Vir	18:31:23	$+13^{\circ} 10'$	10.3	9.9'	13.4	55,900-61,500	
M91	NGC4548	Galaxy	Com	18:31:36	$+14^{\circ} 30'$	11	5.2'	13.4	47,000-79,000	
M92	NGC6341	Glob CL	Her	18:36:24	$+43^{\circ} 08'$	6.3	11.2'	11	26.7	
M93	NGC2447	Opn CL	Pup	18:43:13	-23° 52'	6	22	12	3.6	
M94	NGC4736	Galaxy	CVn	18:45:12	$+41^{\circ} 07'$	9	12.3'	13.1	14,700-17,300	
M95	NGC3351	Galaxy	Leo	18:51:06	$+11^{\circ} 42'$	11.4	7.3'	13.5	31,200-34,000	
M96	NGC3368	Galaxy	Leo	18:53:35	$+11^{\circ} 49'$	10.1	7.8'	13.1	28,000-34,000	
M97	NGC3587	Pln Neb	UMa	18:55:03	$+55^{\circ} 01'$	9.9	202"	12.1	2.03	Owl Nebula
M98	NGC4192	Galaxy	Com	19:16:36	$+14^{\circ} 54'$	11	9.4'	14	44400	
M99	NGC4254	Galaxy	Com	19:39:59	$+14^{\circ} 25'$	10.4	5.3'	13.2	44,700-55,700	
M100	NGC4321	Galaxy	Com	19:53:46	$+15^{\circ} 49'$	10.1	7.5'	13	55000	
M101	NGC5457	Galaxy	UMa	19:59:36	$+54^{\circ} 21'$	7.9	28.5'	14.9	19,100-22,400	Pinwheel Galaxy
M102	NGC5866	Galaxy	Dra	20:06:05	$+55^{\circ} 46'$	9.9	6.5'	12.2		
M103	NGC581	Opn CL	Cas	20:23:56	$+60^{\circ} 42'$	7.4	6'	11	10	
M104	NGC4594	Galaxy	Vir	20:53:28	-11° 37'	9	8.6'	11.6	28,700-30,900	Sombrero Galaxy
M105	NGC3379	Galaxy	Leo	20:59:00	$+12^{\circ} 35'$	10.2	5.3'	12.8	30,400-33,600	
M106	NGC4258	Galaxy	CVn	21:29:58	$+47^{\circ} 18'$	9.1	17.4'	13.6	22,200-25,200	
M107	NGC6171	Glob CL	Oph	21:32:12	-13° 03'	8.9	3.3'	12	20.9	
M108	NGC3556	Galaxy	UMa	21:33:27	$+55^{\circ} 40'$	10.7	8.6'	13	46000	
M109	NGC3992	Galaxy	UMa	21:40:22	$+53^{\circ} 23'$	10.6	7.5'	13.6	59,500-107,500	
M110	NGC205	Galaxy	And	23:24:12	+41° 41'	9	19.5'	14	2,600-2,780	

Caldwell selection of NGC objects

Name	Caldwell Name	Type	Cons	RA	Dec	Mag	Size (arc min)	\mathbf{SB}	Distance (ly)	Common Name
NGC188	C1	Opn CL	Cep	00h 44.4m	$+85^{\circ} 20 \text{m}$	8.1	14	13.9	4800	
NGC40	C2	Pln Neb	Cep	$00h\ 13.0m$	$+72^{\circ} 32 \text{m}$	11.6	0.6	10.9	3500	Bow Tie Nebula
NGC4236	C3	Galaxy	$_{\mathrm{Dra}}$	$12h\ 16.7m$	$+69^{\circ} 28 \mathrm{m}$	9.7	21x7	15	7 million	
NGC7023	C4	Neb	Cep	$21h\ 01.8m$	$+68^{\circ} 12 \text{m}$	6.8	18x18	13.3	1400	Iris Nebula
IC342	C5	Galaxy	Cam	$03h\ 46.8m$	$+68^{\circ}~06m$	9.2	18x17	15.4	13 million	
NGC6543	C6	Pln Neb	Dra	17h $58.6m$	$+66^{\circ} 38 \text{m}$	8.8	0.3/5.8	11.9	3000	Cat's Eye Nebula
NGC2403	C7	Galaxy	Cam	$07h\ 36.9m$	$+65^{\circ} 36 \text{m}$	8.9	18x10	14.1	14 million	
NGC559	C8	Opn CL	Cas	$01h\ 29.5m$	$+63^{\circ} 18 \text{m}$	9.5	4	12.5	3700	
Sh2-155	C9	Neb	Cep	22h $56.8m$	$+62^{\circ} 37 \text{m}$	7.7	50x10	6.8	2800	Cave Nebula
NGC663	C10	Opn CL	Cas	$01h\ 46.0m$	$+61^{\circ} 15 \text{m}$	7.1	16	13.1	7200	
NGC7635	C11	Neb	Cas	$23h\ 20.7m$	$+61^{\circ} 12 \text{m}$	7	15x8	16.2	7100	Bubble nebula
NGC6946	C12	Galaxy	Сер	$20h\ 34.8m$	$+60^{\circ} 09 \text{m}$	9.7	11x9	14	18 million	
NGC457	C13	Opn CL	Cas	$01h\ 19.1m$	$+58^{\circ} 20 \text{m}$	6.4	13	12	-	Owl or E.T. Cluster
NGC869/884	C14	Opn CL	Per	$02h\ 20.0m$	$+57^{\circ}~08m$	4.3	30×30	11.7	7300	Double Cluster, h or chi Persei
NGC6826	C15	Pln Neb	Cyg	$19h\ 44.8m$	$+50^{\circ} 31 \text{m}$	9.8	0.5/2.3	10.6	2200	Blinking Planetary
NGC7243	C16	Opn CL	Lac	$22h\ 15.3m$	$+49^{\circ} 53 \text{m}$	6.4	21	13	2500	Ç Ç
NGC147	C17	Galaxy	Cas	00h 33.2m	$+48^{\circ} 30 \text{m}$	9.3	13x8	14.4	2300000	
NGC185	C18	Galaxy	Cas	00h 39.0m	$+48^{\circ} 20 \text{m}$	9.2	12x9	14.4	2300000	
IC5146	C19	Neb	Cyg	21h 53.5m	$+47^{\circ} 16 \mathrm{m}$	10	12x12	12.6	3300	Cocoon Nebula
NGC7000	C20	Neb	Cyg	$20h\ 58.8m$	$+44^{\circ} 20 {\rm m}$	6	120x100	10.2	1800	North America Nebula
NGC4449	C21	Galaxy	CVn	$12h\ 28.2m$	$+44^{\circ}~06\mathrm{m}$	9.4	5x3	12.7	10 million	
NGC7662	C22	Pln Neb	And	$23h\ 25.9m$	$+42^{\circ} 33 \text{m}$	9.2	0.3/2.2	10	3200	Blue Snowball
NGC891	C23	Galaxy	And	$02h\ 22.6m$	$+42^{\circ} 21 \mathrm{m}$	9.9	14x2	14	31 million	
NGC1275	C24	Galaxy	Per	$03h\ 19.8m$	$+41^{\circ} 31 \text{m}$	11.6	2.6x1	13.4	230 mil.	Perseus A
NGC2419	C25	Glob CL	Lyn	07h 38.1m	$+38^{\circ} 53 \text{m}$	10.4	4.1	13.5	275000	
NGC4244	C26	Galaxy	m CVn	$12h\ 17.5m$	$+37^{\circ} 49 \text{m}$	10.6	16x2.5	14.2	10 million	
NGC6888	C27	Neb	Cyg	$20h\ 12.0m$	$+38^{\circ} 21 \text{m}$	7.5	20x10	5.8	4700	Crescent Nebula
NGC752	C28	Opn CL	And	$01h\ 57.8m$	$+37^{\circ} 41 \text{m}$	5.7	50	14.2	1200	
NGC5005	C29	Galaxy	CVn	$13h\ 10.9m$	$+37^{\circ} 03 \text{m}$	9.8	5.4x2	12.4	69 million	
NGC7331	C30	Galaxy	Peg	$22h \ 37.1m$	$+34^{\circ} 25 \text{m}$	9.5	11x4	13.6	47 million	
IC405	C31	Neb	Aur	$05h\ 16.2m$	$+34^{\circ} 16 \text{m}$	6	30x19	6.9	1600	Flaming Star Nebula
NGC4631	C32	Galaxy	CVn	12h $42.1m$	$+32^{\circ} 32m$	9.3	15x3	13.5	22 million	Whale Galaxy
NGC6992	C33	SN Rem	Cyg	$20h\ 56.4m$	$+31^{\circ} 43 \text{m}$	_	60x8	13.4	2500	East Veil Nebula
NGC6960	C34	SN Rem	Cyg	20h 45.7m	$+30^{\circ} 43 \text{m}$	_	70x6	13.6	2500	West Veil Nebula
NGC4889	C35	Galaxy	Com	13h 00.1m	$+27^{\circ} 59 \text{m}$	11.4	3x2	13.4	300 mil.	
NGC4559	C36	Galaxy	Com	12h 36.0m	$+27^{\circ} 58 \text{m}$	9.8	10x4	14.1	32 million	
NGC6885	C37	Opn CL	Vul	20h 12.0m	$+26^{\circ} 29 \text{m}$	5.7	7	10.1	1950	
NGC4565	C38	Galaxy	Com	12h 36.3m	$+25^{\circ} 59 \text{m}$	9.6	16x3	13.8	32 million	Needle Galaxy

NGC NGC	NGC2392	C39	Pln Neb	Gem	07h 29.2m	$+20^{\circ} 55 \text{m}$	9.9	0.2/0.7	8.4	4000	Eskimo or Clown Nebula
Mel25											Eskillo of Clown Nebula
NGC7066											Hyadas
NGC NGC											Tryades
NGC7479											
NGC26248 C45											
NGC NGC											
NGC2775											Hubble's Variable Nabula
NGC2775											Trubble's variable Nebula
NGC2247 C49											
NGC2244 C50											Daratta Nabala
C51											
NGC4697 C52 Galaxy Vir 12h 48.6m -05° 48m 9.3 6x3 12.8 76 million NGC3115 C53 Galaxy Sex 10h 05.2m -07° 48m 9.1 8x3 12.3 22 million Spindle Galaxy NGC2506 C54 Opn CL Mon 08h 00.2m -10° 47m 7.6 7 11.8 10000 NGC7099 C55 Pln Neb Agr 21h 04.2m -11° 22m 8.3 2.5/1 9 1400 Saturn Nebula NGC426 C55 Pln Neb Agr 21h 04.2m -11° 53m 8 3.8 14.7 1600 Saturn Nebula NGC4360 C58 Opn CL CMa Oft-17.8m -15° 37m 7.2 13 12.8 3700 NGC3242 C59 Pln Neb Hya 10h 24.8m -18° 38m 8.6 0.3/21 10.6 1400 Barnard's Galaxy NGC438 C60 Galaxy Crv 12h 01.9m -18° 53m <											Satellite Cluster
NGC NGC											
NGC2506 C54											
NGC7009 C55 Pin Neb Aqr 21h 04.2m -11° 22m 8.3 2.5/1 9 1400 Saturn Nebula NGC4266 C56 Pin Neb Cet 00h 47.0m -11° 53m 8 3.8 14.7 1600 NGC6822 C57 Galaxy Sgr 19h 44.9m -14° 48m 9.3 10x9 13.7 2300000 Barnard's Galaxy NGC3242 C59 Pln Neb Hya 10h 24.8m -18° 38m 8.6 0.3/21 10.6 1400 Ghost of Jupiter NGC3242 C59 Pln Neb Hya 10h 24.8m -18° 38m 8.6 0.3/21 10.6 1400 Ghost of Jupiter NGC4038 C60 Galaxy Crv 12h 01.9m -18° 52m 11.3 2.6x1.8 12.6 83 million Antennae Galaxies NGC4039 C61 Galaxy Ctv 12h 01.9m -18° 53m 11.8 3.2x-2.2 13.8 83 million Antennae Galaxies NGC247 C62 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Spindle Galaxy</td></t<>											Spindle Galaxy
NGC246 C56 Pln Neb Cet 00h 47.0m -11° 53m 8 3.8 14.7 1600 NGC6822 C57 Galaxy Sgr 19h 44.9m -14° 48m 9.3 10x9 13.7 2300000 Barnard's Galaxy NGC3260 C58 Opn CL CMa Ofh 17.8m -15° 37m 7.2 13 12.8 3700 NGC3242 C59 Pln Neb Hya 10h 24.8m -18° 52m 11.3 2.6x1.8 12.6 83 million Antennae Galaxies NGC4038 C60 Galaxy Crv 12h 01.9m -18° 52m 11.3 2.6x1.8 12.6 83 million Antennae Galaxies NGC4039 C61 Galaxy Cvt 12h 01.9m -18° 52m 11.3 2.6x1.8 12.6 83 million Antennae Galaxies NGC437 C62 Galaxy Cet 00h 47.1m -20° 46m 8.9 20x7 14.5 680000 NGC2362 C64 Opn CL CMa 707h 18.8m <td></td> <td>a</td>											a
NGC6822 C57 Galaxy Sgr 19h 44.9m -14° 48m 9.3 10x9 13.7 2300000 Barnard's Galaxy NGC2360 C58 Opn CL CMa 07h 17.8m -15° 37m 7.2 13 12.8 3700 NGC3242 C59 Pln Neb Hya 10h 24.8m -18° 38m 8.6 0.3/21 10.6 1400 Ghost of Jupiter NGC34038 C60 Galaxy Crv 12h 01.9m -18° 53m 11.8 3.2x2.2 13.8 83 million Antennae Galaxies NGC4039 C61 Galaxy Cet 00h 47.1m -20° 46m 8.9 20x7 14.5 6800000 NGC247 C62 Galaxy Cet 00h 47.1m -20° 46m 8.9 20x7 14.5 6800000 NGC2362 C63 Pln Neb Aqr 22h 29.6m 7.3 13 12.9 522 Helix Nebula NGC5694 C66 Glob CL Hya 14h 39.6m -26° 32m 10.											Saturn Nebula
NGC2360 C58 Opn CL CMa 07h 17.8m -15° 37m 7.2 13 12.8 3700 NGC3242 C59 Pln Neb Hya 10h 24.8m -18° 38m 8.6 0.3/21 10.6 1400 Ghost of Jupiter NGC4038 C60 Galaxy Crv 12h 01.9m -18° 52m 11.3 2.6x1.8 12.6 83 million Antennae Galaxies NGC4039 C61 Galaxy Crv 12h 01.9m -18° 53m 11.8 3.2x2.2 13.8 83 million Antennae Galaxies NGC247 C62 Galaxy Cet 00h 47.1m -20° 46m 8.9 20x7 14.5 6800000 Antennae Galaxies NGC2362 C63 Pln Neb Acg 22b 29.6m -20° 48m 7.3 13 12.9 522 Helix Nebula NGC3623 C65 Galaxy Scl 00h 47.6m -25° 57m 7.1 25x7 12.7 9800000 Sculptor Galaxy NGC1097 C67 G											
NGC3242 C59 Pin Neb Hya 10h 24.8m -18° 38m 8.6 0.3/21 10.6 1400 Ghost of Jupiter NGC4038 C60 Galaxy Crv 12h 01.9m -18° 52m 11.3 2.6x1.8 12.6 83 million Antennae Galaxies NGC4039 C61 Galaxy Crv 12h 01.9m -18° 53m 11.8 3.2x2.2 13.8 83 million Antennae Galaxies NGC4793 C62 Galaxy Cet 00h 47.1m -20° 46m 8.9 20x7 14.5 6800000 NGC2530 C63 Pln Neb Aqr 22h 29.6m -20° 48m 7.3 13 12.9 522 Helix Nebula NGC2530 C65 Galaxy Scl 00h 47.6m -25° 57m 4.1 6 8 5100 NGC5594 C66 Glob CL Hya 14h 39.6m -26° 32m 10.2 3.6 13 113000 NGC6729 C68 Neb CrA 19h 01.9m -36°											Barnard's Galaxy
NGC4038 C60 Galaxy Crv 12h 01.9m -18° 52m 11.3 2.6x1.8 12.6 83 million Antennae Galaxies NGC4039 C61 Galaxy Crv 12h 01.9m -18° 52m 11.8 3.2x2.2 13.8 83 million Antennae Galaxies NGC47 C62 Galaxy Cet 00h 47.1m -20° 46m 8.9 20x7 14.5 6800000 NGC7293 C63 Pln Neb Aqr 22h 29.6m -20° 48m 7.3 13 12.9 522 Helix Nebula NGC2362 C64 Opn CL CMa 07h 18.8m -24° 57m 4.1 6 8 5100 NGC253 C65 Galaxy Scl 00h 47.6m -25° 17m 7.1 25x7 12.7 980000 Sculptor Galaxy NGC5694 C66 Glob CL Hya 14h 39.6m -26° 37m 10.2 3.6 13 113000 NGC1097 C67 Galaxy For 02h 46.3m -30° 17											
NGC4039 C61 Galaxy Crv 12h 01.9m -18° 53m 11.8 3.2x2.2 13.8 83 million Antennae Galaxies NGC247 C62 Galaxy Cet 00h 47.1m -20° 46m 8.9 20x7 14.5 6800000 NGC7293 C63 Pln Neb Aqr 22h 29.6m -20° 48m 7.3 13 12.9 522 Helix Nebula NGC2362 C64 Opn CL CMa 07h 18.8m -24° 57m 4.1 6 8 5100 NGC553 C65 Galaxy Scl 00h 47.6m -25° 17m 7.1 25x7 12.7 9800000 Sculptor Galaxy NGC5694 C66 Glob CL Hya 14h 39.6m -26° 32m 10.2 3.6 13 113000 Sculptor Galaxy NGC1097 C67 Galaxy For 02h 46.3m -30° 17m 9.2 9x6 13.7 47 million NGC6729 C68 Neb CrA 19h 01.9m -36° 57m				-				,			
NGC247 C62 Galaxy Cet 00h 47.1m -20° 46m 8.9 20x7 14.5 6800000 NGC7293 C63 Pln Neb Aqr 22h 29.6m -20° 48m 7.3 13 12.9 522 Helix Nebula NGC2362 C64 Opn CL CMa 07h 18.8m -24° 57m 4.1 6 8 5100 NGC533 C65 Galaxy Scl 00h 47.6m -25° 17m 7.1 25x7 12.7 9800000 Sculptor Galaxy NGC5694 C66 Glob CL Hya 14h 39.6m -26° 32m 10.2 3.6 13 113000 NGC1097 C67 Galaxy For 02h 46.3m -30° 17m 9.2 9x6 13.7 47 million NGC6729 C68 Neb CrA 19h 01.9m -36° 57m 9.7 1 9.5 424 NGC6302 C69 Pln Neb Sco 17h 13.7m -37° 60m 9.6 0.8 9.1 5200 <td></td>											
NGC7293 C63 Pln Neb Aqr 22h 29.6m -20° 48m 7.3 13 12.9 522 Helix Nebula NGC2362 C64 Opn CL CMa 07h 18.8m -24° 57m 4.1 6 8 5100 NGC253 C65 Galaxy Scl 00h 47.6m -25° 17m 7.1 25x7 12.7 9800000 Sculptor Galaxy NGC5694 C66 Glob CL Hya 14h 39.6m -26° 32m 10.2 3.6 13 113000 NGC1097 C67 Galaxy For 02h 46.3m -30° 17m 9.2 9x6 13.7 47 million NGC6729 C68 Neb CrA 19h 01.9m -36° 57m 9.7 1 9.5 424 NGC6302 C69 Pln Neb Sco 17h 13.7m -37° 06m 9.6 0.8 9.1 5200 Bug Nebula NGC300 C70 Galaxy Scl 00h 54.9m -37° 41m 8.7 20x13 14.8											Antennae Galaxies
NGC2362 C64 Opn CL CMa 07h 18.8m -24° 57m 4.1 6 8 5100 NGC253 C65 Galaxy Scl 00h 47.6m -25° 17m 7.1 25x7 12.7 9800000 Sculptor Galaxy NGC5694 C66 Glob CL Hya 14h 39.6m -26° 32m 10.2 3.6 13 113000 NGC1097 C67 Galaxy For 02h 46.3m -30° 17m 9.2 9x6 13.7 47 million NGC6729 C68 Neb CrA 19h 01.9m -36° 57m 9.7 1 9.5 424 NGC6302 C69 Pln Neb Sco 17h 13.7m -37° 06m 9.6 0.8 9.1 5200 Bug Nebula NGC300 C70 Galaxy Scl 00h 54.9m -37° 41m 8.7 20x13 14.8 3900000 Bug Nebula NGC55 C72 Galaxy Scl 07h 44.6m -23° 52m 5.8 27 13 <td></td>											
NGC253 C65 Galaxy Scl 00h 47.6m -25° 17m 7.1 25x7 12.7 9800000 Sculptor Galaxy NGC5694 C66 Glob CL Hya 14h 39.6m -26° 32m 10.2 3.6 13 113000 NGC1097 C67 Galaxy For 02h 46.3m -30° 17m 9.2 9x6 13.7 47 million NGC6729 C68 Neb CrA 19h 01.9m -36° 57m 9.7 1 9.5 424 NGC6302 C69 Pln Neb Sco 17h 13.7m -37° 06m 9.6 0.8 9.1 5200 Bug Nebula NGC300 C70 Galaxy Scl 00h 54.9m -37° 41m 8.7 20x13 14.8 3900000 Bug Nebula NGC55 C72 Galaxy Scl 07h 44.6m -23° 52m 5.8 27 13 3700 18 NGC1312 C74 Pln Neb Vel 05h 14.9m -39° 11m 7.3 11									12.9		Helix Nebula
NGC5694 C66 Glob CL Hya 14h 39.6m -26° 32m 10.2 3.6 13 113000 NGC1097 C67 Galaxy For 02h 46.3m -30° 17m 9.2 9x6 13.7 47 million NGC6729 C68 Neb CrA 19h 01.9m -36° 57m 9.7 1 9.5 424 NGC6302 C69 Pln Neb Sco 17h 13.7m -37° 06m 9.6 0.8 9.1 5200 Bug Nebula NGC300 C70 Galaxy Scl 00h 54.9m -37° 41m 8.7 20x13 14.8 3900000 NGC2477 C71 Opn CL Pup 07h 44.6m -23° 52m 5.8 27 13 3700 NGC55 C72 Galaxy Scl 07h 44.6m -23° 52m 7.9 32x6 13.6 4200000 NGC1851 C73 Glob CL Col 00h 14.9m -39° 11m 7.3 11 12.5 39400 <t< td=""><td>NGC2362</td><td></td><td>Opn CL</td><td></td><td>07h $18.8m$</td><td></td><td>4.1</td><td>6</td><td></td><td>5100</td><td></td></t<>	NGC2362		Opn CL		07h $18.8m$		4.1	6		5100	
NGC1097 C67 Galaxy For O2h 46.3m or 30° 17m or											Sculptor Galaxy
NGC6729 C68 Neb CrA 19h 01.9m -36° 57m 9.7 1 9.5 424 NGC6302 C69 Pln Neb Sco 17h 13.7m -37° 06m 9.6 0.8 9.1 5200 Bug Nebula NGC300 C70 Galaxy Scl 00h 54.9m -37° 41m 8.7 20x13 14.8 3900000 NGC2477 C71 Opn CL Pup 07h 44.6m -23° 52m 5.8 27 13 3700 NGC55 C72 Galaxy Scl 07h 44.6m -23° 52m 7.9 32x6 13.6 4200000 NGC1851 C73 Glob CL Col 00h 14.9m -39° 11m 7.3 11 12.5 39400 NGC3132 C74 Pln Neb Vel 05h 14.1m -40° 03m 9.4 0.8 8.9 2000 Eight Burst Nebula NGC6124 C75 Opn CL Sco 10h 07.7m -40° 26m 5.8 29 13.1 1500	NGC5694		$Glob\ CL$	$_{\rm Hya}$	14h 39.6m		10.2	3.6	13	113000	
NGC6302 C69 Pln Neb Sco 17h 13.7m -37° 06m 9.6 0.8 9.1 5200 Bug Nebula NGC300 C70 Galaxy Scl 00h 54.9m -37° 41m 8.7 20x13 14.8 3900000 14.8 3900000 14.8 3900000 14.8 3900000 14.8 14.8 3900000 14.8 14.8 3900000 14.8 14.8 3900000 14.8 14.8 3900000 14.8 14.8 14.8 3900000 14.8			Galaxy		$02h\ 46.3m$			9x6			
NGC300 C70 Galaxy Scl 00h 54.9m -37° 41m 8.7 20x13 14.8 3900000 NGC2477 C71 Opn CL Pup 07h 44.6m -23° 52m 5.8 27 13 3700 NGC55 C72 Galaxy Scl 07h 44.6m -23° 52m 7.9 32x6 13.6 4200000 NGC1851 C73 Glob CL Col 00h 14.9m -39° 11m 7.3 11 12.5 39400 NGC3132 C74 Pln Neb Vel 05h 14.1m -40° 03m 9.4 0.8 8.9 2000 Eight Burst Nebula NGC6124 C75 Opn CL Sco 10h 07.7m -40° 26m 5.8 29 13.1 1500 NGC6231 C76 Opn CL Sco 16h 25.6m -40° 40m 2.6 15 8.5 6000 NGC5128 C77 Galaxy Cen 16h 54.0m -41° 48m 7 18x14 13 16 million Centaurus	NGC6729	C68	Neb	CrA	$19h\ 01.9m$		9.7	1	9.5	424	
NGC2477 C71 Opn CL Pup 07h 44.6m -23° 52m 5.8 27 13 3700 NGC55 C72 Galaxy Scl 07h 44.6m -23° 52m 7.9 32x6 13.6 4200000 NGC1851 C73 Glob CL Col 00h 14.9m -39° 11m 7.3 11 12.5 39400 NGC3132 C74 Pln Neb Vel 05h 14.1m -40° 03m 9.4 0.8 8.9 2000 Eight Burst Nebula NGC6124 C75 Opn CL Sco 10h 07.7m -40° 26m 5.8 29 13.1 1500 NGC6231 C76 Opn CL Sco 16h 25.6m -40° 40m 2.6 15 8.5 6000 NGC5128 C77 Galaxy Cen 16h 54.0m -41° 48m 7 18x14 13 16 million Centaurus A NGC6541 C78 Glob CL CrA 13h 25.5m -43° 01m 6.6 13 12.2 22300<	NGC6302	C69	Pln Neb	Sco	17h $13.7m$	$-37^{\circ}~06\mathrm{m}$	9.6	0.8	9.1	5200	Bug Nebula
NGC55 C72 Galaxy Scl 07h 44.6m -23° 52m 7.9 32x6 13.6 4200000 NGC1851 C73 Glob CL Col 00h 14.9m -39° 11m 7.3 11 12.5 39400 NGC3132 C74 Pln Neb Vel 05h 14.1m -40° 03m 9.4 0.8 8.9 2000 Eight Burst Nebula NGC6124 C75 Opn CL Sco 10h 07.7m -40° 26m 5.8 29 13.1 1500 NGC6231 C76 Opn CL Sco 16h 25.6m -40° 40m 2.6 15 8.5 6000 NGC5128 C77 Galaxy Cen 16h 54.0m -41° 48m 7 18x14 13 16 million Centaurus A NGC6541 C78 Glob CL CrA 13h 25.5m -43° 01m 6.6 13 12.2 22300	NGC300	C70	Galaxy	Scl	00h 54.9m	$-37^{\circ} 41 \mathrm{m}$	8.7	20x13	14.8	3900000	
NGC1851 C73 Glob CL Col 00h 14.9m -39° 11m 7.3 11 12.5 39400 NGC3132 C74 Pln Neb Vel 05h 14.1m -40° 03m 9.4 0.8 8.9 2000 Eight Burst Nebula NGC6124 C75 Opn CL Sco 10h 07.7m -40° 26m 5.8 29 13.1 1500 NGC6231 C76 Opn CL Sco 16h 25.6m -40° 40m 2.6 15 8.5 6000 NGC5128 C77 Galaxy Cen 16h 54.0m -41° 48m 7 18x14 13 16 million Centaurus A NGC6541 C78 Glob CL CrA 13h 25.5m -43° 01m 6.6 13 12.2 22300	NGC2477	C71	Opn CL	Pup	07h $44.6m$	$-23^{\circ} 52 \mathrm{m}$	5.8	27	13	3700	
NGC3132 C74 Pln Neb Vel 05h 14.1m -40° 03m 9.4 0.8 8.9 2000 Eight Burst Nebula NGC6124 C75 Opn CL Sco 10h 07.7m -40° 26m 5.8 29 13.1 1500 NGC6231 C76 Opn CL Sco 16h 25.6m -40° 40m 2.6 15 8.5 6000 NGC5128 C77 Galaxy Cen 16h 54.0m -41° 48m 7 18x14 13 16 million Centaurus A NGC6541 C78 Glob CL CrA 13h 25.5m -43° 01m 6.6 13 12.2 22300	NGC55	C72	Galaxy	Scl	07h $44.6m$	$-23^{\circ} 52 \mathrm{m}$	7.9	32x6	13.6	4200000	
NGC6124 C75 Opn CL Sco 10h 07.7m -40° 26m 5.8 29 13.1 1500 NGC6231 C76 Opn CL Sco 16h 25.6m -40° 40m 2.6 15 8.5 6000 NGC5128 C77 Galaxy Cen 16h 54.0m -41° 48m 7 18x14 13 16 million Centaurus A NGC6541 C78 Glob CL CrA 13h 25.5m -43° 01m 6.6 13 12.2 22300	NGC1851	C73	Glob CL	Col	$00h\ 14.9m$	$-39^{\circ} 11 \text{m}$	7.3	11	12.5	39400	
NGC6231 C76 Opn CL Sco 16h 25.6m -40° 40m 2.6 15 8.5 6000 NGC5128 C77 Galaxy Cen 16h 54.0m -41° 48m 7 18x14 13 16 million Centaurus A NGC6541 C78 Glob CL CrA 13h 25.5m -43° 01m 6.6 13 12.2 22300	NGC3132	C74	Pln Neb	Vel	$05h\ 14.1m$	$-40^{\circ}~03\mathrm{m}$	9.4	0.8	8.9	2000	Eight Burst Nebula
NGC6231 C76 Opn CL Sco 16h 25.6m -40° 40m 2.6 15 8.5 6000 NGC5128 C77 Galaxy Cen 16h 54.0m -41° 48m 7 18x14 13 16 million Centaurus A NGC6541 C78 Glob CL CrA 13h 25.5m -43° 01m 6.6 13 12.2 22300	NGC6124	C75	Opn CL	Sco	$10h\ 07.7m$	$-40^{\circ}~26 {\rm m}$	5.8	29	13.1	1500	
NGC6541 C78 Glob CL CrA 13h 25.5m -43° 01m 6.6 13 12.2 22300	NGC6231	C76		Sco	$16h\ 25.6m$	$-40^{\circ} 40 \mathrm{m}$	2.6	15	8.5	6000	
NGC6541 C78 Glob CL CrA 13h 25.5m -43° 01m 6.6 13 12.2 22300											Centaurus A
NGC3201 C79 Glob CL Vel 18h 08.0m -43° 42m 6.7 18 13 17000											

NGC5139	C80	Glob CL	Cen	10h 17.6m	$-46^{\circ}~25\mathrm{m}$	3.6	36	11.6	17300	Omega Centauri
NGC6352	C81	Glob CL	Ara	$13h\ 26.8m$	$-47^{\circ} 29 \text{m}$	6.1	7	10.3	18600	S
NGC6193	C82	Opn CL	Ara	$17h\ 25.5m$	$-48^{\circ} 25 \mathrm{m}$	5.2	15	11.1	4300	
NGC4945	C83	Galaxy	Cen	$16h\ 41.3m$	$-48^{\circ} 46 \mathrm{m}$	8.7	20x4	13.5	17 million	
NGC5286	C84	Glob CL	Cen	$13h\ 05.4m$	$-49^{\circ} 28 \text{m}$	7.6	9	12.4	36000	
IC2391	C85	Opn CL	Vel	$13h\ 46.4m$	$-51^{\circ} 22m$	2.5	50	11	500	Omicron Vel Cluster
NGC6397	C86	Glob CL	Ara	$08h\ 40.2m$	$-53^{\circ} 04 \mathrm{m}$	5.6	26	12.7	7500	
NGC1261	C87	Glob CL	Hor	$17h\ 40.7m$	$-53^{\circ} 40 \mathrm{m}$	8.4	7	12.6	55500	
NGC5823	C88	Opn CL	Cir	$03h\ 12.3m$	-55° 13m	7.9	10	12.9	3400	
NGC6087	C89	Opn CL	Nor	$15h\ 05.7m$	$-55^{\circ} 36 \mathrm{m}$	5.4	12	10.8	3300	S Norma Cluster
NGC2867	C90	Pln Neb	Car	$16h\ 18.9m$	-57° 54m	9.7	0.2	6.5	5500	
NGC3532	C91	Opn CL	Car	$09h\ 21.4m$	$-58^{\circ} 19 \text{m}$	3	55	11.7	1600	
NGC3372	C92	Neb	Car	11h~06.4m	$-58^{\circ} 40 \mathrm{m}$	6.2	120x120	11.4	7500	Eta Carinae Nebula
NGC6752	C93	$\operatorname{Glob}\operatorname{CL}$	Pav	$10h\ 43.8m$	$-59^{\circ} 52 \mathrm{m}$	5.4	20	11.9	13000	
NGC4755	C94	Opn CL	Cru	$19h\ 10.9m$	$-59^{\circ} 59 \text{m}$	4.2	10	9.2	4900	Jewel Box
NGC6025	C95	Opn CL	TrA	12h 53.6m	$-60^{\circ} 20 \mathrm{m}$	5.1	12	10.5	2500	
NGC2516	C96	$\operatorname{Opn}\operatorname{CL}$	Car	16h~03.7m	$-60^{\circ} 30 \mathrm{m}$	3.8	30	11.2	1300	
NGC3766	C97	Opn CL	Cen	07h $58.3m$	$-60^{\circ} 52 \text{m}$	5.3	12	10.7	5800	
NGC4609	C98	Opn CL	Cru	11h 36.1m	$-61^{\circ} 37 \mathrm{m}$	6.9	5	10.4	4200	
-	C99	Dk Neb	Cru	$12h\ 42.3m$	-62° 58m	-	400x300	12.8	610	Coalsack Nebula
IC2944	C100	CL+Neb	Cen	12h 53m	$-63^{\circ}~00\mathrm{m}$	4.5	15	10.4	6000	Lambda Centauri Nebula
NGC6744	C101	Galaxy	Pav	$11h\ 36.6m$	$-63^{\circ}~02\mathrm{m}$	9	16x10	13.8	34 million	
IC2602	C102	Opn CL	Car	19h 09.8m	$-63^{\circ} 51 \text{m}$	1.9	50	10.4	492	Theta Car Cluster
NGC2070	C103	Neb	Dor	$10h\ 43.2m$	$-64^{\circ} 24 \mathrm{m}$	1	40x25	15.7	170000	Tarantula Nebula
NGC362	C104	$Glob\ CL$	Tuc	05h $38.7m$	$-69^{\circ} 06 \mathrm{m}$	6.6	13	12.2	27700	
NGC4833	C105	$Glob\ CL$	Mus	$01h\ 03.2m$	$-70^{\circ} 51 \text{m}$	7.3	14	13.1	19600	
NGC104	C106	$Glob\ CL$	Tuc	12h $59.6m$	$-70^{\circ} 53 \text{m}$	4	31	11.5	14700	47 Tucanae
NGC6101	C107	$Glob\ CL$	Aps	$00h\ 24.1m$	$-72^{\circ}~05\mathrm{m}$	9.3	11	14.5	49900	
NGC4372	C108	$Glob\ CL$	Mus	$16h\ 25.8m$	$-72^{\circ} 12 \text{m}$	7.8	19	14.2	18900	
NGC3195	C109	Pln Neb	Cha	$12h\ 25.8m$	$-72^{\circ} 40 \mathrm{m}$	11.6	40_35	10.5	5400	