


MIDI Bites allow to remove some of the board material that is used to hold the DIN5 or 3.5mm Jack connectors and instead mount the connectors to the case and wire them up with J15

License: CERN Open Hardware Licence Version 2 – Permissive
Source Code: <https://github.com/pedalboard/pedalboard-hw>

Sheet: /MIDI/
File: pico.kicad_sch

Title: Open Pedalboard

Size: A4	Date: 2023-09-10	Rev: 3.0.0-RC1
KiCad E.D.A. kicad-cli 7.0.7-7.0.7-ubuntu23.04.1	Id: 2/5	





License: CERN Open Hardware Licence Version 2 – Permissive
 Source Code: <https://github.com/pedalboard/pedalboard-hw>

Sheet: /Audio/
 File: audio.kicad_sch

Title: Open Pedalboard

Size: A4	Date: 2023-09-10	Rev: 3.0.0-RC1
KiCad E.D.A.	kicad-cli 7.0.7-7.0.7-ubuntu23.04.1	Id: 3/5



EMC filter: <https://www.cui.com/blog/emi-filter-components-what-they-are-and-how-they-work>
CM Noise: <https://www.cui.com/blog/reducing-supply-rail-common-mode-noise-in-audio-applications>

Size: A4	Date: 2023-09-10	Rev: 3.0.0-RC1
KiCad E.D.A. kicad-cli 7.0.7-7.0.7-ubuntu23.04.1		Id: 4/5

