

This is a WinBUGS program for the real example in Chapter 10, Section 10.4.2.

Model: Multisample Structural Equation Model with Ordered Categorical Variables, M1

Data Set Names: YO1.dat, YO2.dat, XI1.dat, and XI2.dat, where XI1.dat and XI2.dat are initial values for xi in the groups 1 and 2, respectively.

Sample Sizes: N1=338 and N2=247

Constraint: No constraints

There are two groups: group 1 and group 2. We choose group 1 as the reference group.

```
model {  
  #Group one  
  for(i in 1:N1){  
    #measurement equation model  
    for(j in 1:P){y1[i,j]~dnorm(mu1[i,j],psi1[j])/(thd[j,z1[i,j]],thd[j,z1[i,j]+1])}  
    mu1[i,1]<-mu.y1[1]+eta1[i]  
    mu1[i,2]<-mu.y1[2]+lam1[1]*eta1[i]  
    mu1[i,3]<-mu.y1[3]+xi1[i,1]  
    mu1[i,4]<-mu.y1[4]+lam1[2]*xi1[i,1]  
    mu1[i,5]<-mu.y1[5]+lam1[3]*xi1[i,1]  
    mu1[i,6]<-mu.y1[6]+lam1[4]*xi1[i,1]  
    mu1[i,7]<-mu.y1[7]+lam1[5]*xi1[i,1]  
    mu1[i,8]<-mu.y1[8]+lam1[6]*xi1[i,1]  
    mu1[i,9]<-mu.y1[9]+lam1[7]*xi1[i,1]  
    mu1[i,10]<-mu.y1[10]+xi1[i,2]  
    mu1[i,11]<-mu.y1[11]+lam1[8]*xi1[i,2]  
    mu1[i,12]<-mu.y1[12]+lam1[9]*xi1[i,2]  
    mu1[i,13]<-mu.y1[13]+lam1[10]*xi1[i,2]  
    mu1[i,14]<-mu.y1[14]+lam1[11]*xi1[i,2]  
    mu1[i,15]<-mu.y1[15]+lam1[12]*xi1[i,2]  
    mu1[i,16]<-mu.y1[16]+xi1[i,3]  
    mu1[i,17]<-mu.y1[17]+lam1[13]*xi1[i,3]  
    mu1[i,18]<-mu.y1[18]+lam1[14]*xi1[i,3]  
    mu1[i,19]<-mu.y1[19]+xi1[i,4]  
    mu1[i,20]<-mu.y1[20]+lam1[15]*xi1[i,4]  
    mu1[i,21]<-mu.y1[21]+lam1[16]*xi1[i,4]  
    mu1[i,22]<-mu.y1[22]+lam1[17]*xi1[i,4]  
    mu1[i,23]<-mu.y1[23]+lam1[18]*xi1[i,4]  
    mu1[i,24]<-mu.y1[24]+lam1[19]*xi1[i,4]  
    mu1[i,25]<-mu.y1[25]+lam1[20]*xi1[i,4]  
    mu1[i,26]<-mu.y1[26]+lam1[21]*xi1[i,4]  
  
    #structural equation model  
    xi1[i,1:4]~dmnorm(zero4[1:4],phi1[1:4,1:4])  
    eta1[i]~dnorm(nu1[i],psd1)  
    nu1[i]<-gam1[1]*xi1[i,1]+gam1[2]*xi1[i,2]+gam1[3]*xi1[i,3]+gam1[4]*xi1[i,4]  
  }# end of i  
}
```

#Group two

```
for(i in 1:N2){  
  #measurement equation model  
  for(j in 1:P){y2[i,j]~dnorm(mu2[i,j],psi2[j])l(thd[j,z2[i,j]],thd[j,z2[i,j]+1])}  
  mu2[i,1]<-mu.y2[1]+eta2[i]  
  mu2[i,2]<-mu.y2[2]+lam2[1]*eta2[i]  
  mu2[i,3]<-mu.y2[3]+xi2[i,1]  
  mu2[i,4]<-mu.y2[4]+lam2[2]*xi2[i,1]  
  mu2[i,5]<-mu.y2[5]+lam2[3]*xi2[i,1]  
  mu2[i,6]<-mu.y2[6]+lam2[4]*xi2[i,1]  
  mu2[i,7]<-mu.y2[7]+lam2[5]*xi2[i,1]  
  mu2[i,8]<-mu.y2[8]+lam2[6]*xi2[i,1]  
  mu2[i,9]<-mu.y2[9]+lam2[7]*xi2[i,1]  
  mu2[i,10]<-mu.y2[10]+xi2[i,2]  
  mu2[i,11]<-mu.y2[11]+lam2[8]*xi2[i,2]  
  mu2[i,12]<-mu.y2[12]+lam2[9]*xi2[i,2]  
  mu2[i,13]<-mu.y2[13]+lam2[10]*xi2[i,2]  
  mu2[i,14]<-mu.y2[14]+lam2[11]*xi2[i,2]  
  mu2[i,15]<-mu.y2[15]+lam2[12]*xi2[i,2]  
  mu2[i,16]<-mu.y2[16]+xi2[i,3]  
  mu2[i,17]<-mu.y2[17]+lam2[13]*xi2[i,3]  
  mu2[i,18]<-mu.y2[18]+lam2[14]*xi2[i,3]  
  mu2[i,19]<-mu.y2[19]+xi2[i,4]  
  mu2[i,20]<-mu.y2[20]+lam2[15]*xi2[i,4]  
  mu2[i,21]<-mu.y2[21]+lam2[16]*xi2[i,4]  
  mu2[i,22]<-mu.y2[22]+lam2[17]*xi2[i,4]  
  mu2[i,23]<-mu.y2[23]+lam2[18]*xi2[i,4]  
  mu2[i,24]<-mu.y2[24]+lam2[19]*xi2[i,4]  
  mu2[i,25]<-mu.y2[25]+lam2[20]*xi2[i,4]  
  mu2[i,26]<-mu.y2[26]+lam2[21]*xi2[i,4]  
  
  #structural equation model  
  xi2[i,1:4]~dmnorm(zero4[1:4],phi2[1:4,1:4])  
  eta2[i]~dnorm(nu2[i],psd2)  
  nu2[i]<-gam2[1]*xi2[i,1]+gam2[2]*xi2[i,2]+gam2[3]*xi2[i,3]+gam2[4]*xi2[i,4]  
}  
  
for(i in 1:4){zero4[i]<-0.0}  
  
  #priors on loadings and coefficients  
  for(i in 1:26){mu.y1[i]~dnorm(0.0,4.0)}  
  for(i in 1:21){lam1[i]~dnorm(0.8,4.0)}  
  for(i in 1:4){gam1[i]~dnorm(0.6,4.0)}  
  for(i in 1:26){mu.y2[i]~dnorm(0.0,4.0)}  
  for(i in 1:21){lam2[i]~dnorm(0.8,4.0)}  
  for(i in 1:4){gam2[i]~dnorm(0.6,4.0)}  
  
  #priors on precisions  
  for(j in 1:P){  
    psi1[j]~dgamma(10,8)  
    sgm1[j]<-1/psi1[j]  
  }  
  psd1~dgamma(10,8)  
  sgd1<-1/psd1  
  phi1[1:4,1:4]~dwish(R[1:4,1:4], 30)
```

```

phx1[1:4,1:4]<-inverse(phi1[1:4,1:4])
for(j in 1:P){
  psi2[j]~dgamma(10,8)
  sgm2[j]<-1/psi2[j]
}
psd2~dgamma(10,8)
sgd2<-1/psd2
phi2[1:4,1:4]~dwish(R[1:4,1:4], 30)
phx2[1:4,1:4]<-inverse(phi2[1:4,1:4])

} #end of model

```

Data Set

```

list(N1=338, N2=247, P=26,
  R=structure(
    .Data=c(8.0, 0.0, 0.0, 0.0,
            0.0, 8.0, 0.0, 0.0,
            0.0, 0.0, 8.0, 0.0,
            0.0, 0.0, 0.0, 8.0),
    .Dim=c(4,4)),
  thd=structure(
    .Data=c(-200.000,-2.517,-1.245,-0.444, 0.848,200.000,
            -200.000,-1.447,-0.420, 0.119, 1.245,200.000,
            -200.000,-1.671,-0.869,-0.194, 0.679,200.000,
            -200.000,-1.642,-0.869,-0.293, 0.332,200.000,
            -200.000,-1.671,-0.827, 0.052, 0.756,200.000,
            -200.000,-1.769,-1.098,-0.469, 0.255,200.000,
            -200.000,-1.490,-0.670,-0.082, 0.880,200.000,
            -200.000,-1.933,-0.880,-0.317, 1.008,200.000,
            -200.000,-1.587,-0.624, 0.000, 1.008,200.000,
            -200.000,-1.983,-1.348,-0.348, 1.045,200.000,
            -200.000,-1.983,-1.229,-0.247, 0.869,200.000,
            -200.000,-2.262,-1.426, 0.037, 1.330,200.000,
            -200.000,-2.371,-1.295,-0.224, 0.651,200.000,
            -200.000,-2.039,-1.112,-0.149, 1.169,200.000,
            -200.000,-2.262,-1.198,-0.309, 1.198,200.000,
            -200.000,-2.176,-1.537,-0.717, 0.597,200.000,
            -200.000,-1.447,-0.786, 0.119, 1.008,200.000,
            -200.000,-2.039,-1.769,-0.661, 0.642,200.000,
            -200.000,-2.262,-1.468, 0.015, 1.214,200.000,
            -200.000,-2.039,-1.406, 0.000, 1.140,200.000,
            -200.000,-1.702,-1.058, 0.149, 0.902,200.000,
            -200.000,-2.262,-1.426,-0.309, 0.971,200.000,
            -200.000,-1.702,-0.615, 0.179, 1.229,200.000,
            -200.000,-2.262,-1.671,-1.033, 0.420,200.000,
            -200.000,-2.262,-1.468,-0.689, 1.045,200.000,
            -200.000,-2.176,-1.537,-0.880, 0.661,200.000),
    .Dim=c(26,6)),
  z1=structure(
    .Data=c(paste YO1.dat here),
    .Dim=c(338,26)),
  z2=structure(
    .Data=c(paste YO2.dat here),
    .Dim=c(247,26)))

```

Init 1

```
list(
  mu.y1=c(0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0,
0.0, 0.0,0.0,0.0,0.0,0.0,0.0),
  lam1=c(0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0,
0.0),
  psi1=c(1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0,
1.0, 1.0, 1.0, 1.0, 1.0, 1.0),
  psd1=1.0,
  gam1=c(1.0, 1.0, 1.0, 1.0),
  phi1=structure(
    .Data=c(1.0, 0.0, 0.0, 0.0,
            0.0, 1.0, 0.0, 0.0,
            0.0, 0.0, 1.0, 0.0,
            0.0, 0.0, 0.0, 1.0),
    .Dim=c(4,4)),
  mu.y2=c(0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0,
0.0, 0.0,0.0,0.0,0.0,0.0,0.0),
  lam2=c(0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0,
0.0),
  psi2=c(1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0,
1.0, 1.0, 1.0, 1.0, 1.0, 1.0),
  psd2=1.0,
  gam2=c(1.0, 1.0, 1.0, 1.0),
  phi2=structure(
    .Data=c(1.0, 0.0, 0.0, 0.0,
            0.0, 1.0, 0.0, 0.0,
            0.0, 0.0, 1.0, 0.0,
            0.0, 0.0, 0.0, 1.0),
    .Dim=c(4,4)),
  xi1=structure(
    .Data=c(paste XI1.dat here),
    .Dim=c(338,4)),
  xi2=structure(
    .Data=c(paste XI2.dat here),
    .Dim=c(247,4)))
```

Init 2

```
list(
  mu.y1=c(0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5,
0.5, 0.5,0.5,0.5,0.5,0.5,0.5),
  lam1=c(0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5,
0.5),
  psi1=c(0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5,
0.5, 0.5, 0.5, 0.5, 0.5, 0.5),
  psd1=0.6,
  gam1=c(0.0, 0.0, 0.0, 0.0),
  phi1=structure(
    .Data=c(0.5, 0.0, 0.0, 0.0,
            0.0, 0.5, 0.0, 0.0,
            0.0, 0.0, 0.5, 0.0,
            0.0, 0.0, 0.0, 0.5),
```

```

        .Dim=c(4,4)),
    mu.y2=c(0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5,
0.5, 0.5,0.5,0.5,0.5,0.5,0.5),
    lam2=c(0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5,
0.5),
    psi2=c(0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5,
0.5, 0.5, 0.5, 0.5, 0.5, 0.5),
    psd2=0.6,
    gam2=c(0.0, 0.0, 0.0, 0.0),
    phi2=structure(
        .Data=c(0.5, 0.0, 0.0, 0.0,
                0.0, 0.5, 0.0, 0.0,
                0.0, 0.0, 0.5, 0.0,
                0.0, 0.0, 0.0, 0.5),
        .Dim=c(4,4)),
    xi1=structure(
        .Data=c(paste XI1.dat here),
        .Dim=c(338,4)),
    xi2=structure(
        .Data=c(paste XI2.dat here),
        .Dim=c(247,4)))

```