Please check the examination details below	before entering your candidate information
Candidate surname	Other names
Pearson Edexcel International Advanced Level	e Number Candidate Number
October 2020	
Morning (Time: 1 hour 30 minutes)	Paper Reference WBI11/01
Biology International Advanced Sub Unit 1: Molecules, Diet, Tran	,
You must have: Scientific calculator, ruler, HB pencil	Total Marks

Instructions

- Use **black** ink or ball-point pen.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- Show all your working in calculations and include units where appropriate.

Information

- The total mark for this paper is 80.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- In questions marked with an **asterisk** (*), marks will be awarded for your ability to structure your answer logically, showing how the points that you make are related or follow on from each other where appropriate.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







Answer ALL questions.

Write your answers in the spaces provided.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

- 1 The primary structure of a protein determines its secondary structure and its three-dimensional structure.
 - (a) Read through the following account of the primary structure of a protein.

(5)

Complete the account by writing the most appropriate word or words on the dotted lines.

The primary structure of a protein is the specific sequence of amino acids joined

together by bonds.

These bonds are formed between the _____ group of

one amino acid and the _____ group of an adjacent

amino acid by a ______ reaction.

These bonds are formed during the stage of protein synthesis

called

(b) The table describes the types of bond that hold the secondary and the three-dimensional structures together.

Which type of bonding is true for each structure?

(2)

Structure	Hydrogen bonds only	lonic bonds only	Both hydrogen and ionic bonds	Neither of these bonds
secondary structure	\boxtimes		\boxtimes	\boxtimes
three-dimensional structure	×	\boxtimes	\boxtimes	×

(Total for Question 1 = 7 marks)



2 Most Bengal tigers are orange with black stripes but there is a very small number of Bengal tigers that are white with black stripes.


The photograph shows a white Bengal tiger with black stripes.




(Source: Caroline Wilcox)

White tiger offspring are produced by two Bengal tigers that each carry at least one recessive allele for a gene affecting coat colour.

The pedigree diagram shows the phenotypes in one family of tigers, bred in captivity.





(a) The phenotype is affected by the genotype.

State what is meant by the term **genotype**.

•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	٠	۰	۰	١	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

(1)




(b) State the probability that the next tiger born to the	se two parents will be female.	(1)
(c) Determine the expected phenotypic ratio of orange the parents shown in this pedigree diagram.	e tigers to white tigers born to	
Use a genetic diagram to support your answer.		(3)
Answer		
(d) The incidence of white tigers in the wild is 1 in 100	00 Bengal tigers.	
There are approximately 6000 Bengal tigers in capt	ivity, 200 of which are white.	
Calculate the incidence of white tigers in captivity.		(1)
	Answer	
	(Total for Question 2 = 6 ma	
	·	



3 The cardiac cycle is the sequence of events that occurs when the heart beats.

A typical cardiac cycle takes 0.86 seconds.

(a) The diagram illustrates the cardiac cycle.



(i) Which row of the table describes the atria and ventricles during atrial systole?

(1)

		Atria	Ventricles
×	Α	contracted	contracted
X	В	contracted	relaxed
×	C	relaxed	contracted
X	D	relaxed	relaxed

(ii) Explain why there is a delay of 0.01 seconds between atrial systole and ventricular systole.

(2)

(iii) Using the information in the diagram,	, calculate the duration of
ventricular systole in milliseconds.	

Express your answer in standard form.

(2)

Answer ms

(iv) State what proportion of the cardiac cycle is spent in ventricular diastole.

(1)

(b) A typical cardiac cycle takes 0.86 seconds.

During exercise, the heart rate increases and the duration of the cardiac cycle decreases.

Calculate the increase in heart rate if the cardiac cycle decreases by 0.4 seconds.

(3)

Answer beats per minute

(Total for Question 3 = 9 marks)



4 The polynucleotide DNA is composed of mononucleotides linked together.

Two polynucleotides form a DNA molecule.

(a) The diagram shows part of a DNA molecule.

(i) Draw a circle around **one** mononucleotide that includes the base labelled **R**.

(1)

(ii) Which row of the table identifies the bonds labelled **S**, **T** and **U**?

	S	Т	U
⊠ A	hydrogen	phosphodiester	covalent
⋈ B	hydrogen	covalent	phosphodiester
	phosphodiester	hydrogen	covalent
⊠ D	phosphodiester	covalent	hydrogen

(iii) The base labelled **P** is adenine.

Which is the base labelled **Q**?

- A cytosine
- B guanine
- C thymine
- **D** uracil




(1)

(1)

(b) Meselson and Stahl carried out experiments that provided evidence for the semi-conservative replication of DNA.

Heavy nitrogen (N¹⁵) and light nitrogen (N¹⁴) were used in these experiments.

The flow chart summarises part of one experiment performed by Meselson and Stahl.



After each stage, a sample of DNA was taken from the bacteria and the DNA molecules separated using a density gradient in a tube.

The heavier DNA molecules form bands lower down the gradient than the lighter DNA molecules.


The height of each band is proportional to the percentage of DNA molecules in the sample.

(i) Complete the diagram to show the results of this experiment.

Use the dotted lines to help you to position the bands on the diagram.

The first one has been done for you.

(5)





(ii) The experiments of Meselson and Stahl disproved the dispersive theory of DNA replication.

The diagram shows the expected results if the dispersive theory was correct.

Stage 1

One DNA molecule containing heavy nitrogen (N¹⁵)





Appearance of bands on density gradient


Stage 2

Two DNA molecules containing heavy nitrogen (N¹⁵) and light nitrogen (N¹⁴)





Which diagram would show the bands of DNA molecules on the density gradient at stage 2, if the dispersive theory was correct?

(1)









(Total for Question 4 = 9 marks)

5	Obesity increases the risk of cardiovascular disease (CVD).	
,		
	One way to reduce obesity is to lose weight by changing eating habits.	
	(a) Name two obesity indicators used by scientists.	(1)
1		
Ι		
2		
	(b) Glucomannan is a dietary supplement claimed to aid weight loss.	
	Glucomannan is a branched polysaccharide similar in structure to amylopectin.	
	(i) Which glycosidic bonds are responsible for the branching in glucomannan?	
		(1)
	■ B 1-6 only	
	■ C both 1-4 and 1-6	
	■ D neither 1-4 nor 1-6	
	(ii) In the presence of water, glucomannan swells to form a semi-solid gel.	
	The diagram shows a stomach with glucomannan present and a stomach without glucomannan.	
	Key food glucomanna	n
	Suggest how glucomannan aids weight loss.	(1)



(iii) If glucomannan could be digested it would cause a gain in weight.	
Explain why glucomannan could cause a gain in weight.	(2)

(c) A study compared weight loss in two groups of women.

One group of women had a low-fat diet and the other group of women had a very low-carbohydrate diet.

(i) The table shows the results of this study.

Number of weeks	Mean body mass of the group of women / kg									
on the diet	Group on the low-fat diet	Group on the very low-carbohydrate diet								
0	92.5	91.1								
2	90.6	88.3								
4	89.9	87.5								
6	89.0	85.6								
8	88.8	84.5								
10	88.3	84.1								
12	88.2	83.0								

Many studies claim that a low-carbohydrate diet can result in two to three times as much weight loss as a low-fat diet.

Determine the extent to which this study supports this claim.

(3)

	(2)						
Give two factors, other than weight loss, that should have been monitored this study.							
i) Very low-carbohydrate diets may increase cardiovascular risk factors							
	i) Very low-carbohydrate diets may increase cardiovascular risk factors. Give two factors, other than weight loss, that should have been monitored in this study.						



6 A gene contains the genetic code for the sequence of amino acids in a polypeptide chain. The table shows the genetic codes found in DNA.

Genetic code	Amino acid	Genetic code	Amino acid	Genetic code	Amino acid	Genetic code	Amino acid
AAA AAG	Lysine	CAA CAG	Glutamine	GAA GAG	Glutamic acid	TAC TAT	Tyrosine
AAC AAT	Asparagine	CAT CAC	Histidine	GAC GAT	Aspartate	TCA TCC TCG TCT	Serine
ACA ACC ACG ACT	Threonine	CCA CCC CCG CCT	Proline	GCA GCC GCG GCT	Alanine	TGG	Tryptophan
AGA AGG	Arginine	CGA CGC CGG CGT	Arginine	GGA GGC GGG GGT	Glycine	TGC TGT	Cysteine
AGC AGT	Serine	CTA CTC CTG CTT	Leucine	GTA GTC GTG GTT	Valine	TTA TTG	Leucine
ATA ATC ATT	Isoleucine					TTC TTT	Phenylalanine
ATG	Methionine						

The genetic codes TAA, TAG and TGA are stop codons, that do not code for amino acids.



*(a)	*(a) Explain the nature of the genetic code.						
	Use information in the table to support your answer.						
		(6)					



(b) The diagram shows the sequence of nucleotide bases in part of a DNA template (antisense) strand.

Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Base	А	Т	G	G	С	Т	Т	G	С	С	С	G	А	Т	С	С	Т	А

(i) Give the sequence of amino acids that is coded for by these bases.

(1)

(ii) Explain the possible effects on a protein if there is a substitution mutation in the 9th base in this DNA strand.

Use information in the table to support your answer.

(5)



(Total for Question 6 = 12 marks)



7	Warfarin is used in the treatment of cardiovascular disease.	
	Warfarin inhibits the synthesis of prothrombin.	
	(a) Describe the role of prothrombin in the blood clotting process.	
		(3)
	(b) Which type of treatment is warfarin?	(4)
	■ A anticoagulant	(1)
	■ B antihypertensive	
	☑ C platelet inhibitor	
	□ Statin	

(c) Reduced vitamin K is needed for the synthesis of prothrombin.

An enzyme, vitamin K epoxide reductase (VKOR), converts vitamin K to reduced vitamin K.

The diagram shows this conversion.

(i) The diagrams show the structures of warfarin and vitamin K.

Warfarin

Vitamin K

Using the information in the diagrams, suggest why warfarin inhibits the synthesis of prothrombin.

(2)

(ii)	Suggest why people taking warfarin have to avoid eating foods that contain a high concentration of vitamin K.					
	Thigh concentration of vitalini K.	(2)				
••••••						

(d) Other drugs are available that work in a similar way to warfarin.	
The diagram shows one study to compare the effect of warfarin with drug X.	
Two groups of people, Group A and Group B	
Group A given warfarin and vitamin K and Group B given drug X and vitamin K	
Levels of prothrombin measured in each group	
Explain how this study should be designed so that the effectiveness of these two drugs can be compared.	
(4)	
(Total for Question 7 = 12 marks)	




(3)

8 Low-density lipoproteins (LDLs) transport lipids around the body in the blood.

Low-density lipoproteins can result in the development of atherosclerosis.

They can be absorbed into the endothelial cells lining arteries and broken down by free radicals.

The diagram shows a low-density lipoprotein containing cholesterol.



(a)	Compare and	contrast	the structure	of a	trigl	yceride	and	ар	hosp	hol	ipi	d
-----	-------------	----------	---------------	------	-------	---------	-----	----	------	-----	-----	---

(b) Explain why the properties of LDLs enable cholesterol to be transported in the blood.

(3)

(c) The diameters of LDLs range from 19 nm to 24 nm.

The table shows some information about LDLs.

Diameter of LDL / nm	Volume of LDL / nm³	Volume of cholesterol / nm³	Ratio of LDL volume to cholesterol volume
19	3590	523	7:1
24		523	


(i) Complete the table by calculating the volume of LDL and the ratio of LDL volume to cholesterol volume.

Use the formula
$$v = \frac{4}{3}\pi r^3$$

(3)

(6)

*(ii) The graph shows the relationship between LDLs, high-density lipoproteins (HDLs) and the risk of CVD.



Explain why measuring only the level of LDL in the blood is **not** a reliable predictor of CVD.

Use the graph, all the information in this question and your own knowledge to support your answer.

(Total for Question 8 = 15 marks)

TOTAL FOR PAPER = 80 MARKS

