

# Programming fundamentals with Python

## Modules and packages

Pepe García [jgarciah@faculty.ie.edu](mailto:jgarciah@faculty.ie.edu)

# Plan for today

- PYPI

# Plan for today

- PYPI
- virtual environments

# Plan for today

- PYPI
- virtual environments
- pip



# Plan for today

- PYPI
- virtual environments
- pip
- Downloading & using Python libraries




In order to install libraries using pip we will first need to know which library to install. To make this search easier, the Python community maintains **Pypi**, the Python Package Index, a website with all the available libraries and instructions to install them.

**<https://pypi.org>**

# Python Package Index


The Python Package Index is a great place to find libraries you may be interested in.



SCHOOL OF  
SCIENCE &  
TECHNOLOGY

# Python Package Index

The Python Package Index is a great place to find libraries you may be interested in.



## Searching in the Python Package Index

Let's search for some libraries in the Python Package Index...



**Virtual environments** are a way to create a project with its own dependencies.

# Creating virtual environments

In order to create a virtual environment, we'll use the `python -m venv` tool:

```
$ mkdir testing-virtualenvs  
$ cd testing-virtualenvs  
$ python3 -m venv env
```

This last command creates a subdirectory in the current directory that will contain all the meta information about the virtualenv.

pip is a package manager for Python. We will use it through the command line:

```
$ <venv>/bin/pip
```

in our case:

```
$ env/bin/pip
```

There are a lot of commands available from pip

There are a lot of commands available from pip

- install packages `env/bin/pip install whatever`



There are a lot of commands available from pip

- install packages `env/bin/pip install whatever`
- uninstall packages `env/bin/pip uninstall whatever`



There are a lot of commands available from pip

- install packages `env/bin/pip install whatever`
- uninstall packages `env/bin/pip uninstall whatever`
- show all installed packages `env/bin/pip freeze`



There are a lot of commands available from pip

- install packages `env/bin/pip install whatever`
- uninstall packages `env/bin/pip uninstall whatever`
- show all installed packages `env/bin/pip freeze`





There are a lot of commands available from pip

- install packages `env/bin/pip install whatever`
- uninstall packages `env/bin/pip uninstall whatever`
- show all installed packages `env/bin/pip freeze`

And... what can this `whatever` be? Anything we want to search a library for.

```
$ python3 -m pip install mergesort
Collecting mergesort
  Downloading mergesort-0.0.1.tar.gz (779 bytes)
Building wheels for collected packages: mergesort
  Running setup.py clean for mergesort
Failed to build mergesort
Installing collected packages: mergesort
  Running setup.py install for mergesort ... done
Successfully installed mergesort-0.0.1
```

It's possible that on your windows computer python is not behaving as you expect. This tutorial is handy for these cases.

<https://www.datacamp.com/community/tutorials/installing-anaconda-windows>

# Using third party libraries

Once we've found the library we want to use in our project, it's time to see how it's used. Usually libraries will have some documentation explaining how to use them.

The place where this doc should be is in the homepage of the library.

# Using third party libraries

**Hacker News** · new | threads | comments | leaders | jobs | submit

1. Why we disagree with Don Norman (37signals.com)  
20 points by ... 2 hours ago | 4 comments
2. MySQL InnoDB Clustered Indexes and Rails (or How RescueTime Avoided  
24 points by b555a 3 hours ago | 3 comments
3. x Story of the Mach 3.18 breakup of an SR-71 Blackbird (916-startlighter.de)  
17 points by marvin 3 hours ago | 5 comments
4. x 20 Websites That Made Me A Better Web Developer (xarewizards.com)  
18 points by dnn227 3 hours ago | 2 comments
5. x Bigger Computer Monitors = More Productivity (wsl.com)  
8 points by b0000000 3 hours ago | 4 comments
6. x A Mac OS X-style Dock In JavaScript (safstra.com)  
13 points by 00000 3 hours ago | 3 comments
7. x Congrats nickb hitting 10K karma today (xcombinator.com)  
12 points by b555a 4 hours ago | 11 comments
8. x Are .NET developers the American tourists of the software industry? (com)  
30 points by b555a 4 hours ago | 24 comments
9. x Can Liberal Arts Colleges Be Saved? (incorrigible.com)  
5 points by m00 2 hours ago | 3 comments
10. YC Startup MightyQuiz: Stump Strangers with Your Arcane Knowledge (n)  
25 points by b555a 3 hours ago | 8 comments
11. x Ask YC: What Is Your Favorite Board Game?  
14 points by shurt 5 hours ago | 54 comments
12. x Ask YC: Recommendations on how to make demo video (60 sec tour) fo  
4 points by shurt 5 hours ago | 2 comments



# Using third party libraries

`hackernews-client` is a library for getting HackerNews (<http://news.ycombinator.com>) data programatically.

## Exercise

Let's have 10 minutes to create a virtual environment that uses `hackernews-client` and a Python program that gets the 10 best stories from it (look in the docs how to get it).



# Using third party libraries - HN

```
$ python3 -m pip install hackernews-client
```

```
Collecting hackernews-client
```

```
Using cached hackernews-client-0.1.2b1.tar.gz (8.1 kB)
```

```
Building wheels for collected packages: hackernews-client
```

```
Building wheel for hackernews-client (setup.py) ... error
```

```
Running setup.py clean for hackernews-client
```

```
Failed to build hackernews-client
```

```
Installing collected packages: hackernews-client
```

```
Running setup.py install for hackernews-client ... done
```

```
Successfully installed hackernews-client-0.1.2b1
```

# Using third party libraries - HN

```
from hackernews import hn # import the hn module from hackernews
```





# Using third party libraries - HN

```
from hackernews import hn  
  
client = hn.NewsClient() # create a client
```



# Using third party libraries - HN

```
from hackernews import hn

client = hn.NewsClient()

for story in client.get_best_story(10): # get 10 best stories
    print(story.title)
```



# Getting all dependencies for a project

When we're working on a project, we want to make it easy for people to get up to speed. We can do that for dependencies, so that new developers in the project don't need to install dependencies one by one.

Remember `pip freeze`? We'll use it to generate a file called `requirements.txt` that contains all library dependencies.

```
$ env/bin/pip freeze > requirements.txt
```

# Getting all dependencies for a project

Finally, when we clone a repository that contains some Python dependencies, we can install them all in one go, with:

```
$ env/bin/pip install -r requirements.txt
```

## Demo

Let's demo it with session-15 repository

- Answer questions about previous sessions

# Recap

- Answer questions about previous sessions
- PYPI



# Recap

- Answer questions about previous sessions
- PYPi
- virtual environments



- Answer questions about previous sessions
- PYPi
- virtual environments
- pip





- Answer questions about previous sessions
- PYPi
- virtual environments
- pip
- Downloading & using Python libraries

