

Report: Generative Processes of Static and Dynamic LDA Models

Arijus Pleska

December 1, 2016

During this week I have familiarised with the generative processes of static and dynamic LDA models. In this report I will present the results by plotting the generated documents, address the estimation of the parameters α and β , and raise questions to be considered for the next meeting.

I have managed to generate documents using both static and dynamic variations. The static approach in generating corpus is given in Figure 1, and the dynamic approach is given in Figure 2.




Figure 1: The distribution of a word in a corpus produced by the static generative process.




Figure 2: The distribution of a word in a corpus produced by the dynamic generative process.

In Figure 1 we can see that the word is present throughout all the corpus, whereas Figure 2 displays a smoother distribution of the word. That is, the dynamic generative process induces a structure of the word’s existence in the corpus. Also, note that both corpus contain the same number of documents and the number of words in a document is drawn from the Poisson distribution on the same mean $\xi = 200$.

The implementation of the generative processes follow directly from the original LDA paper [1] (static) and the paper on dynamic [2]

References

- [1] David M. Blei, Andrew Y. Ng, and Michael I. Jordan. Latent dirichlet allocation. *J. Mach. Learn. Res.*, 3:993–1022, March 2003.
- [2] David M. Blei and John D. Lafferty. Dynamic topic models. In *Proceedings of the 23rd International Conference on Machine Learning, ICML ’06*, pages 113–120, New York, NY, USA, 2006. ACM.