

Date of print: 19.10.2010

SAFETY DATA SHEET

according (EG) 1907/2006

PRODUCT NAME: MIG Anti-Dust type PW

page 1 of 5 Revision date: 19.10.2010

1. Identification of the substance/preparation and of the company/undertaking

Identification of the product

MIG Anti-Dust type PW

Use of the substance / preparation: paricle antiblocking agent

Company/undertaking identification

Manufacturer:

Street:

Postal code / City / Country

Telephone: Telefax: e-mail:

Emergency Telephone:

Department responsible for information:

Information Contact:

Telephone:

e-mail (competent person):

MIG Material Innovative Gesellschaft mbH

Am Grarock 3 D-33154 Salzkotten +49(0)5258 - 97482 - 0+49(0)5258 - 97482 -29 info@mig-mbh.de

+49(0)171-8325344 (SMS-receiver)

ICT Ingenieurbüro für CHEMIE und TECHNOLOGIE

DC Ing. Burkhard Brandt +49(0) 5258 - 97482 -14 ictbrandt@aol.com

2. Hazards identification

Classification: According to EC criteria does not require labelling

Informations pertaining to special dangers for human and environment:

Please observe the informations given in this safety data sheet.

3. Composition/information on ingredients

Mixture related informations: highly refined mineral oil

Hazardous ingredients: No hazardous ingredients.

4. First aid measures

General information

In case of accident or indisposition, seek medical advice immediately (show directions for use or safety data sheet if possible).

In case of inhalation:

This material has a low vapor pressure and is not expected to present an inhalation exposure at ambient conditions. If vapor or mist is generated when the material is heated, and the victim experiences signs of respiratory tract irritation, remove to fresh air.

In case of skin contact:

Wash immediately with: Water. No other measures are necessary. In case of indisposition or skin reactions consult a physician.

In case of eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for > 5 minutes holding



SAFETY DATA SHEET

according (EG) 1907/2006

PRODUCT NAME: MIG Anti-Dust type PW

Date of print: 19.10.2010 Revision date: 19.10.2010

> eyelids apart. No other measures are necessary. In case of indisposition or eye reactions consult a physician.

page 2 of 5

In case of ingestion:

No treatment is necessary under ordinary circumstances. Do not induce vomiting. This material does not present any known ingestion hazard.

5. Fire-fighting measures

Suitable extinguishing media:

Extinguishing powder, Foam, Carbon dioxide.

Extinguishing media which must not be used for safety reasons:

high pressure water iet

Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases:

No hazardous ingredients. Can be released in case of fire: CO/CO2

Special protective equipment for fire-fighters:

Wear self-contained breathing apparatus.

Instructions:

Cool surrounding containers with water spray. If possible, take container out of dangerous zone. Heating causes a rise in pressure, risk of bursting and explosion. Shut off sources of ignition.

6. Accidental release measures

Personal precautions

Affected rooms ventilate thoroughly

Environmental precautions

Endangerment of drinking water and environment: Maybe a hazard to drinking water sources when very large quantities get into groundwater. Inform the responsible authorities.

Methods for cleaning up

Absorb any spilt liquid with an absorbent (e.g. diatomite, vermiculite, sand) and dispose of according to regulations. Pump off larger quantities. Afterwards ventilate area and wash spill site.

7. Handling and Storage

Handling

Workplace:

The ventilation measures should primarily follow the others in the areas where hazardous substances are used. If there is a chance that aerosols may be released, then the work room must provide adequate ventilation. Use a trap if there is a floor drain. Washing facility at the workplace required.

Storage

Do not use any food containers - risk of mistake. Containers have to be labeled clearly and permanently. Store in the original container as much as possible. Keep container tightly closed. Store in a cool place. Store in a dry place.

Storage class 10 - 13 (Other liquids and solids)



Date of print: 19.10.2010

SAFETY DATA SHEET

according (EG) 1907/2006

PRODUCT NAME: MIG Anti-Dust type PW

Revision date: 19.10.2010

Requirements to be met by storerooms and containers:

Suitable material for containers and conduit: steel or stainless steel

Store in original containers or in PE-containers.

Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials.

Further information about storage conditions:

Store under cover away from heat and sources of ignition.

8. Exposure controls / Personal protection

Information on the system design:

No special measures required

Industrial hygiene: Select industrial hygiene according to the other used substances.

Components with specific control parameters:

none

Personal protection:

Body protection: Wear an apron or a lab coat.

Respiratory protection: at insufficient ventilation is respiratory protection required.

Eve protection: Wear glasses with side protection.

Hand protection: Select hand protection according to the other used substances. Skin protection: Select skin protection according to the other used substances.

9. Physical and chemical Properties

General information:

Physical state: liquid Colour: colourless Odour: odourless

Important health, safety and environmental information

pH-Value (at 20 °C): 8.0 - 10.5

Density (at 15 °C): $0.84 - 0.86 \text{ g/cm}^3$

Solubility in water: insoluble Flash point: > 160 °C

Change of state

Melting point: not determined Boiling point: not determined

Pour point: - 12 °C

Viscosity:

kinematic at 20 °C: ca. 33 mm²/s

10. Stability and Reactivity

Conditions to avoid:

Strong oxidizers

Materials to avoid:

None known if used for its intended purpose

page 3 of 5



Date of print: 19.10.2010

SAFETY DATA SHEET

according (EG) 1907/2006

PRODUCT NAME: MIG Anti-Dust type PW

Revision date: 19.10.2010 **page 4 of** 5

Hazardous decomposition products:

Thermal decomposition can result in different substances, whose exact composition depends on the decomposition conditions.

11. Toxicological information

Acute toxicity:

LD 50 (oral/ rat): > 5000 mg/kg LD 50 (dermal/ rat): > 2000 mg/kg LC 50 (inhalative/ rat) 4 h: > 5200 mg/kg

Primary irritant effects:

on the skin: no irritant effect on the eye: no irritant effect

Sensitization: no sensitizing effect known.

Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information we have to hand.

12. Ecological information

Persistence and Degradation:

The product is biologically degradable

Ecotoxicity:

Spilled liquid can form a thin film on the water surface, which damages the organisms and can interfere with oxygen supply.

13. Disposal considerations

Non-hazardous waste according to Waste Catalogue Ordinance (AVV). If there is no way of recycling it must be disposed of in compliance with the respective national and local regulations.

Collection of small amounts of substance:

Place in a collection container for halogen-free organic solvents and solutions of halogen-free organic substances.

14. Transport information

Land transport (ADR/RID):No dangerous good in sense of this transport regulation.

Inland waterway craft (ADN/ADNR): No dangerous good in sense of this transport regulation.

Marine transport (IMDG): No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI / IATA-DGR): No dangerous good in sense of this transport regulation.

15. Regulatory information

Symbols of danger: Not subject of the identification regulations.

R-phrases:

S-phrases:



SAFETY DATA SHEET

according (EG) 1907/2006

PRODUCT NAME: MIG Anti-Dust type PW

page 5 of 5

WGK:

Date of print: 19.10.2010

Revision date: 19.10.2010

1 slightly water-endangering product (manufacturer classification in conformity with the calculation method of the German VwVws of May 17, 1999).

16. Other information

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Sales Department:

MIG Material Innovative Gesellschaft mbH Am Grarock 3 D-33154 Salzkotten

Tel.: +49 (0) 5258-974 82-0 Fax: +49 (0) 5258-974 82-29

e-mail: info@mig-mbh.de