

Module	pre N = 106	post N = 106	p	q-value
Module 1 (post)			<0·0001	<0·0001
Mean (SD)	25 (12)	22 (12)		
Median (Q1, Q3)	22 (16, 32)	19 (13, 27)		
Min, Max	5, 58	5, 70		
Module 2 (post)			0·68	>0·99
Mean (SD)	22 (13)	22 (13)		
Median (Q1, Q3)	19 (12, 27)	19 (14, 31)		
Min, Max	5, 70	5, 66		
Missing	15	15		
Module 3 (post)			0·040	0·20
Mean (SD)	23 (14)	20 (12)		
Median (Q1, Q3)	19 (14, 31)	18 (11, 27)		
Min, Max	5, 66	2, 58		
Missing	31	31		
Module 4 (post)			>0·99	>0·99
Mean (SD)	20 (11)	20 (12)		
Median (Q1, Q3)	18 (11, 26)	17 (12, 24)		
Min, Max	2, 47	3, 64		
Missing	38	38		
Module 5 (post)			0·67	>0·99
Mean (SD)	19 (12)	20 (13)		
Median (Q1, Q3)	15 (11, 24)	16 (10, 26)		
Min, Max	3, 64	6, 63		
Missing	51	51		
Module 6 (post)			0·80	>0·99
Mean (SD)	20 (13)	20 (13)		
Median (Q1, Q3)	16 (10, 26)	17 (10, 26)		
Min, Max	6, 63	5, 65		
Missing	53	53		

Abbreviation: Q1 = 25th percentile, Q3 = 75th percentile, p_{adj} = Holm-Bonferroni adjusted p.