

Module	pre N = 98	post N = 98	p-hat	95% CI	t	p-value	q-value
Module 1 (post)			0.522	0.479, 0.564	0.998	0.32	>0.99
Mean (SD)	44 (10)	45 (10)					
Median (Q1, Q3)	45 (38, 52)	47 (37, 51)					
Min, Max	16, 60	19, 60					
Module 2 (post)			0.507	0.471, 0.543	0.366	0.72	>0.99
Mean (SD)	44 (10)	44 (11)					
Median (Q1, Q3)	47 (37, 52)	47 (37, 53)					
Min, Max	19, 60	14, 60					
Missing	16	16					
Module 3 (post)			0.522	0.487, 0.558	1.25	0.21	>0.99
Mean (SD)	45 (11)	45 (11)					
Median (Q1, Q3)	48 (37, 53)	48 (36, 55)					
Min, Max	14, 60	16, 60					
Missing	24	24					
Module 4 (post)			0.513	0.479, 0.546	0.759	0.45	>0.99
Mean (SD)	46 (11)	46 (11)					
Median (Q1, Q3)	48 (38, 54)	49 (39, 54)					
Min, Max	16, 60	16, 60					
Missing	32	32					
Module 5 (post)			0.512	0.467, 0.557	0.543	0.59	>0.99
Mean (SD)	47 (10)	47 (10)					
Median (Q1, Q3)	49 (40, 55)	48 (40, 57)					
Min, Max	20, 60	23, 60					
Missing	43	43					

Abbreviations: , 95% CI = Confidence interval of the estimated relative effect, Q1 = 25th percentile, Q3 = 75th percentile, p-hat = estimated relative effect, q-value = Holm-Bonferroni adjusted p-value, t = Brunner–Munzel test statistic for paired samples