

<b>Module</b>	<b>pre</b> N = 106	<b>post</b> N = 106	<b>p-hat</b>	<b>95% CI</b>	<b>t</b>	<b>p-value</b>	<b>q-value</b>
<b>Module 1</b>			0·548	0.499, 0.597	1·95	0·054	0·27
Mean (SD)	58 (23)	62 (24)					
Median (Q1, Q3)	64 (40, 76)	68 (40, 80)					
Min, Max	8, 100	12, 100					
<b>Module 2</b>			0·484	0.436, 0.532	-0·652	0·52	>0·99
Mean (SD)	63 (23)	62 (23)					
Median (Q1, Q3)	70 (44, 80)	64 (44, 80)					
Min, Max	12, 100	0, 100					
Missing	22	22					
<b>Module 3</b>			0·456	0.414, 0.498	-2·08	0·041	0·25
Mean (SD)	63 (24)	60 (23)					
Median (Q1, Q3)	68 (44, 80)	62 (42, 80)					
Min, Max	0, 100	0, 100					
Missing	38	38					
<b>Module 4</b>			0·492	0.438, 0.546	-0·293	0·77	>0·99
Mean (SD)	60 (24)	58 (27)					
Median (Q1, Q3)	62 (38, 80)	64 (36, 80)					
Min, Max	0, 100	0, 100					
Missing	46	46					
<b>Module 5</b>			0·518	0.467, 0.569	0·706	0·48	>0·99
Mean (SD)	59 (27)	60 (28)					
Median (Q1, Q3)	62 (36, 80)	66 (32, 80)					
Min, Max	0, 100	0, 100					
Missing	56	56					
<b>Module 6</b>			0·541	0.488, 0.595	1·57	0·13	0·50
Mean (SD)	61 (29)	66 (26)					
Median (Q1, Q3)	70 (32, 80)	72 (52, 84)					
Min, Max	0, 100	12, 100					
Missing	64	64					

Abbreviations: , 95% CI = Confidence interval of the estimated relative effect, Q1 = 25th percentile, Q3 = 75th percentile, p-hat = estimated relative effect, q-value = Holm-Bonferroni adjusted p-value, t = Brunner-Munzel test statistic for paired samples