

Module	pre N = 98	post N = 98	p-hat	95% CI	t	p-value	q-value
<b>Module 1</b>			0.512	0.467, 0.557	0.535	0.59	>0.99
Mean (SD)	42 (11)	42 (11)					
Median (Q1, Q3)	43 (34, 51)	44 (34, 50)					
Min, Max	12, 60	13, 60					
<b>Module 2</b>			0.488	0.45, 0.526	-0.641	0.52	>0.99
Mean (SD)	42 (12)	41 (13)					
Median (Q1, Q3)	44 (34, 50)	42 (30, 53)					
Min, Max	13, 60	12, 60					
Missing	16	16					
<b>Module 3</b>			0.520	0.483, 0.557	1.09	0.28	>0.99
Mean (SD)	42 (14)	43 (13)					
Median (Q1, Q3)	44 (30, 53)	46 (35, 53)					
Min, Max	12, 60	12, 60					
Missing	24	24					
<b>Module 4</b>			0.511	0.475, 0.546	0.588	0.56	>0.99
Mean (SD)	43 (13)	43 (13)					
Median (Q1, Q3)	46 (35, 53)	47 (34, 54)					
Min, Max	12, 60	12, 60					
Missing	32	32					
<b>Module 5</b>			0.516	0.478, 0.554	0.841	0.40	>0.99
Mean (SD)	44 (13)	44 (13)					
Median (Q1, Q3)	48 (34, 54)	48 (34, 55)					
Min, Max	12, 60	14, 60					
Missing	43	43					

Abbreviations: , 95% CI = Confidence interval of the estimated relative effect, Q1 = 25th percentile, Q3 = 75th percentile, *p-hat* = estimated relative effect, *q-value* = Holm-Bonferroni adjusted p-value, *t* = Brunner–Munzel test statistic for paired samples