Module	pre N = 106	post N = 106	p-hat	95% CI	t	p-value	q-value
Module 1			0·548	0.499, 0.597	1·95	0·054	0·27
Mean (SD)	58 (23)	62 (24)					
Median (Q1, Q3)	64 (40, 76)	68 (40, 80)					
Min, Max	8, 100	12, 100					
Module 2			0·484	0.436, 0.532	-0·652	0·52	>0·99
Mean (SD)	63 (23)	62 (23)					
Median (Q1, Q3)	70 (44, 80)	64 (44, 80)					
Min, Max	12, 100	0, 100					
Missing	22	22					
Module 3			0·456	0.414, 0.498	-2·08	0·041	0·25
Mean (SD)	63 (24)	60 (23)					
Median (Q1, Q3)	68 (44, 80)	62 (42, 80)					
Min, Max	0, 100	0, 100					
Missing	38	38					
Module 4			0·492	0.438, 0.546	-0·293	0·77	>0·99
Mean (SD)	60 (24)	58 (27)					
Median (Q1, Q3)	62 (38, 80)	64 (36, 80)					
Min, Max	0, 100	0, 100					
Missing	46	46					
Module 5			0·518	0.467, 0.569	0·706	0·48	>0·99
Mean (SD)	59 (27)	60 (28)					
Median (Q1, Q3)	62 (36, 80)	66 (32, 80)					
Min, Max	0, 100	0, 100					
Missing	56	56					
Module 6			0·541	0.488, 0.595	1·57	0·13	0·50
Mean (SD)	61 (29)	66 (26)					
Median (Q1, Q3)	70 (32, 80)	72 (52, 84)					
Min, Max	0, 100	12, 100					
Missing	64	64					

Abbreviations: , *95% CI* = Confidence interval of the estimated relative effect, *Q1* = 25th percentile, *Q3* = 75th percentile, *p-hat* = estimated relative effect, *q-value* = Holm-Bonferroni adjusted p-value, *t* = Brunner–Munzel test statistic for paired samples