

Module	pre N = 106	post N = 106	p	q-value
Module 1 (post)			<0.0001	<0.0001
Mean (SD)	12 (7)	11 (8)		
Median (Q1, Q3)	11 (7, 16)	9 (4, 16)		
Min, Max	0, 31	0, 35		
Module 2 (post)			0.050	0.21
Mean (SD)	10 (8)	11 (8)		
Median (Q1, Q3)	8 (4, 16)	10 (5, 14)		
Min, Max	0, 35	0, 36		
Missing	15	15		
Module 3 (post)			0.041	0.21
Mean (SD)	12 (9)	10 (8)		
Median (Q1, Q3)	10 (5, 18)	8 (5, 14)		
Min, Max	0, 36	0, 32		
Missing	31	31		
Module 4 (post)			0.98	>0.99
Mean (SD)	10 (7)	10 (7)		
Median (Q1, Q3)	8 (5, 14)	8 (5, 14)		
Min, Max	0, 29	0, 37		
Missing	38	38		
Module 5 (post)			0.78	>0.99
Mean (SD)	9 (8)	10 (8)		
Median (Q1, Q3)	7 (4, 13)	7 (4, 14)		
Min, Max	0, 37	1, 32		
Missing	51	51		
Module 6 (post)			0.62	>0.99
Mean (SD)	10 (8)	10 (8)		
Median (Q1, Q3)	7 (4, 14)	7 (4, 13)		
Min, Max	1, 32	1, 35		
Missing	53	53		
Abbreviation: Q1 = 25th percentile, Q3 = 75th percentile, p _{adj} = Holm-Bonferroni adjusted p.				