

**api-to-roefact by RENware Software Systems**

- [CHANGELOG 0.3.2b0](#)
  - [0.3.2b0 single EXE version \(240311 h16:30\)](#)

## CHANGELOG 0.3.2b0

### 0.3.2b0 single EXE version (240311 h16:30)

#### Release versions

- xl2roefact: "0.3.1b1"
- web2roefact: "n/a"
- invoice\_template: "0.1.20"
- INVOICEtoROefact: "0.3.2b0"

- 240311piu02 run script `build_doc` to update ref `libutils.py` module. Update & publish site.
- 240311piu01 update `downloads.md` to include single exe resource starting with last stable version = `0.3.1b1`
- 240308piu00 update `app_cli`, option `--version` to get normalized version string
- 240308piu01 make single EXE with `pyinstaller`
  - ✓ 1. ck & install `pyinstaller` in local environment. Update it if necessary
  - ✓ 2. adhoc try to execute it. Make a command for ( `build_sexe` ) RESULTS:  
`.../xl2roefact/dist/xl2roefact/..` with exe & various files
  - ✓ 3. created a PDM script for command `build_sexe`
  - ✓ 4. result produced in `...dist/xl2roefact/dist/` - a little bit unacceptable but ok for that step
  - ✓ 5. adjust command `build_sexe` to produce a single file EXE RESOLUTION: up here resulted one file `xl2roefact.exe` in `.../dist/` directory
  - ✓ 6. adjust command `build_sexe` to produce exe in other-temp directory for name processing (req here in nxt item-step)
  - ✓ 7. installed `packaging` package and updated `xl2roefact.__version__` module with function `normalized_version(raw_version: str) -> str`

- ✓ 8. adjust command `build_sexe` to produce right file name as `xl2roefact-0.3.1.b1-win64.exe` and move it in `.../dist/` dir. Specs:
    - ✓ in `pyproject.toml` make `post_build_sexe` entry of call type `{call = "xl2roefact.libutils:complete_sexe_file()"}`
    - ✓ update `__version__` modules to accommodate this function
    - ✓ skeleton rdy `libutils` module for function `complete_sexe_file()` that rename and move resulted exe file: `.../dist_sexe/xl2roefact_to_update_name.exe --> .../dist/xl2roefact-version-win64.exe``
    - ✓ finalize & test code of `complete_sexe_file()` ==> PASS
  - ✓ 9. in `pyproject.toml` include `build_sexe` cmd in `build_all`
  - ✓ 10. build single exe for current stable version of xl2roefact = `0.3.1b1` . Updated tech doc DLD (xl2roefact API Reference)
  - ✓ 11. FIX: single exe not work. FIX: Must to HAVE DIFFERENT NAME THAN DIRECTORY `xl2roefact/` . Created copy `xl2roefact_copy_for_sexe.py` for `xl2roefact.py` to be used by `pyinstaller` in `build_sexe` script. **This file should be kept on as a perfect copy of original** (as sym-link doesn't work).
- 240307piu01 xl2roefact pdm environment created a script for **build PyPi** operation. PDM run script CAN be used from local development environment but CANNOT be used in `build_pypi` automation, at execution raise error that cannot execute `mkdir` on branch - NOT ANALYZED, just reverted workflow to previous one
  - 230406piu08 updated `downloads.md` ref end-of-life date of all `0.1...` versions: 10-March-2024

---

Last update: March 18, 2024