



**Pedro Filipe
Carneiro Venâncio**

**Aplicação de novos algoritmos bioinformáticos na
análise de dados de Next Generation Sequencing
(NGS)**

**Application of new bioinformatic algorithms in Next
Generation Sequencing (NGS) data analysis.**

DOCUMENTO PROVISÓRIO



**Pedro Filipe
Carneiro Venâncio**

**Aplicação de novos algoritmos bioinformáticos na
análise de dados de Next Generation Sequencing
(NGS)**

**Application of new bioinformatic algorithms in Next
Generation Sequencing (NGS) data analysis.**

DOCUMENTO PROVISÓRIO

*“The greatest challenge to any thinker is stating the problem in a
way that will allow a solution”*

— Bertrand Russell



**Pedro Filipe
Carneiro Venâncio**

**Aplicação de novos algoritmos bioinformáticos na
análise de dados de Next Generation Sequencing
(NGS)**

**Application of new bioinformatic algorithms in Next
Generation Sequencing (NGS) data analysis.**

Relatório de estágio curricular apresentado à Universidade de Aveiro para cumprimento dos requisitos necessários à obtenção do grau de Mestre em Bioinformática Clínica, especialização em Bioinformática do Genoma , realizado sob a orientação científica da Doutora Gabriela Maria Ferreira Ribeiro de Moura, Professora auxiliar do Departamento de Ciências Médicas da Universidade de Aveiro, e supervisão da Doutora Alexandra Filipa Lopes, membro da entidade de acolhimento UNILABS.

Dedico este trabalho à minha esposa e filho pelo incansável apoio.

o júri / the jury

presidente / president

Prof. Doutor João Antunes da Silva

professor associado da Faculdade de Engenharia da Universidade do Porto

vogais / examiners committee

Prof. Doutor João Antunes da Silva

professor associado da Faculdade de Engenharia da Universidade do Porto

Prof. Doutor João Antunes da Silva

professor associado da Faculdade de Engenharia da Universidade do Porto

Prof. Doutor João Antunes da Silva

professor associado da Faculdade de Engenharia da Universidade do Porto

Prof. Doutor João Antunes da Silva

professor associado da Faculdade de Engenharia da Universidade do Porto

Prof. Doutor João Antunes da Silva

professor associado da Faculdade de Engenharia da Universidade do Porto

**agradecimentos /
acknowledgements**

Agradeço toda a ajuda a todos os meus colegas e companheiros.

Palavras Chave

NGS, arquitetura, história, construção, materiais de construção, saber tradicional.

Resumo

Um resumo é um pequeno apanhado de um trabalho mais longo (como uma tese, dissertação ou trabalho de pesquisa). O resumo relata de forma concisa os objetivos e resultados da sua pesquisa, para que os leitores saibam exatamente o que se aborda no seu documento.

Embora a estrutura possa variar um pouco dependendo da sua área de estudo, o seu resumo deve descrever o propósito do seu trabalho, os métodos que você usou e as conclusões a que chegou.

Uma maneira comum de estruturar um resumo é usar a estrutura IMRaD. Isso significa:

- Introdução
- Métodos
- Resultados
- Discussão

Veja mais pormenores aqui:

<https://www.scribbr.com/dissertation/abstract/>

Keywords

textbook, architecture, history, construction, construction materials, traditional knowledge.

Abstract

An abstract is a short summary of a longer work (such as a thesis, dissertation or research paper).

The abstract concisely reports the aims and outcomes of your research, so that readers know exactly what your paper is about.

Although the structure may vary slightly depending on your discipline, your abstract should describe the purpose of your work, the methods you've used, and the conclusions you've drawn.

One common way to structure your abstract is to use the IMRaD structure. This stands for:

- Introduction
- Methods
- Results
- Discussion

Check for more details here:

<https://www.scribbr.com/dissertation/abstract/>

Acknowledgement of use of AI tools

Recognition of the use of generative Artificial Intelligence technologies and tools, software and other support tools.

I acknowledge the use of (insert AI system(s) and link) to (specific use of generative artificial intelligence or other tasks). I acknowledge the use of (software, codes or platforms) to (specific use software, codes or platforms or to other tasks).

Example 1: I acknowledge the use of ChatGPT 3.5 (Open AI, <https://chat.openai.com>) to summarise the initial notes and to proofread the final draft and the use of Office365 (Microsoft, <https://www.office.com>) for text writing and productivity.

Example 2: No content generated by AI technologies has been used in this Thesis.

Contents

Contents	i
List of Figures	iii
List of Tables	v
List of Code Snippets	vii
Glossary	ix
1 Introduction	1
1.1 Internship Context and Framework	1
1.2 Project motivation and objectives	1
1.3 Document Structure	2
1.4 Characterization of the Host Entity and Work Plan	3
1.4.1 Unilabs Portugal	3
1.4.2 Unilabs Genetics	3
1.4.3 Schedule	4
1.5 Theoretical Framework - Genetics and Genomics	4
1.5.1 Evolution of genetics over the years	4
1.5.2 Genetics vs Genomics	5
1.5.3 Structure and function of Deoxyribonucleic Acid (DNA), Ribonucleic Acid (RNA), and proteins	6
1.5.4 Molecular Structure of DNA	6
1.5.5 Discovery of the Double Helix	7
1.5.6 DNA Packaging in Eukaryotic Cells	8
1.5.7 Mutations and genetic variations	8
1.6 Theoretical Framework - Sequencing Methods and Characteristics	11
1.6.1 Next Generation Sequencing	11
1.7 Theoretical Framework - Bioinformatics	11

1.8	Strengths Weaknesses Opportunities and Threats (SWOT) Analysis	12
2	Software development process	13
2.1	Analysis	13
2.2	Planning	13
2.3	Design	13
2.4	Development	13
2.4.1	Environment preparation	13
2.5	Testing and validation	15
2.6	Optimization	15
2.7	Deployment	15
2.8	Documentation	15
2.9	Maintenance	15
3	Additional activities during the internship	17
4	Discussion	19
5	Final remarks	21
	Bibliography	23
A	Additional content	25

List of Figures

1.1	Imagem provisória do cronograma do estágio.	4
1.2	Evolution of genetics over the years: A brief timeline with some of the major historical milestones. Image adapted from [7] and [3]	5
1.3	Representation of DNA and its constituents. In the top left corner, the nitrogenous bases are illustrated, categorized into Purines (Guanine and Adenine) and Pyrimidines (Thymine and Cytosine). Below this, on the left side, the paired nitrogenous bases are shown, along with their respective hydrogen bonds and the sugar-phosphate backbone connections. On the right side of the image, a chromosome is depicted unraveling, revealing the DNA structure. dna	7
1.4	A figure with the reconstruction of the Watson-Crick's double helix model of DNA in 1.4a built by Science Museum Group Collection [11] and Franklin's X-ray diagram of the B form of sodium thymonucleate (DNA) fibres in 1.4b, published in Nature on 25 April 1953 [12]	8
1.5	NGS data analysis pipeline. Adapted from [14], [15], [16], [17]	11
1.6	SWOT Analysis.	12

List of Tables

1.1	Unilabs test catalog	4
1.2	Samtools - BED file documentation	12

List of Code Snippets

1	Python function to calculate depth of coverage using samtools and awk.	15
---	--	----

Glossary

NGS	Next Generation Sequencing	MLPA	Multiplex Ligation-Dependent Probe Amplification
CLIA	Clinical Laboratory Improvement Amendments	DNA	Deoxyribonucleic Acid
ISO	International Organization for Standardization	HGP	Human Genome Project
WES	Whole Exome Sequencing	RNA	Ribonucleic Acid
aCGH	Comparative Genomic Hybridization	SWOT	Strengths Weaknesses Opportunities and Threats
FISH	Fluorescence In Situ Hybridization		

Introduction

"The only source of knowledge is experience." - Albert Einstein

1.1 INTERNSHIP CONTEXT AND FRAMEWORK

This document represents the final report of the internship carried out as part of the Internship Curricular Unit (49991) of the second year of studies of the Master's Degree in Clinical Bioinformatics, with specialization in Genome Bioinformatics, at the University of Aveiro. The internship lasted nine months, starting on November 21st, 2023, and ending on July 19th, 2024, totalling 1296 hours of work.

During this period, the trainee had the opportunity to apply the knowledge acquired throughout the course and to get involved in practical projects related to bioinformatics and genomics. Unilabs, a recognized company in the health area, provided a professional environment where the intern could collaborate with experienced professionals and actively participate in projects relevant to clinical bioinformatics. This report addresses the activities developed during the internship and the contributions to the projects in which the intern was involved.

This introductory section aims to offer an overview of the context in which the internship was carried out, laying the foundations for understanding the activities and results presented throughout the report.

1.2 PROJECT MOTIVATION AND OBJECTIVES

Currently, Unilabs uses a genomic intelligence platform that uses natural language processing to analyse new scientific publications of a genetic nature and incorporate them into an always updated knowledge base. This platform is particularly useful in prioritizing sequenced variants, for genetic diagnosis purposes, in their interpretation and in the production of clinical reports, thus enabling the provision of increasingly personalized care.

However, at the time of this internship, Unilabs was in the migration phase to this new platform and, therefore, as a complementary strategy, a new independent software was developed to obtain the necessary metrics for genomic analyses, not directly provided by the aforementioned platform, ensuring compliance with the guidelines and practices recommended for Next Generation Sequencing (NGS). These metrics are important for assessing data quality, i.e., they indicate how well the target regions were covered by sequencing. In the case of the present stage, it was suggested to obtain the sequencing depth. In addition, the depth of coverage directly influences the ability to detect genetic variants: regions with low coverage can result in undetected or underestimated variants. Additionally, coverage metrics are also useful to optimize sequencing protocols, adjusting experimental parameters to ensure adequate coverage of target regions and minimize unnecessary costs.

As will be explained in detail below, the software created and described in this report allows the obtaining of Average Read Depth and Percentage of Coverage at 1x, 10x, 15x, 20x, 30x, 50x, 100x, and 500x per gene and per panel in analysis of gene panels. Additionally, in addition to the presentation of metrics by panel, single gene and exome analysis was also implemented.

1.3 DOCUMENT STRUCTURE

This document is divided into five chapters, each with several sections.

The first chapter, the Introduction, begins with a contextualization and framing of the internship carried out, followed by a brief presentation of the motivation and objectives of the work. The host entity is also described, in addition to a brief theoretical foundation that supports the solution presented.

The second chapter, Analysis Tool, includes several sections. The first is Development, which explains the bioinformatic process involved in the creation of the software, including the configuration of the work environment, the programming languages and software used, and the calculations performed. The following section, Operation, details step-by-step how the software operates to obtain the desired metrics. The Validation section compares the metrics obtained by the software with other tools. Next, the Documentation section describes the process of documenting the software to ensure its reproducibility. Finally, the Distribution section explains how software can be distributed and deployed.

The third chapter, Discussion, is intended to debate the ideas associated with the work, analysing and interpreting the results in the context of existing knowledge in the area. It emphasizes possible practical applications, limitations, and implications of the results.

The last two chapters are, respectively, Final Considerations, where possible improvements and new features for future versions of the software are presented, and Bibliography, which lists all the sources consulted and cited in the work.

1.4 CHARACTERIZATION OF THE HOST ENTITY AND WORK PLAN

1.4.1 Unilabs Portugal

Since the beginning of 2006, Unilabs has established solid roots in Portugal. It began its journey with the acquisition of most of the shares of the company "Medicina Laboratorial Dr. Carlos Torres" and since then it has grown steadily, following a strategy of acquiring high-quality laboratories and partners throughout the country.

It has more than 3,500 employees and more than 500 doctors, and operates in more than 1,000 service units, performing more than 25 million medical procedures per year.

In 2017, Unilabs took an important step by acquiring BASE Holding. With this acquisition, it has expanded its service offering to include radiology, affirming its position as a national leader in integrated clinical diagnostics and the provision of Complementary Diagnostic and Therapeutic Means.

Currently, it offers a wide variety of services in various areas, including Clinical Analysis, Pathological Anatomy, Cardiology, Gastroenterology, Medical Genetics, Nuclear Medicine and Radiology. The company maintains its commitment to being close to people, providing answers that contribute to a healthier future. [1]

1.4.2 Unilabs Genetics

Unilabs Genetics (formerly called CGC Genetics) was founded three decades ago and was the first private Medical Genetics laboratory in Portugal. It has been present on the national scene regarding diagnosis through genetic studies. It has a wide selection of tests and is known for its collaborative and thorough approach, meeting the demands of clinicians in a variety of specialist areas.


It is a leader in Europe in Medical Genetics, with special emphasis on rare diseases. It provides accurate diagnoses for public and private healthcare institutions, providing physicians and patients with detailed information about the nature of diseases, prognosis, and treatment options. In addition, the company supports academic institutions, research centres and the pharmaceutical industry with data and knowledge that contributes to the discovery of biomarkers and the development of new drugs.

The Unilabs Genetics laboratory is located in the city of Porto and combines advanced technologies, bioinformatics and artificial intelligence, with a highly qualified team of medical geneticists, specialists in genetic counselling and laboratory technicians. The company follows the strictest quality and ethics policies, having certifications (Clinical Laboratory Improvement Amendments (CLIA), International Organization for Standardization (ISO) 15189, ISO 9001) that guarantee excellence in its services. [2]

Table 1.1: Unilabs test catalog

Test Catalog
Whole Exome Sequencing (WES)
Next Generation Sequencing
Sanger Sequencing
Comparative Genomic Hybridization (aCGH)
Karyotyping
Fluorescence In Situ Hybridization (FISH)
QF-PCR, qPCR, RT-PCR
Fragment and Expansion Analysis
Multiplex Ligation-Dependent Probe Amplification (MLPA)
Single Gene Analysis
Variant Analysis
Cytogenetics
NIPT Tomorrow

1.4.3 Schedule

**Figure 1.1:** Imagem provisória do cronograma do estágio.

1.5 THEORETICAL FRAMEWORK - GENETICS AND GENOMICS

1.5.1 Evolution of genetics over the years

The history of genetics formally began in 1865 with Gregor Mendel's work on plant hybridization. However, the term "genetics" was only coined in 1906 by the English biologist William Bateson to define the new science of heredity. Based on Mendel's laws, genetics introduced groundbreaking concepts such as gene, genotype, and phenotype. By the 1910s, Mendelian genetics merged with the chromosomal theory of inheritance, giving rise to classical genetics. In this framework, the gene was seen as a unit of function, transmission, recombination, and mutation. [3]

This understanding persisted until the 1950s, when DNA was discovered as the material basis of heredity, marking the start of molecular biology. [4]

Following the discovery of DNA as hereditary material, molecular biology began to uncover the complexity of gene function. The fusion of Mendel's ideas with chromosomal theory also

provided a more tangible understanding of genes, which could now be physically located on chromosomes. This integration led to significant advances, such as explaining Mendel's laws through cellular mechanisms and discovering genetic recombination. Genetics evolved into a more institutionalized science, with the establishment of academic chairs and specialized courses worldwide, solidifying its position as a central field in the biological sciences. [4]

The emergence of genomics in the latter half of the 20th century further transformed the field of genetics. The completion of the Human Genome Project (HGP) in 2003 [5], a milestone in genomics, revealed the entire sequence of human DNA, propelling the study of genes beyond individual units to entire genomes. This large-scale approach allowed scientists to explore the intricate network of genes and their interactions, significantly advancing our understanding of complex traits and diseases. Genomics also facilitated the development of personalized medicine, where treatments could be tailored based on an individual's genetic makeup. [4]

The discovery of the RNA-guided CRISPR-Cas9 system has made genome editing easier and more efficient. This breakthrough allows scientists to modify DNA in various cells and organisms with ease, removing previous experimental barriers. Today, CRISPR-Cas9 is widely used in basic research, biotechnology, and the development of new therapies. [6]

Figure 1.2 presents a timeline with some of the major historical milestones in the evolution of genetics over the years.




Figure 1.2: Evolution of genetics over the years: A brief timeline with some of the major historical milestones. Image adapted from [7] and [3]

1.5.2 Genetics vs Genomics

Genetics and genomics are both fields of study that explore the roles of genes in living organisms, but they focus on different aspects of heredity and DNA. Genetics is the study of specific genes and their influence on traits and conditions that are passed from one generation to the next. It examines how certain genes cause inherited disorders, such as cystic fibrosis and Huntington's disease. [8]

In contrast, genomics is a more recent field that encompasses the study of all the genes within an organism, referred to as the genome, and how these genes interact with each other and the environment. Unlike genetics, which focuses on individual genes, genomics uses

advanced technologies like bioinformatics and high-performance computing to analyze vast amounts of genetic data. This comprehensive approach is crucial for studying complex diseases, such as cancer and diabetes, which result from the interplay between multiple genes and environmental factors. While both fields contribute to advancements in health and disease treatment, genomics represents a broader, more holistic view of genetic influence. [9]

1.5.3 Structure and function of DNA, RNA, and proteins

Nucleic acids, specifically DNA and RNA, are fundamental molecules in biological systems, playing key roles in storing and transmitting genetic information. DNA, which exists primarily as a double-stranded helix, encodes the instructions necessary for the growth, development, and reproduction of all living organisms. RNA, on the other hand, serves multiple purposes, including acting as a messenger that carries genetic information from DNA to the ribosomes for protein synthesis. The structural complexity and functional versatility of these molecules underscore their importance in the central dogma of molecular biology, which describes the flow of genetic information from DNA to RNA to proteins. [10]

1.5.4 Molecular Structure of DNA

The molecular structure of DNA is a polymer composed of repeating units called nucleotides. Each nucleotide consists of three components: a five-carbon sugar (deoxyribose), a phosphate group, and a nitrogenous base. The nitrogenous bases are categorized into two groups: purines (adenine and guanine) and pyrimidines (cytosine and thymine). The nucleotides are linked together by phosphodiester bonds, forming a sugar-phosphate backbone that gives DNA its structural integrity. DNA molecules are double-stranded, with two complementary strands running in opposite directions (antiparallel orientation). These strands are held together by hydrogen bonds between specific base pairs: adenine pairs with thymine, and guanine pairs with cytosine. This complementary base pairing is crucial for the accurate replication and transmission of genetic information. [10]

The Figure 1.3 shows a representation of the molecular structure of DNA and the base pairing between adenine (A), thymine (T), cytosine (C), and guanine (G).





Figure 1.3: Representation of DNA and its constituents. In the top left corner, the nitrogenous bases are illustrated, categorized into Purines (Guanine and Adenine) and Pyrimidines (Thymine and Cytosine). Below this, on the left side, the paired nitrogenous bases are shown, along with their respective hydrogen bonds and the sugar-phosphate backbone connections. On the right side of the image, a chromosome is depicted unraveling, revealing the DNA structure. **dna**

1.5.5 Discovery of the Double Helix

The three-dimensional structure of DNA, famously known as the double helix, was elucidated by James Watson and Francis Crick in 1953. Their discovery was informed by Rosalind Franklin's X-ray diffraction images, which revealed the helical structure of DNA. Watson and Crick proposed that the two strands of the helix are wound around each other, with the sugar-phosphate backbone on the outside and the nitrogenous bases on the inside. The helical structure is right-handed, with ten base pairs per turn of the helix. The stability of the double helix is largely due to the hydrogen bonds between the complementary base pairs and the hydrophobic interactions between the stacked bases. This discovery not only explained how DNA could carry genetic information but also provided insights into how it could be replicated during cell division. [10]



(a) Double helix model of DNA



(b) X-ray diagram of DNA

Figure 1.4: A figure with the reconstruction of the Watson-Crick's double helix model of DNA in 1.4a built by Science Museum Group Collection [11] and Franklin's X-ray diagram of the B form of sodium thymonucleate (DNA) fibres in 1.4b, published in Nature on 25 April 1953 [12]

1.5.6 DNA Packaging in Eukaryotic Cells

In eukaryotic cells, DNA is not free-floating within the nucleus; instead, it is highly organized and compacted into structures known as chromosomes. This compaction is achieved through the association of DNA with histone proteins, forming nucleosomes, which are the basic unit of chromatin. Each nucleosome consists of a segment of DNA wrapped around a core of histone proteins. These nucleosomes are further coiled and folded into higher-order structures, eventually forming the condensed chromosomes visible during cell division. The packaging of DNA into chromatin is essential for fitting the large eukaryotic genome into the limited space of the nucleus. Furthermore, chromatin structure plays a crucial role in gene regulation, as regions of tightly packed chromatin (heterochromatin) are generally transcriptionally inactive, while loosely packed regions (euchromatin) are more accessible to transcriptional machinery. [10]

1.5.7 Mutations and genetic variations

Mutations are fundamental drivers of genetic diversity, occurring when changes happen in the DNA sequence. These alterations can range from small-scale mutations, such as the substitution, insertion, or deletion of one or a few nucleotides, to large-scale mutations that involve significant chromosome segments or entire genes. Chromosome mutations specifically impact either individual nucleotides or larger chromosome fragments. They can involve deletions, insertions, inversions, translocations, or even gene duplications. On the other hand, genome mutations refer to changes in the number of whole chromosomes or sets of chromosomes and are studied separately. [13]

Genetic variation, on the other hand, refers to the observable differences between individuals within a population, which arise from variations in their genotypes. While mutations are the source of new genetic variation, genetic variation encompasses the broader concept of how different alleles at specific loci contribute to diversity within a population. This variation is shaped and refined by evolutionary forces such as natural selection, gene flow, and genetic

drift. In cultivated plants, human-directed selection can also manipulate genetic variation to enhance desirable traits. [13]

1.6 THEORETICAL FRAMEWORK - SEQUENCING METHODS AND CHARACTERISTICS

1.6.1 Next Generation Sequencing

1.7 THEORETICAL FRAMEWORK - BIOINFORMATICS




Figure 1.5: NGS data analysis pipeline. Adapted from [14], [15], [16], [17]

Table 1.2: Samtools - BED file documentation

Column	BED Field	Type	Regex or range	Brief description
1	chrom	String	<code>[[a-zA-Z0-9_]]1,255</code>	Chromosome name
2	chromStart	Int	<code>[0, 2⁶⁴ - 1]</code>	Feature start position
3	chromEnd	Int	<code>[0, 2⁶⁴ - 1]</code>	Feature end position
4	name	String	<code>[\x20-\x7e]1,255</code>	Feature description
5	score	Int	<code>[0, 1000]</code>	A numerical value
6	strand	String	<code>[-+.]</code>	Feature strand
7	thickStart	Int	<code>[0, 2⁶⁴ - 1]</code>	Thick start position
8	thickEnd	Int	<code>[0, 2⁶⁴ - 1]</code>	Thick end position
9	itemRgb	Int,Int,Int	<code>([0, 255], [0, 255], [0, 255]) 0</code>	Display color
10	blockCount	Int	<code>[0, chromEnd - chromStart]</code>	Number of blocks
11	blockSizes	List[Int]	<code>(([[0-9]]+,)blockCount-1[[0-9]]+,?)</code>	Block sizes
12	blockStarts	List[Int]	<code>(([[0-9]]+,)blockCount-1[[0-9]]+,?)</code>	Block start positions

1.8 SWOT ANALYSIS

S	W	O	T
Strengths	Weaknesses	Opportunities	Threats
<p>Advanced bioinformatics and genomics concepts were applied in the development of an independent software for essential genomic analysis metrics, such as vertical and horizontal sequencing depth, ensuring compliance with NGS guidelines.</p> <p>The use of advanced technologies like WSL, Anaconda, Conda, Git, GitHub, Streamlit, and Python ensures robust and efficient development. The software features a user-friendly interface, making it accessible to all users, including those without bioinformatics expertise.</p> <p>Git and GitHub enable code sharing, ensuring traceability and reproducibility, while Anaconda and Conda create an isolated and reproducible environment for managing packages and dependencies.</p>	<p>The requirement for WSL and a Linux environment may limit accessibility for users unfamiliar with these technologies.</p> <p>While the graphical interface is intuitive, it may not suffice for advanced users who prefer command-line tools for analysis.</p> <p>The initial setup of the development environment involves multiple steps and requires a solid understanding of the tools, which can be a barrier for less experienced users.</p> <p>Comparing and validating metrics obtained by the new software with other tools is essential, but ensuring consistent and comparable results can be challenging.</p>	<p>The software can be expanded to include other important genomic analysis metrics.</p> <p>Unilabs could promote internal use, establishing it as the standard tool for metric analysis.</p> <p>Releasing the software as an open-source solution could attract a community of developers and users to contribute to its continuous improvement.</p> <p>The rapid evolution of sequencing technologies and data analysis offers opportunities to continuously enhance and update the tool with new advancements and algorithms.</p>	<p>Several established tools and platforms in the market offer similar functionalities, which may hinder the adoption of the new software.</p> <p>Competing with robust commercial software that offers extensive support can be challenging.</p> <p>The rapid evolution of sequencing technologies and data analysis could render some features obsolete or require frequent updates.</p> <p>Dependence on third-party software and libraries that may discontinue or significantly change their APIs presents a risk.</p> <p>Increasing regulation around genomic data and genetic testing may impose additional challenges for the use and distribution of the software.</p>

Figure 1.6: SWOT Analysis.

Software development process

"The only source of knowledge is experience." - Albert Einstein

2.1 ANALYSIS

2.2 PLANNING

2.3 DESIGN

2.4 DEVELOPMENT

2.4.1 Environment preparation

Windows Subsystem for Linux (WSL)

On Windows, developers have access to both the Windows and Linux environments, thanks to the Windows Subsystem for Linux (WSL). With WSL, it is possible to install different Linux distributions, such as Ubuntu, OpenSUSE, Kali, Debian, Arch Linux, among others. This allows Linux applications, utilities and command-line tools to be used directly in Windows, without the need to modify the operating system, resort to virtual machines or dual boot.

In the context of the development of this tool, the need to install WSL was driven mainly due to the scenario in which many essential tools and software for bioinformatics are designed to work in Linux environments. For this reason, we followed the set of steps recommended on the Microsoft website to configure this environment (Build 19041 or higher). [18]

Anaconda and Conda

After installing WSL, the installation step of Anaconda followed, a platform for data science in Python/R that includes conda, a package and environment manager, making it easier for users to manage a collection of more than 7,500 open source packages. [19]

In the case of the creation of the metrics analysis tool, this step was fundamental to allow the installation and maintenance of all the packages and dependencies necessary for the operation of the software. By creating a conda environment, it was possible to ensure that all installed tools work independently without conflicts between versions and packages, thus ensuring the reproducibility of the created software. [20]

Following the documentation provided by Anaconda, the installation and creation of the conda environment was carried out. [21]

Additionally, all the dependencies of the attached x-list were installed within the created environment. This installation was carried out by installing package by package, however, an environment.yaml file was made available that allows the bulk installation [22] of all dependencies on the versions compatible with the software.

Git and GitHub

GitHub is a platform that allows users to store, share, and collaborate on code writing with others.

Its operation is based on repositories managed by Git, a version control system that tracks all changes made by one or more users in a project.

When files are uploaded to GitHub, they become part of the created repository. Any change (commit) to any file is automatically tracked. These changes, made locally, are usually synchronized continuously by pushing the committed changes. Similarly, any changes made locally by another user and synchronized on GitHub can be retrieved by making a pull request.

Thus, by using the documentation of Git and GitHub, this practice was implemented, which not only ensures that each version of the created software is recorded—guaranteeing that the work is not lost and allowing for version rollback in case of bugs—but also ensures that all software produced is reproducible and available for deployment by any user. [23]

SAMtools

SAMtools is an essential tool for the manipulation and analysis of DNA sequencing data. First released in 2009, it allows for converting, manipulating, sorting, querying, calculating statistics, calling variants, and analyzing sequencing data in SAM, BAM, and CRAM formats.

Among the many functionalities of SAMtools, the most notable are its ability to convert formats, manipulate and index files, visualize and export data, and calculate statistics, such as "depth," which served as the basis for the tool created. [24]

In this case, a Python function was developed to generate a .depth file with the desired metrics, using SAMtools depth.

```

import subprocess

def depth(bam_path, bed_path, depth_path, gene_selection=None, exon_selection=None):
    """
    Calculate the depth of coverage for specific exons of genes in a BAM file using samtools.
    s
    Args:
        bam_path (str): Path to the BAM file.
        bed_path (str): Path to the Universal BED file containing exon coordinates.
        depth_path (str): Path to save the depth output.
        gene_selection (list or None): List of gene names to include in the depth calculation.
                                    If None, all genes will be included.
        exon_selection (list or None): List of exon numbers to include in the depth calculation.
                                    If None, all exons will be included.

    Returns:
        None
    """

    gene_filter = ','.join(map(str, gene_selection)) if gene_selection else ''
    exon_filter = ','.join(map(str, exon_selection)) if exon_selection else ''

    # Construct awk command to filter based on gene and exon selection
    awk_command = (f'awk -v gene_filter={gene_filter} -v exon_filter={exon_filter} '
                   f'\''{{split(exon_filter, arr, ","); '
                   f'if (($4 == gene_filter || gene_filter == "") && '
                   f'(" in arr || $5 == arr[1])) {{sub(/^chr/, "", $1); print}}}}\' {bed_path}')

    # Construct samtools command to calculate depth
    samtools_command = f'samtools depth -b - {bam_path} > {depth_path}'

    # Run the commands using subprocess
    try:
        subprocess.run(f'{awk_command} | {samtools_command}', shell=True, check=True)
    except subprocess.CalledProcessError as e:
        print(f"Error occurred: {e}")

```

Code 1: Python function to calculate depth of coverage using samtools and awk.

2.5 TESTING AND VALIDATION

2.6 OPTIMIZATION

2.7 DEPLOYMENT

2.8 DOCUMENTATION

2.9 MAINTENANCE

CHAPTER 3

Additional activities during the internship

"The only source of knowledge is experience." - Albert Einstein

CHAPTER 4

Discussion

"The only source of knowledge is experience." - Albert Einstein

CHAPTER 5

Final remarks

"The only source of knowledge is experience." - Albert Einstein

Bibliography

- [1] *Unilabs - sobre*. [Online]. Available: <https://www.unilabs.pt/pt/a-unilabs/sobre-nos/unilabs-portugal>.
- [2] *Unilabs - genética médica*. [Online]. Available: <https://www.unilabs.pt/pt/servicos/especialidades-medicos/genetica-medica/sobre>.
- [3] N. H. G. R. I. (NHGRI), *Genetic timeline*. [Online]. Available: <https://www.genome.gov/Pages/Education/GeneticTimeline.pdf>.
- [4] J. Gayon, «De mendel à l'épigénétique : Histoire de la génétique», *Comptes Rendus - Biologies*, vol. 339, pp. 225–230, 7-8 Jul. 2016, ISSN: 17683238. DOI: 10.1016/j.crvi.2016.05.009.
- [5] F. S. Collins and L. ; Fink, *The human genome project*, 1995.
- [6] M. Jinek, K. Chylinski, I. Fonfara, M. Hauer, J. A. Doudna, and E. Charpentier, *A programmable dual-rna-guided dna endonuclease in adaptive bacterial immunity*. [Online]. Available: <https://www.science.org>.
- [7] M. A. Gutierrez-Reinoso, P. M. Aponte, and M. Garcia-Herreros, *Genomic analysis, progress and future perspectives in dairy cattle selection: A review*, Mar. 2021. DOI: 10.3390/ani11030599.
- [8] N. H. G. R. Institute, *Genetics vs. genomics fact sheet*, Sep. 2018. [Online]. Available: <https://www.genome.gov/about-genomics/fact-sheets/Genetics-vs-Genomics>.
- [9] T. J. Laboratory, *Genetics vs. genomics*, Feb. 2017. [Online]. Available: <https://www.jax.org/personalized-medicine/precision-medicine-and-you/genetics-vs-genomics#>.
- [10] S. Minchin and J. Lodge, *Understanding biochemistry: Structure and function of nucleic acids*, 2019. DOI: 10.1042/EBC20180038.
- [11] S. M. Group, *Crick and watson's dna molecular model*, 1977. [Online]. Available: <https://collection.sciencemuseumgroup.org.uk/objects/co146411/crick-and-watsons-dna-molecular-model..>
- [12] B. Maddox, *The double helix and the 'wronged heroine'*, Jan. 2003. DOI: 10.1038/nature01399.
- [13] L. Merrick, A. Campbell, D. Muenchrath, and S. Fei., «Mutations and variation», in W. Suza and K. Lamkey, Eds. Iowa State University Digital Press, Mar. 2016. DOI: 10.31274/isudp.2023.130.
- [14] S. Roy, C. Coldren, A. Karunamurthy, et al., *Standards and guidelines for validating next-generation sequencing bioinformatics pipelines: A joint recommendation of the association for molecular pathology and the college of american pathologists*, Jan. 2018. DOI: 10.1016/j.jmoldx.2017.11.003.
- [15] M. Bioinformatics, *Structural variant calling - long read data*. [Online]. Available: https://www.melbournebioinformatics.org.au/tutorials/tutorials/longread_sv_calling/longread_sv_calling/.
- [16] R. Somak, *Next-generation sequencing bioinformatics pipelines*, Mar. 2020. [Online]. Available: <https://www.myadlm.org/cln/Articles/2020/March/Next-Generation-Sequencing-Bioinformatics-Pipelines>.
- [17] A. M. Kanzi, J. E. San, B. Chimukangara, et al., «Next generation sequencing and bioinformatics analysis of family genetic inheritance», *Frontiers in Genetics*, vol. 11, 2020, ISSN: 1664-8021. DOI: 10.3389/fgene.2020.544162. [Online]. Available: <https://www.frontiersin.org/journals/genetics/articles/10.3389/fgene.2020.544162>.

- [18] M. 2024, *How to install linux on windows with wsl*. [Online]. Available: <https://learn.microsoft.com/en-us/windows/wsl/install>.
- [19] A. Inc, *Anaconda*. [Online]. Available: <https://docs.anaconda.com/free/>.
- [20] J. Leidel, *12 reasons to choose conda*, Sep. 2023. [Online]. Available: <https://www.anaconda.com/blog/12-reasons-to-choose-conda>.
- [21] A. Inc, *Anaconda - installing on windows*. [Online]. Available: <https://docs.anaconda.com/free/anaconda/install/windows/>.
- [22] A. Inc, *Anaconda - managing environments*. [Online]. Available: <https://docs.conda.io/projects/conda/en/latest/user-guide/tasks/manage-environments.html#create-env-file-manually>.
- [23] G. Inc, «Git and github - get started», [Online]. Available: <https://docs.github.com/pt/get-started/start-your-journey>.
- [24] P. Danecek, J. K. Bonfield, J. Liddle, *et al.*, «Twelve years of samtools and bcftools», *GigaScience*, vol. 10, 2 Feb. 2021, ISSN: 2047217X. DOI: 10.1093/gigascience/giab008.

APPENDIX A

Additional content