

# Diffusion of innovation within an agent-based model: Spinsons, independence and advertising


---

Maria Kowalczyk, Anna Szymanek, Patryk Wielopolski

Wrocław University of Technology and Science

# Introduction and motivation

Diffusion of innovations is a theory that seeks to explain how, why, and at what rate new ideas and technology spread.



**Figure 1:** The diffusion of innovations according to E. Rogers. Source: [https://en.wikipedia.org/wiki/Diffusion\\_of\\_innovations#/media/File:Diffusion\\_of\\_ideas.svg](https://en.wikipedia.org/wiki/Diffusion_of_innovations#/media/File:Diffusion_of_ideas.svg)


# Diffusion of innovation model

---

Model parameters


- Conformity  $p$
- Independence  $f$
- Advertising  $h$

# Conformity




**Figure 2:** Schema of conformity  $p$ . Source: [1].

# Independence




**Figure 3:** Schema of independence  $f$ . Source: [1].



**Figure 4:** Schema of advertising  $h$ . Source: [1].

# 2D Lattice simulation



**Figure 5:** Up - publication; down - ours.



## Concentration in time

---


Concentration

$$c_t = \frac{N_{\uparrow}(t)}{N}$$

where


- $N_{\uparrow}(t)$  - number of adopted people, i.e. spinsons with opinion = 1
- $N$  - number of people in network

## 2D Lattice results




**Figure 6:** Left - publication; right - our simulation with 3000 MC steps and 100 independent runs on a grid lattice with 900 nodes. .

# Complete graph results




**Figure 7:** Left - publication; right - our simulation with 1000 MC steps and 100 independent runs on a complete graph with 400 nodes.

# Watts-Strogatz results




**Figure 8:** Our work - simulation with 1000 MC steps and 100 independent runs on a Watts-Strogatz ( $k=4, p=0.3$ ) graph with 400 nodes.

# Barabasi-Albert results



**Figure 9:** Our work - simulation with 1000 MC steps and 100 independent runs on a Barabasi-Albert (2) graph with 400 nodes.

# Comparison of models



**Figure 10:** Our work - simulation with 1000 MC steps and 100 independent runs on graphs with 400 nodes,  $h=0.09$ .

## Market penetration level



---



Valley of death is a metaphor of way from the laboratory to the market when in reality many innovators fail. Contrary to aggregate models, such as Bass model, this kind of phenomena can be explained by agent-based models.


We can observe that phenomenon near the threshold values of  $p$  and  $h$ .

## 2D Lattice results




**Figure 11:** Left - publication; right - our simulation with 300 MC steps and 50 independent runs on a grid lattice with 400 nodes.

# Complete graph results




**Figure 12:** Left - publication; right - our simulation with 300 MC steps and 50 independent runs on a complete graph with 400 nodes.

# Watts-Strogatz results



**Figure 13:** Our work - simulation with 300 MC steps and 50 independent runs on a Watts-Strogatz ( $k = 4, p = 0.3$ ) with 400 nodes.

# Barabasi-Albert results



**Figure 14:** Our work - simulation with 300 MC steps and 50 independent runs on a Barabasi-Albert (2) graph with 400 nodes.

# Comparison of models

We wanted to try to find universal  $h$ .

Graph	p		
	0.05	0.1	0.2
2D Lattice grid	< 0.05	< 0.05	< 0.05
Complete graph	0.17	0.15	0.12
Watts-Strogatz	< 0.05	< 0.05	< 0.05
Barabasi-Albert	< 0.05	< 0.05	< 0.05

# Conclusions

---

# Conclusions

- Smaller graphs converges much faster than bigger ones.
- Shape of curves in time for different  $h$  preserve for Watts-Strogatz and Barabasi-Albert graphs. (our results)
- Shape of curves for  $h^*(p)$  for Watts-Strogatz and Barabasi-Albert acts similarly to 2D lattice graph. Threshold of  $h$  is smaller than 0.05 and we haven't observed discontinuous transition. (our results)
- Differences between the article and our simulations may arise from the use of much smaller graphs.



Presentation:

- Patryk Wielopolski

Plots and analysis:

- Maria Kowalczyk
- Anna Szymanek

Simulations:

- Patryk Wielopolski



P. Przybyła, K. Sznajd-Weron, and R. Weron.

**Diffusion of innovation within an agent-based model:  
Spinsons, independence and advertising.**

*Advances in Complex Systems*, 17, 04 2014.

Thank you for your attention!