
# ME6406 HW2 Report

### Patrick Gardocki

#### 2023-10-08

## 1 Hough Transform

### 1.a



$$eq1: y = ax + b;$$

$$eq2: y_0 = ax_0 + b$$

$$eq1 - eq2 \rightarrow y - y_0 = a(x - x_0) = a = \frac{y - y_0}{x - x_0} = \frac{-g_x}{g_y} = \frac{-x_0}{y_0}$$

$$\frac{y-y_0}{x-x_0} = \frac{-x_0}{y_0} \to x_0(x-x_0) + y_0(y-y_0) = 0$$

For 
$$y_0 = \frac{g_y x_0}{g_x}$$
;  $x_0(x - x_0) + \frac{g_y x_0}{g_x}(y - \frac{g_y x_0}{g_x}) = 0$ 

Multiply by  $gx^2$ ,

$$x_0g_x^2(x-x_0) + g_yx_0(yg_x - g_yx_0) = 0 \rightarrow x_0xg_x^2 - g_x^2x_0 + x_0yg_yg_x - x_0^2g_y^2 = 0 \rightarrow x_0g_x(xg_x + yg_y) = x_o^2(g_x^2 + g_y^2)$$


$$\frac{x_{0}^{2}}{x_{0}g_{x}}=\frac{xg_{x}+yg_{y}}{g_{x}^{2}+g_{y}^{2}}\rightarrow x_{0}=g_{x}\frac{xg_{x}+yg_{y}}{g_{x}^{2}+g_{y}^{2}}$$

Since 
$$x_0 = \frac{y_0 g_x}{g_y}$$
,  $y_0 = g_y \frac{x g_x + y g_y}{g_x^2 + g_y^2}$ 


Set 
$$v = \frac{xg_x + yg_y}{g_x^2 + g_y^2}$$


$$\therefore \begin{bmatrix} x_0 \\ y_0 \end{bmatrix} = v \begin{bmatrix} g_x \\ g_y \end{bmatrix}$$

## **1.**b




### 1.c






# 2 Feature Points Detection


## **2.**a




### Points aetectea




**2.**b




Points detected - Median



### 2.c




#### Points detected - Curvature



# 3. Tempate Matching

### **3.**a



### **3.**b

kd = 1.2

theta =  $0.5236 \text{ rad} = 30^{\circ}$ 

xd = 5

yd = 5

These parameters match Table 1.

### 3.c

The match points are 2,3,5.

