



participant #10, means (black: plinko outcomes) 40 -30 mean 20







## h for part. #10, stubbornness = 12.4






## participant #10, sqrt(robot-participant)





participant #10, observation 2, rel-entr. = 3.3, JS = 3.1 1.00 0.75 probability 0.25 0.00 15 25 30 5 10 20 35 40 slot



participant #10, observation 4, rel-entr. = 2.9, JS = 2.9 1.00 0.75 probability 0.25 0.00 15 25 30 5 10 20 35 40 slot

participant #10, observation 99, rel-entr. = 1.2, JS = 0.8 1.00 0.75 probability 0.25 0.00 15 25 30 5 10 20 35 40 slot

participant #10, observation 100, rel-entr. = 1.2, JS = 0.8 1.00 0.75 probability 0.25 0.00 15 25 30 5 10 20 35 40 slot

participant #10, observation 101, rel-entr. = 1.2, JS = 0.79 1.00 0.75 probability 0.25 0.00 15 25 30 5 10 20 35 40 slot

participant #10, observation 102, rel-entr. = 1.2, JS = 0.79 1.00 0.75 probability 0.25 0.00 15 25 30 5 10 20 35 40 slot

participant #10, observation 197, rel-entr. = 0.77, JS = 0.5 1.00 0.75 probability 0.25 0.00 10 15 25 5 20 30 35 40 slot

participant #10, observation 198, rel-entr. = 0.77, JS = 0.5 1.00 0.75 probability 0.25 0.00 10 15 25 5 20 30 35 40 slot

