# Design Pattern - Abstract Factory Pattern


Abstract Factory patterns work around a super-factory which creates other factories. This factory is also called as factory of factories. This type of design pattern comes under creational pattern as this pattern provides one of the best ways to create an object.

In Abstract Factory pattern an interface is responsible for creating a factory of related objects without explicitly specifying their classes. Each generated factory can give the objects as per the Factory pattern.

### **Implementation**

We are going to create a Shape interface and a concrete class implementing it. We create an abstract factory class AbstractFactory as next step. Factory class ShapeFactory is defined, which extends AbstractFactory. A factory creator/generator class FactoryProducer is created.

AbstractFactoryPatternDemo, our demo class uses FactoryProducer to get a AbstractFactory object. It will pass information (CIRCLE / RECTANGLE / SQUARE for Shape) to AbstractFactory to get the type of object it needs.



Create an interface for Shapes.

Shape.java

```
public interface Shape {
   void draw();
}
```

# Step 2

Create concrete classes implementing the same interface.

#### RoundedRectangle.java

```
public class RoundedRectangle implements Shape {
    @Override
    public void draw() {
        System.out.println("Inside RoundedRectangle::draw() method.");
    }
}
```

#### RoundedSquare.java

```
public class RoundedSquare implements Shape {
    @Override
    public void draw() {
        System.out.println("Inside RoundedSquare::draw() method.");
    }
}
```

### Rectangle.java

```
public class Rectangle implements Shape {
    @Override
    public void draw() {
        System.out.println("Inside Rectangle::draw() method.");
    }
}
```

## Step 3

Create an Abstract class to get factories for Normal and Rounded Shape Objects.

AbstractFactory.java

```
public abstract class AbstractFactory {
   abstract Shape getShape(String shapeType) ;
}
```

Create Factory classes extending AbstractFactory to generate object of concrete class based on given information.

ShapeFactory.java

```
public class ShapeFactory extends AbstractFactory {
    @Override
    public Shape getShape(String shapeType){
        if(shapeType.equalsIgnoreCase("RECTANGLE")){
            return new Rectangle();
        }else if(shapeType.equalsIgnoreCase("SQUARE")){
            return new Square();
        }
        return null;
    }
}
```

### RoundedShapeFactory.java

```
public class RoundedShapeFactory extends AbstractFactory {
    @Override
    public Shape getShape(String shapeType){
        if(shapeType.equalsIgnoreCase("RECTANGLE")){
            return new RoundedRectangle();
        }else if(shapeType.equalsIgnoreCase("SQUARE")){
            return new RoundedSquare();
        }
        return null;
```

```
}
```

Create a Factory generator/producer class to get factories by passing an information such as Shape

FactoryProducer.java

```
public class FactoryProducer {
   public static AbstractFactory getFactory(boolean rounded){
     if(rounded){
        return new RoundedShapeFactory();
     }else{
        return new ShapeFactory();
     }
   }
}
```

## Step 6

Use the FactoryProducer to get AbstractFactory in order to get factories of concrete classes by passing an information such as type.

AbstractFactoryPatternDemo.java

```
public class AbstractFactoryPatternDemo {
   public static void main(String[] args) {
        //get shape factory
        AbstractFactory shapeFactory = FactoryProducer.getFactory(false);
        //get an object of Shape Rectangle
        Shape shape1 = shapeFactory.getShape("RECTANGLE");
        //call draw method of Shape Rectangle
        shape1.draw();
        //get an object of Shape Square
```

```
Shape shape2 = shapeFactory.getShape("SQUARE");
//call draw method of Shape Square
shape2.draw();
//get shape factory
AbstractFactory shapeFactory1 = FactoryProducer.getFactory(true);
//get an object of Shape Rectangle
Shape shape3 = shapeFactory1.getShape("RECTANGLE");
//call draw method of Shape Rectangle
shape3.draw();
//get an object of Shape Square
Shape shape4 = shapeFactory1.getShape("SQUARE");
//call draw method of Shape Square
shape4.draw();
}
```

Verify the output.

```
Inside Rectangle::draw() method.
Inside Square::draw() method.
Inside RoundedRectangle::draw() method.
Inside RoundedSquare::draw() method.
```