OFFICE OF THE SUPERINTENDING ENGINEER HYDRAULIC CIRCLE ANANTNAG/KULGAM

Abstragrat Order No. 42 of 2022-25 dated 12 /01/2023 phan Construction Group R'o Bhan Kulgam P/O Chadder 192231

CONTRACTOR OF THE PROPERTY OF DX489944 9149560648 STAADFB7460K12C

AACH BYABOK Assert Order No 42 of 2022-23 dated: 12 /01/2023

Advertised Cost

Laving # Itting of pipes. Construction of 0.55 lac gallons S.R. collection chamber, 3 No. Sluice Chambers, chain link fencing, chowkider quarter retaining wast-bridge over nallah crossing and road restoration WSS Kawpora Tohimmer. Your tender uploaded on Tender Portal in response to e-NIT No.54/PHEK of 2022-23 issued by Executive Engineer, Jal Shakti,


Special PHE Division, Kulgam vide tender ID 2022\_PHE\_193035\_11

2 Executive Engineer, Jal Shakti, Special PHE Division, Kulgam's letter No. SPHE/K/6773-74 dated 29.11.2022 3 This office letter of intent issued under No. SE/Hyd/Cors/10464-67 dated 26.12.2022.

For & on behalf of Lt. Governor of J&K, contract for above mentioned job is here by fixed with you on your following quoted terms & conditions:-

10	Extra	on of Work / Item(s)	-			
	CAUG TOF	every additional life 4.4.5	Qantity	Units	Rate	Amount
	kinds of	soil	243.700	Cum	₹ 81.85	₹ 19,898.11
2	on plan) meters : Engine	ork in bulk excavation by manual means over areasing 30 cm in depth, 1.5 m in width as well as 10 sqm including disposal of excavated earth lead upto 50 and lift upto 1.5 m, as directed by ar-in-Charge.in all kinds of soil	896,150	Cum	₹ 539,35 Å	* 483,338.50
3	in widt exceed andrar excavi	fork in excavation by manual means in trenches for tions, drains, pipes, cables etc. (not exceeding 1.5 mm) and for shafts, wells, cesspits and the like not sing 10 sqm on plan, including dressing of sides mming of bottoms lift upto 1.5 m, including getting out ated earth and disposal of surplus excavated earth as ed: all kinds f soil 1 metetr from cutting edge	4365.500	Cum	₹ 436.00 €	₹ 1,903,358.00
-		NARY ROCK	800.000	Cum	₹ 841.60	₹ 673,280.00
5	plinth cm ir	available excavated earth (excluding rock) in trenches, in sides of foundations etc. in layers not exceeding 20 depth, consolidating each deposited layer by ramming watering, lead upto 50 m and lift upto 1.5 m.	5186.640	Cum	₹ 198.70 ₺	₹ 1,030,585.37
6	nom	iding and laying hand packed stone soling 50 mm inal size including filling, spreading, dressing, ramming eads lifts and all carriages complete.	80.380	Cum	₹ 1,320.00 }	₹ 106,101.60
	grad	viding and laying in position cement concrete of specified de including curing but excluding the cost of centring and ittering. All work upto plinth level with:1:2:4 (1 cement : 2 arse sand : 4 graded stone aggregate 40 mm nominal size	308,500	Cum	₹ 6,434.01	₹ 1,984,892.09
	1:4	:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 4 n nominal size)		Cum	₹ 4,861,84 €	₹ 244,939.25
	Pro ce ce up	oviding and laying in position specified grade of reinforcement concrete including curing but excluding the cost of intering, shuttering, finishing and reinforcement. All works to plinth level 1:11/2:3 (1 cement : 11/2 coarse sand : 3 raded stone aggregate 20 mm nominal size)		Cum	₹ 7,800.76	₹ 359,303.0
	Rin	einforced cement concrete work in walls (any thickness) icluding attached pilasters, buttresses, plinth and string ourses, fillets, columns, pillars, piers, abutments, posts attruts upto floor five level including curing but excluding ost of centering shuttering, finishing and einforcement.1:11/2:3 (1 cement: 11/2 coarse sand: 3 grade einforcement.1:11/2:3 (1 cement: 11/2 coarse sand: 3 grade)	30.990	Cum	₹ 9,408.14	<b>*</b> 536,169.6
-		Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, stairca and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3		Cum	₹ 9,849.35	<b>*</b> 128,533
-	11	graded stone aggregate 20 mm nominal size) graded stone aggregate 20 mm nominal size) Reinforced cement concrete work in arches, arch ribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing to excluding the cost of centering, shuttering finishing and excluding the cost of centering, shuttering finishing and reinforcement with: 1:1%:3 (1 cement : 1½ coarse sand :	13,07	0 Cun	1 10,404.5	1 135,987
	12	Centering and shuttering including strutting, propping of and removal of form for:Foundations, footings, bases of	IC.	npa on	n ₹ 262.30	A 17,990
	13	columns etc. for mass constituting attached pilasters,	1357.	980 sqr	n ₹ 573.85	4 779,27
	THE PERSON NAMED IN	Walls (any thickness) including buttresses, plinth and string courses etc.		10		

spended t	loors, roofs, landings, balconies and access						¥ 25,271.46	
proms		39.760	1	igm.	1 635.6			
ntel, beams, plinth beams, girders, bressumers and				mpa	¥ 502.8	5 A	* 8.498.17	
etra for arc	ches, domes, vaults exceeding 6 m span			ugm	₹ 1,008	45	* 90,891.60	
entering and Shuttering items)Foundations, feetings, bases					****		* 609.06	
columns	etc. for mass concrete.	11.010		agm	₹ 52.4			
Valls (arry	thickness) including attached pilasters				¥ 114	77	* 20,440.71	
seasorifue	, plinth and string courses etc.	230.38	10.	adm		A	₹ 12,352.45	
reviding	and mixing water proofing material in cement	50.96	10	m	₹ 242	30	- 1	
concrete v	work in doses by weight of cement as per			house	¥ 67	¥ 57.90	₹ 27,097.20	
manufacti	urer's specification. (1 kg of water proofing material of cement)	468.0	1010	kgs	1.00	1		
	storcement for R.C.C. work ready to use "cut and	-	-		+			
bend" rel	bars of approved make from factory/workshop to	10118	000	Kg	₹ 87	18	₹ 882,036.65	
complete	etion site including placing in position and binding all above plinth level.TMT bars	10318	1.000	119				
class de	ork with common burnt clay (non-modular) bricks of asignation 7.5 in foundation and plinth including	19	600 Cun		₹7,1	11.31	₹ 139,381.73	
curing I	in :Cement mortar 1:6 (1 cement : 6 coarse sand)	-						
	or brick work with common burnt clay bricks/cement to bricks in superstructure above plinth level upto	15	450	Cum	₹ 1,5	522.20	₹ 23,517.96	
floor fi	ve level	4						
	OM RUBBLE MASONRY om Rubble masonry with hard stone in foundation and					,		
	including leveling up with cement concrete 1:6:12 (1		8.920	20 Cum		435.25	₹ 172,619.93	
	int : 6 coarse sand : 12 graded stone aggregate 20mm		91020					
	nal size) upto plinth level and curing complete with: rry Stone)Cement mortar 1:6 (1 Cement : 6 coarse san	d)						
Provi	iding wood work in frames of doors, windows, cleresto					1		
wind	tion with hold fast lugs or with dash fasteners of		0.820	Cu	m ₹ 10	6,894.15	₹ 87,653.20	
requ	aired dia and length (hold fast lugs or with dash fasten	ers						
shal	Il be paid for separately):first class kall wood			+	_			
for	doors, windows and clerestory windows fixing with bu	itt				2,784.10	₹ 63,199.07	
hin	iges of required size with necessary screws, excluding	22.700	mm	sqm ?	2,704.10	d .		
7 pe	melling which will be paid for separately, all complete as direction of Engineer-in-charge, first class kall wood							
D,	reviding and fixing fly proof wire gauge to windows and	of				2 054 65	₹ 31,221.61	
201	erestory windows using wire gauge with average width perture 1.4 mm in both directions all complete. With	0,	8,550	S	qm R	3,651.65		
10 0	alumnized M.S. Wire gauge with wire of dia 0.63 mm	hamad		-				
S	structural steel work in built up sections, trusses and fra work, including cutting, hoisting, fixing in position and	ameu	13418.0	00	Kg	₹ 102.14	₹ 1,370,447.43	
1	applying a priming coat of approved steel primer all		154 10.000			-		
29	complete. Welded	d: 4						
	to description of the state of	1.120.00	34.00	0	sqm	₹ 505.00	₹ 17,170.	
	cement including cement slurry and curing complete, be excluding the cost of nosing of steps etc. complete.50	97,00			λ			
30	the some nominal size stone addregate.			-				
-	Providing and laying Ceramic glazed floor tiles 300,300							
	to the second to the 15672 of applicated filling to	70.16			** 050.05	₹ 15,720.		
	mm thick bed of cement mortal 1. 4 (1 central the joint	14.9	40	sqm	₹ 1,052.25	4 35,720.		
	such as White, Ivory, Grey, Fulle, Red Brown (							
31	the engineer incharge) 12mm Cement plaster finished with a floating coat of	1698	000.	sqm	₹ 343.75	₹ 583,687		
32	cement of mix:1:3 (1 cement: 5 mile surrey			700	sqm	₹ 325.45	₹ 28,867	
33	1 : 4 (1 cement : 4 fine sand) Finishing walls with water proofing cement paint of r	0.0	820	sqm	₹ 91.80	₹ 6,134		
	shade on New work (two or more			.020	-400		1	
34	kg/10sqm) I maint of approved bro	and and	57	8.500	sqm	₹ 121.95	₹ ₹70,54	
	manufacture to give an even and		- 1	0.000	adııı			
35	new work	approve	ed			1		
	Distempering with oil bound washable distempts of the brand and manufacture to give an even shade on N (two or more coats) over and including priming coats)	t with	7	9.160	sqm	₹ 149.0	5 ₹ 11,79	




sing corrugated G.S Sheet roofing inluding						100	
bolts and nuts 8mm diameter with his							
I was been diameter with coated J or L							
polyelles a with G.I. limpet washes and G.I.							
proved paint on overland steel primer and two							
proved paint on overlapping of sheets complete (upto ost of purlins, rafters and trusses and including seemed shape where and trusses and includes	66.800						
ost of purlins, rafters and trusses surface) excluding	10.000		qm	* 830.25		₹ 55,294 65	
mm think with		- 1					
offine sisters and coating not less than are		- 1					
sheets fixed with polymer coated J. or L hooks, bolts							
nuts 8mm dia G.I. limpet coated J. or L hooks holts							
nuts 8mm dia G.I. limpet and bitumen washers complete widing and fixing plained eaves boarding	25.000	0	m	₹ 626.70		₹ 15,667.50	
viding and fixing plained eaves boarding.				1 000,75	Ł	5.13,007-30	
	20.00		-		*		
ecified thickness cement based putty of	29.60	10	m	₹ 998.85		₹ 29,565.96	
er the plastered well					J		
a sincoln complete	79.10	50	sqm	₹ 129.50	1	₹ 10,251.22	
oviding and fixing O.L.					7		
idth in mesh size 50x50 mm including strengthening with 2							
im dia wire or nuts, bolts and washers as required complete	SAD	nnn.		-			
a 4 mm	540.	000	adm	₹ 733.50	1	₹ 396,090.00	
aying and fitting of G L plant C V					10		
excluding cost of pipes, fittings and Earth work.15 mm and	-						
20 mm dia. G.I. pipes	5000	0.000	m	₹ 20.25		₹ 101,250.00	
25 mm and 32 mm dia. G.I. pipes 40 mm and 50 mm dia. G.I. pipes	200	0.000	m	₹ 30.65		F 61 300 00	
65 mm and 80 mm dia. G.I. pipes		0.000	m	₹ 40.80	_	₹ 61,300.00 ₹ 163,200.00	
Laying in position centrifugally cast (specification)	200	0.000	m	₹ 73.05		* 146,100.00	
Transfer of the late of the la	163	0.560	quintal	₹ 245.5	5	₹ 400,384.01	
Providing push-on-joints to Centrifugally (Spun) Cast Iron	-			1000000		1 100,204.02	
Pipes or Ductile Iron Pipes including testing of joints and including the cost of rubber gasket 100 mm dia pipes	26	7.000	each	₹ 89.7	od	₹ 23,949.90	
150 mm dia pipes	40	20.000			/		
Making connection of G.I. distribution branch with G.I. male	n 10	00.000	each	₹ 144.	70	₹ 144,700.00	
or following sizes by providing and fixing Tee including		20.000					
cutting and threading the pipe etc. complete 20 to 40mm	1	000.00	each	₹ 666.	25 4	₹ 59,962.50	
50 to 80 mm nominal bore	-	5.000	anch	2 1 000	A 25		
Providing & fixing brass bib cock of approved quality 15 m	mm	and the same of	each			₹ 6,341.25	
nominal bore		68.000	each	₹ 318	.85	₹ 21,681.80	
Providing & fixing White vitreous china water closet squatting pan (Indian type)along with "S" or "P" trap							
including dismantling of old WC seat and "S" or "P"							
trap at site complete with all operations including all necessary materials, labour and disposal of dismantled		1.000					
material I/c malba, all complete as per the direction of		1.000	no	₹ 2,9€	52.80£	₹2,962.80	
Engineer-in charge.Long pattern W.C Pan of size 580x44	10						
mm							
Providing and Fixing stainless steel A ISI 304 (18/8) Kitc	hen						
Sink as per is: 13983 with cland stainless steel plug 40n		1 000					
including painting of footings and , cutting and making the walls wherever required Kitchen sink 610x510 mm to		1,000	no	0 (4,2	274.20	₹ 4,274.20	
depth 200 mm					-		
Carriage of materials by mechanical transport including	9	256.270	O Cu	ım	06.28	₹ 52,862.35	
loading, unloading, stacking of materials - SAND:5kms		256.27	0 C	ım ₹	74.58	19,112.62	
Beyond 5 km upto 10 km per km  Beyond 10 km upto 20 km per km		256.27			21.44	₹31,121.43	
Beyond 20 km per additional km (total lead=50km)		256.27			298.08	₹76,388.96	
Carriage of materials by mechanical transport including	1g	381.37	70 6	um र	206.28		
loading, unloading, stacking of materials - Aggregate :	20111111	901.3			200,20	₹78,667.48	
58 Skm 59 Beyond 5 km upto 10 km per km		381.3	70 C	um ?	74.58	1 28,442.57	
60 Reyond 10 km upto 20 km per km		381.3			121.44	t 46,313.57	
61 Beyond 20 km per additional km (total lead=50km)	inn	381.3	170	tum १	298.08	₹ 113,678.77	
Carriage of materials by mechanical transport includi loading, unloading, stacking of materials - Aggregate	40mm	49.3	90 (	Cum e	224.20	₹ 11,073.44	
and above : 5kms		-	-				
Beyond 5 km upto 10 km per km		49.3			80.18 7	₹ 4,004.29	
64 Beyond 10 km upto 20 km per km 65 Beyond 20 km per additional km (total lead=50km)		49.3		The second second	₹ 322.92		
The state of the s	gnib	100					
Carriage of materials by mediamous coment & loading, unloading, stacking of materials - Cement &	STEEL:	107	980	Tonne	₹ 183.36	1 36,300.82	
Sizes Sizes		_	.980	Tonne	₹ 66.30	¥ 13,126.07	
67 Beyond 5 km upto 10 km per km 58 Beyond 10 km upto 20 km per km		107	100000	the same of the sa	₹ 107.90		
Se Jerkens Comment		0				00/	
		(1)			5	- 7200/	
		01 1			-	TON	
		Bla V	ID		10	DSE .	
		Marin					
		180					
		40					
		Ac.					

1	Alloted Amount							₹ 18,026,6	-
-	Original Schedule Value Add Quoted/Accepted percentage				0.0	00%			₹ 0.0
101	SANITARY, PLUMBING AND ELEC TRIFICATION (COM	MP. JO	(0)	1.000	1	OB  ₹	170,000.00	₹ 18,026,6	
108	Bushingled/structure or weathered pointing		2	18.530		sqm ₹ 183,55		1	,401
107	WORK IN 1:2:4 Pointing on STONE WORK work in 1 cement : 3 sand mix.							1	
108	PROVIDING AND LAYING OF 50MM THICK DPC OVER STONE			22.970			372.85		,564
105 W.B.M road with bituminous mecadam & semi dense 106 RANDOM RUBBLE MASONARY LAID IN DRY			_	15.900		m ₹		₹ 39,	_
104 Restoration of W.B.M Road with 25mm semidense			_	500.000		m ₹		₹ 640,0	
103 Restoration of W.B.M Road at spots			500.000		m		1,280.00	₹ 50,0	
102	damaged			00.000	m		480.00	₹ 1,200,0	
101	Restoration of road berm along pipe alignment to be			Al Section			V.		
100	100 actual site of work by manual means ist50m 101 Beyond Ist 50m (500 mtr)		6000.00		Mtr			₹ 46,2	
100	Carriage of G.I./D.I pipes 150 mm dia from dumping site	to	600	000.00	Mtr	7	5.83	₹ 34,98	80.0
99	Beyond Ist 50m( TOTAL LEAD=500MTR)		160	0.000	Mtr	7	5.47	₹ 8,75	5.2
98	actual site of work by manual means 1st 50		160	0.000	Mtr		4.14	₹ 6,62	4.00
97	Beyond Ist 50m( TOTAL LEAD=500MTR)  Carriage of G.I./D.I pipes 100mm dia from dumping site	to		000	Ton		02.45	₹ 7,08	
96	to actual site of work by manual means ist 50				100000	N. Carlo		2002000	7100
	Carriage of G.IJD.I pipes below 100mm dia from dumping	site		000	Ton		3.25	₹5,363	and a
95	Beyond Ist 50m( TOTAL LEAD=500MTR)		9308	.000	No	₹ 0	.77	₹7,120	0.62
94	Carriage of materials by manual means including loading, unloading, stacking of materials- Brick ist 50m		9308.	000	No	₹0	.39	₹3,648	.74
3	Beyond Ist 50m( TOTAL LEAD=500MTR)		197.9	080	Tonne	₹ 160	0.53	₹ 31,782	32
2	unloading, stacking of materials- Cementist 50m		197.9	80	Tonne	₹ 121	.57	₹ 24,067.	83
	Seyond Ist 50m( TOTAL LEAD=500MTR)  Carriage of materials by manual means including loading,		49.39	00	Cum	₹ 444	.64	₹ 21,960.	57
A	above ist 50m								
10	mloading, stacking of materials- Aggregate 40mm and		49.39	0	Cum	₹ 226	.92	₹ 11,207.4	48
C	arriage of materials by manual means including loading		381.37	0	Cum	₹411.	31	₹ 156,860.9	11
100	eyond lst 50m( TOTAL LEAD=500MTR)						A		
50	. stacking of materials- Aggregate Below 40mm is:	t	381.370	0	Cum	₹ 209.5	90	₹ 80,048.80	0
Car	mage of materials by manual means including leading		200.270		Cum	(411.3		103,400.10	1
ne)	YONG IST SUM( TOTAL LEAD=500MTR)		256.270		Cum	₹ 411.3		₹ 105,406.16	4
	g, stacking of materials, (Sand) let 50m	2	56.270		Cum	₹ 209.9	0	₹ 53,790.56	5
Carr	riage of materials by manual means including loading.	60	000.000	X O	Mtr	₹ 7.24		₹ 43,440.00	40.00
Bey	ond 10 km upto 20 km per km	6000.0			Mtr	₹ 4.42	-6-	₹ 26,520.00	4
Bevo	and 5 km upto 10 km per km	60	00.000	1	Mtr	₹ 2.72	1	₹ 16,290.00	
Bayo	ite by mechanical means 5kms	600	000.00	1	Atr	₹ 7.51		₹ 45,060.00	
		160	000.00	1	Atr	₹ 4.34		₹ 6,944.00	
mekou	nd 20 km per additional km tr	_	0.000		ltr	₹ 2.65	-	₹ 4,240.00	10
Beyon	id 10 km upto 20 km per km	160	0.000	M	ltr	₹ 1.63	1	₹ 2,608.00	
Beyon	d 5 km upto 10 km par km	1600	0.000	M	tr	₹ 4.50	1	₹ 7,200,00	
the site	pe of G.VD.I. pipes 100mm dia from Stocking yard to	254.00	000	То	n	₹ 176.64		₹ 6,182.40	
$a = x \cdot a + a$	EU KIN DOF additional	35.0		To		107.99		₹ 3,779.65	
seyong	10 km upto 20 km	35.0		To	IA.	₹ 66.30	M	₹ 2,320.50	
	THE PERSON AND THE PE			Tor		183.36	1		
are to t	he site by mechanical means 5kms	35.0						₹ 6,417.46	
arriage	of G.I./D.I pipes below 100mm dia from Stocking	9308	200	No		₹ 0.79		₹7,353.32	
avonu z	TU KIN DEC addition to	9308.0	Transaction of the last of the	No		0.20 1		₹ 2,978.56	
teyond 10 km upto 20 km		9308.0						₹1,861.60	
parriage of materials by mechanical transport including payond 5 km upto 10 km per km		9308.0	00	No		0.55		₹ 5,119.40	
Berry Mr		197.98		Tonne		76.64		THE R. P. LEWIS CO., LANSING, MICH.	

	Pariotic Control Contr
Terms & Co	inditions
1	The cost of work should in no case exceed beyond Rs. 1,60,20,030/- (Rupees One Crore Lightly Lac Twenty Six
	I
2	The overall payment didds the constitue a legal contract document and the conditions laid down in the detailed
3	NIT/Form No.25-double will hold good and binding upon you.
4	You have to attend the Divisional/Circle Office along with your enlistment card for drawl of agreement . However non-drawl of
	Land Land Land Land Line Line Land Line Line Line Line Line Line Line Line
5	0010IPBG2301002 for a period 07.01.2023 to 31.12.025 to 3
	The date of start of work shall be reckoned within one week from the date of issuance of this Contract allotment.
6	The date of start of work arisin or re-
	The work shall have to be completed within a period of ninety (90) days from the date of issuance of allotment mentioned
7	The work shall have to be complete.
	above. In accordance with approved proposals & in close supervision of the Engineer I/C of both wind
8	The work be executed strictly in accordance with approved proposals & in close supervision of the Engineer I/C of both wing of Civil as well as Mechanical.


puring and commissioning of work, the bidder will have to make a trial run of the work for a period of 03 months during a me builder will have to operate and maintain the executed work to the full satisfaction of the Department. a general Liability period shall be for a period of 12 Months which shall commence after the successful completion of the DLP, in case any defect remains to make good & remedy at his own expense any defect in works which is noticed and the DLP, in case any defect remains unattended by the firm at the completion of DLP, the department may extend the ge to such time as deemed fit for getting the defect rectified subject to a maximum ceiling of 6 Months. the bidder shall be responsible for the time and proper setting out of all the works and for the correctness of the positions. evels, dimensions and alignment of all parts of the works and for the provision of all necessary instruments, appliances and The rates are including the Charges for Submission of progress, Geo-tagged photographs, vedlographic record through the professional person before, during & after construction and progress reports in both hard and soft copies. Taking Cross-Sections/ L. Sections by Auto Level / ETS before and after execution, Preparation of work abstract of executed work, preparation of bills besides, the rates quoted/alloted are inclusive of taxes and the taxes viz. GST/Income tax/Cess etc. shall be deducted at source from running account bills. All the Cement, R.C.C. Steel, plumbing and other works shall be strictly as per relevant IS Codes, CPHEEO norms/requirements/specifications and normal PWD practices. You shall be solely responsible for carrying out the mandatory tests required or as decided by Engineer-in-charge for the quality control at your own costs. The cost of conducting all tests shall be borne by the contractor and shall be deemed to have been included in the item rates for various items of work and percentage rate tendered. Nothing extra shall be payable on this account. You have to furnish the confirmatory survey, structural & functional design including geo-technical analysis, soil investigation, and quality control tests done at your level duly vetted by DIQC as per terms & conditions of the NIT. The vetting charges for the design if any are to be borne by you. The allotted works shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department. The agency shall check the quality of works executed by the agencies, quality of materials used for construction and quality of machinery installed in each scheme. The TPIQM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluation of the performance of the Contract during the Contract Period. Any item of work not included in the BOQ but required for the completion of the work, shall be executed by the contractor, as directed by the Department. Such extra item shall be paid at J&K SSR 2020 rates with allotted appreciation/depreciation of the contractor. In case such item does not figure in J&K SSR 2020, the same shall be paid as per the current market rate analysis, to be approved by the competent authority. No price escalation will be paid for completion of the work within stipulated time or extended date of completion due to any reason whatsoever. 19 No extra claim towards any type of tax, freight, etc shall be entertained whatsoever. 20 No mobilisation advance shall be paid. Retention money/Security deposit shall be 10% of the contract value. The Security Deposit is to be recovered at the rate of 21 10% of bill amount from Running Account Bills and shall be released after completion of the defect liability period. In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring 22 or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the timebeing enforce in the UT: a) Terminate the contract after 15 days' notice and/or b) Recover the amount of loss caused by damage, failure or default, as may be determined by the department and/or c) Recover the extra cost, if any, involved in allotting contract to other party, and/or d) Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract. e) Forfeit the performance security and blacklist the firm. All risks of loss or damage to physical property and of personal injury and death which arise during and in consequence of 23 the performance of the Contract are the responsibility of the Bidder. Any failure or commission to carry out the provision of the contract shall not give rise to any claim by the department or 24 bidder one against the other if such failure of commission arises from the 'ACT OF GOD' which shall include all natural calamities such as fires, floods, earthquake, hurricane, strikes, riots, embargoes or from any political or other reasons beyond the control of the parties including war, or a state of insurgency, The bidder shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, 25 when and where necessary or required by the Department for the protection of the work or safety and convenience of the From the commencement of the work to the completion thereof the same shall be under the bidders charge. The bidder 26 shall be held responsible for and make good any loss or injuries by fire or other causes / theft and shall hold the Government harmless for any claims for injuries to persons or damage to property happening from any neglect, default, want of proper care and misconduct on the part of the bidder, or any of his employees, during the execution of work. The bidder shall be responsible for the compensation if any, to labour under the existing labour laws of the country. In the event of the death or insanity or insolvency or imprisonment of the bidder or where the bidder being a partnership or




firm becomes dissolved or being corporation goes into liquidation, voluntary or otherwise, the contract may, in the option of

the Engineer-in-charge, be terminated by notice in writing posted at the site of the works.

27





caused to the work during execution or prior to actual completion of work/handing over of the project before period due to any natural calamity/human interference, the same shall be got restored/made good by you at mage is caused to existing structures like roads, bridges, buildings or other public utilities as a result of construction of Whereever any damage occures to any public/private infrastructure or public utility, the same shall be rectifed/made and by you at your own cost. sequate precaustions be taken for enviornment and social protection besides, all safety practices in vogue be strictly shered to during execution of work. No objection certificate from the concerned regulatory authorify may also be sought wherever required. All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM. Technical Officer, Hydraelic Circle Ananthag/Kulgam HQ: Anantnag SE/Hyd/Cors/\_11107-10. 12 101/2023 Chief Engineer Kmr., Jal Shakti (PHE) Department Srinagar for favour of information. District Development Commissioner Kulgam (Chairman District Jal Jeevan Mission) for information. This is with reference to your Authorization order No. 350/DDCK of 2022 dated 06.08.2022 issued under endorsement No. DDCK/JJM/2022-23/3674-77 dated 06.08.2022 read with letter No. DDCK/JJM/2022/4433-36 dated 31.08.2022. Executive Engineer Jal Shakti (Special PHE) Division Kulgam for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with JJM Guidelines. File concerned. (HIN HD

Scanned with OKEN Scanner