

# The phflplx package — include PDF graphics with hyperlinks

Philippe Faist [philippe.faist@bluewin.ch](mailto:philippe.faist@bluewin.ch)

April 09, 2021

---

phflplx—A handy  $\LaTeX$  package for including graphics defined via  $\LaTeX$  source code files. Designed for use with the `ltxpdflinks` tool in order to include PDF graphics in documents with external or internal hyperlinks.

---

<b>1 Introduction</b>	<b>1</b>
<b>2 Implementation</b>	<b>2</b>
2.1 Commands called from the LPLX file . . . . .	3
2.2 Internal Implementation Commands . . . . .	5
<b>Change History</b>	<b>7</b>
<b>Index</b>	<b>7</b>

---

## ■ 1 Introduction

This package is designed to be used in conjunction with the `ltxpdflinks` command-line utility to extract PDF links into `.lplx` files.

Usage:

1. Run `ltxpdflinks` on your PDF files before you compile your document:

```
> ltxpdflinks myfigure.pdf
```

2. Use the following commands in your document preamble:

```
\usepackage{phflplx}  
\DeclareGraphicsExtensions{.lplx,.pdf}
```

3. Drop a copy of `phflplx.sty` in the same folder as your document in case you don't have it installed user-wide or system-wide.
4. Enjoy!

In fact, LPLX files are simple  $\LaTeX$  sources that are included directly by the graphics driver. The LPLX file typically includes the PDF itself using a lower-level




Figure 1: A diagram with clickable PDF hyperlinks, including internal links to other parts of the document.

graphics command and draws invisible hyperlinks on top of the graphics. (The LPLX file also takes care of resizing and cropping the graphics if necessary.)

Figure 1 provides a glimpse of what you can do with `ltxpdflinks` and `phfplx`.

## ■ 2 Implementation

Load some useful packages.

```
1 \RequirePackage{etoolbox}
```

Check that the user is loading the `hyperref` package! (We don't load it automatically to avoid issues of package loading order, link appearance, etc.)

```
2 \AtBeginDocument{%
3   \@ifpackageloaded{hyperref}{}{%
4     \PackageWarning{phfplx}{The package 'hyperref' was not loaded. You
5       probably forgot to load it.}%
6   }%
7 }
```

Declaring the graphics rule for the LPLX extension. Note that the LPLX file has the line `%%BoundingBox 0 0 <W> <H>` so that the size of the graphics can be parsed by the default graphics graphic size inspector, which is designed to parse `%%BoundingBox` commands in EPS files.

```
8 \DeclareGraphicsRule{.lplx}{lplx}{*}{}{}
```

Declare the driver functions for the graphics package internals.

```

9 \def\Ginclude@lplx#1{%
10   \message{<#1>}%
11   \input{#1}%
12 }

```

## 2.1 Commands called from the LPLX file

The contents of the LPLX file is wrapped around the `\LPLX` macro. The first argument is a dictionary `key1=value1, key2=value2, ...` of meta-information about the current LPLX file format. Keys should include `version` (a basic file format version), `ltxpdflinksversion` (version of `ltxpdflinks` used to generate this file), `features` (a list of “features” the file provides, might add new “features” in the future). The “bbox” feature means that the LPLX file makes a call to `\lplxSetBbox` with the graphic bounding box information.

```

13 %%\long\def\LPLX#1#2{\begingroup #2\endgroup}
14 \let\LPLX@gobble

```

In the contents of the LPLX data (second argument of `\LPLX`), we have a sequence of `\lplxAbcDef` commands in a declarative-style interface. The commands are the following.

`\lplxGraphic` Specify the original (PDF) graphic file name. Specify base file name (#1) and extension (#2 including dot) separately

```

15 \def\lplxGraphic#1#2{%
16   \def\lplxiGraphicBaseFname{#1}%
17   \def\lplxiGraphicExt{#2}%
18   \def\lplxiGraphicFname{#1#2}%
19   \lplx@IncludeGraphics
20 }

```

`\lplxUserSpaceUnitLength` Set the base unit of the graphic. Width, height, coordinates, etc., are specified in this unit. Usually this is 1 bp = 1/72 in.

```

21 \def\lplxUserSpaceUnitLength#1{%
22   \unitlength=#1\relax
23 }

```

`\lplxSetBbox` Declare what the bounding box of the graphic is. Currently the two first arguments should be `{0}{0}`.

```

24 \newdimen\lplxiBboxWcrdim
25 \newdimen\lplxiBboxHcrdim
26 \def\lplxSetBbox#1#2#3#4{%
27   \def\lplxiBboxX{#1}%

```

```

28 \def\lplxiBboxY{#2}%
29 \def\lplxiBboxW{#3}%
30 \def\lplxiBboxH{#4}%
31 \ifdim\lplxiBboxX\p@>\z@ \relax \lplx@bboxzerowarn \fi
32 \ifdim\lplxiBboxX\p@<\z@ \relax \lplx@bboxzerowarn \fi
33 \ifdim\lplxiBboxY\p@>\z@ \relax \lplx@bboxzerowarn \fi
34 \ifdim\lplxiBboxY\p@<\z@ \relax \lplx@bboxzerowarn \fi
35 }
36 \def\lplx@bboxzerowarn{%
37 \PackageWarning{phflplx}{LPLX bounding box is not pinned at (0,0), not supported}%
38 }

```

`\lplxPicture` Gather all the links you want to place as an argument to a call to `\lplxPicture`.

```

39 \long\def\lplxPicture#1{%
40 \lplx@SetupScaleAndBbox
41 \lplx@a@DoScale{%
42 \begin{picture}(\lplxvCropW,\lplxvCropH)(\lplxvCropX,\lplxvCropY)%
43 #1%
44 \end{picture}%
45 }%
46 }

```

Finally, individual links are placed with `\lplxPutLink`. Usage is `\lplxPutLink{<x>}{<y>}{<w>}{<h>}{<hyperstartcmd>}{<hyperendtokens>}`. Here `{<hyperstartcmd>}` and `{<hyperendtokens>}` are any tokens that will be inserted immediately before and immediately after an invisible rule of the given width and height. The rule will be in curly braces, so it can be considered as a mandatory argument to the last macro token in `{<hyperstartcmd>}`. Don't forget to escape URL characters that have a LaTeX meaning that is very special (e.g. `# → %23`) because these characters are already in a macro argument and will have catcodes assigned before `\href` and friends get the chance to take care of catcodes etc. [Actually, some characters still work, like `^`, `_`, `&`, ... I'm not sure what determines this. (?)]

```

47 \def\lplxPutLink{%
48 \ifGin@clip
49 \expandafter\lplx@clipputlink
50 \else
51 \expandafter\lplx@doputlink
52 \fi
53 }

```

A simple helper to percent-quote special characters in an URL.

```

54 {\catcode'\%=12\relax
55 \gdef\lplx@percent{%}
56 }
57 \def\lplxHexChar#1{%
58 \lplx@percent#1%

```

59 }

## 2.2 Internal Implementation Commands

`\lplx@IncludeGraphics` This command actually includes the underlying graphics. TODO: support for `\lplxiGraphicFname` in case the PDF base file name differs from the LPLX file base name? (Though that sounds like asking for trouble.)

```
60 \def\lplx@IncludeGraphics{%
61   \edef\x{\noexpand\hbox to 0pt{%
62     \noexpand\Ginclude@graphics{\Gin@base\lplxiGraphicExt}}}%
63   \x
64 }
```

`\lplx@SetupScaleAndBbox` Utility to set up the appropriate command arguments to use for `\scalebox`, etc.

```
65 \def\lplx@noscale{1,!}
66 \def\lplx@exclam{!}
67 \def\lplx@a@DoScale{%
68 \def\lplx@SetupScaleAndBbox{%
```

First, we locally define a macro `\lplx@a@DoScale{...}` that will generate the correct `\scalebox` call with the given contents, according to the requested size.

```
69   \def\lplx@tmp{\Gin@scalex,\Gin@scaley}%
70   \ifx\lplx@tmp\lplx@noscale%
71     \def\lplx@a@DoScale{%
72   \else
73     \ifx\Gin@scaley\lplx@exclam
74       \edef\lplx@a@DoScale{\noexpand\scalebox{\Gin@scalex}}%
75     \else
76       \ifx\Gin@scalex\lplx@exclam
77         \edef\lplx@a@DoScale{\noexpand\scalebox{\Gin@scaley}}%
78       \else
79         \edef\lplx@a@DoScale{\noexpand\scalebox{\Gin@scalex}[\Gin@scaley}}%
80     \fi
81   \fi
82   \fi
```

Second, we need to take care of setting the bounding box correctly. Define the macros `\lplxvCropX` and `\lplxvCropY` which are the  $(X, Y)$  position of the lower left corner the part of the image we want to pick out, in user space units. Define `\lplxvCropW` and `\lplxvCropH` as the requested width & height of the subimage we want to use.

```
83   \edef\lplxvCropX{\Gin@llx}%
84   \edef\lplxvCropY{\Gin@lly}%
85   \edef\lplxvCropW{\strip@pt\dimexpr\Gin@urx pt-\Gin@llx pt\relax}%
86   \edef\lplxvCropH{\strip@pt\dimexpr\Gin@ury pt-\Gin@lly pt\relax}%
87 }
```

Tools to place links & clip them if necessary.

```

88 \def\lplx@doputlink#1#2#3#4#5#6{% x,y,w,h,hyperstart,hyperend
89 \put(#1,#2){#5{\phantom{\rule{#3bp}{#4bp}}}}#6}%
90}%
91 \newdimen\lplx@tmpx
92 \newdimen\lplx@tmpy
93 \newdimen\lplx@tmpw
94 \newdimen\lplx@tmph
95 \def\lplx@clipputlink#1#2#3#4#5#6{% x,y,w,h,hyperstart,hyperend

```

Some notes: 1) We use “pt” as dummy unit of measure here just to do the floating point arithmetic and we use \strip@pt at the end. 2) Here \lplx@maybeskip serves as a flag that if set, asserts the link was entirely cropped out of the picture. Initially it expands to an empty string but when set it expands to “\p@<\z@relax” (= “1pt < 0pt”), so it can be placed in front of all \ifdim's so that they are skipped if the link was determined to be out of the picture.

```

96 \def\lplx@maybeskip{}%
97 \def\lplx@setskip{\def\lplx@maybeskip{\p@<\z@relax}}%
98 \lplx@tmpx=#1pt\relax
99 \lplx@tmpy=#2pt\relax
100 \lplx@tmpw=#3pt\relax
101 \lplx@tmph=#4pt\relax
102 \ifdim\lplx@maybeskip\lplx@tmpx<\lplxvCropX\p@\relax
103 \ifdim\dimexpr\lplx@tmpx+\lplx@tmpw>\lplxvCropX\p@\relax
104 \lplx@tmpw=\dimexpr\lplx@tmpx+\lplx@tmpw-\lplxvCropX\p@\relax
105 \lplx@tmpx=\lplxvCropX\p@\relax
106 \else
107 \lplx@setskip
108 \fi
109 \fi
110 \ifdim\lplx@maybeskip\dimexpr\lplx@tmpx+\lplx@tmpw
111 >\dimexpr\lplxvCropX\p@+\lplxvCropW\p@\relax
112 \ifdim\lplx@tmpx<\dimexpr\lplxvCropX\p@+\lplxvCropW\p@\relax
113 \lplx@tmpw=\dimexpr\lplxvCropX\p@+\lplxvCropW\p@-\lplx@tmpx\relax
114 \else
115 \lplx@setskip
116 \fi
117 \fi
118 \ifdim\lplx@maybeskip\lplx@tmpy<\lplxvCropY\p@\relax
119 \ifdim\dimexpr\lplx@tmpy+\lplx@tmph>\lplxvCropY\p@\relax
120 \lplx@tmph=\dimexpr\lplx@tmpy+\lplx@tmph-\lplxvCropY\p@\relax
121 \lplx@tmpy=\lplxvCropY\p@\relax
122 \else
123 \lplx@setskip
124 \fi
125 \fi
126 \ifdim\lplx@maybeskip\dimexpr\lplx@tmpy+\lplx@tmph
127 >\dimexpr\lplxvCropY\p@+\lplxvCropH\p@\relax
128 \ifdim\lplx@tmpy<\dimexpr\lplxvCropY\p@+\lplxvCropH\p@\relax

```

```
129      \lplx@tmph=\dimexpr\lplxvCropY\p@+\lplxvCropH\p@-\lplx@tmpy\relax
130      \else
131          \lplx@setskip
132      \fi
133  \fi
134  \ifdim\lplx@maybeskip\p@>z@ \relax
135      \edef\x{\noexpand\lplx@doputlink%
136          {\strip@pt\lplx@tmpx}{\strip@pt\lplx@tmpy}%
137          {\strip@pt\lplx@tmpw}{\strip@pt\lplx@tmph}}}%
138      \x{#5}{#6}%
139  \fi
140 }%
141
```

Change History

v0.1

General: Initial version .....	1
--------------------------------	---

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in **roman** refer to the code lines where the entry is used.

Symbols		B
\%	54	\begin 42
\@gobble	14	\begingroup 13
\@ifpackageloaded	3	
A		C
\AtBeginDocument	2	\catcode 54

<b>D</b>		
\DeclareGraphicsRule	8	\lplx@tmpx 91, 98, 102, 103, 104, 105, 110, 112, 113, 136
\dimexpr		\lplx@tmpy 92, 99, 118, 119, 120, 121, 126, 128, 129, 136
	85, 86, 103, 104, 110, 111, 112, 113, 119, 120, 126, 127, 128, 129	\lplxGraphic 15
<b>E</b>		\lplxHexChar 57
\end	44	\lplxiBboxH 30
\endgroup	13	\lplxiBboxHcrdim 25
\expandafter	49, 51	\lplxiBboxW 29
<b>G</b>		\lplxiBboxWcrdim 24
\Gin@base	62	\lplxiBboxX 27, 31, 32
\Gin@llx	83, 85	\lplxiBboxY 28, 33, 34
\Gin@lly	84, 86	\lplxiGraphicBaseFname 16
\Gin@scalex	69, 74, 76, 79	\lplxiGraphicExt 17, 62
\Gin@scaley	69, 73, 77, 79	\lplxiGraphicFname 18
\Gin@urx	85	\lplxPicture 39
\Gin@ury	86	\lplxPutLink 47
\Gininclude@graphics	62	\lplxSetBbox 24
\Gininclude@lplx	9	\lplxUserSpaceUnitLength 21
graphics	2, 3	\lplxvCropH 42, 86, 127, 128, 129
<b>H</b>		\lplxvCropW 42, 85, 111, 112, 113
hyperref	2	\lplxvCropX 42, 83, 102, 103, 104, 105, 111, 112, 113
<b>I</b>		\lplxvCropY 42, 84, 118, 119, 120, 121, 127, 128, 129
\ifdim	31, 32, 33, 34, 102, 103, 110, 112, 118, 119, 126, 128, 134	<b>M</b>
\ifGin@clip	48	\message 10
\ifx	70, 73, 76	<b>N</b>
\input	11	\newdimen 24, 25, 91, 92, 93, 94
<b>L</b>		\noexpand 61, 62, 74, 77, 79, 135
\let	14	<b>P</b>
\LPLX	13, 14	\p@ 31, 32, 33, 34, 97, 102, 103, 104, 105, 111, 112, 113, 118, 119, 120, 121, 127, 128, 129, 134
\lplx@a@DoScale	41, 67, 71, 74, 77, 79	packages:
\lplx@b@boxzerowarn	31, 32, 33, 34, 36	graphics 2, 3
\lplx@c@clipputlink	49, 95	hyperref 2
\lplx@d@oputlink	51, 88, 135	phflplx 1, 2
\lplx@exclam	66, 73, 76	\PackageWarning 4, 37
\lplx@IncludeGraphics	19, 60	\phantom 89
\lplx@maybeskip	96, 97, 102, 110, 118, 126, 134	phflplx 1, 2
\lplx@noscale	65, 70	\put 89
\lplx@percent	55, 58	<b>R</b>
\lplx@setskip	97, 107, 115, 123, 131	\RequirePackage 1
\lplx@SetupScaleAndBbox	40, 65	\rule 89
\lplx@tmp	69, 70	<b>S</b>
\lplx@tmph	94, 101, 119, 120, 126, 129, 137	\scalebox 74, 77, 79
\lplx@tmpw	93, 100, 103, 104, 110, 113, 137	\strip@pt 85, 86, 136, 137



U		Z	
\unitlength .....	22	\z@ .....	31, 32, 33, 34, 97, 134
X			
\x .....	61, 63, 135, 138		