

# The phflplx package — include PDF graphics with hyperlinks

Philippe Faist [philippe.faist@bluewin.ch](mailto:philippe.faist@bluewin.ch)

April 09, 2021

---

phflplx—A handy  $\LaTeX$  package for including graphics defined via  $\LaTeX$  source code files. Designed for use with the `ltxpdflinks` tool in order to include PDF graphics in documents with external or internal hyperlinks.

---

<b>1 Introduction</b>	<b>1</b>
<b>2 Implementation</b>	<b>2</b>
2.1 Commands called from the LPLX file . . . . .	2
2.2 Internal Implementation Commands . . . . .	4
<b>Change History</b>	<b>6</b>
<b>Index</b>	<b>7</b>

---

## ■ 1 Introduction

This package is designed to be used in conjunction with the `ltxpdflinks` command-line utility to extract PDF links into `.lplx` files.

Usage:

1. Run `ltxpdflinks` on your PDF files before you compile your document:

```
> ltxpdflinks myfigure.pdf
```

2. Use the following commands in your document preamble:

```
\usepackage{phflplx}  
\DeclareGraphicsExtensions{.lplx,.pdf}
```

3. Drop a copy of `phflplx.sty` in the same folder as your document in case you don't have it installed user-wide or system-wide.
4. Enjoy!

In fact, LPLX files are simple  $\LaTeX$  sources that are included directly by the graphics driver. The LPLX file typically includes the PDF itself using a lower-level graphics command and draws invisible hyperlinks on top of the graphics. (The LPLX file also takes care of resizing and cropping the graphics if necessary.)

## ■ 2 Implementation

Load some useful packages.

```
1 \RequirePackage{etoolbox}
```

Check that the user is loading the hyperref package! (We don't load it automatically to avoid issues of package loading order, link appearance, etc.)

```
2 \AtBeginDocument{%
3   \ifpackageloaded{hyperref}{}{%
4     \PackageWarning{phf1plx}{The package 'hyperref' was not loaded. You
5       probably forgot to load it.}%
6   }%
7 }
```

Declaring the graphics rule for the LPLX extension. Note that the LPLX file has the line `%%BoundingBox 0 0 <W> <H>` so that the size of the graphics can be parsed by the default graphics graphic size inspector, which is designed to parse `%%BoundingBox` commands in EPS files.

```
8 \DeclareGraphicsRule{.1plx}{1plx}{*}{}%
```

Declare the driver functions for the graphics package internals.

```
9 \def\Ginclude@1plx#1{%
10   \message{<#1>}%
11   \input{#1}%
12 }
```

### 2.1 Commands called from the LPLX file

The contents of the LPLX file is wrapped around the `\LPLX` macro. The first argument is a dictionary `key1=value1, key2=value2, ...` of meta-information about the current LPLX file format. Keys should include `version` (a basic file format version), `ltxpdfinksversion` (version of `ltxpdfinks` used to generate this file), `features` (a list of “features” the file provides, might add new “features” in the future). The “bbox” feature means that the LPLX file makes a call to `\1plxSetBbox` with the graphic bounding box information.

```
13 %%\long\def\LPLX#1#2{\begingroup #2\endgroup}
14 \let\LPLX\@gobble
```

In the contents of the LPLX data (second argument of `\LPLX`), we have a sequence of `\1plxAbcDef` commands in a declarative-style interface. The commands are the following.

<code>\1plxGraphic</code>	Specify the original (PDF) graphic file name. Specify base file name (#1) and extension (#2 including dot) separately
---------------------------	---

```

15 \def\lplxGraphic#1#2{%
16   \def\lplxiGraphicBaseFname{#1}%
17   \def\lplxiGraphicExt{#2}%
18   \def\lplxiGraphicFname{#1#2}%
19   \lplx@IncludeGraphics
20 }

```

`\lplxUserSpaceUnitLength` Set the base unit of the graphic. Width, height, coordinates, etc., are specified in this unit. Usually this is 1 bp = 1/72 in.

```

21 \def\lplxUserSpaceUnitLength#1{%
22   \unitlength=#1\relax
23 }

```

`\lplxSetBbox` Declare what the bounding box of the graphic is. Currently the two first arguments should be {0}{0}.

```

24 \newdimen\lplxiBboxWcrdim
25 \newdimen\lplxiBboxHcrdim
26 \def\lplxSetBbox#1#2#3#4{%
27   \def\lplxiBboxX{#1}%
28   \def\lplxiBboxY{#2}%
29   \def\lplxiBboxW{#3}%
30   \def\lplxiBboxH{#4}%
31   \ifdim\lplxiBboxX\p@>\z@ \relax \lplx@bboxzerowarn \fi
32   \ifdim\lplxiBboxX\p@<\z@ \relax \lplx@bboxzerowarn \fi
33   \ifdim\lplxiBboxY\p@>\z@ \relax \lplx@bboxzerowarn \fi
34   \ifdim\lplxiBboxY\p@<\z@ \relax \lplx@bboxzerowarn \fi
35 }
36 \def\lplx@bboxzerowarn{%
37   \PackageWarning{phf\lplx}{LPLX bounding box is not pinned at (0,0), not supported}%
38 }

```

`\lplxPicture` Gather all the links you want to place as an argument to a call to `\lplxPicture`.

```

39 \long\def\lplxPicture#1{%
40   \lplx@SetupScaleAndBbox
41   \lplx@a@DoScale{%
42     \begin{picture}(\lplxvCropW,\lplxvCropH)(\lplxvCropX,\lplxvCropY)%
43       #1%
44     \end{picture}%
45   }%
46 }

```

Finally, individual links are placed with `\lplxPutLink`. Usage is `\lplxPutLink{<x>}{<y>}{<w>}{<h>}{<hyperstartcmd>}{<hyperendtokens>}`. Here `{<hyperstartcmd>}` and `{<hyperendtokens>}` are any tokens that will be inserted immediately before and immediately after an invisible rule of the given width and height. The rule will be in curly braces, so it can be considered as a

mandatory argument to the last macro token in  $\{\langle hyperstartcmd \rangle\}$ . Don't forget to escape URL characters that have a LaTeX meaning that is very special (e.g.  $\# \rightarrow \%23$ ) because these characters are already in a macro argument and will have catcodes assigned before `\href` and friends get the chance to take care of catcodes etc. [Actually, some characters still work, like `^`, `_`, `&`, ... I'm not sure what determines this. (?)]

```

47 \def\lplxPutLink{%
48   \ifGin@clip
49     \expandafter\lplx@clipputlink
50   \else
51     \expandafter\lplx@doputlink
52   \fi
53 }

```

A simple helper to percent-quote special characters in an URL.

```

54 {\catcode'\%=12\relax
55   \gdef\lplx@percent{%}
56 }
57 \def\lplxHexChar#1{%
58   \lplx@percent#1%
59 }

```

## 2.2 Internal Implementation Commands

`\lplx@IncludeGraphics` This command actually includes the underlying graphics. TODO: support for `\lplxiGraphicFname` in case the PDF base file name differs from the LPLX file base name? (Though that sounds like asking for trouble.)

```

60 \def\lplx@IncludeGraphics{%
61   \edef\x{\noexpand\hbox to 0pt{%
62     \noexpand\Gininclude@graphics{\Gin@base\lplxiGraphicExt}}}%
63   \x
64 }

```

`\lplx@SetupScaleAndBbox` Utility to set up the appropriate command arguments to use for `\scalebox`, etc.

```

65 \def\lplx@noscale{1,!}
66 \def\lplx@exclam{!}
67 \def\lplx@a@DoScale{%}
68 \def\lplx@SetupScaleAndBbox{%

```

First, we locally define a macro `\lplx@a@DoScale{...}` that will generate the correct `\scalebox` call with the given contents, according to the requested size.

```

69   \def\lplx@tmp{\Gin@scalex,\Gin@scaley}%
70   \ifx\lplx@tmp\lplx@noscale%
71     \def\lplx@a@DoScale{%}

```

```

72 \else
73 \ifx\Gin@scaley\lplx@exclam
74 \edef\lplx@a@DoScale{\noexpand\scalebox{\Gin@scalex}}%
75 \else
76 \ifx\Gin@scalex\lplx@exclam
77 \edef\lplx@a@DoScale{\noexpand\scalebox{\Gin@scaley}}%
78 \else
79 \edef\lplx@a@DoScale{\noexpand\scalebox{\Gin@scalex}[\Gin@scaley]}%
80 \fi
81 \fi
82 \fi

```

Second, we need to take care of setting the bounding box correctly. Define the macros `\lplxvCropX` and `\lplxvCropY` which are the  $(X, Y)$  position of the lower left corner the part of the image we want to pick out, in user space units. Define `\lplxvCropW` and `\lplxvCropH` as the requested width & height of the subimage we want to use.

```

83 \edef\lplxvCropX{\Gin@llx}%
84 \edef\lplxvCropY{\Gin@lly}%
85 \edef\lplxvCropW{\strip@pt\dimexpr\Gin@urx pt-\Gin@llx pt\relax}%
86 \edef\lplxvCropH{\strip@pt\dimexpr\Gin@ury pt-\Gin@lly pt\relax}%
87 }

```

Tools to place links & clip them if necessary.

```

88 \def\lplx@doputlink#1#2#3#4#5#6{% x,y,w,h,hyperstart,hyperend
89 \put(#1,#2){#5{\phantom{\rule{#3bp}{#4bp}}}\#6}%
90 }%
91 \newdimen\lplx@tmpx
92 \newdimen\lplx@tmpy
93 \newdimen\lplx@tmpw
94 \newdimen\lplx@tmph
95 \def\lplx@clipputlink#1#2#3#4#5#6{% x,y,w,h,hyperstart,hyperend

```

Some notes: 1) We use “pt” as dummy unit of measure here just to do the floating point arithmetic and we use `\strip@pt` at the end. 2) Here `\lplx@maybeskip` serves as a flag that if set, asserts the link was entirely cropped out of the picture. Initially it expands to an empty string but when set it expands to “`\p@<\z@relax`” (= “1pt < 0pt”), so it can be placed in front of all `\ifdim`’s so that they are skipped if the link was determined to be out of the picture.

```

96 \def\lplx@maybeskip{}%
97 \def\lplx@setskip{\def\lplx@maybeskip{\p@<\z@relax}}%
98 \lplx@tmpx=#1pt\relax
99 \lplx@tmpy=#2pt\relax
100 \lplx@tmpw=#3pt\relax
101 \lplx@tmph=#4pt\relax
102 \ifdim\lplx@maybeskip\lplx@tmpx<\lplxvCropX\p@<\relax
103 \ifdim\dimexpr\lplx@tmpx+\lplx@tmpw>\lplxvCropX\p@<\relax

```

```

104     \lplx@tmpw=\dimexpr\lplx@tmpx+\lplx@tmpw-\lplxvCropX\p@\relax
105     \lplx@tmpx=\lplxvCropX\p@\relax
106     \else
107         \lplx@setskip
108     \fi
109 \fi
110 \ifdim\lplx@maybeskip\dimexpr\lplx@tmpx+\lplx@tmpw
111     >\dimexpr\lplxvCropX\p@+\lplxvCropW\p@\relax
112     \ifdim\lplx@tmpx<\dimexpr\lplxvCropX\p@+\lplxvCropW\p@\relax
113         \lplx@tmpw=\dimexpr\lplxvCropX\p@+\lplxvCropW\p@-\lplx@tmpx\relax
114     \else
115         \lplx@setskip
116     \fi
117 \fi
118 \ifdim\lplx@maybeskip\lplx@tmpy<\lplxvCropY\p@\relax
119     \ifdim\dimexpr\lplx@tmpy+\lplx@tmpx>\lplxvCropY\p@\relax
120         \lplx@tmpx=\dimexpr\lplx@tmpy+\lplx@tmpx-\lplxvCropY\p@\relax
121         \lplx@tmpy=\lplxvCropY\p@\relax
122     \else
123         \lplx@setskip
124     \fi
125 \fi
126 \ifdim\lplx@maybeskip\dimexpr\lplx@tmpy+\lplx@tmpx
127     >\dimexpr\lplxvCropY\p@+\lplxvCropH\p@\relax
128     \ifdim\lplx@tmpy<\dimexpr\lplxvCropY\p@+\lplxvCropH\p@\relax
129         \lplx@tmpx=\dimexpr\lplxvCropY\p@+\lplxvCropH\p@-\lplx@tmpy\relax
130     \else
131         \lplx@setskip
132     \fi
133 \fi
134 \ifdim\lplx@maybeskip\p@>\z@\relax
135     \edef\x{\noexpand\lplx@doputlink%
136         {\strip@pt\lplx@tmpx}{\strip@pt\lplx@tmpy}%
137         {\strip@pt\lplx@tmpw}{\strip@pt\lplx@tmpx}}%
138     \x{#5}{#6}%
139 \fi
140}%
141

```

## Change History

v0.1

General: Initial version ..... 1

# Index

Numbers written in *italic> refer to the page where the corresponding entry is described; numbers underlined> refer to the code line of the definition; numbers in roman> refer to the code lines where the entry is used.*

```
AtBeginDocument= \subitem **\AtBeginDocument+, \subitem noscale+, \hdclindex{102}{-}{96}, \hdclindex{110}, 118, 126, 134
begin= \subitem **\begin+, \hdclindex{46}{-}{42}, \subitem noscale+, \hdclindex{71}{-}{65}, \hdclindex{110}, 118, 126, 134
begingroup= \subitem **\begingroup+, \hdclindex{13}{-}{13}, \subitem percent+, \hdclindex{59}{-}{55}, \hdclindex{110}, 118, 126, 134
catcode= \subitem **\catcode+, \hdclindex{58}{-}{54}, \subitem setskip+, \hdclindex{103}{-}{97}, \hdclindex{123}, 131
DeclareGraphicsRule= \subitem **\DeclareGraphicsRule+, \hdclindex{8}{-}{8}, \subitem SetupScaleAndBbox+, \hdclindex{110}, 118, 126, 134
dimexpr= \subitem **\dimexpr+, \hdclindex{91}{-}{85}, \subitem tmp+, \hdclindex{75}{-}{69}, \hdclindex{104}, 110, 111, 112, 113, \subitem tmp+, \hdclindex{100}{-}{94}, \hdclindex{119}, 120, 126, 127, 128, 129, \subitem tmpw+, \hdclindex{99}{-}{93}, \hdclindex{110}, 118, 126, 129, 137
end= \subitem **\end+, \hdclindex{48}{-}{44}, \subitem tmp+, \hdclindex{75}{-}{69}, \hdclindex{110}, 118, 126, 129, 137
endgroup= \subitem **\endgroup+, \hdclindex{13}{-}{13}, \subitem tmp+, \hdclindex{97}{-}{91}, \hdclindex{110}, 118, 126, 129, 137
expandafter= \subitem **\expandafter+, \hdclindex{53}{-}{49}, \subitem tmp+, \hdclindex{98}{-}{92}, \hdclindex{110}, 118, 126, 129, 137
base= \subitem base+, \hdclindex{67}{-}{62}, \subitem tmp+, \hdclindex{98}{-}{92}, \hdclindex{110}, 118, 126, 129, 137
llx= \subitem llx+, \hdclindex{89}{-}{83}, \subitem LPLX+, \hdclindex{13}{-}{13}, \hdclindex{110}, 118, 126, 129, 137
lly= \subitem lly+, \hdclindex{90}{-}{84}, \subitem LPLX+, \hdclindex{13}{-}{13}, \hdclindex{110}, 118, 126, 129, 137
scalex= \subitem scalex+, \hdclindex{75}{-}{69}, \subitem lplxGraphic+, \hdclindex{15}{-}{main}, \subitem lplxHexChar+, \hdclindex{61}{-}{57}, 79
scaley= \subitem scaley+, \hdclindex{75}{-}{69}, \subitem lplxBboxH+, \hdclindex{33}{-}{30}, \subitem lplxBboxHcrdim+, \hdclindex{2}, 79
urx= \subitem urx+, \hdclindex{91}{-}{85}, \subitem lplxBboxW+, \hdclindex{32}{-}{29}, \subitem lplxBboxWcrdim+, \hdclindex{2}, 79
ury= \subitem ury+, \hdclindex{92}{-}{86}, \subitem lplxBboxWcrdim+, \hdclindex{2}, 79
graphics= \subitem graphics+, \hdclindex{67}{-}{62}, \subitem lplxBboxX+, \hdclindex{30}{-}{27}, \subitem lplxBboxY+, \hdclindex{31}{-}{28}, \subitem lplxBboxYcrdim+, \hdclindex{2}, 79
lplx= \subitem lplx+, \hdclindex{91}{-}{85}, \subitem lplxBboxX+, \hdclindex{30}{-}{27}, \subitem lplxBboxY+, \hdclindex{31}{-}{28}, \subitem lplxBboxYcrdim+, \hdclindex{2}, 79
graphics=graphics, 2 lplxiGraphicBaseFname= \subitem **\lplxiGraphicBaseFname+, \subitem lplxiGraphicExt+, \hdclindex{18}, 2 lplxiGraphicFname= \subitem **\lplxiGraphicFname+, \hdclindex{18}, 2 lplxiGraphicFname= \subitem **\lplxiGraphicFname+, \hdclindex{18}, 2
hyperref=hyperref, 2 lplxiGraphicFname= \subitem **\lplxiGraphicFname+, \hdclindex{18}, 2
ifdim= \subitem **\ifdim+, \hdclindex{34}{-}{31}, \subitem lplxPicture+, \hdclindex{42}{-}{main}, \subitem lplxPutLink+, \hdclindex{51}{-}{47}, 34, 102, 103, 110, 112, \subitem lplxSetBbox+, \hdclindex{26}{-}{main}, 118, 119, 126, 128, 134
clip= \subitem clip+, \hdclindex{52}{-}{48}, \subitem lplxUserSpaceUnitLength+, \hdclindex{46}{-}{42}, \subitem lplxCropH+, \hdclindex{46}{-}{42}, \subitem lplxCropW+, \hdclindex{46}{-}{42}, 128
input= \subitem **\input+, \hdclindex{117}{-}{111}, \subitem lplxvCropW+, \hdclindex{46}{-}{42}, 129
let= \subitem **\let+, \hdclindex{14}{-}{14}, \subitem lplxvCropW+, \hdclindex{46}{-}{42}, 113
bboxzerowarn= \subitem bboxzerowarn+, \hdclindex{34}{-}{34}, \subitem lplxvCropW+, \hdclindex{46}{-}{42}, 34, 36 103, 104, 105, 111, 112, 113
clipputlink= \subitem clipputlink+, \hdclindex{53}{-}{49}, \subitem lplxvCropW+, \hdclindex{46}{-}{42}, 104, 105, 111, 112, 113
doputlink= \subitem doputlink+, \hdclindex{55}{-}{51}, \subitem lplxvCropW+, \hdclindex{46}{-}{42}, 104, 105, 111, 112, 113
exclam= \subitem exclam+, \hdclindex{72}{-}{66}, \hdclindex{79}{-}{73}, 76
IncludeGraphics= \subitem IncludeGraphics+, \hdclindex{29}{-}{29}, \subitem lplxvCropW+, \hdclindex{46}{-}{42}, 104, 105, 111, 112, 113
```

```
newdimen= \subitem **\newdimen+, \hdclindex{62}{-}{24}, \hdclindex{68}{-}{91},
          92,           93,           94
noexpand= \subitem **\noexpand+, \hdclindex{66}{-}{61}, \hdclindex{67}{-}{62}, 74, \hdclindex{1}{-}{1}
          77,           79,           135 rule= \subitem **\rule+, \hdclindex{95}{-}{89}

= \subitem +, \hdclindex{34}{-}{31}, scalebox= \subitem **\scalebox+, \hdclindex{80}{-}{74}, \hdclindex{1}{-}{1}
   34, 97, 102, 103, 104, 105, pt= \subitem pt+, \hdclindex{91}{-}{85}, \hdclindex{92}{-}{86},
   111, 112, 113, 118, 119,      137
   120, 121, 127, 128, 129, 134 unitlength= \subitem **\unitlength+, \hdclindex{24}{-}{22}
packages>graphics=graphics, 2
packages>hyperref=hyperref, 2 x= \subitem **\x+, \hdclindex{66}{-}{61}, \hdclindex{68}{-}{69},
packages>phfplpx=phfplpx, 1 138
PackageWarning= \subitem **\PackageWarning+, \hdclindex{4}{-}{4}, 37
phantom= \subitem **\phantom+, \hdclindex{95}{-}{89}, \hdclindex{34}{-}{31}, \hdclindex{35}{-}{32},
phfplpx=phfplpx, 1 34, 97, 134
```