	45% CS			
	PCCC	PCCC-N2-S	KMEANS	$\operatorname{GT}$
Dataset				
n300-k10-s10	5.0	5.0	4.9	5.0
n300-k10-s20	19.3	19.3	17.8	19.3
n300-k10-s30	41.5	41.5	33.9	41.5
n300-k10-s40	69.7	$\boldsymbol{66.9}$	48.3	69.8
n300-k10-s50	101.3	89.1	58.1	102.0
n300-k20-s10	6.1	7.5	6.3	6.2
n300-k20-s20	34.8	<b>22.9</b>	16.3	24.0
n300-k20-s30	64.5	$\boldsymbol{42.2}$	26.1	51.4
n300-k20-s40	88.3	51.5	31.4	85.6
n300-k20-s50	118.5	58.5	35.5	123.6
n300-k50-s10	4.3	4.0	3.3	3.9
n300-k50-s20	11.9	11.5	7.4	15.1
n300-k50-s30	16.3	15.3	9.2	32.6
n300-k50-s40	19.5	17.7	9.9	55.2
n300-k50-s50	22.3	18.5	10.8	81.1
Mean	41.6	31.4	21.3	47.7

Table W43: Minimum Inertia values of the PCCC and the PCCC-N2-S algorithms for the constraint sets of size 45% CS. Lower values indicate more coherent clusters. The lowest values are stated in bold. The column KMEANS reports the minimum inertia value obtained with the k-means algorithm. The hyphen indicates that the respective algorithm returned no solution within the time limit of 3,600 seconds.