

Pyramid Poker Optimization Methods - Complete Guide

Method Evolution Timeline

Points → **Empirical** → **Tiered1** → **Tiered2** → **NetEV**

Each generation builds on and fixes problems from the previous version.

Method Descriptions

1. Points (Original Foundation)

- **Methodology:** Pure point maximization
- **Assumption:** 100% win rate on every hand
- **Data Source:** Raw hand strength calculations
- **Purpose:** Baseline optimization without win probability considerations
- **Key Insight:** Sometimes simple point maximization works well when fundamental card evaluation is sound

2. Empirical

- **Methodology:** Real win probability lookup
- **Data Source:** 10,000 rounds from Points method (6,000 hands total)
- **Problems:**
 - Sparse/missing data points (low sample sizes)
 - Some inferior hands had higher win probability than better hands
 - Required exact tuple matches in lookup table
- **Key Issue:** Missing data caused suboptimal arrangements (e.g., couldn't find 4K front match, fell back to trips)

3. Tiered (Tiered1)

- **Methodology:** Hierarchy-respecting Pure EV
- **Data Source:** Empirical's win probabilities
- **Improvement:** Fixed hand type hierarchy - never lets lower hand be valued higher than superior hand
- **Foundation for:** Tiered2 development

4. Tiered2

- **Methodology:** Refined Pure EV with edge case fixes
- **Data Source:** Tiered1 probabilities, rebuilt lookup tables
- **Improvements:**
 - Fixed bugs from Tiered1
 - Better handling of missing hands using 2-3 tuple elements
 - Based on 11,000 round dataset
- **Focus:** Pure EV (only counts winning scenarios)

5. NetEV

- **Methodology:** True Expected Value including loss penalties
 - **Formula:** $(\text{Win Rate} \times \text{Points}) - (\text{Loss Probability} \times \text{Loss Points})$
 - **Data Source:** 1,463-row lookup table (real + extrapolated data)
 - **Key Innovation:** Accounts for catastrophic loss scenarios that pure EV methods ignore
 - **Philosophy:** Risk-adjusted optimization
-

Score Interpretation Guidelines

✗ Don't Compare Absolute Scores Between Methods

Different methods use different win rate assumptions:

- **Points:** Assumes 100% win rate → inflated scores
- **Empirical/Tiered/Tiered2:** Use realistic win probabilities
- **NetEV:** Includes loss penalties → more conservative scores

✓ Focus on Arrangement Differences

- Which method finds superior card allocations?
- Do arrangements make strategic sense?
- Are there clear bugs or suboptimal choices?

✓ Head-to-Head Analysis

When methods choose different arrangements, calculate:

- Position-by-position comparison

- **Total point potential**
- **Risk/vulnerability assessment**

Example:

Method A: Back(11) + Middle(12) + Front(15) = 38 total

Method B: Back(8) + Middle(16) + Front(18) = 42 total

→ Method B wins head-to-head by 4 points

Key Performance Patterns

Strong Hands (Test Cases 1-2)

- **All methods converge** to similar arrangements
- **Clear optimal plays** exist
- **NetEV shows mathematical ceiling** around 35.72

Weak/Normal Hands (Test Cases 1001-1003)

- **NetEV shows lower scores** (risk-adjusted thinking)
- **Tiered methods show higher scores** (pure point maximization)
- **Different optimization objectives** causing score divergence

Wild Card Scenarios (Test Cases 2001+)

- **NetEV performs better** with wild cards
- **Correctly values flexibility** in risk/reward calculations
- **More sophisticated** at evaluating complex scenarios

Method Selection Guidelines

For Game Play Optimization:

- **Use Tiered/Tiered2** for maximum point scoring
- **Players want to maximize points** on every hand
- **Even bad hands should get best possible arrangement**

For Mathematical Validation:

- **Use NetEV** for risk-adjusted analysis

- **Accounts for loss scenarios** ignored by other methods
- **More conservative but mathematically complete**

For Debugging/Analysis:

- **Use Points** as baseline reference
 - **Use Empirical** to identify lookup table gaps
 - **Compare all methods** to spot anomalies
-

Common Issues & Debugging

Empirical Problems:

- **Missing exact tuple matches** → falls back to suboptimal choices
- **Sparse data** → unreliable win probabilities
- **Can't evaluate premium hand combinations** that rarely occur in training data

NetEV Anomalies:

- **May choose inferior arrangements** due to lookup gaps or bugs
- **Over-conservative** choices when loss penalties dominate
- **Edge cases** where risk calculation fails

Investigation Process:

1. **Identify anomalous behavior** in test results
 2. **Enable logging** for specific test case
 3. **Trace decision path** → lookup hits, fallbacks, calculations
 4. **Compare across all methods** to isolate the problem
 5. **Fix root cause** and verify across test suite
-

Test Case Logging

All methods support detailed logging for systematic investigation:

- **Turn on logging** for specific test cases
- **Trace exact decision paths** and calculations
- **Compare lookup vs fallback usage**
- **Identify where logic diverges** from expected behavior

Perfect for debugging anomalies like NetEV choosing flush over straight flush in front position.