

# The Structure of Mathematical Expressions

An ARXIV Case Study

Deyan Ginev and Bruce R. Miller

National Institute of Standards and Technology

March 28, 2012



---

# Contents

---

<b>Contents</b>	<b>2</b>
<b>1 Introduction</b>	<b>3</b>
1.1 Motivation . . . . .	3
1.2 Related Resources . . . . .	3
<b>2 Methods</b>	<b>5</b>
2.1 Training Corpus . . . . .	5
2.2 Structural Annotation . . . . .	5
2.3 Annotation Vocabulary . . . . .	6
<b>3 A Study of Mathematical Syntax</b>	<b>9</b>
3.1 Basics . . . . .	9
3.2 Discrete math . . . . .	9
3.3 Continuous math . . . . .	10
3.4 Other fields . . . . .	12
<b>4 Discussion</b>	<b>19</b>
<b>5 Conclusion</b>	<b>21</b>

## Chapter 1

---

# Introduction

---

In this study, we survey the notational diversity of present-day mathematical expressions, in order to uncover their linguistic phenomena. A practical motivation for this study is to provide a foundation for determining the boundary between syntactic and semantic phenomena in said expressions, from the perspective of language modeling. The ultimate goal of this project is to construct a grammar of mathematical expressions, which captures all relevant syntactic properties established in this study, and allows for the semantic analysis necessary to model and observe the semantic relationships.

## 1.1 Motivation

We want to enable machine-reading of formulas, in order to provide a variety of user-assistance services, such as semantic search, text-to-speech synthesis, semantic interactions (definition lookup), as well as computer algebra support (“evaluate subexpressions on demand”) and ultimately computer verification (“does that proof step really hold?”).<sup>1</sup>

EdN:1

## 1.2 Related Resources

Notation census, beginnings of study are in Deyan’s thesis, Naproche and FMathL have examples, but no real systematic study.<sup>2</sup>

EdN:2

---

<sup>1</sup>EdNOTE: expand

<sup>2</sup>EdNOTE: expand



---

# Methods

---

## 2.1 Training Corpus

The primary corpus on which we base this investigation is the Cornell pre-print archive “ARXIV”<sup>3</sup>, consisting of over 700,000 articles in 37 scientific subfields. EdN:3

### arXiv Sandbox

4 EdN:4

As a secondary resource, we we will also consult entry-level literature on high-school mathematics, in order to exhibit basic phenomena, as well as to demonstrate phenomena apriori known to the authors.<sup>5</sup> EdN:5

## 2.2 Structural Annotation

As one of the goals of our study is to establish a first guess of an underspecified operator tree<sup>6</sup>, any annotation must at its core mark up the applicative logical EdN:6 structure of the mathematical expression. This process will build up a formula tree, the collection of which can later be used as a gold standard for developing a grammatical model of the language of symbolic mathematics.

---

<sup>3</sup>EdNOTE: cite here

<sup>4</sup>EdNOTE: Say that, on the ARXIV front, we first start with the train sandbox from Deyan’s thesis

<sup>5</sup>EdNOTE: Wikipedia? PEMDAS?

<sup>6</sup>EdNOTE: make sure the concepts are introduced and/or rephrase

Train1	Differential Geometry <a href="http://arxiv.kwarc.info/files/9609/dg-ga.9609012">http://arxiv.kwarc.info/files/9609/dg-ga.9609012</a>
Train2	Quantum Physics <a href="http://arxiv.kwarc.info/files/0910/0910.5733/">http://arxiv.kwarc.info/files/0910/0910.5733/</a>
Train3	High Energy Physics - Theory <a href="http://arxiv.kwarc.info/files/9407/hep-th.9407125/">http://arxiv.kwarc.info/files/9407/hep-th.9407125/</a>
Train4	Commutative Algebra <a href="http://arxiv.kwarc.info/files/0809/0809.4873/">http://arxiv.kwarc.info/files/0809/0809.4873/</a>
Train5	Statistics Theory <a href="http://arxiv.kwarc.info/files/0905/0905.1486/">http://arxiv.kwarc.info/files/0905/0905.1486/</a>
Train6	General Relativity and Quantum Cosmology <a href="http://arxiv.kwarc.info/files/0807/0807.2507/">http://arxiv.kwarc.info/files/0807/0807.2507/</a>
Train7	Cosmology and Extragalactic Astrophysics <a href="http://arxiv.kwarc.info/files/0908/0908.2548">http://arxiv.kwarc.info/files/0908/0908.2548</a>
Train8	Exactly Solvable and Integrable Systems <a href="http://arxiv.kwarc.info/files/0905/0905.2033">http://arxiv.kwarc.info/files/0905/0905.2033</a>
Train9	Geometric Topology <a href="http://arxiv.kwarc.info/files/0809/0809.4477">http://arxiv.kwarc.info/files/0809/0809.4477</a>
Train10	Algebraic Geometry <a href="http://arxiv.kwarc.info/files/0704/0704.0537">http://arxiv.kwarc.info/files/0704/0704.0537</a>

Table 2.1: Sandbox of Ten Random ARXIV Papers from Diverse Scientific Subfields

## 2.3 Annotation Vocabulary

Another core goal is to discover and describe interesting linguistic phenomena that occur naturally in our corpus. Examples of what we consider “interesting” are phenomena that induce ambiguity, or legitimize what would typically be ungrammatical fragments. Cases of ambiguity are well-known to follow from semantic overloading of symbols, implicit argument scopes of operations or eliding syntax, leaving the reader with the task of guessing the “invisible” dynamics. Use of custom shorthands, however, as well as custom notations in general, expands the grammar of symbolic mathematics, often in completely non-standard ways that can only be grasped through a deep understanding of the document at hand.

As multiple interesting observations can be made for a single large mathematical formula, it is natural to annotate multiple relevant subexpressions. More

Property	Keywords
<b>Fixity</b>	prefix, infix, postfix, superfix, subfix, circumfix, transfix, nofix <sup>1</sup>
<b>Role (Symbols)</b>	separator, modifier, relation, operator, metarelation
<b>Role (Objects)</b>	factor, term, statement, variable, constant, modified
<b>Role (Structure)</b>	tuple, sequence, expression, shorthand, notation
<b>Composition</b>	invisible, atom, complex, chained
<b>Shallow Semantics</b>	type, function, constructor, other
<b>Linguistic</b>	ellipsis, metonymy, ambiguity, vagueness, anaphora
<b>Math Practices</b>	framing

Table 2.2: Keyword Vocabulary for Syntactic Properties

concretely, for each phenomenon of interest, we annotate the greatest common subtree (GCT) of all participating subtrees. In case we find a long-range relationship in a large formula, the annotation would hence be placed on the formula root.

The annotations can be utilized for different purposes - browsing by specific phenomena, syntactic feature or lemma, training a classifier, etc. Thus, we take a compositional, standardized approach to providing labels from a fixed vocabulary for the relevant ontological classes of structural properties.





## Chapter 3

---

# A Study of Mathematical Syntax

---

### 3.1 Basics

#### Foundations

7 8 9

EdN:7

EdN:8

EdN:9

#### High School

10 11

EdN:10

EdN:11

### 3.2 Discrete math

#### Set Theoretic Notations

12 13

EdN:12

EdN:13

#### Logical Operators

14

EdN:14

---

<sup>7</sup>EdNOTE: arithmetic, grouping fences and equality

<sup>8</sup>EdNOTE: basic relations and orderings

<sup>9</sup>EdNOTE: arithmetic and algebraic sequences?

<sup>10</sup>EdNOTE: geometry here, otherwise a separate geometry subsection

<sup>11</sup>EdNOTE: trigonometry, complex and rational numbers

<sup>12</sup>EdNOTE: elementhood, inclusions, set constructors, overloaded arith ops

<sup>13</sup>EdNOTE: also maps : domains  $\rightarrow$  codomains, xRy notations

<sup>14</sup>EdNOTE: classic logic, HOL, type theories

## Combinatorics

EdN:15 15 16  
EdN:16

## Number Theory

EdN:17 17 18 19 20  
EdN:18  
EdN:19  
EdN:20

## Graph Theory

EdN:21 21 22 23  
EdN:22  
EdN:23

## Algebra

EdN:24 24 25 26 27  
EdN:25  
EdN:26  
EdN:27

## Functions Theory

EdN:28 28

## 3.3 Continuous math

### Calculus

EdN:29 29

---

<sup>15</sup>EdNOTE: Infinite sums  
<sup>16</sup>EdNOTE: binomials, combinations, permutations,  
<sup>17</sup>EdNOTE: modulo modifiers  
<sup>18</sup>EdNOTE: tuples  
<sup>19</sup>EdNOTE: divisibility notations  $a \mid b$  and  $b/a$   
<sup>20</sup>EdNOTE: DLMF sneaky notations  
<sup>21</sup>EdNOTE: edge and vertex notations  
<sup>22</sup>EdNOTE: incidence and adjacency notations  
<sup>23</sup>EdNOTE: Wiki is very nice: [http://en.wikipedia.org/wiki/Glossary\\_of\\_graph\\_theory](http://en.wikipedia.org/wiki/Glossary_of_graph_theory)  
<sup>24</sup>EdNOTE: vectors  
<sup>25</sup>EdNOTE: maps and complements  
<sup>26</sup>EdNOTE: groups  
<sup>27</sup>EdNOTE: lattices  
<sup>28</sup>EdNOTE: talk about associativity of application and composition, “;” and “o” as notation variants, discuss complex examples  
<sup>29</sup>EdNOTE: differentials, integrals, limits, remember brownian motion integral notations!

## Probability

30 31

EdN:30

EdN:31

## Interval Notation and Arithmetic

32

EdN:32

## Topology

33

EdN:33

## Differential Geometry

Some intro text?

34

EdN:34

35

EdN:35

---

<sup>30</sup>EDNOTE: Bayes formula with multiple denotations of P

<sup>31</sup>EDNOTE: Various conditional and joint probability notations

<sup>32</sup>EDNOTE: introduce interval notations, then move to interval arithmetic

<sup>33</sup>EDNOTE: manifold constructors and notations

<sup>34</sup>EDNOTE: more on  $(\text{mod } x)$  notations

<sup>35</sup>EDNOTE: Complex named entity: " $U(1)$  Chern-Simons gauge theory."

EdN:36            36 37  
EdN:37

3.4    Other fields

Quantum Physics

EdN:38            38 39 ;  
EdN:39

---

<sup>36</sup>EDNOTE: Scripts give you new names or new objects  
<sup>37</sup>EDNOTE: Prime scripts can be used for both naming and operating  
<sup>38</sup>EDNOTE: Bra-ket notation  
<sup>39</sup>EDNOTE: computer science, biology, chemistry...

	Expression	Denotation	Annotation
1.	$W \in \mathcal{P} \cap \mathcal{Z}$ <b>Discussion:</b> set ops precede set relations, [Train1]	set membership	infix relation
2.	$\nu : \times^n \mathbb{V} \rightarrow \mathbb{R}$ <b>Discussion:</b> $n$ -ary cross-product, [Train1]	a map	typed modifier
3.	$\mathcal{Z}^* = \{X \in \mathcal{V} \mid \omega(X, W) \in \mathbb{Z}, \text{ for all } W \in \mathcal{Z}\}$ <b>Discussion:</b> NL mixins, quantified relation, [Train1]	definition to set	typed modifier
4.	$\text{span}_{\mathbb{R}}\{W_1, \dots, W_g\}$ <b>Discussion:</b> set operators can take fenced yet not simply <i>grouped</i> arguments, [Train1]	span of a set	prefix operator modified
5.	$\mathcal{BS}_{\mathcal{P}} = \bigcup_{\mathbf{q} \in (\mathbb{Z}/k\mathbb{Z})^g} \Lambda_{\mathbf{q}}$ <b>Discussion:</b> $n$ -ary union, ranges over subscript, [Train1]	definitional assignment	infix relation
6.	$L_{12} = L_{\mathcal{P}_1} \cap L_{\mathcal{P}_2} \neq 0$ <b>Discussion:</b> acts as relation, is it modified or chained?, [Train1]	non-transversal intersection	modified chained
7.	$\alpha \in GL(g, \mathbb{Z}) \subset Sp(2g, \mathbb{Z})$ <b>Discussion:</b> membership comes after set inclusion, due to well-typedness!, [Train1]	statement	infix relation

Table 3.1: Set Theory Notations, Part 1

	Expression	Denotation	Annotation
1.	$(\mathcal{V}/\mathcal{Z}, k\omega)$ <b>Discussion:</b> [Train1]	symplectic torus	circumfix constructor
2.	$\mathcal{Z}$ <b>Discussion:</b> [Train1]	self-dual lattice	atom notation
3.	$(\mathcal{V}, \omega)$ <b>Discussion:</b> [Train1]	symplectic vector space	circumfix constructor
4.	$Lag(\mathcal{V})$ <b>Discussion:</b> [Train1]	Lagrangian Grassmannian	circumfix constructor
5.	$Lag_4(\mathcal{V})$ <b>Discussion:</b> [Train1]	4-fold covering space	prefix constructor
6.	$\mathcal{M}_\Sigma$ <b>Discussion:</b> [Train1]	moduli space	suffix constructor
7.	$\Sigma$ <b>Discussion:</b> [Train1]	Riemann surface	atom variable
8.	$H^1(\Sigma; \mathbb{R})$ <b>Discussion:</b> [Train1]	chomology space	transfix constructor
9.	$H^1(\Sigma; \mathbb{R})/H^1(\Sigma; \mathbb{Z})$ <b>Discussion:</b> [Train1]	torus	infix operator
10.	$(M, \omega)$ <b>Discussion:</b> [Train1]	symplectic manifold	circumfix constructor
11.	$f \in \mathcal{C}^\infty(M)$ <b>Discussion:</b> [Train1]	smooth function	atom modified
12.	$X_f$ <b>Discussion:</b> [Train1]	field	suffix constructor
13.	$\lrcorner$ <b>Discussion:</b> Formed via <code>\mathop</code> in <code>T<sub>E</sub>X</code> , [Train1]	interior product	complex infix operator
14.	$[\omega] \in H^2(M; \mathbb{R})$ <b>Discussion:</b> [Train1]	cohomology class	complex variable modified
15.	$(\cdot, \cdot)$ <b>Discussion:</b> [Train1]	notation patter, hermitian metric	notation tuple

Table 3.2: Differential Geometry Notations, Part 1

	Expression	Denotation	Annotation
16.	$-2\pi i \omega$ <b>Discussion:</b> [Train1]	complex number	invisible prefix infix operator expression
17.	$(\mathcal{L}, \nabla)$ <b>Discussion:</b> [Train1]	prequantum line bundle	circumfix constructor
18.	$U \subset M$ <b>Discussion:</b> [Train1]	open subset	modified atom
19.	$\mathcal{L} _U$ <b>Discussion:</b> postfix restriction via “ $ _U$ ”, [Train1]	restricted line bundle	modified atom
20.	$s \in \Gamma(U; \mathcal{L})$ <b>Discussion:</b> [Train1]	nonzero section	modified atom
21.	$\nabla s = -2\pi i \theta s$ <b>Discussion:</b> [Train1]	equation	relation
22.	$\omega _U = d\theta$ <b>Discussion:</b> [Train1]	equation	relation
23.	$T_x M$ <b>Discussion:</b> metonymy for tangent bundle, concat is a space-constructor, [Train1]	bundle	metonymy infix invisible constructor
24.	$\omega _{\mathcal{P}_x} \equiv 0$ <b>Discussion:</b> [Train1]	equivalence	relation
25.	$\dim \mathcal{P}_x = \frac{1}{2} \dim T_x M$ <b>Discussion:</b> dim has lower precedence than invisible bundle-formation, [Train1]	equality	relation
26.	$[X, Y] \in \mathcal{X}_{\mathcal{P}}(M)$ <b>Discussion:</b> used as verb phrase in sentence, [Train1]	commutator is in set	relation
27.	$\nabla^{\mathcal{P}}$ <b>Discussion:</b> big op?, [Train1]	covariant differentiation	scripted prefix op
28.	$\nabla^{\mathcal{P}} : \mathcal{X}_{\mathcal{P}}(M) \times \mathcal{X}_{\mathcal{P}}(M) \longrightarrow \mathcal{X}_{\mathcal{P}}(M)$ $(X, Y) \longmapsto \nabla_X^{\mathcal{P}} Y,$ <b>Discussion:</b> alignment splits type statement, trailing comma [Train1]	domain specification	type modifier
29.	$(\nabla_X^{\mathcal{P}} Y) \lrcorner \omega = X \lrcorner d(Y \lrcorner \omega).$ <b>Discussion:</b> trailing dot, [Train1]	definitional assignment	infix relation
30.	$\Pi_{\mathcal{P}} : M \rightarrow M/\mathcal{P}$ <b>Discussion:</b> [Train1]	canonical projection map	type modifier

Table 3.3: Differential Geometry Notations, Part 2

	Expression	Denotation	Annotation
31.	$T^g$ <b>Discussion:</b> script means dimensionality[Train1]	$g$ -dimensional torus	complex object
32.	$q_1, \dots, q_g$ <b>Discussion:</b> [Train1]	coordinate functions	enumerative sequence
33.	$X_{q_1}, \dots, X_{q_g}$ <b>Discussion:</b> [Train1]	Hamiltonian vector fields	enumerative sequence
34.	$q_1 \circ \Pi_{\mathcal{P}}, \dots, q_g \circ \Pi_{\mathcal{P}}$ <b>Discussion:</b> sequence elements are applicative objects, [Train1]	functions	enumerative sequence
35.	$\gamma_1(\Lambda), \dots, \gamma_g(\Lambda)$ <b>Discussion:</b> [Train1]	basis for a homology group	enumerative sequence
36.	$j_i(y) = \int_{\gamma_i(\Lambda)} \theta$ , where $y = \Pi_{\mathcal{P}}(\Lambda)$ , <b>Discussion:</b> integral has no binder, nat. lang. modifier, punctuation, [Train1]	definitional assignment	infix relation
37.	$\text{Det } \mathbb{V} = \bigwedge^n \mathbb{V}$ <b>Discussion:</b> $n$ -ary wedge?, hidden binder on $\mathbb{V}$ , [Train1]	definitional assignment	infix relation
38.	$\kappa(X_{j_1} _{\Lambda}, \dots, X_{j_g} _{\Lambda}) = 1$ . <b>Discussion:</b> bars as postfix, within a sequence [Train1]	canonically defined density	infix relation
39.	$(\nabla_W^{\mathcal{P}} \nu)(X_1^*, \dots, X_g^*) = W(\nu(X_1^*, \dots, X_g^*))$ , <b>Discussion:</b> applied function is fenced, [Train1]	definitional assignment <sup>1</sup>	infix relation
40.	$0 \longrightarrow \Omega_{\mathcal{P}}^0(\mathcal{L}_{\mathcal{P}}) \xrightarrow{\nabla^{\mathcal{P}}} \Omega_{\mathcal{P}}^1(\mathcal{L}_{\mathcal{P}}) \xrightarrow{\nabla^{\mathcal{P}}} \dots \xrightarrow{\nabla^{\mathcal{P}}} \Omega_{\mathcal{P}}^g(\mathcal{L}_{\mathcal{P}}) \longrightarrow 0$ <b>Discussion:</b> arrows as transitions, ellipsis, [Train1]	complex	type?
41.	$\bigwedge^k \mathcal{P}^* \otimes \mathcal{L}_{\mathcal{P}}$ <b>Discussion:</b> which operator binds first?, [Train1]	line bundle	applicative constructor?
42.	$c_{\Lambda} = \int_{\Lambda} f_{\Lambda} \hat{\kappa}$ <b>Discussion:</b> bound variable in integral subscript[Train1]	definitional assignment	infix relation
43.	$H^g(M; \mathcal{P}, \mathcal{L}_{\mathcal{P}}) \cong \bigoplus_{\Lambda \in \mathcal{BS}_{\mathcal{P}}} S_{\Lambda}$ <b>Discussion:</b> $n$ -ary $\oplus$ , congruence, [Train1]	natural isomorphism	infix relation
44.	$(s, s')$ <b>Discussion:</b> shorthand constructor for a function, [Train1]	function on $\Lambda$	circumfix constructor
45.	$\int_{\Lambda} (s, s') \mu * \mu'$ <b>Discussion:</b> binder in subscript, infix operator “*” binds stronger than invisible apply [Train1]	integral application	prefix application

Table 3.4: Differential Geometry Notations, Part 3



Expression	Denotation	Annotation
46. $\langle\langle\cdot, \cdot\rangle\rangle : \mathcal{H}_{\mathcal{P}_2} \times \mathcal{H}_{\mathcal{P}_1} \rightarrow \mathbb{C}$ <b>Discussion:</b> operator pattern, along with operator type [Train1]	sesquilinear pairing pattern	type modifier
47. $\omega = \sum_{i=1}^g dp^i \wedge dq^i$ <b>Discussion:</b> sum over wedge applications, [Train1]	symplectic form	infix relation
48. $p^i = \text{constant}$ <b>Discussion:</b> bad text/math modality, RHS outside of math[Train1]		
49. $W \cdot (X, \lambda) = (X + W, \epsilon(W) e^{\pi i k \omega(W, X)} \lambda),$ <b>Discussion:</b> defines operator $\cdot$ , arguments quantified via NL following the math expression,[Train1]	$\mathcal{Z}$ -action definition	infix relation
50. $l(l \leq g)$ <b>Discussion:</b> invisible modifier, using fenced relation,[Train1]	dimension	modified object
51. $(W_1, \dots, W_g; W_1^\perp, \dots, W_g^\perp)$ <b>Discussion:</b> distinction between commas and semicolon, [Train1]	symplectic basis	circumfix constructor
52. $i = 1, \dots, g$ <b>Discussion:</b> defined to be a sequence? or modifying restriction over a range?, [Train1]	definitional range	infix relation
53. $X \in \mathcal{V}, W \in \mathcal{P}$ <b>Discussion:</b> comma denotes NL “and” between two relational statements,[Train1]	conjunction of statements	sequence of relations
54. $k \omega(W_i, X) \in \mathbb{Z}, \quad i = 1, \dots, g,$ <b>Discussion:</b> four scopes of commas, also hinted by spacing, [Train1]	statement	modified relation
55. $q_i \pmod k$ <b>Discussion:</b> fenced modifier argument, prefix mod?,[Train1]	modulo	invisible modifier
56. $\Lambda_{\mathbf{q}=(q_1, \dots, q_g)} : k \omega(W_i, X) = q_i \pmod k, i = 1, \dots, g.$ <b>Discussion:</b> complex expression, rich in phenomena,[Train1]	orbit description	infix relation
57. $\hat{\Lambda}_{\mathbf{q}, \mathbf{l}} = \{X \in \mathcal{V} \mid k \omega(W_i, X) = q_i + k l_i, i = 1, \dots, g\}.$ <b>Discussion:</b> modified relation!, [Train1]	definitional assignment	infix relation
58. $\{\sigma_{\mathbf{q}} = s_{\mathbf{q}} \otimes \delta_{\mathbf{q}}\}_{\mathbf{q} \in (\mathbb{Z}/k\mathbb{Z})^g}$ <b>Discussion:</b> relational modifier to set constructor argument, subscripted set range, [Train1]	standard unitary basis if $\mathcal{H}_{\mathcal{P}}$	set constructor
59. $k \omega(W_i, T_j) = \delta_{ij} \quad i, j = h + 1, \dots, g$ <b>Discussion:</b> spaces determine equality scopes, act as conjunctions; equality on sequence and range[Train1]	statement	infix relation
60. $[\mathbf{l}] = [(l_1, \dots, l_g)] \in \mathbb{Z}^g / \omega(2, 1) \mathbb{Z}^g$ <b>Discussion:</b> two relations modify $[\mathbf{l}]$ , chained modifying? or nested modifying?[Train1]	equivalence class	doubly modified object

Table 3.5: Differential Geometry Notations, Part 4

	Expression	Denotation	Annotation
61.	${}^t\mathbf{q}_1$ <b>Discussion:</b> prescript $t$ , but what does it mean?, [Train1]	?	scripted atom
62.	$\sum_{\substack{\mathbf{q}_2 \\ 0 \leq q_{2i} \leq k \det \omega(2,1) -1}} \sum_{[I], [I']} \dots$ <b>Discussion:</b> stacked subscripts, and subscript sequence[Train1]	nested summation	prefix operator apply
63.	$\oplus_{i=1}^g \mathbb{Z}W_{1i} \oplus \oplus_{i=1}^g \mathbb{Z}W_{1i}^\perp$ <b>Discussion:</b> mixing prefix $n$ -ary $\oplus$ with infix binary $\oplus$ . [Train1]	?	infix apply
64.	$\tau : Lag(\mathcal{V}) \times Lag(\mathcal{V}) \times Lag(\mathcal{V}) \rightarrow \mathbb{Z}$ <b>Discussion:</b> $\times$ is weaker than invisible application, when in a typing context?, [Train1]	function declaration	typed modifier
65.	$L_1, L_2, L_3, L_4 \in Lag(\mathcal{V})$ <b>Discussion:</b> multirelation? membership holds for each of the sequence entries on LHS, [Train1]	set membership	infix relation
66.	$r \equiv (\text{mod } q)$ <b>Discussion:</b> second-order relation, $r$ is used as a superscript notation for modulo apply, [Train1]	equivalence	infix relation
67.	$U_{\mathcal{P}}(b) = F_{\mathcal{P}, b\mathcal{P}} \circ b : \mathcal{H}_{\mathcal{P}} \rightarrow \mathcal{H}_{\mathcal{P}}$ <b>Discussion:</b> modifier for assignment, followed by modifier for type, [Train1]	unitary operator definition	typed modifier
68.	$(W'_i = bW_i ; W'^{\perp}_i = bW_i^\perp)$ <b>Discussion:</b> two modified arguments to the main constructor, [Train1]	symplectic basis	circumfix constructor
69.	$(x, c) \in \mathcal{T} \times Sp(2g, \mathbb{R}) \xrightarrow{b} (b(x), bc) \in \mathcal{T} \times Sp(2g, \mathbb{R})$ <b>Discussion:</b> $\times$ is not used in a typing sense, but in a cross-product sense, inducing a different arrow interplay [Train1]	left action	arrow transition
70.	<b>Discussion:</b> [Train1]		
71.	<b>Discussion:</b> [Train1]		
72.	<b>Discussion:</b> [Train1]		
73.	<b>Discussion:</b> [Train1]		
74.	<b>Discussion:</b> [Train1]		
75.	<b>Discussion:</b> [Train1]		

Table 3.6: Differential Geometry Notations, Part 5

*Chapter 4*

---

# Discussion

---



*Chapter 5*

---

# Conclusion

---