

Arin Chauhan

S24CSEU1777

ASSIGNMENT 1

create database

Bennett_University; use

Bennett_University;

create table List_Courses(

Course_code varchar(20),

Course_title

varchar(100), Credits

int,

Semester int,

Instructor_id int

);

create table Instructor_details (

Instructor_id int,

Instructor_name varchar(100),

Department varchar(50)

);

create table List_Students (

Registration_id varchar(20),

S_Name varchar(100),

Semester int,

Course_code

varchar(20), Age int,

Instructor_id int

);

insert into List_Courses (Course_code, Course_title, Credits, Semester,
Instructor_id) values

('CS301', 'DBMS', 4, 3, 101),

('CS302', 'OS', 3, 3, 102),

('CS101', 'Physics', 3, 1, 103),

('CS303', 'java', 3, 3, 104),

('CS505', 'Discrete Math', 4, 5, 105),

('CS701', 'Cloud Computing', 3, 7, 106),

('EC303', 'DLD', 2, 5, 107),

('MBA501', 'Economics', 3, 5, 108);

insert into Instructor_details (Instructor_id, Instructor_name, Department)
values (101, 'Ashish', 'CSE'),

(102, 'Shivam', 'CSE'),

(103, 'Ravi', 'ME'),

(104, 'Sujit', 'CSE'),

(105, 'Alka', 'CSE'),

(106, 'Suman', 'CSE'),

(107, 'Mukund', 'EC'),

(108, 'Rohit', 'MBA');

```

insert into List_Students (Registration_id, S_Name, Semester, Course_code, Age,
Instructor_id) values
('SCS012', 'Arjun', 3, 'CS301', 17, 101),
('SCS013', 'Anamika', 3, 'CS301', 19, 101),
('SCS012', 'Divya', 3, 'CS302', 20, 102),
('SCS014', 'Diya', 1, 'CS101', 19, 103),
('SCS015', 'Abhishek', 3, 'CS303', 17, 104),
('SCS090', 'Shiva', 3, 'CS303', 16, 104),
('SCS071', 'Rahul', 5, 'CS505', 21, 105),
('SCS043', 'Rupam', 3, 'EC303', 22, 107),
('SCS017', 'Hina', 3, 'EC303', 23, 107),
('SCS022', 'Alam', 5, 'MBA501', 21, 108),
('SCS056', 'Satya', 7, 'CS701', 23, 106);
select * from List_Courses;
select * from List_Students where Semester = 3;
select * from Instructor_details where Instructor_name is null;
select * from List_Students where Semester = 3 and Age > 18;
select * from Instructor_details where Department = 'CSE' or Department =
'MBA'; alter table List_Students add column Blood_group varchar(10);
alter table List_Students drop column Blood_group;
create table new_students as select * from
List_Students; select * from new_students;
alter table new_students modify column Age varchar(10);
alter table new_students change column S_Name Student_Name
varchar(100); SET SQL_SAFE_UPDATES = 0;
delete from new_students where Age > 22;
update new_students set Age = 17 where Student_Name = 'Shiva';

```

ASSIGNMENT 2

```


create database Student;
use Student;
create table stud(
Reg_no int,
S_name
varchar(50), S_city
varchar(100),
Enr_Year Year,
Branch varchar(10),
Age int,
Semester int,
Grades decimal(3,1));
insert into stud(Reg_No,S_name,S_city,Enr_year,Branch,Age,Semester,Grades)
values(101,"Saloni","Delhi",2023,"CSE",18,3,7.5),
(102,"Bindu","UP",2023,"CSE",19,3,6.4),
(103,"Amit","UP",2023,"ECE",17,3,8.2),
(104,"Akshat","Haryana",2022,"ECE",18,5,9.5),

```

```
(105,"Advik","Delhi",2022,"ECE",20,5,9.2),
(106,"Saurabh","Delhi",2021,"ECE",19,7,7.2);
select COUNT(*) AS total_ece_students FROM stud WHERE Branch = 'ECE';
```

```
select max(Grades) as Highest from stud where Semester=3;
select avg(Grades) as Average_Grades from stud;
select Reg_no,S_name,Branch,Semester,ceil(Grades) from
stud; Select Reg_no,S_name,left(Branch,2),Semester from
stud; select * from stud where length(S_name)>5;
```

ASSIGNMENT 3



ASSIGNMENT 4

```
create database
Bennett_University; use
Bennett_University;
```

```
create table List_Courses (
    Course_code
    varchar(20), Course_title
    varchar(100), Credits
    int,
    Semester int,
    Instructor_id int
);
```

```
create table Instructor_details
( Instructor_id int,
    Instructor_name
    varchar(100), Department
    varchar(50)
);
```

```
create table List_Students (
    Registration_id varchar(20),
```

```
S_Name varchar(100),  
Semester int,  
Course_code  
varchar(20), Age int,  
Instructor_id int  
);
```

```
insert into List_Courses (Course_code, Course_title, Credits, Semester,  
Instructor_id) values  
( 'CS301', 'DBMS', 4, 3, 101),  
( 'CS302', 'OS', 3, 3, 102),  
( 'CS101', 'Physics', 3, 1, 103),  
( 'CS303', 'java', 3, 3, 104),  
( 'CS505', 'Discrete Math', 4, 5, 105),  
( 'CS701', 'Cloud Computing', 3, 7, 106),  
( 'EC303', 'DLD', 2, 5, 107),  
( 'MBA501', 'Economics', 3, 5, 108);
```

```
insert into Instructor_details (Instructor_id, Instructor_name, Department)  
values (101, 'Ashish', 'CSE'),  
(102, 'Shivam', 'CSE'),  
(103, 'Ravi', 'ME'),  
(104, 'Sujit', 'CSE'),  
(105, 'Alka', 'CSE'),  
(106, 'Suman', 'CSE'),  
(107, 'Mukund', 'EC'),  
(108, 'Rohit', 'MBA');
```

```
insert into List_Students (Registration_id, S_Name, Semester, Course_code, Age,  
Instructor_id) values  
( 'SCS012', 'Arjun', 3, 'CS301', 17, 101),  
( 'SCS013', 'Anamika', 3, 'CS301', 19, 101),  
( 'SCS016', 'Divya', 3, 'CS302', 20, 102),  
( 'SCS014', 'Diya', 1, 'CS101', 19, 103),  
( 'SCS015', 'Abhishek', 3, 'CS303', 17, 104),  
( 'SCS090', 'Shiva', 3, 'CS303', 16, 104),  
( 'SCS071', 'Rahul', 5, 'CS505', 21, 105),  
( 'SCS043', 'Rupam', 3, 'EC303', 22, 107),  
( 'SCS017', 'Hina', 3, 'EC303', 23, 107),  
( 'SCS022', 'Alam', 5, 'MBA501', 21, 108),  
( 'SCS056', 'Satya', 7, 'CS701', 23, 106);
```

```
select * from List_Students order by Age asc;
```

```
select Semester, count(*) as Number_of_Students from List_Students group by  
Semester;
```

```
select * from List_Courses where Credits > 2 order by Credits desc;
```

```
select * from List_Courses where Semester in (3, 5) order by
```

```
Course_code; select * from List_Courses order by Credits desc, Semester
```

```
asc;
```

```
select Instructor_id, max(Credits) as Max_Credits from List_Courses group by  
Instructor_id;
```

```
select Instructor_id, count(*) as Number_of_Courses from List_Courses where  
Semester = 3 group by Instructor_id;
```

```
create view Instructor_Course_Count as  
select Instructor_id, count(*) as Number_of_Courses from List_Courses group by  
Instructor_id;
```

```
create view Student_Course_Count as  
select Registration_id, S_Name, count(*) as Number_of_Courses from List_Students  
group by Registration_id, S_Name;
```

```
create view Semester3_Students as  
select * from List_Students where Semester = 3 order by Age;
```

```
create view Department_Instructor_Count as  
select Department, count(*) as Number_of_Instructors from Instructor_details  
group by Department order by Department;
```

ASSIGNMENT 5

```
create database
```

```
Bennett_University; use
```

```
Bennett_University;
```

```
create table courses (
```

```
    course_code
```

```
    varchar(10), course_title
```

```
    varchar(50), credits int,
```

```
    semester int,
```

```
    instructor_id int
```

```
);
```

```
insert into courses values
```

```
('cs301', 'dbms', 4, 3, 101),
```

```
('cs302', 'os', 3, 3, 102),
```

```
('cs101', 'physics', 3, 1, 103),
```

```
('cs303', 'java', 3, 3, 104),
```

```
('cs505', 'discrete math', 4, 5, 105),
```

```
('cs701', 'cloud computing', 3, 7, 106),
```

```
('ec303', 'dld', 2, 5, 107),
```

```
('mba501', 'economics', 3, 5, 108);
```

```
create table instructors (  
    instructor_id int,  
    instructor_name varchar(50),  
    department varchar(20)  
);  
insert into instructors values  
(101, 'ashish', 'cse'),  
(102, 'shivam', 'cse'),  
(103, 'ravi', 'me'),  
(104, 'sujit', 'cse'),  
(105, 'alka', 'cse'),  
(106, 'suman', 'cse'),  
(107, 'mukund', 'ec'),  
(108, 'rohit', 'mba'),  
(109, 'divyanshu', 'mba'),  
(110, 'abhijit', 'law');
```

```
create table students (  
    registration_id  
    varchar(20), s_name  
    varchar(30),  
    semester int,  
    course_code  
    varchar(10), age int,  
    instructor_id int  
);  
insert into students values  
('scs012', 'arjun', 3, 'cs301', 17,  
101),  
('scs013', 'anamika', 3, 'cs301', 19, 101),  
('scs012', 'divya', 3, 'cs302', 20, 102),  
('scs014', 'diya', 1, 'cs101', 19, 103),  
('scs015', 'abhishek', 3, 'cs303', 17, 104),  
('scs090', 'shiva', 3, 'cs303', 16, 104),  
('scs071', 'rahul', 5, 'cs505', 21, 105),  
('scs022', 'alam', 5, 'mba501', 21, 108),  
('scs056', 'satya', 7, 'cs701', 23, 106);  
create table experience (  
    instructor_id int,  
    experience int  
);
```

```
insert into experience values  
(101, 0),  
(102, 1),  
(103, 3),  
(104, 5),  
(105, 1),
```

```

(106, 0),
(107, 0),
(108, 6),
(109, 5),
(110, 5);
select courses.course_title,
instructors.instructor_name from courses
inner join instructors
on courses.instructor_id = instructors.instructor_id;
select instructors.instructor_name,
experience.experience from instructors
inner join experience
on instructors.instructor_id = experience.instructor_id
where experience.experience = 0;
select students.s_name, instructors.instructor_name,
experience.experience from students
right join instructors
on students.instructor_id = instructors.instructor_id
left join experience
on instructors.instructor_id = experience.instructor_id
where experience.experience > 3;
select instructors.instructor_name,
experience.experience from instructors
inner join experience
on instructors.instructor_id = experience.instructor_id
where experience.experience = (
    select max(experience) from experience
);
select instructors.instructor_name, students.s_name,
students.course_code from instructors
inner join students
on instructors.instructor_id = students.instructor_id
where students.course_code in ('cs301', 'cs302');
select instructors.instructor_name
from
instructors left
join students
on instructors.instructor_id = students.instructor_id
where students.registration_id is null;
select avg(students.age) as
average_age from students
where students.course_code = 'cs301';
select experience.instructor_id, experience.experience, students.s_name
from experience
left join students
on experience.instructor_id = students.instructor_id
where students.s_name is null;
select count(*) as total_rows

```

from instructors
cross join
students;