

Emacs Support for Clojure 🚧

Description	Keystroke	Function	Note
<a href="#">Clojure Programming Language Support</a>	<div>🚧 This page is not written yet, except for some basic information. More information will be provided soon.</div> <div>🔧 PEL activates Clojure support when the <b>pel-use-clojure</b> user-option is turned on (t). PEL provide extra support for the Clojure programming language and its various implementations by providing access to the following external packages: 📦 The <a href="#">cider</a> external package. 🔧 PEL activates it when the <b>pel-use-cider</b> user-option is turned on (t). 📦 The <a href="#">clj-refactor.el</a> external package. 🔧 PEL activates it when the <b>pel-use-clj-refactor</b> user-option is turned on (t). 📦 The <a href="#">clojure-snippets</a> external package. 🔧 PEL activates it when the <b>pel-use-clojure-snippets</b> user-option is turned on (t).</div> <div>• PEL provides Lispy support for Clojure when the clojure-mode is added to the list specified by <b>pel-modes-activating-lispy</b> user-option. See <a href="#">⌘⌘- Lispy</a></div>		
<b>Open this PDF file.</b> See also: <a href="#">⌘ Help/Info</a>	<div>&lt;f11&gt; SPC C-j &lt;f1&gt;</div> <div>&lt;f12&gt; &lt;f1&gt;</div>	<div>(pel-help-pdf &amp;optional OPEN-WEB-PAGE)</div>	Open the local copy of the <a href="#">⌘ - Clojure</a> PDF file unless a command prefix (like <b>C-u</b> ) was used. In that case it opens the Github-hosted file instead.
<a href="#">⌘ Customize</a> PEL Clojure support	<div>&lt;f11&gt; SPC C-j &lt;f2&gt;</div> <div>&lt;f12&gt; &lt;f2&gt;</div>	<div>(pel-customize-pel &amp;optional OTHER-WINDOW)</div>	Customize PEL Clojure support. • If OTHER-WINDOW is non-nil (use <b>C-u</b> ), display in another window.
<a href="#">⌘ Customize</a> Emacs Clojure support	<div>&lt;f11&gt; SPC C-j &lt;f3&gt;</div> <div>&lt;f12&gt; &lt;f3&gt;</div>	<div>(pel-customize-library &amp;optional OTHER-WINDOW)</div>	Customize Emacs Clojure support: clojure, cider, cljr. • If OTHER-WINDOW is non-nil (use <b>C-u</b> ), display in another window.