▲ Topic Index

macs support for the Smalltalk Programming Language 🚧

Description	<u>Keystroke</u>	Function	Note
Smalltalk Editing	PEL supports for the Smalltalk programming language is experimental and not yet documented except for what you see here. The GNU smalltalk-mode external package is installed when the pel-use-smalltalk user-option is set to t. PEL supports GNU Smalltalk smalltalk-mode. This is minimal early support.		
Last updated on:	2025-04-27		
Open this PDF file. See also: <u>See Help/Info</u>	<f11> SPC : <f1></f1></f11>	(pel-help-pdf &optional OPEN-WEB- PAGE)	Open the <u>NI - Smalltalk</u> local PDF. If the prefix argument (like C-u or M) is used, then it opens the remote GitHub hosted raw PDF instead. If the pel-flip-help-pdf-arg user-option is set it's the other way around.
	<f12> <f1></f1></f12>		
© Customize PEL Smalltalk support	<f11> SPC : <f2></f2></f11>	(pel-customize-pel &optional OTHER-WINDOW)	Customize PEL Smalltalk support. • If OTHER-WINDOW is non-nil (use C-u), display in another window.
	<f12> <f2></f2></f12>		
© Customize Emacs Smalltalk support	<f11> SPC : <f3></f3></f11>	(pel-customize-library &optional	Customize Emacs Smalltalk support: swift • If OTHER-WINDOW is non-nil (use C-u), display in another window.
	<f12> <f3></f3></f12>	OTHER-WINDOW)	
Comments			
Toggle display of comments in buffer or active region See also: ∑	<f11> ; ;</f11>	(hide/show-comments-toggle &optional START END)	Toggle hiding/showing of comments in the active region or whole buffer. • If the region is active then toggle in the region. Otherwise, in the whole buffer. • This requires the hide-commt.el package (see Decomments). • PEL activates it when the pel-use-hide-comnt user option is t.

Emacs & Smalltalk — References

Document	Notes
The Smalltalk Programming Language	Smalltalk @ Wikipedia GNU Smalltalk @ Wikipedia GNU Smalltalk home GNU Smalltalk User Manual GNU Smalltalk Library Reference GNU Smalltalk Library Reference 2
Emacs support:	<u>smalltalk-mode</u>