

























































🚦 Tree-Sitter parsers for Emacs 🚧

TreeSitter parsers	Supported by PEL	User-option control	tree-sitter mode	Language grammar	With ⓘiMenu support	With ⓘ Speedbar support	Status of the Tree-Sitter aware major mode	Features working in the tree-sitter mode	Language Server	
<div>Last updated on: 2025-12-05</div> <div>See Also:</div> <ul style="list-style-type: none"><li>📘 <b>Tree Sitter</b></li><li>Using tree-sitter with Emacs and PEL</li><li><a href="#">List of Tree-Sitter parsers</a></li></ul>	Indicates yes only when explicitly supported by PEL code.	The name and value of PEL user option that control whether Tree-Sitter aware mode is used.	The name of the major mode command that are tree-sitter based. Modes names in <b>black</b> are built-in Emacs. The others have a link	Name and link to the project providing the language grammar.  If an entry is required in <b>treesit-load-name-override-list</b> it is identified here.	Whether all commands based on imenu work in tree-sitter mode.	Whether Speedbar support works for the tree-sitter based mode.	Identify any known problem here. Later this will be expanded to several features			
📄 - Ada 🚧 📄	Yes	pel-use-ada	<a href="#">ada-ts-mode</a>	<a href="#">tree-sitter-langs ➡ briot/tree-sitter-ada</a>	Yes	Yes	The <a href="#">ada-ts-mode</a> is a great implementation!	<ul style="list-style-type: none"><li>outline-minor-mode. See ⓘ <b>Outline</b></li><li>syntax-highlighting: 4 levels: controlled by <b>treesit-font-lock-level</b></li><li>flexible/precise indentation control with several indentation back-ends:<ul style="list-style-type: none"><li>tree-sitter based (the default), very flexible with 9 customizable user-options.</li></ul></li><li>LSP back-end (a formatter instead of indentation engine)</li></ul>		
📄 - AppleScript				No grammar found yet.						
APL 🚧				No grammar found yet.						
📄 - Arc ⓘ				No grammar found yet, but perhaps a scheme syntax could be used.						
📄 - awk ⓘ				<a href="#">Beaglefoot/tree-sitter-awk</a>						
📄 - C ⓘ				<a href="#">tree-sitter-langs ➡ tree-sitter/tree-sitter-c</a>						
📄 - C++ ⓘ ⓘ				<a href="#">tree-sitter-langs ➡ tree-sitter/tree-sitter-cpp</a>						
Carbon 🚧 future ⓘ				No grammar found yet.						
📄 - Chez ⓘ				No grammar found yet, but perhaps a scheme syntax could be used.						
📄 - Chibi ⓘ				No grammar found yet, but perhaps a scheme syntax could be used.						
📄 - Chicken ⓘ				No grammar found yet, but perhaps a scheme syntax could be used.						
📄 - Clojure ⓘ				<a href="#">tree-sitter-langs ➡ sogaiu/tree-sitter-clojure</a>						
Common Lisp ⓘ				<a href="#">tree-sitter-langs ➡ tree-sitter-grammars/tree-sitter-commonlisp</a>						
Crystal 🚧				<a href="#">crystal-lang-tools/tree-sitter-crystal</a>						
📄 - D ⓘ ⓘ ⓘ				<a href="#">tree-sitter-langs ➡ CyberShadow/tree-sitter-d</a>						
📄 - Dart	Yes	pel-use-dart	<a href="#">dart-ts-mode</a>	<a href="#">tree-sitter-langs ➡ UserNobody14/tree-sitter-dart</a>	Yes, only with dart-ts-mode	Yes, only with dart-ts-mode	OK			

TreeSitter parsers	Supported by PEL	User-option control	tree-sitter mode	Language grammar	With  iMenu support	With  Speedbar support	Status of the Tree-Sitter aware major mode	Features working in the tree-sitter mode	Language Server	
 - Eiffel   				No grammar found yet.						
 - Elm  				<a href="#">tree-sitter-langs</a> ➡ <a href="#">elm-tooling/tree-sitter-elm</a>						
 - Elixir   	Yes	pel-use-elixir	elixir-ts-mode	<a href="#">tree-sitter-langs</a> ➡ <a href="#">elixir-lang/tree-sitter-elixir</a>	Yes	Yes	OK			
  - Emacs Lisp				<a href="#">tree-sitter-langs</a> ➡ <a href="#">Wilfred/tree-sitter-elisp</a>						
 - Erlang   	Yes	pel-use-erlang	<a href="#">erlang-ts-mode</a>	<a href="#">tree-sitter-langs</a> ➡ <a href="#">WhatsApp/tree-sitter-erlang</a>	Yes	Yes	As of this writing, this is an early version. Fontification only works for comments. Maintainers of <a href="#">erlang-ts-mode</a> would appreciate help.			
 - Factor   	No: As of Emacs 30.2 there is no factor-ts-mode			No grammar found yet.			Nothing found yet.			
 - Forth 	No: As of Emacs 30.2 there is no forth-ts-mode			<a href="#">AlexanderBrevig/tree-sitter-forth</a>	Yes	Yes	Nothing found yet.			
Fortran 				<a href="#">tree-sitter-langs</a> ➡ <a href="#">stadelmanma/tree-sitter-fortran</a>						
 - Gambit  				No grammar found yet, but perhaps a scheme syntax could be used.						
 - Gerbil   				No grammar found yet, but perhaps a scheme syntax could be used.						
 - GNU Guile  				No grammar found yet, but perhaps a scheme syntax could be used.						
 - Gleam	Yes	See note ➡	<a href="#">gleam-ts-mode</a>	<a href="#">tree-sitter-langs</a> ➡ <a href="#">tree-sitter-gleam</a>	Yes	Yes	OK	Note: Gleam is only supported by a Tree-Sitter aware mode. There's no classic mode for Gleam.		
 - Go 	Yes	pel-use-go	go-ts-mode	<a href="#">tree-sitter-langs</a> ➡ <a href="#">tree-sitter-go</a>	Yes	Yes	OK			
 - Go go.mod	Yes	pel-use-go	go-mod-ts-mode	<a href="#">tree-sitter-go-mod</a>	Yes	Yes	OK			
Groovy 				<a href="#">tree-sitter-langs</a> ➡ <a href="#">Decodetalkers/tree-sitter-groovy</a>						
 - Haskell 				<a href="#">tree-sitter-langs</a> ➡ <a href="#">tree-sitter/tree-sitter-haskell</a>						
Haxe 				<a href="#">tree-sitter-langs</a> ➡ <a href="#">vantreeseba/tree-sitter-haxe</a>						
 - Hy (python) 				No grammar found yet.						
 - Janet   				<ul style="list-style-type: none"><li><a href="#">tree-sitter-langs</a> ➡ <a href="#">sogaui/tree-sitter-janet-simple</a> ,</li><li><a href="#">GrayJack/tree-sitter-janet</a></li></ul>						
 - Java 				<a href="#">tree-sitter-langs</a> ➡ <a href="#">tree-sitter/tree-sitter-java</a>						
 - Javascript 	Yes	pel-use-js	js-ts-mode	<a href="#">tree-sitter-langs</a> ➡ <a href="#">tree-sitter/tree-sitter-javascript</a>	Yes	Yes	OK			

TreeSitter parsers	Supported by PEL	User-option control	tree-sitter mode	Language grammar	With  iMenu support	With  Speedbar support	Status of the Tree-Sitter aware major mode	Features working in the tree-sitter mode	Language Server	
 <b>Julia</b>				<a href="#">tree-sitter-langs ➡ tree-sitter/tree-sitter-julia</a>						
 <b>Kotlin</b>				<a href="#">tree-sitter-langs ➡ fwcd/tree-sitter-kotlin</a>						
 <b>LFE</b>				No grammar found yet.						
 <b>Lua</b>	Yes	pel-use-lua	lua-ts-mode	<a href="#">tree-sitter-grammars/tree-sitter-lua</a>	Yes	Yes	OK			
				<a href="#">tree-sitter-langs ➡ MunifTanjim/tree-sitter-lua</a> 	Yes	Yes	<ul style="list-style-type: none"><li>fortification does not work</li><li>The tree-sitter-lua project used by tree-sitter-langs seems unmaintained.</li></ul>			
<b>Modula</b>	No: As of Emacs 30.2 there is no modula-ts-mode			No grammar found yet.						
<b>NetRexx</b>	No: As of Emacs 30.2 there is no netrexx-ts-mode			No grammar found yet.			Nothing found yet.			
 <b>Nim</b>	No: As of Emacs 30.2 there is no nim-ts-mode implemented yet.			<a href="#">alviss/tree-sitter-nim</a>	No	Yes, but since iMenu is not supported, nothing shows.	Nothing found yet.			
<b>Objective-C</b> 	No: As of Emacs 30.2 there is no known objc-ts-mode implemented yet.			<ul style="list-style-type: none"><li><a href="#">tree-sitter-grammars/tree-sitter-objc</a></li><li><a href="#">merico-dev/tree-sitter-objc</a></li></ul>						
 <b>OCaml</b>	No: there seems to be several tree-sitter aware major modes for OCaml but PEL does not yet support any as there does not seem to have a clear winner.			<a href="#">tree-sitter-langs ➡ tree-sitter/tree-sitter-ocaml</a>			<div>There seems to have several incomplete implementations:</div> <ul style="list-style-type: none"><li><a href="#">terrateamio/ocaml-ts-mode</a></li><li><a href="#">dmitrig/ocaml-ts-mode</a></li></ul>			
 <b>Odin</b>			<a href="#">Sampie159/odin-ts-mode</a>	<a href="#">tree-sitter-grammars/tree-sitter-odin</a>					<a href="#">DanielGavin/ols</a>	
<b>Pascal</b>	No: As of Emacs 30.2 there is no pascal-ts-mode			<a href="#">tree-sitter-langs ➡ isopod/tree-sitter-pascal</a>			Nothing found yet.			
 <b>Perl</b> <small>(perl5)</small>	No: As of Emacs 30.2 there is no perl-ts-mode implementation that has reached good enough stability.			<a href="#">tree-sitter-langs ➡ tree-sitter-perl/tree-sitter-perl</a>	Yes	Yes	<div>Under development, not yet ready:</div> <ul style="list-style-type: none"><li><a href="#">sourcehut/pranshu/perl-ts-mode</a></li><li><a href="#">HaraldJoerg/emacs-perl-ts-mode</a></li></ul>			
 <b>Pike</b> <small> </small>	No: As of Emacs 30.2 there is no pike-ts-mode			No grammar found yet.			Nothing found yet.			
 <b>Python</b> <small> </small>				<a href="#">tree-sitter-langs ➡ tree-sitter/tree-sitter-python</a>						
 <b>Purescript</b> 				<a href="#">tree-sitter-langs ➡ postsolar/tree-sitter-purescript</a>						
     				<a href="#">tree-sitter-langs ➡ r-lib/tree-sitter-r</a>						
 <b>Racket</b> 				<a href="#">tree-sitter-langs ➡ 6cdh/tree-sitter-racket</a>						
 <b>ReasonML</b>				<a href="#">reasonml-editor/tree-sitter-reason</a>			Nothing found yet.			
<b>REXX</b>	No: As of Emacs 30.2 there is no rexx-ts-mode			No grammar found yet.			Nothing found yet.			
<b>Ruby</b>	Yes	pel-use-ruby	ruby-ts-mode	<a href="#">tree-sitter-langs ➡ tree-sitter/tree-sitter-ruby</a>	Yes	Yes	OK			

TreeSitter parsers	Supported by PEL	User-option control	tree-sitter mode	Language grammar	With  iMenu support	With  Speedbar support	Status of the Tree-Sitter aware major mode	Features working in the tree-sitter mode	Language Server	
 - Rust	Yes	pel-use-rust	rust-ts-mode	<a href="#">tree-sitter-langs</a> ➡ <a href="#">tree-sitter/tree-sitter-rust</a>	Yes	Yes	OK			
Scala 				<a href="#">tree-sitter-langs</a> ➡ <a href="#">tree-sitter/tree-sitter-scala</a>						
 - Scheme				<a href="#">tree-sitter-langs</a> ➡ <a href="#">6cdh/tree-sitter-scheme</a>						
 - Seed7	No: As of Emacs 30.2 there is no seed7-ts-mode implemented yet.			No grammar found yet.	Yes, for seed7-mode	Yes, for seed7-mode	Nothing found yet.			
 - Smalltalk				No grammar found yet.						
 - Swift				<a href="#">tree-sitter-langs</a> ➡ <a href="#">alex-pinkus/tree-sitter-swift</a>						
 - Tcl	No: As of Emacs 30.2 there is tcl-ts-mode implemented yet, even though the Tree-Siter grammar exists.			<a href="#">tree-sitter-langs</a> ➡ <a href="#">tree-sitter/tree-sitter-tcl</a>	Yes, for tcl-mode	Yes, for tcl-mode	Nothing found yet.			
 - Typescript				<a href="#">tree-sitter-langs</a> ➡ <a href="#">tree-sitter/tree-sitter-typescript</a>						
 - UNIX Shell										
 - V	No: As of Emacs 30.2 there is v-ts-mode implemented yet, even though the Tree-Siter grammar exists.			No grammar found yet.			Nothing complete found yet. There is <a href="#">nedpals/tree-sitter-v</a> but that does not seemed maintained.			
 - Verilog				<a href="#">tree-sitter-langs</a> ➡ <a href="#">tree-sitter/tree-sitter-verilog</a>						
 - VHDL				<a href="#">tree-sitter-langs</a> ➡ <a href="#">alemuller/tree-sitter-vhdl</a>						
 - Zig	Yes	pel-use-zig	<a href="#">zig-ts-mode</a>	<a href="#">tree-sitter-langs</a> ➡ <a href="#">tree-sitter-grammars/tree-sitter-zig</a>	Yes	Yes	With language grammar of 2025-10-13: <ul style="list-style-type: none"><li>• fortification does not work</li><li>• incomplete indentation control</li><li>• no format on save like zig-mode</li></ul>			
				<a href="#">maxxino/tree-sitter-zig</a>	Yes	Yes	OK			