

# Emacs Support for Scheme ⚠️

Description	Keystroke	Function	Note
<b>Scheme Programming Language Support</b>	<div><div>⚠️</div><div>This page is not written yet, except for some basic information. More information will be provided soon.</div></div> <div><div>🔧</div><div>PEL activates Scheme support when the <b>pel-use-scheme</b> user-option is turned on (t). PEL provide extra support for the Scheme programming language and its various implementations by providing access to the following external packages: <div><div>📦</div><div>The <b>geyser</b> external package. 🔧 PEL activates it when the <b>pel-use-geiser</b> user-option is turned on (t).</div></div><div><div>📦</div><div>The <b>quack</b> external package. 🔧 PEL activates it when the <b>pel-use-quack</b> user-option is turned on (t).</div></div><div><div>📦</div><div>The <b>gerbil-mode</b> external package. 🔧 PEL activates it when the <b>pel-use-gerbil</b> user-option is turned on (t). Used only for <b>Gerbil Scheme</b>.</div></div></div></div> <div><div>•</div><div>PEL provides Lispy support for Scheme when the scheme-mode is added to the list specified by <b>pel-modes-activating-lispy</b> user-option. See <b>⌘M- Lispy</b></div></div>		
<b>Open this PDF file.</b> See also: <b>⌘ Help/Info</b>	<b>&lt;f11&gt; SPC C-s &lt;f1&gt;</b>	<b>(pel-help-pdf &amp;optional OPEN-WEB-PAGE)</b>	Open the local copy of the <b>⌘ - Scheme</b> PDF file unless a command prefix (like <b>C-u</b> ) was used. In that case it opens the Github-hosted file instead.
	<b>&lt;f12&gt; &lt;f1&gt;</b>		
<b>⌘ Customize</b> PEL Scheme support	<b>&lt;f11&gt; SPC C-s &lt;f2&gt;</b>	<b>(pel-customize-pel &amp;optional OTHER-WINDOW)</b>	Customize PEL Scheme support. • If OTHER-WINDOW is non-nil (use <b>C-u</b> ), display in another window.
	<b>&lt;f12&gt; &lt;f2&gt;</b>		
<b>⌘ Customize</b> Emacs Scheme support	<b>&lt;f11&gt; SPC C-s &lt;f3&gt;</b>	<b>(pel-customize-library &amp;optional OTHER-WINDOW)</b>	Customize Emacs Scheme support: scheme, geiser, quack. • If OTHER-WINDOW is non-nil (use <b>C-u</b> ), display in another window.
	<b>&lt;f12&gt; &lt;f3&gt;</b>		