



Emacs Support for Chibi Scheme 🚧

Description	Keystroke	Function	Note
Chibi Scheme Programming Language Support See also: <ul style="list-style-type: none"> 🔗 File/Directory Variables 	<div>  Chibi Scheme is an implementation of Scheme, used for embedding in other programs and provide scripting. PEL support for Chibi Scheme is preliminary. More work is required to identify Chibi specific support. </div> <div>  PEL activates Chibi Scheme support when the pel-use-chibi user-option is turned on (t). </div> <div> PEL provide extra support for the Chibi Scheme programming language. Most support is provided by Emacs support for ℥ - Scheme . </div> <ul style="list-style-type: none"> The Chibi programming language is a Scheme implementation. The Chibi Scheme files use the same extension as Scheme: .ss. 		
Open this PDF file. See also: 🔗 Help/Info	<div><f11> SPC C-s C-i <f1></div> <div><f12> <f1></div>	<div>(pel-help-pdf &optional OPEN-WEB-PAGE)</div>	Open the ℥ - Chibi local PDF. If the prefix argument (like C-u or M--) is used, then it opens the remote GitHub hosted raw PDF instead. If the pel-flip-help-pdf-arg user-option is set it's the other way around.
🔗 Customize PEL Chibi Scheme support	<div><f11> SPC C-s C-i <f2></div> <div><f12> <f2></div>	<div>(pel-customize-pel &optional OTHER-WINDOW)</div>	Customize PEL Chibi support. <ul style="list-style-type: none"> If OTHER-WINDOW is non-nil (use C-u), display in another window.
🔗 Customize Emacs Chibi Scheme support	<div><f11> SPC C-s C-i <f3></div> <div><f12> <f3></div>	<div>(pel-customize-library &optional OTHER-WINDOW)</div>	Customize Emacs Scheme support: scheme, geiser, quack, lispy. <ul style="list-style-type: none"> If OTHER-WINDOW is non-nil (use C-u), display in another window.
Use the following commands to interact with the Chibi Scheme REPL.			
Open the Chibi REPL	<div><f11> z r C-i</div> <div><f12> z</div>	<div>(pel-chibi-repl &optional N)</div>	Run the Chibi Scheme REPL in window specified by N. <ul style="list-style-type: none"> By default use the other window. If a numeric argument is specified, its value correspond to the direction of a numeric keypad: <div> 8 4 6 2 That is: <ul style="list-style-type: none"> • 8: up • 4: left • 6: right • 2: down • 0 and 5 identify the current window. </div>
Erase the content of REPL	<div><f12> C-l</div>	<div>(pel-clear-scheme-repl-buffer)</div>	Erase content of the Chibi Scheme REPL running under Emacs.